This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Educ T 128.83.870

HARVARD COLLEGE
LIBRARY

GIFT OF THE
GRADUATE SCHOOL
OF EDUCATION

3 2044 097 011 571

THE

ELEMENTS OF ALGEBRA.

BY

G. A. WENTWORTH, A.M.,

PROFESSOR OF MATHEMATICS IN PHILLIPS EXETER ACADEMY.

TEACHERS' EDITION.

BOSTON:
PUBLISHED BY GINN, HEATH, & CO.
1883.

Educ T 128.82.[illegible]0
✓

HARVARD COLLEGE LIBRARY
GIFT OF THE
GRADUATE SCHOOL OF EDUCATION
APR 15 1927

Entered according to Act of Congress, in the year 1882, by
G. A. WENTWORTH,
in the Office of the Librarian of Congress, at Washington.

J. S. Cushing & Co., Printers, Boston, Mass.

PREFACE.

THIS edition is intended for teachers, and for them only. The publishers will make every effort to keep the book from pupils; and teachers are urged to exercise the utmost care not to lose their copies, or to leave them where pupils can have access to them.

It is hoped that young teachers will derive great advantage from studying the systematic arrangement of the algebraic work, for such attention has been paid to this as the limitation of the page would allow.

It is also expected that many teachers, who are pressed for time, will find great relief by not being obliged to work out every problem in the Algebra.

G. A. WENTWORTH.

PHILLIPS EXETER ACADEMY,
December, 1882.

ALGEBRA.

◆

Exercise I.

When $a=1,\ b=2,\ c=3,\ d=4,\ e=5,\ f=0$:

1. $9a+2b+3c-2f$
$=9+4+9-0$
$=22.$

2. $4e-3a-3b+5c$
$=20-3-6+15$
$=26.$

3. $8abc-bcd+9cde-def$
$=48-24+540-0$
$=564.$

4. $\frac{4ac}{b}+\frac{8bc}{d}-\frac{5cd}{e}$
$=6+12-12$
$=6.$

5. $7e+bcd-\frac{3bde}{2ac}$
$=35+24-20$
$=39.$

6. $abc^2+bcd^2-dea^2+f^2$
$=18+96-20+0$
$=94.$

7. $e^4+6e^2b^2+b^4-4e^3b-4eb^3$
$=625+600+16-1000-160$
$=81.$

8. $\frac{8a^2+3b^2}{a^2b^2}+\frac{4c^2+6b^2}{c^2-b^2}-\frac{c^2+d^2}{e^2}$
$=\frac{8+12}{4}+\frac{36+24}{5}-\frac{9+16}{25}$
$=5+12-1$
$=16.$

9. $\frac{d^c}{b^e}$
$=\frac{4^3}{2^5}$
$=2.$

10. $\frac{e^c+b^a}{c^b-b}$
$=\frac{5^3+2}{3^2-2^3}$
$=\frac{125+2}{9-8}$
$=127.$

11. $\frac{b^c+d^c}{b^2+d^2-bd}$
$=\frac{2^3+4^3}{2^2+4^2-8}$
$=\frac{8+64}{4+16-8}$
$=6.$

12. $\frac{e^c-d^c}{e^2+ed+d^2}$
$=\frac{5^3-4^3}{5^2+20+4^2}$
$=\frac{125-64}{25+20+16}$
$=1.$

13. $100+80\div 4$
$=100+20$
$=120.$

14. $75 - 25 \times 2$
$= 75 - 50$
$= 25.$

15. $25 + 5 \times 4 - 10 \div 5$
$= 25 + 20 - 2$
$= 43.$

16. $24 - 5 \times 4 \div 10 + 3$
$= 24 - 20 \div 10 + 3$
$= 24 - 2 + 3$
$= 25.$

17. $(24 - 5) \times (4 \div 10 + 3)$
$= 19 \times (\frac{2}{5} + 3)$
$= 19 \times \frac{17}{5}$
$= \frac{323}{5}$
$= 64\frac{3}{5}.$

18. $xy + 4a \times 2$
$= 15 + 16$
$= 31.$

19. $xy - 15b \div 5$
$= 15 - \frac{150}{5}$
$= 15 - 30$
$= -15.$

20. $3x + 7y \div 7 + axy$
$= 9 + 35 \div 7 + 2 \times 5$
$= 9 + 5 + 10$
$= 24.$

21. $6b - 8y \div 2y \times b - 2b$
$= 60 - 40 \div 10 \times 10 - 20$
$= 60 - 40 - 20$
$= 0.$

22. $(6b - 8y) \div 2y \times b + 2b$
$= (60 - 40) \div 10 \times 10 + 20$
$= 20 \div 10 \times 10 + 20$
$= 40.$

23. $(6b - 8y \div (2y \times b) + 2b$
$= (60 - 40) \div (10 \times 10) + 20$
$= 20 \div 100 + 20$
$= 20\frac{1}{5}.$

24. $6b - (8y \div 2y) \times b - 2b$
$= 60 - (40 \div 10) \times 10 - 20$
$= 60 - 40 - 20$
$= 0.$

25. $6b \div (b - y) - 3x + bxy \div 10a$
$= 60 \div (10 - 5) - 9 + 150 \div 20$
$= 12 - 9 + 7\frac{1}{2}$
$= 10\frac{1}{2}.$

26. **Express the sum of a and b.**

$$a + b.$$

27. **Express the double of x.**

$$2x.$$

28. **By how much is a greater than 5?**

$$a - 5.$$

29. **If x be a whole number, what is the next number above it?**

$$x + 1.$$

30. **Write five numbers in order of magnitude, so that x shall be the middle number.**

$$x - 2, \quad x - 1, \quad x, \quad x + 1, \quad x + 2.$$

31. **What is the sum of $x + x + x + \cdots\cdots$ written a times?**

$$ax.$$

32. **If the product be xy and the multiplier x, what is the multiplicand?**

$$xy \div x = y.$$

33. A man who has a dollars spends b dollars; how many dollars has he left?

$$a - b.$$

34. A regiment of men can be drawn up in a ranks of b men each, and there are c men over; of how many men does the regiment consist?

$$ab + c.$$

35. Write, the sum of x and y divided by c is equal to the product of a, b, and m, diminished by six times c, and increased by the quotient of a divided by the sum of x and y.

$$\frac{x+y}{c} = abm - 6c + \frac{a}{x+y}.$$

36. Write, six times the square of n, divided by m minus a, increased by five b into the expression c plus d minus a.

$$\frac{6n^2}{m-a} + 5b(c+d-a).$$

37. Write, four times the fourth power of a, diminished by five times the square of a into the square of b, and increased by three times the fourth power of b.

$$4a^4 - 5a^2b^2 + 3b^4.$$

EXERCISE II.

3. The greater of two numbers is six times the smaller, and their sum is 35. Required the numbers.

Let x = smaller number.
Then $6x$ = larger number,
and $6x + x$ = sum of numbers.
But 35 = sum of numbers.
Therefore, $6x + x = 35$, $x = 5$, and $6x = 30$.

4. Thomas had 75 cents. After spending a part of his money, he found he had twice as much left as he had spent. How much had he spent?

Let x = number of cents spent.
Then $75 - x$ = number of cents left.
But $2x$ = number of cents left.
Therefore, $75 - x = 2x$, $-3x = -75$, and $x = 25$.

5. A tree 75 feet high was broken, so that the part broken off was four times the length of the part left standing. Required the length of each part.

Let $x =$ number of feet left standing.
Then $4x =$ number of feet broken off,
and $x + 4x =$ number of feet in height.
But $75 =$ number of feet in height.
Therefore, $5x = 75$ and $x = 15$.

6. Four times the smaller of two numbers is three times the greater, and their sum is 63. Required the numbers.

Let $x =$ smaller number.
Then $63 - x =$ larger number,
and $4x = 4$ times smaller;
also, $3(63 - x) = 3$ times greater.
$\therefore 4x = 3(63 - x)$, $4x = 189 - 3x$, $7x = 189$, $x = 27$, and $63 - x = 36$.

7. A farmer sold a sheep, a cow, and a horse, for $216. He sold the cow for seven times as much as the sheep, and the horse for four times as much as the cow. How much did he get for each?

Let $x =$ number of dollars received for sheep.
Then $7x =$ number of dollars received for cow,
and $28x =$ number of dollars received for horse,
and $x + 7x + 28x =$ number of dollars received for all.
But $216 =$ number of dollars received for all.
$\therefore x + 7x + 28x = 216$, $36x = 216$, $x = 6$, $7x = 42$, and $28x = 168$.

8. George bought some apples, pears, and oranges, for 91 cents. He paid twice as much for the pears as for the apples, and twice as much for the oranges as for the pears. How much money did he spend for each?

Let $x =$ number of cents paid for apples.
Then $2x =$ number of cents paid for pears,
and $4x =$ number of cents paid for oranges,
and $x + 2x + 4x =$ number of cents paid for all.
But $91 =$ number of cents paid for all.
$\therefore x + 2x + 4x = 91$, $7x = 91$, $x = 13$, $2x = 26$, and $4x = 52$.

9. A man bought a horse, wagon, and harness, for $350. He paid for the horse four times as much as for the harness, and for the wagon one-half as much as for the horse. What did he pay for each?

Let $x =$ number of dollars paid for harness.
Then $4x =$ number of dollars paid for horse,
and $2x =$ number of dollars paid for wagon,
and $x + 4x + 2x =$ number of dollars paid for all.
But $350 =$ number of dollars paid for all.
$\therefore x + 4x + 2x = 350,\ 7x = 350,\ x = 50,\ 4x = 200,$ and $2x = 100.$

10. Distribute $3 among Thomas, Richard, and Henry, so that Thomas and Richard shall each have twice as much as Henry.

Let $x =$ number of dollars Henry has.
Then $2x =$ number of dollars Thomas has,
and $2x =$ number of dollars Richard has,
and $x + 2x + 2x =$ number of dollars all have.
But $3 =$ number of dollars all have.
Therefore, $x + 2x + 2x = 3,\ 5x = 3,\ x = \frac{3}{5},$ and $2x = 1\frac{1}{5}.$

11. Three men, A, B, and C, pay $1000 taxes. B pays four times as much as A, and C an amount equal to the sum of what the other two pay. How much does each pay?

Let $x =$ number of dollars A pays.
Then $4x =$ number of dollars B pays,
and $5x =$ number of dollars C pays,
and $x + 4x + 5x =$ number of dollars all pay.
But $1000 =$ number of dollars all pay.
$\therefore x + 4x + 5x = 1000,\ 10x = 1000,\ x = 100,\ 4x = 400,$ and $5x = 500.$

EXERCISE III.

1. $+16 + (-11)$
$= 16 - 11$
$= 5.$

2. $-15 + (-25)$
$= -15 - 25$
$= -40.$

3. $+68 + (-79)$
$= 68 - 79$
$= -11.$

4. $-7 + (+4)$
$= -7 + 4$
$= -3.$

5. $+33 + (+18)$
$= 33 + 18$
$= 51.$

6. $+378 + (+709) + (-592)$
$= 378 + 709 - 592$
$= 495.$

7. A man has $5242 and owes $2758. How much is he worth?

$\$5242 + (-\$2758) = \$5242 - \$2758 = \$2484.$

8. The First Punic War began B.C. 264, and lasted 23 years. When did it end?

$-264 + (+23) = -264 + 23 = -241$; *i.e.* 241 B.C.

9. Augustus Cæsar was born B.C. 63, and lived 77 years. When did he die?

$$-63 + (+77) = +14;\ \textit{i.e.}\ 14\ \text{A.D.}$$

10. A man goes 65 steps forwards, then 37 steps backwards, then again 48 steps forwards. How many steps did he take in all? How many steps is he from where he started?

$$65 + 37 + 48 = 150. \qquad 65 - 37 + 48 = 76.$$

EXERCISE IV.

1.
$$\begin{aligned} &5ab + (-5ab) \\ &= 5ab - 5ab \\ &= 0. \end{aligned}$$

2.
$$\begin{aligned} &8mx + (-2mx) \\ &= 8mx - 2mx \\ &= 6mx. \end{aligned}$$

3.
$$\begin{aligned} &-13mng + (-7mng) \\ &= -13mng - 7mng \\ &= -20mng. \end{aligned}$$

4.
$$\begin{aligned} &-5x^2 + (+8x^2) \\ &= -5x^2 + 8x^2 \\ &= 3x^2. \end{aligned}$$

5.
$$\begin{aligned} &25my^2 + (-18my^2) \\ &= 25my^2 - 18my^2 \\ &= 7my^2. \end{aligned}$$

6.
$$\begin{aligned} &7ab + (-5ab) \\ &= 7ab - 5ab \\ &= 2ab. \end{aligned}$$

7.
$$\begin{aligned} &120my + (-95my) \\ &= 120my - 95my \\ &= 25my. \end{aligned}$$

8.
$$\begin{aligned} &-33ab^2 + (11ab^2) \\ &= -33ab^2 + 11ab^2 \\ &= -22ab^2. \end{aligned}$$

9.
$$\begin{aligned} &-75xy + (+20xy) \\ &= -75xy + 20xy \\ &= -55xy. \end{aligned}$$

10.
$$\begin{aligned} &+15a^2x^2 + (-a^2x^2) \\ &= 15a^2x^2 - a^2x^2 \\ &= 14a^2x^2. \end{aligned}$$

11.
$$\begin{aligned} &-b^2m^3 + (+7b^2m^3) \\ &= -b^2m^3 + 7b^2m^3 \\ &= 6b^2m^3. \end{aligned}$$

12.
$$\begin{aligned} &5a + (-3b) + (+4a) + (-7b) \\ &= 5a - 3b + 4a - 7b \\ &= 9a - 10b. \end{aligned}$$

13.
$$\begin{aligned} &4a^2c + (-10xyz) + (+6a^2c) + (-9xyz) + (-11a^2c) + (+20xyz) \\ &= 4a^2c - 10xyz + 6a^2c - 9xyz - 11a^2c + 20xyz \\ &= -a^2c + xyz. \end{aligned}$$

14.
$$\begin{aligned} &3x^2y + (-4ab + (-2mn) + (+5x^2y) + (-x^2y) + (-4x^2y) \\ &= 3x^2y - 4ab - 2mn + 5x^2y - x^2y - 4x^2y \\ &= 3x^2y - 4ab - 2mn. \end{aligned}$$

EXERCISE V.

1.
$$\begin{array}{r} 5a + 3b + c \\ 3a + 3b + 3c \\ a + 3b + 5c \\ \hline 9a + 9b + 9c \end{array}$$

2.
$$\begin{array}{r} 7a - 4b + c \\ 6a + 3b - 5c \\ -12a \phantom{{}+3b} + 4c \\ \hline a - b \phantom{{}+4c} \end{array}$$

3.
$$\begin{array}{rrr} a & +\ b & -c \\ -a & +\ b & +c \\ a & -\ b & +c \\ a & +\ b & -c \\ \hline 2a & +2b & \end{array}$$

4.
$$\begin{array}{rrr} a & +2b & +3c \\ 2a & -\ b & -2c \\ -a & +\ b & -\ c \\ -a & -\ b & +\ c \\ \hline a & +\ b & +\ c \end{array}$$

5.
$$\begin{array}{rrrr} a & -2b & +3c & -4d \\ -2a & +3b & -4c & +5d \\ +3a & -4b & +5c & -6d \\ -4a & +5b & -4c & +7d \\ \hline -2a & +2b & & +2d \end{array}$$

6.
$$\begin{array}{rrrr} x^3 & -\ 4x^2 & +\ 5x & -\ 3 \\ 2x^3 & -14x^2 & -14x & +\ 5 \\ -\ x^3 & +\ 9x^2 & +\ x & +\ 8 \\ \hline 2x^3 & -\ 9x^2 & -\ 8x & +10 \end{array}$$

7.
$$\begin{array}{rrrrr} x^4 & -2x^3 & +3x^2 & & \\ & x^3 & +\ x^2 & +\ x & \\ 4x^4 & +5x^3 & & & \\ & & +2x^2 & +3x & -4 \\ & & -3x^2 & -2x & -5 \\ \hline 5x^4 & +4x^3 & +3x^2 & +2x & -9 \end{array}$$

8.
$$\begin{array}{rrrrr} a^3 & +3ab^2 & -3a^2b & -\ b^3 & \\ 2a^3 & -6ab^2 & & & -7b^2 \\ a^3 & -\ ab^2 & & +2b^3 & \\ \hline 4a^3 & -4ab^2 & -3a^2b & +\ b^3 & -7b^2 \end{array}$$

9.
$$\begin{array}{rrrr} 2ab & +2a^2x & -\ 3ax^2 & \\ 12ab & -6a^2x & +10ax^2 & \\ -\ 8ab & -5a^2x & & +ax^3 \\ \hline 6ab & -9a^2x & +\ 7ax^2 & +ax^3 \end{array}$$

10.
$$\begin{array}{rrrrr} c^4 & -3c^3 & +2c^2 & -4c & +7 \\ 2c^4 & +3c^3 & +2c^2 & +5c & +6 \\ -4c^4 & & -4c^2 & & -5 \\ \hline -\ c^4 & & & +\ c & +8 \end{array}$$

11.
$$\begin{array}{rrrrrrrr} 3x^2 & -\ xy & +xz & -3y^2 & +\ 4yz & -\ z^2 & & \\ -5x^2 & -\ xy & -xz & & +\ 5yz & & & \\ 6x^2 & & & & & & -6y & -6z \\ & & & & 4yz & & & \\ & & & & -\ 5yz & +3z^2 & & \\ -4x^2 & & & +\ y^2 & +\ 3yz & +3z^2 & & \\ \hline & -2xy & & -2y^2 & +11yz & +5z^2 & -6y & -6z \end{array}$$

12.
$$\begin{array}{rrrrrr} m^5 & -3m^4n & -6m^3n^2 & & & \\ & -5m^4n & +\ m^3n^2 & +\ m^2n^3 & & \\ & & +7m^3n^2 & +4m^2n^3 & -3mn^4 & \\ & & & -2m^2n^3 & -3mn^4 & +4n^5 \\ 3m^5 & & & & +2mn^4 & +2n^5 \\ 2m^5 & +7m^4n & & & & -\ n^5 \\ \hline 6m^5 & -\ m^4n & +2m^3n^2 & +3m^2n^3 & -4mn^4 & +5n^5 \end{array}$$

EXERCISE VI.

1. $+25-(+16)$
$=25-16$
$=9.$

2. $-50-(-25)$
$=-50+25$
$=-25.$

3. $-31-(+58)$
$=-31-58$
$=-89.$

4. $+107-(-93)$
$=107+93$
$=200.$

5. Rome was ruled by emperors from B.C. 30 to its fall, A.D. 476. How long did the empire last?

$$476 - (-30) = 476 + 30 = 506; \text{ i.e. } 506 \text{ A.D.}$$

6. The continent of Europe lies between 36° and 71° north latitude, and between 12° west and 63° east longitude (from Paris). How many degrees does it extend in latitude, and how many in longitude?

$$71 - (+36) = 71 - 36 = 35.$$
$$12 - (-63) = 12 + 63 = 75.$$

EXERCISE VII.

1. $5x - (-4x)$
$= 5x + 4x$
$= 9x.$

2. $-3ab - (+5ab)$
$= -3ab - 5ab$
$= -8ab.$

3. $3ab^2 - (+10ab^2)$
$= 3ab^2 - 10ab^2$
$= -7ab^2.$

4. $15m^2x^2 - (-7m^2x^2)$
$= 15m^2x^2 + 7m^2x^2$
$= 22m^2x^2.$

5. $-7ay - (-3ay)$
$= -7ay + 3ay$
$= -4ay.$

6. $17ax^3 - (-24ax^3)$
$= 17ax^3 + 24ax^3$
$= 41ax^3.$

7. $5a^2x - (-3a^2x)$
$= 5a^2x + 3a^2x$
$= 8a^2x.$

8. $-4xy - (-5xy)$
$= -4xy + 5xy$
$= xy.$

9. $8ax - (-3ay)$
$= 8ax + 3ay.$

10. $2ab^2y - (+aby)$
$= 2ab^2y - aby.$

11. $9x^2 + (5x^2) - (+8x^2)$
$= 9x^2 + 5x^2 - 8x^2$
$= 6x^2.$

12. $5x^2y - (-18x^2y) + (-10x^2y)$
$= 5x^2y + 18x^2y - 10x^2y$
$= 13x^2y.$

13. $17ax^3 - (-ax^3) - (+24ax^3)$
$= 17ax^3 + ax^3 - 24ax^3$
$= -6ax^3.$

14. $-3ab + (+2mx) - (-4mx)$
$= -3ab + 2mx + 4mx$
$= -3ab + 6mx^2.$

15. $3a - (+2b) - (-4c)$
$= 3a - 2b + 4c.$

EXERCISE VIII.

1.
$$\begin{array}{r} 6a - 2b - c \\ 2a - 2b - 3c \\ \hline 4a \phantom{{}-2b} + 2c \end{array}$$

2.
$$\begin{array}{r} 3a - 2b + 3c \\ 2a - 8b - c \\ \hline a + 6b + 4c \end{array}$$

3.
$$\begin{array}{l} 7x^2-8x-1 \\ 5x^2-6x+3 \\ \hline 2x^2-2x-4 \end{array}$$

4.
$$\begin{array}{l} 4x^4-3x^3-2x^2-7x+9 \\ x^4-2x^3-2x^2+7x-9 \\ \hline 3x^4-x^3 \quad -14x-18 \end{array}$$

5.
$$\begin{array}{l} 2x^2-2ax+3a^2 \\ x^2-ax+a^2 \\ \hline x^2-ax+2a^2 \end{array}$$

6.
$$\begin{array}{l} x^2-3xy-y^2+yz-2z^2 \\ x^2+2xy-3y^2 \quad -2z^2+5xz \\ \hline -5xy+2y^2+yz \quad -5xz \end{array}$$

7.
$$\begin{array}{l} a^3-3a^2b+3ab^2-b^3 \\ -a^3+3a^2b-3ab^2+b^3 \\ \hline 2a^3-6a^2b+6ab^2-2b^3 \end{array}$$

8.
$$\begin{array}{l} x^2-5xy+xz-y^2+7yz+2z^2 \\ x^2-xy-xz \quad +2yz+3z^2 \\ \hline -4xy+2xz-y^2+5yz-z^2 \end{array}$$

9.
$$\begin{array}{l} 2ax^2+3abx-4b^2x+12b^3 \\ ax^2-4abx-5b^2x \quad +bx^2-x^3 \\ \hline ax^2+7abx+b^2x+12b^3-bx^2+x^3 \end{array}$$

10.
$$\begin{array}{l} 6x^3-7x^2y+4xy^2-2y^3-5x^2+xy-4y^2+2 \\ 8x^3-7x^2y+xy^2-y^3+9x^2-xy+6y^2-4 \\ \hline -2x^3 \quad +3xy^2-y^3-14x^2+2xy-10y^2+6 \end{array}$$

11.
$$\begin{array}{l} a^4-b^4 \\ \quad +4a^3b-6a^2b^2+4ab^3 \\ \hline a^4-b^4-4a^3b+6a^2b^2-4ab^3 \\ 2a^4-2b^4-4a^3b+6a^2b^2+4ab^3 \\ \hline -a^4+b^4 \quad -8ab^3 \end{array}$$

12.
$$\begin{array}{l} x^3y^2-3x^2y^3+4xy^4-y^5 \\ \quad -4xy^4-4y^5-x^5+2x^4y \\ \hline x^3y^2-3x^2y^3+8xy^4+3y^5+x^5-2x^4y \end{array}$$

$$\begin{array}{l} x^3y^2-3x^2y^3+4xy^4-y^5 \\ \quad -4xy^4-4y^5-x^5+2x^4y \\ \hline x^3y^2-3x^2y^3 \quad -5y^5-x^5+2x^4y \\ x^3y^2-3x^2y^3+8xy^4+3y^5+x^5-2x^4y \\ \hline \quad -8xy^4-8y^5-2x^5+4x^4y \end{array}$$

13.
$$\begin{array}{l} a^2b^2-a^2bc-8ab^2c-a^2c^2+abc^2-6b^2c^2 \\ \quad +2a^2bc-5ab^2c \quad +2abc^2-5b^2c^2 \\ \hline a^2b^2-3a^2bc-3ab^2c-a^2c^2-abc^2-b^2c^2 \end{array}$$

14.
$$\begin{array}{l} 12a+3b-5c-2d=69 \\ 10a-b+4c-3d=45 \\ \hline 2a+4b-9c+d=24 \end{array}$$

15. $b-a$.
$$\begin{array}{l} 2a^3-6a^2b+6ab^2-2b^3 \\ a^3-7a^2b \quad -3b^3 \\ \hline a^3+a^2b+6ab^2+b^3 \end{array}$$

16.
$$\begin{array}{l} 2x^2-y^2-2xy+z^2 \\ x^2-y^2+2xy-z^2 \\ \hline x^2 \quad -4xy+2z^2 \end{array}$$

17.
$$\begin{array}{l} 12ac+8cd-9 \\ -7ac-9cd+8 \\ \hline 19ac+17cd-17 \end{array}$$

18.
$$\begin{array}{r} -\ 6a^2+2ab-3c^2 \\ 4a^2+6ab-4c^2 \\ \hline -10a^2-4ab+c^2 \end{array}$$

19.
$$\begin{array}{r} 9xy-4x-3y+7 \\ 8xy-2x+3y+6 \\ \hline xy-2x-6y+1 \end{array}$$

20.
$$\begin{array}{r} -\ a^2bc-ab^2c+abc^2-abc \\ a^2bc+ab^2c-abc^2+abc \\ \hline -2a^2bc-2ab^2c+2abc^2-2abc \end{array}$$

21.
$$\begin{array}{r} 7x^2-2x+4 \\ 2x^2+3x-1 \\ \hline 5x^2-5x+5 \end{array}$$

22.
$$\begin{array}{r} 3x^2+2xy-y^2 \\ -\ x^2-3xy+3y^2 \\ \hline 4x^2+5xy-4y^2 \\ 3x^2+4xy-5y^2 \\ \hline x^2+xy+y^2 \end{array}$$

23.
$$\begin{array}{r} ax^2-by^2 \\ +cx^2-dy^2 \\ \hline ax^2-by^2-cx^2+dy^2 \end{array}$$

24.
$$\begin{array}{r} ax+bx+by+cy \\ ax-bx-by+cy \\ \hline 2bx+2by \end{array}$$

25.
$$\begin{array}{r} 5x^2+4x-4y+3y^2 \\ 5x^2-3x+3y+y^2 \\ \hline 7x-7y+2y^2 \end{array}$$

26.
$$\begin{array}{r} a^2b^2+12abc-9ax^2 \\ 4ab^2-6acx+3a^2x \\ \hline a^2b^2+12abc-9ax^2-4ab^2+6acx-3a^2x \end{array}$$

27.
$$\begin{array}{r} a^2-2ab+c^2-3b^2 \\ 2a^2-2ab+3b^2 \\ \hline -a^2+c^2-6b^2 \end{array}$$

28.
$$\begin{array}{r} a^2+b^2+c^2+d^2 \\ b^2+c^2+d^2 \\ a^2+b^2-c^2-d^2 \\ a^2-b^2+c^2+d^2 \\ \hline 3a^2+2b^2+2c^2+2d^2 \end{array}$$

$$\begin{array}{r} b^2+c^2+d^2 \\ a^2+b^2-c^2-d^2 \\ a^2-b^2+c^2+d^2 \\ -a^2+b^2+c^2+d^2 \\ \hline a^2+2b^2+2c^2+2d^2 \end{array}$$

$$\begin{array}{l} 3a^2+2b^2+2c^2+2d^2 \\ a^2+2b^2+2c^2+2d^2 \\ \hline 2a^2 \end{array}$$

29.
$$\begin{array}{r} 2x^2-2y^2-z^2 \\ 2x^2+3y^2-z^2 \\ \hline -5y^2 \\ -x^2-2y^2+3z^2 \\ \hline x^2-3y^2-3z^2 \end{array}$$

30.
$$\begin{array}{r} -2a^3+a^2c+2ac^2 \\ +\ a^3-a^2c-ac^2 \\ \hline -\ a^3+ac^2 \end{array}$$

$$\begin{array}{r} a^3-2a^2c+3ac^2 \\ -\ a^3+ac^2 \\ \hline 2a^3-2a^2c+2ac^2 \end{array}$$

EXERCISE IX.

1. $(a+b)+(b+c)-(a+c)$
$=a+b+b+c-a-c$
$=2b.$

2. $(2a-b-c)-(a-2b+c)$
$=2a-b-c-a+2b-c$
$=a+b-2c.$

3. $(2x-y)-(2y-z)-(2z-x)$
$=2x-y-2y+z-2z+x$
$=3x-3y-z.$

4. $(a-x-y)-(b-x+y)+(c+2y)$
$=a-x-y-b+x-y+c+2y$
$=a-b+c.$

5. $(2x-y+3z)+(-x-y-4z)-(3x-2y-z)$
$=2x-y+3z-x-y-4z-3x+2y+z$
$=-2x.$

6. $(3a-b+7c)-(2a+3b)-(5b-4c)+(3c-a)$
$=3a-b+7c-2a-3b-5b+4c+3c-a$
$=-9b+14c.$

7. $1-(1-a)+(1-a+a^2)-(1-a+a^2-a^3)$
$=1-1+a+1-a+a^2-1+a-a^2+a^3$
$=a+a^3.$

8. $a-\{2b-(3c+2b)-a\}$
$=a-\{2b-3c-2b-a\}$
$=a-2b+3c+2b+a$
$=2a+3c.$

9. $2a-\{b-(a-b)\}$
$=2a-\{b-a+2b\}$
$=2a-b+a-2b$
$=3a-3b.$

10. $3a-\{b+(2a-b)-(a-b)\}$
$=3a-\{b+2a-b-a+b\}$
$=3a-b-2a+b+a-b$
$=2a-b.$

11. $7a-[3a-\{4a-(5a-2a)\}]$
$=7a-[3a-\{4a-5a+2a\}]$
$=7a-[3a-4a+5a-2a]$
$=7a-3a+4a-5a+2a$
$=5a.$

12. $2x+(y-3z)-[(3x-2y)+z]+5x-(4y-3z)$
$=2x+y-3z-[3x-2y+z]+5x-4y+3z$
$=2x+y-3z-3x+2y-z+5x-4y+3z$
$=4x-y-z.$

13. $\{(3a-2b)+(4c-a)\}-\{a-(2b-3a)-c\}+\{a-(b-5c-a)\}$
$=\{3a-2b+4c-a\}-\{a-2b+3a-c\}+\{a-b+5c+a\}$
$=3a-2b+4c-a-a+2b-3a+c+a-b+5c+a$
$=-b+10c.$

14. $a-[2a+(3a-4a)]-5a-\{6a-[(7a+8a)-9a]\}$
$=a-[2a+3a-4a]-5a-\{6a-[7a+8a-9a]\}$
$=a-2a-3a+4a-5a-\{6a-7a-8a+9a\}$
$=a-2a-3a+4a-5a-6a+7a+8a-9a$
$=-5a.$

15. $2a-(3b+2c)-[5b-(6c-6b)+5c-\{2a-(c+2b)\}]$
$=2a-3b-2c-[5b-6c+6b+5c-\{2a-c-2b\}]$
$=2a-3b-2c-[5b-6c+6b+5c-2a+c+2b]$
$=2a-3b-2c-5b+6c-6b-5c+2a-c-2b$
$=4a-16b-2c.$

16.
$$\begin{aligned}
&a - [2b + \{3c - 3a - (a + b)\} + \{2a - (b + c)\}]\\
&= a - [2b + \{3c - 3a - a - b\} + \{2a - b - c\}]\\
&= a - [2b + 3c - 3a - a - b + 2a - b - c]\\
&= a - 2b - 3c + 3a + a + b - 2a + b + c\\
&= 3a - 2c.
\end{aligned}$$

17.
$$\begin{aligned}
&16 - x - [7x - \{8x - (9x - \overline{3x - 6x})\}]\\
&= 16 - x - [7x - \{8x - (9x - 3x + 6x)\}]\\
&= 16 - x - [7x - \{8x - 9x + 3x - 6x\}]\\
&= 16 - x - [7x - 8x + 9x - 3x + 6x]\\
&= 16 - x - 7x + 8x - 9x + 3x - 6x\\
&= 16 - 12x.
\end{aligned}$$

18.
$$\begin{aligned}
&2a - [3b + (2b - c) - 4c + \{2a - (3b - \overline{c - 2b})\}]\\
&= 2a - [3b + 2b - c - 4c + \{2a - (3b - c + 2b)\}]\\
&= 2a - [3b + 2b - c - 4c + \{2a - 3b + c - 2b\}]\\
&= 2a - [3b + 2b - c - 4c + 2a - 3b + c - 2b]\\
&= 2a - 3b - 2b + c + 4c - 2a + 3b - c + 2b\\
&= 4c.
\end{aligned}$$

19.
$$\begin{aligned}
&a - [2b + \{3c - 3a - (a + b)\} + 2a - (b + 3c)]\\
&= a - [2b + \{3c - 3a - a - b + 2a - b - 3c]\\
&= a - [2b + 3c - 3a - a - b + 2a - b - 3c]\\
&= a - 2b - 3c + 3a + a + b - 2a + b + 3c\\
&= 3a.
\end{aligned}$$

20.
$$\begin{aligned}
&a - [5b - \{a - (3c - 3b) + 2c - (a - 2b - c)\}]\\
&= a - [5b - \{a - 3c + 3b + 2c - a + 2b + c\}]\\
&= a - [5b - a + 3c - 3b - 2c + a - 2b - c]\\
&= a - 5b + a - 3c + 3b + 2c - a + 2b + c\\
&= a.
\end{aligned}$$

EXERCISE X.

1.
$$\begin{aligned}
&2a - 3b - 4c + d + 3e - 2f\\
&= (2a - 3b) - (4c - d) + (3e - 2f)\\
&= (2a - 3b - 4c) + (d + 3e - 2f).
\end{aligned}$$

2.
$$\begin{aligned}
&a - 2x + 4y - 3z - 2b + c\\
&= (a - 2x) + (4y - 3z) - (2b - c)\\
&= (a - 2x + 4y) - (3z + 2b - c).
\end{aligned}$$

3.
$$\begin{aligned}
&a^5 + 3a^4 - 2a^3 - 4a^2 + a - 1\\
&= (a^5 + 3a^4) - (2a^3 + 4a^2) + (a - 1)\\
&= (a^5 + 3a^4 - 2a^3) - (4a^2 - a + 1).
\end{aligned}$$

4.
$$\begin{aligned}
&-3a - 2b + 2c - 5d - e - 2f\\
&= -(3a + 2b) + (2c - 5d) - (e + 2f)\\
&= -(3a + 2b - 2c) - (5d + e + 2f).
\end{aligned}$$

5.
$$\begin{aligned}
&ax - by - cz - bx + cy + az\\
&= (ax - by) - (cz + bx) + (cy + az)\\
&= (ax - by - cz) - (bx - cy - az).
\end{aligned}$$

6. $2x^5 - 3x^4y + 4x^3y^2 - 5x^2y^3 + xy^4 - 2y^5$
$= (2x^5 - 3x^4y) + (4x^3y^2 - 5x^2y^3) + (xy^4 - 2y^5)$
$= (2x^5 - 3x^4y + 4x^3y^2) - (5x^2y^3 - xy^4 + 2y^5).$

$$
\textbf{7.}\ \left\{\begin{array}{ll}
(1.) & 2a-3b-4c+d+3e-2f=(2a-3b-4c)+(d+[3e-2f]).\\
(2.) & a-2x+4y-3z-2b+c=(a-2x+4y)-(3z+[2b-c]).\\
(3.) & a^5+3a^4-2a^3-4a^2+a-1=(a^5+3a^4-2a^3)-(4a^2-[a-1]).\\
(4.) & -3a-2b+2c-5d-e-2f=-(3a+2b-2c)-(5d+[e+2f]).\\
(5.) & ax-by-cz-bx+cy+az=(ax-by-cz)-(bx-[cy+az]).\\
(6.) & 2x^5-3x^4-y+4x^3y^2-5x^2y^3+xy^4-2y^5=(2x^5-3x^4y+4x^3y^2)\\
 & \qquad -(5x^2y^3-[xy^4-2y^5]).
\end{array}\right.
$$

8. $2ax - 6ay + 4bz - 4bx - 2cx - 3cy$
$= (2a - 4b - 2c)x - (6a + 3c)y + 4bz.$

9. $ax - bx + 2ay + 3y + 4az - 3bz - 2z$
$= (a - b)x + (2a + 3)y + (4a - 3b - 2)z.$

10. $ax - 2by + 5cz - 4bx - 3cy + az - 2cx - ay + 4bz$
$= (a - 4b - 2c)x - (a + 2b + 3c)y + (a + 4b + 5c)z.$

11. $12ax + 12ay + 4by - 12bz - 15cx + 6cy + 3cz$
$= (12a - 15c)x + (12a + 4b + 6c)y - (12b - 3c)z.$

12. $2ax - 3by - 7cz - 2bx + 2cx + 8cz - 2cx - cy - cz$
$= (2a - 2b + 2c - 2c)x - (3b + c)y - (7c - 8c + c)z$
$= (2a - 2b)x - (3b + c)y.$

EXERCISE XI.

1. $-17 \times 8 = -136.$

2. -12.8×25
$= -12.8 \times 100 \div 4 = -320.$

3.
$$
\begin{array}{r}
-3.29\\
\underline{5.49}\\
2961\\
1316\\
\underline{1645}\\
-18.0621
\end{array}
$$

4. $-18 \times -5 = +90.$

5. $43 \times -6 = -258.$

6. $457 \times 100 = 45700.$

7. $(-358 - 417) \times -79$
$= -775 \times -79$
$= 61225.$

8. $(7.512 - \{-2.894\}) \times (-6.037 + \{13963\})$
$= (7.512 + 2.894) \times (-6.037 + 13.963)$
$= 10.406 \times 7.926$
$= 82.477956.$

9. $13 \times 8 \times -7$
$= 104 \times -7$
$= -728.$

10.
$$\begin{array}{r} -38 \\ 9 \\ \hline -342 \\ -6 \\ \hline 2052 \end{array}$$

11.
$$\begin{array}{r} -20.9 \\ -1.1 \\ \hline 209 \\ 209 \\ \hline 22.99 \\ 8 \\ \hline 183.92 \end{array}$$

12. $-78.3 \times -0.57 = 44.631$;
$1.38 \times -27.9 = -38.502$;
$44.631 \times -38.502 = -1718.382762.$

13. $-2.906 \times -2.076 = 6.032856$;
$6.032586 \times -1.49 = -8.98895544$;
$-8.98895544 \times .89 = -8.0001703416.$

EXERCISE XII.

9. $6ax \times 2a = -12a^2.$

10. $5mn \times 9m = 45m^2n.$

11. $3ax \times -4by = -12abxy.$

12. $-8cm \times dn = -8cdmn.$

13. $-7ab \times 2ac = -14a^2bc.$

14. $5m^2x \times 3mx^2 = 15m^3x^3.$

15. $5a^m \times -2a^n = -10a^{m+n}.$

16. $3a^2x^2 \times 7a^3x^4 = 21a^5x^6.$

17. $7a \times -4b = -28ab$;
$-28ab \times -8c = 224abc$

18. $8ab^2 \times 3ac = 24a^2b^2c$;
$24a^2b^2c \times -4c^2 = -96a^2b^2c^3.$

19.
$$\begin{array}{r} 27ab \\ -39mp \\ \hline 243 \\ 81 \\ \hline -1053abmp \\ 18ap \\ \hline 8424 \\ 1053 \\ \hline -18954a^2bmp^2 \end{array}$$

20.
$$\begin{array}{r} 6ab^2y^3 \\ 2b^3y^3 \\ \hline 12ab^5y^6 \\ -5a^2y \\ \hline -60a^3b^5y^7 \end{array}$$

21.
$$\begin{array}{r} 7m^2x \\ 3mx^2 \\ \hline 21m^3x^3 \\ -2mq \\ \hline -42m^4qx^3 \end{array}$$

22.
$$\begin{array}{r} -3pq^2 \\ 6p^3q \\ \hline -18p^4q^3 \\ 8p^2q^3 \\ \hline -144p^6q^6 \end{array}$$

23. $2a^2m^3x^4 \times 3am^5x^2 = 6a^3m^8x^6$;
$6a^3m^8x^6 \times 4a^3mx^2 = 24a^6m^9x^8.$

24. $6x^2yz^3 \times -9x^2y^2z^2 = -54x^4y^3z^5$;
$-54x^4y^3z^5 \times -3x^4yz = 162x^8y^4z^6.$

25. $3ax \times 2am \times -4mx \times b^2$
$= -24a^2b^2m^2x^2.$

26. $7am^2 \times 3b^2n^2$
$= 21ab^2m^2n^2$;
$21ab^2m^2n^2 \times -4ab$
$= -84a^2b^3m^2n^2$;
$-84a^2b^3m^2n^2 \times a^2bn$
$= -84a^4b^4m^2n^3$;
$-84a^4b^4m^2n^3 \times -2b^2n$
$= 168a^4b^6m^2n^4$;
$168a^4b^6m^2n^4 \times -mn^2$
$= -168a^4b^6m^3n^6.$

EXERCISE XIII.

5. $(4a^2-3b)\times 3ab$
$=12a^3b-9ab^2.$

6. $(8a^2-9ab)\times 3a^2$
$=24a^4-27a^3b.$

7. $(3x^2-4y^2+5z^2)\times 2x^2y$
$=6x^4y-8x^2y^3+10x^2yz^2.$

8. $(a^3x-5a^2x^2+ax^3+2x^4)\times ax^2y$
$=a^4x^3y-5a^3x^4y+a^2x^5y+2ax^6y.$

9. $(-9a^5+3a^3b^2-4a^2b^3-b^5)\times -3ab^4$
$=27a^6b^4-9a^4b^6+12a^3b^7+3ab^9.$

10. $(3x^3-2x^2y-7xy^2+y^3)\times -5x^2y$
$=-15x^5y+10x^4y^2+35x^3y^3-5x^2y^4.$

11. $(-4xy^2+5x^2y+8x^3)\times -3x^2y$
$=12x^3y^3-15x^4y^2-24x^5y.$

12. $(-3+2ab+a^2b^2)\times -a^4$
$=+3a^4-2a^5b-a^6b^2.$

13. $(-z-2xz^2+5x^2yz^2-6x^3y^2+3x^3y^2z)\times -3x^3yz$
$=3x^3yz^2+6x^4yz^3-15x^5y^2z^3+18x^6y^3z-9x^6y^3z^2.$

EXERCISE XIV.

1.
$$\begin{array}{rrr}
 & x^2 & -4\\
 & x^2 & +5\\ \hline
x^4 & -4x^2 & \\
 & +5x^2 & -20\\ \hline
x^4 & +x^2 & -20
\end{array}$$

2.
$$\begin{array}{rrr}
 & y & -6\\
 & y & +13\\ \hline
y^2 & -6y & \\
 & +13y & -78\\ \hline
y^2 & +7y & -78
\end{array}$$

3.
$$\begin{array}{llll}
a^4 & +a^2x^2 & +x^4 & \\
a^2 & -x^2 & & \\ \hline
a^6 & +a^4x^2 & +a^2x^4 & \\
 & -a^4x^2 & -a^2x^4 & -x^6\\ \hline
a^6 & & & -x^6
\end{array}$$

4.
$$\begin{array}{llll}
x^2 & +xy & +y^2 & \\
x & -y & & \\ \hline
x^3 & +x^2y & +xy^2 & \\
 & -x^2y & -xy^2 & -y^3\\ \hline
x^3 & & & -y^3
\end{array}$$

5.
$$\begin{array}{rrr}
 & 2x & -y\\
 & x & +2y\\ \hline
2x^2 & -xy & \\
 & +4xy & -2y^2\\ \hline
2x^2 & +3xy & -2y^2
\end{array}$$

6.
$$\begin{array}{lllll}
2x^3 & +4x^2 & +8x & +16 & \\
3x & -6 & & & \\ \hline
6x^4 & +12x^3 & +24x^2 & +48x & \\
 & -12x^3 & -24x^2 & -48x & -96\\ \hline
6x^4 & & & & -96
\end{array}$$

7.
$$\begin{array}{lllll}
x^3 & +x^2 & +x & -1 & \\
x & -1 & & & \\ \hline
x^4 & +x^3 & +x^2 & -x & \\
 & -x^3 & -x^2 & -x & +1\\ \hline
x^4 & & & -2x & +1
\end{array}$$

8.
$$\begin{array}{lll}
x^2 & -3ax & \\
x & +3a & \\ \hline
x^3 & -3ax^2 & \\
 & +3ax^2 & -9a^2x\\ \hline
x^3 & & -9a^2x
\end{array}$$

9.

$$\begin{array}{l}
2b^2+3ab-a^2\\
-5b+7a\\ \hline
-10b^3-15ab^2+5a^2b\\
\qquad\qquad +14ab^2+21a^2b-7a^3\\ \hline
-10b^3-ab^2+26a^2b-7a^3
\end{array}$$

11.

$$\begin{array}{l}
a^2+ab+b^2\\
a-b\\ \hline
a^3+a^2b+ab^2\\
\qquad -a^2b-ab^2-b^3\\ \hline
a^3\qquad\qquad\quad -b^3
\end{array}$$

10.

$$\begin{array}{l}
2a+b\\
a+2b\\ \hline
2a^2+ab\\
\qquad +4ab+2b^2\\ \hline
2a^2+5ab+2b^2
\end{array}$$

12.

$$\begin{array}{l}
a^2-ab+b^2\\
a+b\\ \hline
a^3-a^2b+ab^2\\
\qquad +a^2b-ab^2+b^3\\ \hline
a^3\qquad\qquad\quad +b^3
\end{array}$$

13.

$$\begin{array}{l}
2ab-5b^2\\
3a^2-4ab\\ \hline
6a^3b-15a^2b^2\\
\qquad -8a^2b^2+20ab^3\\ \hline
6a^3b-23a^2b^3+20ab^3
\end{array}$$

14.

$$\begin{array}{l}
-a^3+2a^2b-b^3\\
4a^2+8ab\\ \hline
-4a^5+8a^4b-4a^2b^3\\
\qquad -8a^4b\qquad\qquad +16a^3b^2-8ab^4\\ \hline
-4a^5\qquad\qquad -4a^2b^3+16a^3b^2-8ab^4
\end{array}$$

15.

$$\begin{array}{l}
a^2+ab+b^2\\
a^2-ab+b^2\\ \hline
a^4+a^3b+a^2b^2\\
\quad +a^3b-a^2b^2-ab^3\\
\qquad\qquad +a^2b^2+ab^3+b^4\\ \hline
a^4\qquad\quad +a^2b^2\qquad +b^4
\end{array}$$

16.

$$\begin{array}{l}
a^3-3a^2b+3ab^2-b^3\\
a^2-2ab+b^2\\ \hline
a^5-3a^4b+3a^3b^2-a^2b^3\\
\quad -2a^4b+6a^3b^2-6a^2b^3+2ab^4\\
\qquad\qquad +a^3b^2-3a^2b^3+3ab^4-b^5\\ \hline
a^5-5a^4b+10a^3b^2-10a^2b^3+5ab^4-b^5
\end{array}$$

17.

$$\begin{array}{l}
x+2y-3z\\
x-2y+3z\\ \hline
x^2+2xy-3xz\\
\quad -2xy\qquad\qquad -4y^2+6yz\\
\qquad\qquad +3xz\qquad +6yz-9z^2\\ \hline
x^2\qquad\qquad\qquad -4y^2+12yz-9z^2
\end{array}$$

18.
$$\begin{array}{l}
2x^2+3xy+4y^2\\
3x^2-4xy+yz\\
\hline
6x^4+9x^3y+12x^2y^2\\
\qquad -8x^3y-12x^2y^2-16xy^3\\
\qquad\qquad\qquad\qquad\qquad +2x^2yz+3xy^2z+4y^3z\\
\hline
6x^4+x^3y \qquad\qquad -16xy^3+2x^2yz+3xy^2z+4y^3z
\end{array}$$

19.
$$\begin{array}{l}
x^2+xy+y^2\\
x^2+xz+z^2\\
\hline
x^4+x^3y+x^2y^2\\
\qquad\qquad\qquad +x^3z+x^2yz+xy^2z\\
\qquad\qquad\qquad\qquad\qquad\qquad +x^2z^2+xyz^2+y^2z^2\\
\hline
x^4+x^3y+x^2y^2+x^3z+x^2yz+xy^2z+x^2z^2+xyz^2+y^2z^2
\end{array}$$

20.
$$\begin{array}{l}
a^2+b^2+c^2-ab-ac-bc\\
a+b+c\\
\hline
a^3+ab^2+ac^2-a^2b-a^2c-abc\\
\quad -ab^2\qquad +a^2b\qquad -abc+b^3+bc^2-b^2c\\
\qquad\quad -ac^2\qquad +a^2c-abc\qquad -bc^2+b^2c+c^3\\
\hline
a^3\qquad\qquad\qquad\qquad -3abc+b^3\qquad\qquad +c^3
\end{array}$$

21.
$$\begin{array}{l}
x^2-xy+y^2+x+y+1\\
x+y-1\\
\hline
x^3-x^2y+xy^2+x^2+xy+x\\
\quad +x^2y-xy^2\qquad +xy\qquad +y^3+y^2+y\\
\qquad\qquad\qquad -x^2+xy-x\qquad -y^2-y-1\\
\hline
x^3\qquad\qquad\qquad +3xy\qquad +y^3\qquad\qquad -1
\end{array}$$

22.
$$\begin{array}{l}
x^3+4x^2+5x-24\\
x^2-4x+11\\
\hline
x^5+4x^4+5x^3-24x^2\\
\quad -4x^4-16x^3-20x^2+96x\\
\qquad\qquad +11x^3+44x^2+55x-264\\
\hline
x^5\qquad\qquad\qquad\qquad +151x-264
\end{array}$$

23.
$$\begin{array}{l}
x^3-4x^2+11x-24\\
x^2+4x+5\\
\hline
x^5-4x^4+11x^3-24x^2\\
\quad +4x^4-16x^3+44x^2-96x\\
\qquad\qquad +5x^3-20x^2+55x-120\\
\hline
x^5\qquad\qquad\qquad\qquad -41x-120
\end{array}$$

24.
$$\begin{array}{l}
x^4+2x^3+x^2-4x-11\\
x^2-2x+3\\
\hline
x^6+2x^5+x^4-4x^3-11x^2\\
\quad -2x^5-4x^4-2x^3+8x^2+22x\\
\qquad\qquad +3x^4+6x^3+3x^2-12x-33\\
\hline
x^6\qquad\qquad\qquad\qquad\qquad +10x-33
\end{array}$$

25.

$$\begin{array}{rrrrrrr}
\multicolumn{7}{l}{x^5-5x^4+13x^3-x^2-x}\\
\multicolumn{7}{l}{x^2-2x\ \ -2}\\ \hline
x^7 & -5x^6 & +15x^5 & -x^4 & -x^3 & & \\
 & -2x^6 & +10x^5 & -26x^4 & +2x^3 & +2x^2 & \\
 & & -2x^5 & +10x^4 & -26x^3 & +2x^2 & +2x\\ \hline
x^7 & -7x^6 & +23x^5 & -17x^4 & -25x^3 & +4x^2 & +2x
\end{array}$$

26.

$$\begin{array}{rrrrrrr}
\multicolumn{7}{l}{\ \ x^3-2x^2+3x-4}\\
\multicolumn{7}{l}{4x^3+3x^2+2x+1}\\ \hline
4x^6 & -8x^5 & +12x^4 & -16x^3 & & & \\
 & +3x^5 & -6x^4 & +9x^3 & -12x^2 & & \\
 & & +2x^4 & -4x^3 & +6x^2 & -8x & \\
 & & & +x^3 & -2x^2 & +3x & -4\\ \hline
4x^6 & -5x^5 & +8x^4 & -10x^3 & -8x^2 & -5x & -4
\end{array}$$

27.

$$\begin{array}{rrrrrrr}
\multicolumn{7}{l}{5a^4\ \ -3a^3b\ +2a^2b^2+ab^3}\\
\multicolumn{7}{l}{5a^3b+3a^2b^2-2ab^3\ \ +b^4}\\ \hline
25a^7b & -15a^6b^2 & +10a^5b^3 & +5a^4b^4 & & & \\
 & +15a^6b^2 & -9a^5b^3 & +6a^4b^4 & +3a^3b^5 & & \\
 & & -10a^5b^3 & +6a^4b^4 & -4a^3b^5 & -2a^2b^6 & \\
 & & & +5a^4b^4 & -3a^3b^5 & +2a^2b^6 & +ab^7\\ \hline
25a^7b & & -9a^5b^3 & +22a^4b^4 & -4a^3b^5 & & +ab^7
\end{array}$$

28.

$$\begin{array}{rrrrrr}
\multicolumn{6}{l}{4a^7y\ \ -8a^5y^2+16a^3y^3-32ay^4}\\
\multicolumn{6}{l}{\ \ a^6y^2+4a^4y^3+4a^2y^4}\\ \hline
4a^{13}y^3 & -8a^{11}y^4 & +16a^9y^5 & -32a^7y^6 & & \\
 & +16a^{11}y^4 & -32a^9y^5 & +64a^7y^6 & -128a^5y^7 & \\
 & & +16a^9y^5 & -32a^7y^6 & +64a^5y^7 & -128a^3y^8\\ \hline
4a^{13}y^3 & +8a^{11}y^4 & & & -64a^5y^7 & -128a^3y^8
\end{array}$$

29.

$$\begin{array}{rrrrrrr}
\multicolumn{7}{l}{3m^3\ \ +9m^2n\ +9mn^2\ \ +3n^3}\\
\multicolumn{7}{l}{2m^4n-6m^3n^2+6m^2n^3-2mn^4}\\ \hline
6m^7n & +18m^6n^2 & +18m^5n^3 & +6m^4n^4 & & & \\
 & -18m^6n^2 & -54m^5n^3 & -54m^4n^4 & -18m^3n^5 & & \\
 & & +18m^5n^3 & +54m^4n^4 & +54m^3n^5 & +18m^2n^6 & \\
 & & & -6m^4n^4 & -18m^3n^5 & -18m^2n^6 & -6mn^7\\ \hline
6m^7n & & -18m^5n^3 & & +18m^3n^5 & & -6mn^7
\end{array}$$

30.

$$\begin{array}{rrrrrrrr}
\multicolumn{8}{l}{\ \ 6a^5b+3a^2b^4-2ab^5+b^6}\\
\multicolumn{8}{l}{\ \ 4a^4\ \ -2ab^3\ \ -3b^4}\\ \hline
24a^9b & +12a^6b^4 & -8a^5b^5 & +4a^4b^6 & & & & \\
 & -12a^6b^4 & & & -6a^3b^7 & +4a^2b^8 & -2ab^9 & \\
 & & -18a^5b^5 & & & -9a^2b^8 & +6ab^9 & -3b^{10}\\ \hline
24a^9b & & -26a^5b^5 & +4a^4b^6 & -6a^3b^7 & -5a^2b^8 & -4ab^9 & -3b^{10}
\end{array}$$

31.
$$\begin{array}{l}
x-3\\
x-1\\ \hline
x^2-3x\\
\quad -x+3\\ \hline
x^2-4x+3\\
x+1\\ \hline
x^3-4x^2+3x\\
\quad +x^2-4x+3\\ \hline
x^3-3x^2-x+3\\
x+3\\ \hline
x^4-3x^3-x^2+3x\\
\quad +3x^3-9x^2-3x+9\\ \hline
x^4-10x^2+9
\end{array}$$

32.
$$\begin{array}{l}
x^2-x+1\\
x^2+x+1\\ \hline
x^4-x^3+x^2\\
\quad +x^3-x^2+x\\
\qquad +x^2-x+1\\ \hline
x^4+x^2+1\\
x^4-x^2+1\\ \hline
x^8+x^6+x^4\\
\quad -x^6-x^4-x^2\\
\qquad +x^4+x^2+1\\ \hline
x^8+x^4+1
\end{array}$$

33.
$$\begin{array}{l}
a^2+ab+b^2\\
a^2-ab+b^2\\ \hline
a^4+a^3b+a^2b^2\\
\quad -a^3b-a^2b^2-ab^3\\
\qquad +a^2b^2+ab^3+b^4\\ \hline
a^4+a^2b^2+b^4\\
a^4-a^2b^2+b^4\\ \hline
a^8+a^6b^2+a^4b^4\\
\quad -a^6b^2-a^4b^4-a^2b^6\\
\qquad +a^4b^4+a^2b^6+b^8\\ \hline
a^8+a^4b^4+b^8
\end{array}$$

34.
$$\begin{array}{l}
4a^3-4a^2b+ab^2\\
4a^2+3ab+b^2\\ \hline
16a^5-16a^4b+4a^3b^2\\
\quad +12a^4b-12a^3b^2+3a^2b^3\\
\qquad +4a^3b^2-4a^2b^3+ab^4\\ \hline
16a^5-4a^4b-4a^3b^2-a^2b^3+ab^4\\
2a^2b+b^3\\ \hline
32a^7b-8a^6b^2-8a^5b^3-2a^4b^4+2a^3b^5\\
\qquad +16a^5b^3-4a^4b^4-4a^3b^5-a^2b^6+ab^7\\ \hline
32a^7b-8a^6b^2+8a^5b^3-6a^4b^4-2a^3b^5-a^2b^6+ab^7
\end{array}$$

35.
$$\begin{array}{l}
x + a \\
x + 2a \\ \hline
x^2 + ax \\
\quad + 2ax + 2a^2 \\ \hline
x^2 + 3ax + 2a^2 \\
x - 3a \\ \hline
x^3 + 3ax^2 + 2a^2x \\
\quad - 3ax^2 - 9a^2x - 6a^3 \\ \hline
x^3 \qquad\qquad - 7a^2x - 6a^3 \\
x - 4a \\ \hline
x^4 - 7a^2x^2 - 6a^3x \\
\qquad\qquad + 28a^3x - 4ax^3 + 24a^4 \\ \hline
x^4 - 7a^2x^2 + 22a^3x - 4ax^3 + 24a^4 \\
x + 5a \\ \hline
x^5 - 7a^2x^3 + 22a^3x^2 - 4ax^4 + 24a^4x \\
\quad - 20a^2x^3 - 35a^3x^2 + 5ax^4 + 110a^4x + 120a^5 \\ \hline
x^5 - 27a^2x^3 - 13a^3x^2 + ax^4 + 134a^4x + 120a^5
\end{array}$$

or $x^5 + ax^4 - 27a^2x^3 - 13a^3x^2 + 134a^4x + 120a^5$

36.
$$\begin{array}{l}
81a^4 - 9a^2b^2 + b^4 \\
9a^2 + b^2 \\ \hline
729a^6 - 81a^4b^2 + 9a^2b^4 \\
\qquad + 81a^4b^2 - 9a^2b^4 + b^6 \\ \hline
729a^6 \qquad\qquad\qquad + b^6
\end{array}$$

$$\begin{array}{l}
27a^3 + b^3 \\
27a^3 - b^3 \\ \hline
729a^6 + 27a^3b^3 \\
\qquad - 27a^3b^3 - b^6 \\ \hline
729a^6 \qquad\qquad - b^6 \\
729a^6 + b^6 \\ \hline
531441a^{12} - 729a^6b^6 \\
\qquad + 729a^6b^6 - b^{12} \\ \hline
531441a^{12} \qquad\qquad - b^{12}
\end{array}$$

37.
$$\begin{array}{l}
y^2 - yz - 2z^2 \\
y^2 + yz - 2z^2 \\ \hline
y^4 - y^3z - 2y^2z^2 \\
\quad + y^3z - y^2z^2 - 2yz^3 \\
\qquad\qquad - 2y^2z^2 + 2yz^3 + 4z^4 \\ \hline
y^4 \qquad\quad - 5y^2z^2 \qquad\qquad + 4z^4
\end{array}$$

$$\begin{array}{l}
y^2 - 2yz - z^2 \\
y^2 + 2yz - z^2 \\ \hline
y^4 - 2y^3z - y^2z^2 \\
\quad 2y^3z - 4y^2z^2 - 2yz^3 \\
\qquad\qquad - y^2z^2 + 2yz^3 + z^4 \\ \hline
y^4 \qquad\quad - 6y^2z^2 \qquad\qquad + z^4 \\
y^4 \qquad\quad - 5y^2z^2 \qquad\qquad + 4z^4 \\ \hline
\qquad\quad - y^2z^2 \qquad\qquad - 3z^4
\end{array}$$

38.
$$\begin{array}{l}
3a^2 - ab - 3b^2 \\
a^2b - 2b^2 \\ \hline
3a^4b - a^3b^2 - 3a^2b^3 \\
\qquad\qquad\qquad - 6a^2b^2 + 2ab^3 + 6b^4 \\ \hline
3a^4b - a^3b^2 - 3a^2b^3 - 6a^2b^2 + 2ab^3 + 6b^4 \\
\qquad\qquad\qquad\qquad\qquad\qquad - 2ab^4 - 6b^5 \\ \hline
3a^4b - a^3b^2 - 3a^2b^3 - 6a^2b^2 + 2ab^3 - 2ab^4 + 6b^4 - 6b^5
\end{array}$$

39.

$$
\begin{array}{l}
a+b-c \\
a-b+c \\ \hline
a^2+ab-ac \\
\quad -ab \quad -b^2+bc \\
\qquad +ac \quad +bc-c^2 \\ \hline
a^2 \qquad\quad -b^2+2bc-c^2 \\
-a+b+c \\ \hline
-a^3+ab^2-2abc+ac^2 \\
\qquad\qquad\qquad +a^2b-b^3 \quad +2b^2c-bc^2 \\
\qquad\qquad\qquad\qquad\quad +a^2c-b^2c+2bc^2-c^3 \\ \hline
-a^3+ab^2-2abc+ac^2+a^2b-b^3+a^2c+b^2c+bc^2-c^3 \\
a+b+c \\ \hline
-a^4+a^2b^2-2a^2bc+a^2c^2+a^3b-ab^3+a^3c+ab^2c+abc^2-ac^3 \\
\quad +a^2b^2+a^2bc \quad -a^3b+ab^3 \quad -2ab^2c+abc^2 \quad -b^4+b^3c+b^2c^2-bc^3 \\
\qquad +a^2bc+a^2c^2 \qquad -a^3c+ab^2c-2abc^2+ac^3 \quad -b^3c+b^2c^2+bc^3-c^4 \\ \hline
-a^4+2a^2b^2 \qquad +2a^2c^2 \qquad\qquad\qquad\qquad -b^4 \quad +2b^2c^2 \quad -c^4
\end{array}
$$

40.

$$
\begin{array}{l}
a+b \\
b+c \\ \hline
ab+b^2 \\
\qquad +ac+bc \\ \hline
ab+b^2+ac+bc
\end{array}
\qquad\qquad
\begin{array}{l}
c+d \\
a+d \\ \hline
ac+ad \\
\qquad +cd+d^2 \\ \hline
ac+ad+cd+d^2
\end{array}
\qquad\qquad
\begin{array}{l}
a+c \\
b-d \\ \hline
ab+bc \\
\qquad -ad-cd \\ \hline
ab+bc-ad-cd
\end{array}
$$

$$
\begin{array}{l}
(ab+b^2+ac+bc)-(ac+ad+cd+d^2)-(ab+bc-ad-cd) \\
=ab+b^2+ac+bc-ac-ad-cd-d^2-ab-bc+ad+cd \\
=b^2-d^2.
\end{array}
$$

41.

$$
\begin{array}{rrrrrrrrrr}
\multicolumn{10}{l}{a+b+c+d} \\
\multicolumn{10}{l}{a+b+c+d} \\ \hline
a^2 & +ab & +ac & +ad & & & & & & \\
 & +ab & & & +b^2 & +bc & +bd & & & \\
 & & +ac & & & +bc & & +c^2 & +cd & \\
 & & & +ad & & & +bd & & +cd & +d^2 \\ \hline
a^2 & +2ab & +2ac & +2ad & +b^2 & +2bc & +2bd & +c^2 & +2cd & +d^2
\end{array}
$$

$$
\begin{array}{rrrrrrrrrr}
\multicolumn{10}{l}{a-b-c+d} \\
\multicolumn{10}{l}{a-b-c+d} \\ \hline
a^2 & -ab & -ac & +ad & & & & & & \\
 & -ab & & & +b^2 & +bc & -bd & & & \\
 & & -ac & & & +bc & & +c^2 & -cd & \\
 & & & +ad & & & -bd & & -cd & +d^2 \\ \hline
a^2 & -2ab & -2ac & +2ad & +b^2 & +2bc & -2bd & +c^2 & -2cd & +d^2
\end{array}
$$

$$\begin{array}{llllllllll}
\multicolumn{10}{l}{a-b+c-d} \\
\multicolumn{10}{l}{a-b+c-d} \\ \hline
a^2 & -ab & +ac & -ad & & & & & & \\
 & -ab & & & +b^2 & -bc & +bd & & & \\
 & & +ac & & & -bc & & +c^2 & -cd & \\
 & & & -ad & & & +bd & & -cd & +d^2 \\ \hline
a^2 & -2ab & +2ac & -2ad & +b^2 & -2bc & +2bd & +c^2 & -2cd & +d^2
\end{array}$$

$$\begin{array}{llllllllll}
\multicolumn{10}{l}{a+b-c-d} \\
\multicolumn{10}{l}{a+b-c-d} \\ \hline
a^2 & +ab & -ac & -ad & & & & & & \\
 & +ab & & & +b^2 & -bc & -bd & & & \\
 & & -ac & & & -bc & & +c^2 & +cd & \\
 & & & -ad & & & -bd & & +cd & +d^2 \\ \hline
a^2 & +2ab & -2ac & -2ad & +b^2 & -2bc & -2bd & +c^2 & +2cd & +d^2 \\
a^2 & +2ab & +2ac & +2ad & +b^2 & +2bc & +2bd & +c^2 & +2cd & +d^2 \\
a^2 & -2ab & -2ac & +2ad & +b^2 & +2bc & -2bd & +c^2 & -2cd & +d^2 \\
a^2 & -2ab & +2ac & -2ad & +b^2 & -2bc & +2bd & +c^2 & -2cd & +d^2 \\ \hline
4a^2 & & & & +4b^2 & & & +4c^2 & & +4d^2
\end{array}$$

42. $(a+b+c)^2-a(b+c-a)-b(a+c-b)-c(a+b-c)$
$=a^2+b^2+c^2+2ab+2ac+2bc-ab-ac+a^2-ab-bc+b^2-ac-bc+c^2$
$=2a^2+2b^2+2c^2.$

43. $(a-b)x-(b-c)a-\{(b-x)(b-a)-(b-c)(b+c)\}$
$=ax-bx-ab+ac-\{(b^2-bx+ax+ab)-(b^2-c^2)\}$
$=ax-bx-ab+ac-\{b^2-bx+ax+ab-b^2+c^2\}$
$=ax-bx-ab+ac-b^2+bx-ax-ab+b^2-c^2$
$=ac-c^2.$

44. $(m+n)m-\{(m-n)^2-(n-m)n\}$
$=m^2+mn-\{m^2-2mn+n^2-n^2+mn\}$
$=m^2+mn-m^2+2mn-n^2+n^2-mn$
$=2mn.$

45. $(a-b+c)^2-\{a(c-a-b)-[b(a+b+c)-c(a-b-c)]\}$
$=a^2-2ab+2ac-2bc+b^2+c^2-\{(ac-a^2-ab)$
$\qquad -[(ab+b^2+bc)-(ac-bc-c^2)]\}$
$=a^2-2ab+2ac-2bc+b^2+c^2-\{(ac-a^2-ab)$
$\qquad -[ab+b^2+bc-ac+bc+c^2]\}$
$=a^2-2ab+2ac-2bc+b^2+c^2$
$\qquad -\{ac-a^2-ab-ab-b^2-2bc+ac-c^2\}$
$=a^2-2ab+2ac-2bc+b^2+c^2-ac+a^2$
$\qquad +ab+ab+b^2+2bc-ac+c^2$
$=2a^2+2b^2+2c^2.$

46. $(p^2+q^2)r-(p+q)(p\{r-q\}-q\{r-p\})$
$=p^2r+q^2r-(p+q)(\{pr-pq\}-\{qr-pq\})$
$=p^2r+q^2r-(p+q)(pr-pq-qr+pq)$
$=p^2r+q^2r-(p+q)(pr-qr)$
$=p^2r+q^2r-(p^2r-q^2r)$
$=p^2r+q^2r-p^2r+q^2r$
$=2q^2r.$

47. $(9x^2y^2-4y^4)(x^2-y^2)-\{3xy-2y^2\}\{3x(x^2+y^2)-2y(y^2+3xy-x^2)\}y$
$=9x^4y^2-13x^2y^4+4y^6-\{3xy-2y^2\}\{3x^3+3xy^2-2y^3-6xy^2+2x^2y\}y$
$=9x^4y^2-13x^2y^4+4y^6-\{3xy-2y^2\}\{3x^3y+3xy^3-2y^4-6xy^3+2x^2y^2\}$
$=9x^4y^2-13x^2y^4+4y^6-\{9x^4y^2-13x^2y^4+4y^6\}$
$=9x^4y^2-13x^2y^4+4y^6-9x^4y^2+13x^2y^4-4y^6$
$=0.$

48. $a^2-\{2ab-[-(a+\{b-c\})(a-\{b-c\})+2ab]-4bc\}-(b+c)^2$
$=a^2-\{2ab-[-(a+b-c)(a-b+c)+2ab]-4bc\}-(b+c)^2$
$=a^2-\{2ab-[-a^2+b^2-2bc+c^2+2ab]-4bc\}-(b+c)^2$
$=a^2-\{2ab+a^2-b^2+2bc-c^2-2ab-4bc\}-(b+c)^2$
$=a^2-2ab-a^2+b^2-2bc+c^2+2ab+4bc-b^2-2bc-c^2$
$=0.$

49. $\{ac-(a-b)(b+c)\}-b\{b-(a-c)\}$
$=\{ac-(ab-b^2+ac-bc)\}-b(b-a+c)$
$=ac-ab+b^2-ac+bc-b^2+ab-bc$
$=0.$

50. $5\{(a-b)x-cy\}-2\{a(x-y)-bx\}-\{3ax-(5c-2a)y\}$
$=5\{ax-bx-cy\}-2\{ax-ay-bx\}-\{3ax-5cy+2ay\}$
$=5ax-5bx-5cy-2ax+2ay+2bx-3ax+5cy-2ay$
$=-3bx.$

51. $(x-1)(x-2)-3x(x+3)+2\{(x+2)(x+1)-3\}$
$=x^2-3x+2-3x^2-9x+2\{x^2+3x+2-3\}$
$=x^2-3x+2-3x^2-9x+2x^2+6x+4-6$
$=-6x.$

52. $\{(2a+b)^2+(a-2b)^2\}\{(3a-2b)^2-(2a-3b)^2\}$
$=\{(4a^2+4ab+b^2)+(a^2-4ab+4b^2)\}\{(9a^2-12ab+4b^2)$
$\qquad -(4a^2-12ab+9b^2)\}$
$=\{4a^2+4ab+b^2+a^2-4ab+4b^2\}\{9a^2-12ab+4b^2$
$\qquad -4a^2+12ab-9b^2\}$
$=\{5a^2+5b^2\}\{5a^2-5b^2\}$
$=25a^4-25b^4.$

53. $4(a-3b)(a+3b)-2(a-6b)^2-2(a^2+6b^2)$
$=4(a^2-9b^2)-2(a^2-12ab+36b^2)-2a^2-12b^2$
$=4a^2-36b^4-2a^2+24ab-72b^2-2a^2-12b^2$
$=24ab-120b^2.$

54. $x^2(x^2+y^2)^2-2x^2y^2(x+y)(x-y)-(x^3-y^3)^2$
$=x^2(x^4+2x^2y^2+y^4)-2x^2y^2(x^2-y^2)-(x^3-y^3)^2$
$=x^6+2x^4y^2+x^2y^4-2x^4y^2+2x^2y^4-x^6+2x^3y^3-y^6$
$=3x^2y^4+2x^3y^3-y^6.$

55. $16(a^2+b^2)(a^2-b^2)-(2a-3)(2a+3)(4a^2+9)$
$+(2b-3)(2b+3)(4b^2+9)$
$=16(a^4-b^4)-(4a^2-9)(4a^2+9)+(4b^2-9)(4b^2+9)$
$=16a^4-16b^4-16a^4+81+16b^4-81$
$=0.$

Exercise XV.

7. $(x+y)^2$
$=x^2+2xy+y^2.$

8. $(y-z)^2$
$=y^2-2yz+z^2.$

9. $(2x+1)^2$
$=4x^2+4x+1.$

10. $(2a+5b)^2$
$=4a^2+20ab+25b^2.$

11. $(1-x^2)^2$
$=1-2x^2+x^4.$

12. $(3ax-4x^2)^2$
$=9a^2x^2-24ax^3+16x^4.$

13. $(1-7a)^2$
$=1-14a+49a^2.$

14. $(5xy+2)^2$
$=25x^2y^2+20xy+4.$

15. $(ab+cd)^2$
$=a^2b^2+2abcd+c^2d^2.$

16. $(3mn-4)^2$
$=9m^2n^2-24mn+16.$

17. $(12+5x)^2$
$=144+120x+25x^2.$

18. $(4xy^2-yz^2)^2$
$=16x^2y^4-8xy^3z^2+y^2z^4.$

19. $(3abc-bcd)^2$
$=9a^2b^2c^2-6ab^2c^2d+b^2c^2d^2.$

20. $(4x^3-xy^2)^2$
$=16x^6-8x^4y^2+x^2y^4.$

21. $(x+y)(x-y)$
$=x^2-y^2.$

22. $(2a+b)(2a-b)$
$=4a^2-b^2.$

23. $(3-x)(3+x)$
$=9-x^2.$

24. $(3ab+2b^2)(3ab-2b^2)$
$=9a^2b^2-4b^4.$

25. $(4x^2-3y^2)(4x^2+3y^2)$
$=16x^4-9y^4.$

26. $(a^3x^2-by^4)(a^3x^2+by^4)$
$=a^6x^4-b^2y^8.$

27. $(6xy-5y^2)(6xy+5y^2)$
$=36x^2y^2-25y^4.$

28. $(4x^5-1)(4x^5+1)$
$=16x^{10}-1.$

29. $(1+3ab^3)(1-3ab^3)$
$=1-9a^2b^6.$

30. $(ax+by)(ax-by)(a^2x^2+b^2y^2)$
$=a^4x^4-b^4y^4.$

Exercise XVI.

1. $(x+y+z)^2=x^2+y^2+z^2+2xy+2xz+2yz.$

2. $(x-y+z)^2=x^2+y^2+z^2-2xy+2xz-2yz.$

3. $(m+n-p-q)^2 = m^2+n^2+p^2+q^2+2mn-2mp-2mq-2np-2nq+2pq.$

4. $(x^2 + 2x - 3)^2 = x^4 + 4x^3 - 2x^2 - 12x + 9.$

5. $(x^2 - 6x + 7)^2 = x^4 - 12x^3 + 50x^2 - 84x + 49.$

6. $(2x^2 - 7x + 9)^2 = 4x^4 - 28x^3 + 85x^2 - 126x + 81.$

7. $(x^2 + y^2 - z^2)^2 = x^4 + y^4 + z^4 + 2x^2y^2 - 2x^2z^2 - 2y^2z^2.$

8. $(x^4 - 4x^2y^2 + y^4)^2 = x^8 + 18x^4y^4 + y^8 - 8x^6y^2 - 8x^2y^6.$

9. $(a^3 + b^3 + c^3)^2 = a^6 + b^6 + c^6 + 2a^3b^3 + 2a^3c^3 + 2b^3c^3.$

10. $(x^3 - y^3 - z^3)^2 = x^6 + y^6 + z^6 - 2x^3y^3 - 2x^3z^3 + 2y^3z^3.$

11. $(x + 2y - 3z) = x^2 + 4y^2 + 9z^2 + 4xy - 6xz - 12yz.$

12. $(x^2 - 2y^2 + 5z^2)^2 = x^4 + 4y^4 + 25z^4 - 4x^2y^2 + 10x^2z^2 - 20y^2z^2.$

13. $(x^2 + 2x - 2)^2 = x^4 + 4x^3 - 8x + 4.$

14. $(x^2 - 5x + 7)^2 = x^4 + 39x^2 - 10x^3 - 70x + 49.$

15. $(2x^2 - 3x - 4)^2 = 4x^4 - 12x^3 - 7x^2 + 24x + 16.$

16. $(x + 2y + 3z)^2 = x^2 + 4y^2 + 9z^2 + 4xy + 6xz + 12yz.$

Exercise XVII.

1. $(x+2)(x+3) = x^2 + 5x + 6.$

2. $(x+1)(x+5) = x^2 + 6x + 5.$

3. $(x-3)(x-6) = x^2 - 9x + 18.$

4. $(x-8)(x-1) = x^2 - 9x + 8.$

5. $(x-8)(x+1) = x^2 - 7x - 8.$

6. $(x-2)(x+5) = x^2 + 3x - 10.$

7. $(x-3)(x+7) = x^2 + 4x - 21.$

8. $(x-2)(x-4) = x^2 - 6x + 8.$

9. $(x+1)(x+11) = x^2 + 12x + 11.$

10. $(x-2a)(x+3a) = x^2 + ax - 6a^2.$

11. $(x-c)(x-d)$
$= x^2 - (c+d)x + cd.$

12. $(x-4y)(x+y) = x^2 - 3xy - 4y^2.$

13. $(a-2b)(a-5b) = a^2 - 7ab + 10b^2.$

14. $(x^2 + 2y^2)(x^2 + y^2)$
$= x^4 + 3x^2y^2 + 2y^4.$

15. $(x^2 - 3xy)(x^2 + xy)$
$= x^4 - 2x^3y - 3x^2y^2.$

16. $(ax - 9)(ax + 6)$
$= a^2x^2 - 3ax - 54.$

17. $(x+a)(x-b)$
$= x^2 + (a-b)x - ab.$

18. $(x-11)(x+4) = x^2 - 7x - 44.$

19. $(x+12)(x-11) = x^2 + x - 132.$

20. $(x-10)(x-5) = x^2 - 15x + 50.$

Exercise XVIII.

1. $(x+a)^3 = x^3 + 3x^2a + 3xa^2 + a^3.$

2. $(x-a)^3 = x^3 - 3x^2a + 3xa^2 - a^3.$

3. $(x+1)^3 = x^3 + 3x^2 + 3x + 1.$

4. $(x-1)^3 = x^3 - 3x^2 + 3x - 1.$

5. $(x+a)^4 = x^4 + 4x^3a + 6x^2a^2 + 4xa^3 + a^4.$

6. $(x-a)^4 = x^4 - 4x^3a + 6x^2a^2 - 4xa^3 + a^4.$

7. $(x+1)^4 = x^4 + 4x^3 + 6x^2 + 4x + 1.$

8. $(x-1)^4 = x^4 - 4x^3 + 6x^2 - 4x + 1.$

9. $(x+y)^5 = x^5 + 5x^4y + 10x^3y^2 + 10x^2y^3 + 5xy^4 + y^5.$

10. $(x-y)^5 = x^5 - 5x^4y + 10x^3y^2 - 10x^2y^3 + 5xy^4 - y^5.$

11. $(x+1)^5 = x^5 + 5x^4 + 10x^3 + 10x^2 + 5x + 1.$

12. $(x-1)^5 = x^5 - 5x^4 + 10x^3 - 10x^2 + 5x - 1.$

Exercise XIX.

1. $\dfrac{+264}{+4} = 66.$

2. $\dfrac{-4648}{-8} = 581.$

3. $\dfrac{+3840}{-30} = -128.$

4. $\dfrac{-2568}{+12} = -214.$

5.
$$\begin{array}{r} -21.7 \\ -49.)\overline{1063.3} \\ \underline{98} \\ 83 \\ \underline{49} \\ 343 \\ \underline{343} \end{array}$$

6.
$$\begin{array}{r} -1.23 \\ 345)\overline{-424.35} \\ \underline{345} \\ 793 \\ \underline{690} \\ 1035 \\ \underline{1035} \end{array}$$

7.
$$\begin{array}{r} -11 \\ +24)\overline{-264} \\ \underline{24} \\ 24 \\ \underline{24} \end{array}$$

8.
$$\begin{array}{r} +43\tfrac{3}{17} \\ -85)\overline{-3670} \\ \underline{340} \\ 270 \\ \underline{255} \\ \tfrac{15}{85} = \tfrac{3}{17} \end{array}$$

9.
$$\begin{array}{r} -.1123 \\ -61)\overline{6.8503} \\ \underline{61} \\ 75 \\ \underline{61} \\ 140 \\ \underline{122} \\ 183 \\ \underline{183} \end{array}$$

10.
$$\begin{array}{r} -.022\tfrac{7}{81} \\ +324)\overline{-7.1560} \\ \underline{648} \\ 676 \\ \underline{648} \\ \tfrac{28}{324} = \tfrac{7}{81} \end{array}$$

11.
$$\begin{array}{r} .31831+ \\ -314159.)\overline{-100000.0} \\ \underline{942477} \\ 575230 \\ \underline{314159} \\ 2610710 \\ \underline{2513272} \\ 974380 \\ \underline{942477} \\ 319030 \\ \underline{314159} \\ 4871 \end{array}$$

12.
$$\begin{array}{r} .0101321+ \\ -314159)\overline{-3183.10} \\ \underline{314159} \\ 415100 \\ \underline{314159} \\ 1009410 \\ \underline{942477} \\ 669330 \\ \underline{628318} \\ 410120 \\ \underline{314159} \\ 95961 \end{array}$$

EXERCISE XX.

5. $\frac{6mx}{2x} = 3m.$

6. $\frac{12a^4}{-3a} = -4a^3.$

7. $\frac{10ab}{2bc} = \frac{5a}{c}.$

8. $\frac{x^3}{-x^5} = -\frac{1}{x^2}.$

9. $\frac{-12am}{-2m} = 6a.$

10. $\frac{35abcd}{5bd} = 7ac.$

11. $\frac{abx}{5aby} = \frac{x}{5y}.$

12. $\frac{27a^7}{-3a^3} = -9a^4.$

13. $\frac{-3bmx}{4ax^2} = -\frac{3bm}{4ax}.$

14. $\frac{ab^2c^3}{abc} = bc^2.$

15. $\frac{m^5p^2x^4}{mp^2x^2} = m^4x^2.$

16. $\frac{-51abdy^2}{3bdy} = -17ay.$

17. $\frac{225m^2y}{25my^2} = \frac{9m}{y}.$

18. $\frac{30x^2y^3}{-5x^3y} = -\frac{6y^2}{x}.$

19. $\frac{4a^2m^4x^5}{5a^5m^3x} = \frac{4mx^4}{5a^3}.$

20. $\frac{42x^3y^2z^4}{7xy^2z^3} = 6x^2z.$

21. $\frac{-3a^2b^3c^4d^5}{-a^4b^2cd^3} = \frac{3bc^3d^2}{a^2}.$

22. $\frac{12am^5n^4p^3q^2}{4m^2n^3p^4q^5} = \frac{3am^3n}{pq^3}.$

23. $(4a^2bz^3 \times 10a^2b^3z) \div 5a^3b^2z^2$
$= 40a^4b^4z^4 \div 5a^3b^2z^2$
$= 8ab^2z^2.$

24. $(21x^2y^4z^6 \div 3xy^2z)(-2x^3y^2z)$
$= (7xy^2z^5)(-2x^3y^2z)$
$= -14x^4y^4z^6.$

25. $104ab^3x^9 \div (91a^5b^6x^7 \div 7a^4b^4x)$
$= 104ab^3x^9 \div 13ab^2x^6.$
$= 8bx^3.$

26. $(24a^5b^3x \div 3a^2b^2)$
$+ (35a^6b^2x^2 \div -5a^3bx)$
$= (8a^3bx) + (-7a^3bx)$
$= a^3bx.$

27. $85a^{4m+1} \div 5a^{4m-2}$
$= 17a^{4m+1-(4m-2)}$
$= 17a^3.$

28. $\frac{84a^{n-4}}{12a^2}$
$= 7a^{n-4-2}$
$= 7a^{n-6}.$

EXERCISE XXI.

3. $(18amy - 27bny + 36cpy) \div -9y = -2am + 3bn - 4cp.$
4. $(21ax - 18bx + 15cx) \div -3x = -7a + 6b - 5c.$
5. $(12x^5 - 8x^3 + 4x) \div 4x = 3x^4 - 2x^2 + 1.$

6. $(3x^3-6x^5+9x^7-12x^9)\div 3x^2=x-2x^3+3x^5-4x^7.$

7. $(35m^3y+28m^2y^2-14my^3)\div -7my=-5m^2-4my+2y^2.$

8. $(4a^4b-6a^3b^2+12a^2b^3)\div 2a^2b=2a^2-3ab+6b^2.$

9. $(12x^3y^3-15x^4y^2-24x^5y)\div -3x^2y=-4xy^2+5x^2y+8x^3.$

10. $(12x^5y^4-24x^4y^2+36x^3y^3-12x^2y^2)\div 12x^2y^2=x^3y^2-2x^2+3xy-1.$

11. $(3a^4-2a^5b-a^6b^2)\div a^4=3-2ab-a^2b^2.$

12. $(3x^3yz^2+6x^4yz^3-15x^5y^2z^3+18x^6y^3z)\div -3x^3yz$
$=-z-2xz^2+5x^2yz^2-6x^3y^2.$

13. $(-16a^3b^2c^5+8a^4b^2c^4-12a^5b^3c^3)\div -4a^2b^2c^2$
$=4ac^3-2a^2c^2+3a^3bc.$

Exercise XXII.

6.
$$\begin{array}{r|l} x^2-7x+12 & x-3 \\ \cline{2-2} \underline{x^2-3x} & x-4 \\ \cline{1-1} -4x+12 & \\ \underline{-4x+12} & \end{array}$$

7.
$$\begin{array}{r|l} x^2+x-72 & x+9 \\ \cline{2-2} \underline{x^2+9x} & x-8 \\ \cline{1-1} -8x-72 & \\ \underline{-8x-72} & \end{array}$$

8.
$$\begin{array}{r|l} 2x^3-x^2+3x-9 & 2x-3 \\ \cline{2-2} 2x^3-3x^2 & x^2+x+3 \\ \cline{1-1} 2x^2+3x-9 & \\ \underline{2x^2-3x} & \\ 6x-9 & \\ \underline{6x-9} & \end{array}$$

9.
$$\begin{array}{r|l} 6x^3+14x^2-4x+24 & 2x+6 \\ \cline{2-2} 6x^3+18x^2 & 3x^2-2x+4 \\ \cline{1-1} -4x^2-4x+24 & \\ \underline{-4x^2-12x} & \\ 8x+24 & \\ \underline{8x+24} & \end{array}$$

10.
$$\begin{array}{r|l} 9x^3+3x^2+x-1 & 3x-1 \\ \cline{2-2} 9x-3x^2 & 3x^2+2x+1 \\ \cline{1-1} 6x^2+x-1 & \\ \underline{6x^2-2x} & \\ 3x-1 & \\ \underline{3x-1} & \end{array}$$

11.
$$\begin{array}{r|l} 7x^3-24x^2+58x-21 & 7x-3 \\ \cline{2-2} 7x^3-3x^2 & x^2-3x+7 \\ \cline{1-1} -21x^2+58x-21 & \\ \underline{-21x^2+9x} & \\ 49x-21 & \\ \underline{49x-21} & \end{array}$$

12.
$$\begin{array}{r|l} x^6-1 & x-1 \\ \cline{2-2} \underline{x^6-x^5} & x^5+x^4+x^3+x^2+x+1 \\ x^5-1 & \\ \underline{x^5-x^4} & \\ x^4-1 & \\ \underline{x^4-x^3} & \\ x^3-1 & \\ \underline{x^3-x^2} & \\ x^2-1 & \\ \underline{x^2-x} & \\ x-1 & \\ \underline{x-1} & \end{array}$$

13.
$$\begin{array}{r|l} a^3-2ab^2+b^3 & a-b \\ \cline{2-2} \underline{a^3-a^2b} & a^2+ab-b^2 \\ a^2b-2ab^2+b^3 & \\ \underline{a^2b-ab^2} & \\ -ab^2+b^3 & \\ \underline{-ab^2+b^3} & \end{array}$$

14.
$$
\begin{array}{l|l}
x^4-81y^4 & x-3y \\ \cline{2-2}
\underline{x^4-3x^3y} & x^3+3x^2y+9xy^2+27y^3 \\
\quad 3x^3y-81y^4 & \\
\quad \underline{3x^3y-9x^2y^2} & \\
\qquad 9x^2y^2-81y^4 & \\
\qquad \underline{9x^2y^2-27xy^3} & \\
\qquad\quad 27xy^3-81y^4 & \\
\qquad\quad \underline{27xy^3-81y^4} &
\end{array}
$$

15.
$$
\begin{array}{l|l}
x^5-y^5 & x-y \\ \cline{2-2}
\underline{x^5-x^4y} & x^4+x^3y+x^2y^2+xy^3+y^4 \\
\quad x^4y-y^5 & \\
\quad \underline{x^4y-x^3y^2} & \\
\qquad x^3y^2-y^5 & \\
\qquad \underline{x^3y^2-x^2y^3} & \\
\qquad\quad x^2y^3-y^5 & \\
\qquad\quad \underline{x^2y^3-xy^4} & \\
\qquad\qquad xy^4-y^5 & \\
\qquad\qquad \underline{xy^4-y^5} &
\end{array}
$$

16.
$$
\begin{array}{l|l}
a^5+32b^5 & a+2b \\ \cline{2-2}
\underline{a^5+2a^4b} & a^4-2a^3b+4a^2b^2-8ab^3+16b^4 \\
\quad 2a^4b+32b^5 & \\
\quad \underline{2a^4b-4a^3b^2} & \\
\qquad 4a^3b^2+32b^5 & \\
\qquad \underline{4a^3b^2+8a^2b^3} & \\
\qquad\quad -8a^2b^3+32b^5 & \\
\qquad\quad \underline{-8a^2b^3-16ab^4} & \\
\qquad\qquad 16ab^4+32b^5 & \\
\qquad\qquad \underline{16ab^4+32b^5} &
\end{array}
$$

17.
$$
\begin{array}{l|l}
2a^4+27ab^3-81b^4 & a+3b \\ \cline{2-2}
\underline{2a^4+6a^3b} & 2a^3-6a^2b+18ab^2-27b^3 \\
\quad -6a^3b+27ab^3-81b^4 & \\
\quad \underline{-6a^3b-18a^2b^2} & \\
\qquad 18a^2b^2+27ab^3-81b^4 & \\
\qquad \underline{18a^2b^2+54ab^3} & \\
\qquad\quad -27ab^3-81b^4 & \\
\qquad\quad \underline{-27ab^3-81b^4} &
\end{array}
$$

18.
$$
\begin{array}{l|l}
x^4-5x^3+11x^2-12x+6 & x^2-3x+3 \\ \cline{2-2}
\underline{x^4-3x^3+3x^2} & x^2-2x+2 \\
\quad -2x^3+8x^2-12x & \\
\quad \underline{-2x^3+6x^2-6x} & \\
\qquad 2x^2-6x+6 & \\
\qquad \underline{2x^2-6x+6} &
\end{array}
$$

19.
$$
\begin{array}{l|l}
x^4+x^3-9x^2-16x-4 & x^2+4x+4 \\ \cline{2-2}
\underline{x^4+4x^3+4x^2} & x^2-3x-1 \\
\quad -3x^3-13x^2-16x-4 & \\
\quad \underline{-3x^3-12x^2-12x} & \\
\qquad -x^2-4x-4 & \\
\qquad \underline{-x^2-4x-4} &
\end{array}
$$

20.
$$\begin{array}{l|l} x^4-13x^2+36 & x^2+5x+6 \\ \cline{2-2} \underline{x^4+5x^3+6x^2} & x^2-5x+6 \\ \quad -5x^3-19x^2+36 & \\ \quad \underline{-5x^3-25x^2-30x} & \\ \qquad\qquad 6x^2+30x+36 & \\ \qquad\qquad \underline{6x^2+30x+36} & \end{array}$$

21.
$$\begin{array}{l|l} x^4+64 & x^2-4x+8 \\ \cline{2-2} \underline{x^4+4x^3+\ \ 8x^2} & x^2-4x+8 \\ \quad -4x^3-\ \ 8x^2+64 & \\ \quad \underline{-4x^3-16x^2-32x} & \\ \qquad\qquad 8x^2+32x+64 & \\ \qquad\qquad \underline{8x^2+32x+64} & \end{array}$$

22.
$$\begin{array}{l|l} x^4+\ \ x^3-24x^2-35x+57 & x^2+2x-3 \\ \cline{2-2} \underline{x^4+2x^3-\ \ 3x^2} & x^2-x-19 \\ \quad -\ \ x^3-21x^2-35x & \\ \quad \underline{-\ \ x^3-\ \ 2x^2-\ \ 3x} & \\ \qquad\qquad -19x^2-38x+57 & \\ \qquad\qquad \underline{-19x^2-38x+57} & \end{array}$$

23.
$$\begin{array}{l|l} 1-\ \ x-3x^2-x^5 & 1+2x+x^2 \\ \cline{2-2} \underline{1+2x+\ \ x^2} & 1-3x+2x^2-x^3 \\ \quad -3x-4x^2-x^5 & \\ \quad \underline{-3x-6x^2-3x^3} & \\ \qquad\qquad 2x^2+3x^3-x^5 & \\ \qquad\qquad \underline{2x^2+4x^3+2x^4} & \\ \qquad\qquad\quad -\ \ x^3-2x^4-x^5 & \\ \qquad\qquad\quad \underline{-\ \ x^3-2x^4-x^5} & \end{array}$$

24.
$$\begin{array}{l|l} x^6-2x^3+1 & x^2-2x+1 \\ \cline{2-2} \underline{x^6-2x^5+x^4} & x^4+2x^3+3x^2+2x+1 \\ \quad 2x^5-x^4\ -2x^3+1 & \\ \quad \underline{2x^5-4x^4+2x^3} & \\ \qquad 3x^4-4x^3+1 & \\ \qquad \underline{3x^4-6x^3+3x^2} & \\ \qquad\quad 2x^3-3x^2+1 & \\ \qquad\quad \underline{2x^3-4x^2+2x} & \\ \qquad\qquad x^2-2x+1 & \\ \qquad\qquad \underline{x^2-2x+1} & \end{array}$$

25.
$$\begin{array}{l|l} a^4+2a^2b^2+9b^4 & a^2-2ab+3b^2 \\ \cline{2-2} \underline{a^4-2a^3b+3a^2b^2} & a^2+2ab+3b^2 \\ \quad 2a^3b-\ \ a^2b^2+9b^4 & \\ \quad \underline{2a^3b-4a^2b^2+6ab^3} & \\ \qquad\quad 3a^2b^2-6ab^3+9b^4 & \\ \qquad\quad \underline{3a^2b^2-6ab^3+9b^4} & \end{array}$$

26.
$$\begin{array}{l|l} 4x^5-\ \ x^3+4x & 2x^2+3x+2 \\ \cline{2-2} \underline{4x^5+6x^4+4x^3} & 2x^3-3x^2+2x \\ \quad -6x^4-5x^3+4x & \\ \quad \underline{-6x^4-9x^3-6x^2} & \\ \qquad\qquad 4x^3+6x^2+4x & \\ \qquad\qquad \underline{4x^3+6x^2+4x} & \end{array}$$

27.
$$\begin{array}{l|l} a^5-243 & a-3 \\ \cline{2-2} \underline{a^5-3a^4} & a^4+3a^3+9a^2+27a+81 \\ \quad 3a^4-243 & \\ \quad \underline{3a^4-9a^3} & \\ \qquad 9a^3-243 & \\ \qquad \underline{9a^3-27a^2} & \\ \qquad\quad 27a^2-243 & \\ \qquad\quad \underline{27a^2-81a} & \\ \qquad\qquad 81a-243 & \\ \qquad\qquad \underline{81a-243} & \end{array}$$

28.
$$\begin{array}{r|l} 18x^4-45x^3+82x^2-67x+40 & \underline{3x^2-4x+5} \\ \underline{18x^4-24x^3+30x^2}\qquad\qquad\quad & 6x^2-7x+8 \\ -21x^3+52x^2-67x\quad\;\, & \\ \underline{-21x^3+28x^2-35x}\quad\;\, & \\ 24x^2-32x+40 & \\ \underline{24x^2-32x+40} & \end{array}$$

29.
$$\begin{array}{l|l} x^4-9x^2-6xy-y^2 & \underline{x^2+3x+y} \\ \underline{x^4+3x^3+x^2y} & x^2-3x-y \\ \quad -3x^3-9x^2-x^2y-6xy-y^2 & \\ \quad \underline{-3x^3-9x^2\qquad\;\; -3xy} & \\ \qquad\qquad\quad -x^2y-3xy-y^2 & \\ \qquad\qquad\quad \underline{-x^2y-3xy-y^2} & \end{array}$$

30.
$$\begin{array}{l|l} x^4-6x^3y+9x^2x^2-4y^4 & \underline{x^2-3xy+2y^2} \\ \underline{x^4-3x^3y+2x^2y^2} & x^2-3xy-2y^2 \\ \quad -3x^3y+7x^2y^2-4y^4 & \\ \quad \underline{-3x^3y+9x^2y^2-6xy^3} & \\ \qquad\quad -2x^2y^2+6xy^3-4y^4 & \\ \qquad\quad \underline{-2x^2y^2+6xy^3-4y^4} & \end{array}$$

31.
$$\begin{array}{l|l} x^4+x^2y^2+y^4 & \underline{x^2-xy+y^2} \\ \underline{x^4-x^3y+x^2y^2} & x^2+xy+y^2 \\ \quad x^3y+y^4 & \\ \quad \underline{x^3y-x^2y^2+xy^3} & \\ \qquad\quad x^2y^2-xy^3+y^4 & \\ \qquad\quad \underline{x^2y^2-xy^3+y^4} & \end{array}$$

32.
$$\begin{array}{l|l} x^5+x^3+x^4y-x^3y^2-2xy^2+y^3 & \underline{x^3+x-y} \\ \underline{x^5+x^3-x^2y} & x^2+xy-y^2 \\ \qquad\quad x^4y+x^2y-x^3y^2-2xy^2+y^3 & \\ \qquad\quad \underline{x^4y+x^2y\qquad\quad -xy^2} & \\ \qquad\qquad\qquad -x^3y^2-xy^2+y^3 & \\ \qquad\qquad\qquad \underline{-x^3y^2-xy^2+y^3} & \end{array}$$

33.
$$\begin{array}{l|l} 2x^2+xy-xz-3y^2-4yz-z^2 & \underline{2x+3y+z} \\ \underline{2x^2+3xy+xz} & x-y-z \\ \quad -2xy-2xz-3y^2-4yz-z^2 & \\ \quad \underline{-2xy\qquad\quad -3y^2-yz} & \\ \qquad\quad -2xz\qquad -3yz-z^2 & \\ \qquad\quad \underline{-2xz\qquad -3yz-z^2} & \end{array}$$

34.
$$\begin{array}{l|l}
12-38x+82x^2-112x^3+106x^4-70x^5 & \underline{3-5x+7x^2} \\
\underline{12-20x+28x^2} & 4-6x+8x^2-10x^3 \\
\quad -18x+54x^2-112x^3 & \\
\quad \underline{-18x+30x^2-\ 42x^3} & \\
\qquad\qquad 24x^2-\ 70x^3+106x^4 & \\
\qquad\qquad \underline{24x^2-\ 40x^3+\ 56x^4} & \\
\qquad\qquad\qquad -\ 30x^3+\ 50x^4-70x^5 & \\
\qquad\qquad\qquad \underline{-\ 30x^3+\ 50x^4-70x^5} &
\end{array}$$

35.
$$\begin{array}{l|l}
x^5 \qquad\qquad\qquad\qquad + y^5 & \underline{x^4-x^3y+x^2y^2-xy^3+y^4} \\
\underline{x^5-x^4y+x^3y^2-x^2y^3+xy^4} & x+y \\
\quad x^4y-x^3y^2+x^2y^3-xy^4+y^5 & \\
\quad \underline{x^4y-x^3y^2+x^2y^3-xy^4+y^5} &
\end{array}$$

36.
$$\begin{array}{l|l}
2x^4-7x^2y+2x^2y^2-2xy^3-y^4 & \underline{2x^2-xy-y^2} \\
\underline{2x^4-\ x^3y+\ x^2y^2} & x^2-3xy-y^2 \\
\quad -6x^3y+\ x^2y^2-2xy^3 & \\
\quad \underline{-6x^3y+3x^2y^2-3xy^3} & \\
\qquad\qquad -2x^2y^2+\ xy^3-y^4 & \\
\qquad\qquad \underline{-2x^2y^2+\ xy^3-y^4} &
\end{array}$$

37.
$$\begin{array}{l|l}
16x^4+4x^2y^2+y^4 & \underline{4x^2-2xy+y^2} \\
\underline{16x^4-8x^3y+4x^2y^2} & 4x^2+2xy+y^2 \\
\qquad 8x^3y+y^4 & \\
\qquad \underline{8x^3y-4x^2y^2+2xy^3} & \\
\qquad\qquad 4x^2y^2-2xy^3+y^4 & \\
\qquad\qquad \underline{4x^2y^2-2xy^3+y^4} &
\end{array}$$

38.
$$\begin{array}{l|l}
32a^5b-56a^4b^2+\ 8a^3b^3-4a^2b^4-ab^5 & \underline{-4a^2b+6ab^2+b^3} \\
\underline{32a^5b-48a^4b^2-\ 8a^3b^3} & -8a^3+2a^2b-ab^2 \\
\qquad -\ 8a^4b^2+16a^3b^3-4a^2b^4 & \\
\qquad \underline{-\ 8a^4b^2+12a^3b^3+2a^2b^4} & \\
\qquad\qquad\qquad 4a^3b^3-6a^2b^4-ab^5 & \\
\qquad\qquad\qquad \underline{4a^3b^3-6a^2b^4-ab^5} &
\end{array}$$

39.
$$\begin{array}{l|l}
1+5x^3-6x^4 & \underline{1-x+3x^2} \\
\underline{1-x+3x^2} & 1+x-2x^2 \\
\quad x-3x^2+5x^3-6x^4 & \\
\quad \underline{x-\ x^2+3x^3} & \\
\qquad -2x^2+2x^3-6x^4 & \\
\qquad \underline{-2x^2+2x^3-6x^4} &
\end{array}$$

40.

$$\begin{array}{l|l}
1 - 51a^3b^3 - 52a^4b^4 & -1 + 3ab + 4a^2b^2 \\ \cline{2-2}
\underline{1 - 3ab - 4a^2b^2} & -1 - 3ab - 13a^2b^2 \\
\quad 3ab + 4a^2b^2 - 51a^3b^3 - 52a^4b^4 & \\
\quad \underline{3ab - 9a^2b^2 - 12a^3b^3} & \\
\qquad 13a^2b^2 - 39a^3b^3 - 52a^4b^4 & \\
\qquad \underline{13a^2b^2 - 39a^3b^3 - 52a^4b^4} &
\end{array}$$

41.

$$\begin{array}{l|l}
x^7y - xy^7 & x^3y - 2x^2y^2 + 2xy^3 - y^4 \\ \cline{2-2}
\underline{x^7y - 2x^6y^2 + 2x^5y^3 - x^4y^4} & x^4 + 2x^3y + 2x^2y^2 + xy^3 \\
\quad 2x^6y^2 - 2x^5y^3 + x^4y^4 - xy^7 & \\
\quad \underline{2x^6y^2 - 4x^5y^3 + 4x^4y^4 - 2x^3y^5} & \\
\qquad 2x^5y^3 - 3x^4y^4 + 2x^3y^5 - xy^7 & \\
\qquad \underline{2x^5y^3 - 4x^4y^4 + 4x^3y^5 - 2x^2y^6} & \\
\qquad\quad x^4y^4 - 2x^3y^5 + 2x^2y^6 - xy^7 & \\
\qquad\quad \underline{x^4y^4 - 2x^3y^5 + 2x^2y^6 - xy^7} &
\end{array}$$

42.

$$\begin{array}{l|l}
x^6 - 6x^5y + 15x^4y^2 - 20x^3y^3 + 15x^2y^4 - 6xy^5 + y^6 & x^3 - 3x^2y + 3xy^2 - y^3 \\ \cline{2-2}
\underline{x^6 - 3x^5y + 3x^4y^2 - x^3y^3} & x^3 - 3x^2y + 3xy^2 - y^3 \\
\quad -3x^5y + 12x^4y^2 - 19x^3y^3 + 15x^2y^4 & \\
\quad \underline{-3x^5y + 9x^4y^2 - 9x^3y^3 + 3x^2y^4} & \\
\qquad 3x^4y^2 - 10x^3y^3 + 12x^2y^4 - 6xy^5 & \\
\qquad \underline{3x^4y^2 - 9x^3y^3 + 9x^2y^4 - 3xy^5} & \\
\qquad\quad -x^3y^3 + 3x^2y^4 - 3xy^5 + y^6 & \\
\qquad\quad \underline{-x^3y^3 + 3x^2y^4 - 3xy^5 + y^6} &
\end{array}$$

43.

$$\begin{array}{l|l}
a^7 - 2a^6b - 2a^4b^3 + 2a^3b^4 - 6a^2b^5 - 3ab^6 & a^3 - 2a^2b - ab^2 \\ \cline{2-2}
\underline{a^7 - 2a^6b - a^5b^2} & a^4 + a^2b^2 + 3b^4 \\
\quad a^5b^2 - 2a^4b^3 + 2a^3b^4 - 6a^2b^5 - 3ab^6 & \\
\quad \underline{a^5b^2 - 2a^4b^3 - a^3b^4} & \\
\qquad 3a^3b^4 - 6a^2b^5 - 3ab^6 & \\
\qquad \underline{3a^3b^4 - 6a^2b^5 - 3ab^6} &
\end{array}$$

44.

$$\begin{array}{l|l}
81x^6y - 54x^5y^2 \qquad -18x^3y^4 + 18x^2y^5 - 18xy^6 - 9y^7 & 3x^4 + x^2y^2 + y^4 \\ \cline{2-2}
\underline{81x^6y \qquad +27x^4y^3 \qquad +27x^2y^5} & 27x^2y - 18xy^2 - 9y^3 \\
\quad -54x^5y^2 - 27x^4y^3 - 18x^3y^4 - 9x^2y^5 - 18xy^6 - 9y^7 & \\
\quad \underline{-54x^5y^2 \qquad -18x^3y^4 \qquad -18xy^6} & \\
\qquad -27x^4y^3 \qquad -9x^2y^5 \qquad -9y^7 & \\
\qquad \underline{-27x^4y^3 \qquad -9x^2y^5 \qquad -9y^7} &
\end{array}$$

45.
$$\begin{array}{l|l}
a^4 + 2a^3b + 8a^2b^2 + 8ab^3 + 16b^4 & a^2 + 4b^2 \\ \cline{2-2}
\underline{a^4 \qquad + 4a^2b^2} & a^2 + 2ab + 4b^2 \\
\qquad 2a^3b + 4a^2b^2 + 8ab^3 & \\
\qquad \underline{2a^3b \qquad + 8ab^3} & \\
\qquad\qquad 4a^2b^2 \qquad + 16b^4 & \\
\qquad\qquad \underline{4a^2b^2 \qquad + 16b^4} &
\end{array}$$

46.
$$\begin{array}{l|l}
-x^6 + 21x^3y^3 - 24xy^5 + 8y^6 & -x^2 + 3xy - y^2 \\ \cline{2-2}
\underline{-x^6 + 3x^5y - x^4y^2} & x^4 + 3x^3y + 8x^2y^2 - 8y^4 \\
\qquad -3x^5y + x^4y^2 + 21x^3y^3 - 24xy^5 + 8y^6 & \\
\qquad \underline{-3x^5y + 9x^4y^2 - 3x^3y^3} & \\
\qquad\qquad -8x^4y^2 + 24x^3y^3 - 24xy^5 + 8y^6 & \\
\qquad\qquad \underline{-8x^4y^2 + 24x^3y^3 - 8x^2y^4} & \\
\qquad\qquad\qquad 8x^2y^4 - 24xy^5 + 8y^6 & \\
\qquad\qquad\qquad \underline{8x^2y^4 - 24xy^5 + 8y^6} &
\end{array}$$

47.
$$\begin{array}{l|l}
16a^4 \qquad + 8a^2b^2 + 9b^4 & 4a^2 - 4ab + 3b^2 \\ \cline{2-2}
\underline{16a^4 - 16a^3b + 12a^2b^2} & 4a^2 + 4ab + 3b^2 \\
\qquad 16a^3b - 4a^2b^2 + 9b^4 & \\
\qquad \underline{16a^3b - 16a^2b^2 + 12ab^3} & \\
\qquad\qquad 12a^2b^2 - 12ab^3 + 9b^4 & \\
\qquad\qquad \underline{12a^2b^2 - 12ab^3 + 9b^4} &
\end{array}$$

48.
$$\begin{array}{l|l}
a^3 \qquad - 3abc + b^3 + c^3 & a + b + c \\ \cline{2-2}
\underline{a^3 + a^2b + a^2c} & a^2 - ab - ac + b^2 - bc + c^2 \\
\quad -a^2b - a^2c - 3abc + b^3 + c^3 & \\
\quad \underline{-a^2b - ab^2 - abc} & \\
\qquad -a^2c + ab^2 - 2abc + b^3 + c^3 & \\
\qquad \underline{-a^2c \qquad - abc - ac^2} & \\
\qquad\quad +ab^2 - abc + ac^2 + b^3 + c^3 & \\
\qquad\quad \underline{+ab^2 \qquad + b^3 + b^2c} & \\
\qquad\qquad -abc + ac^2 \qquad - b^2c + c^3 & \\
\qquad\qquad \underline{-abc \qquad - b^2c - bc^2} & \\
\qquad\qquad\quad ac^2 \qquad + bc^2 + c^3 & \\
\qquad\qquad\quad \underline{ac^2 \qquad + bc^2 + c^3} &
\end{array}$$

49.
$$\begin{array}{l|l}
a^3 \qquad -6abc+8b^3+c^3 & a^2-2ab-ac+4b^2-2bc+c^2 \\ \cline{2-2}
\underline{a^3-2a^2b-a^2c+4ab^2-2abc+ac^2} & a+2b+c \\
\quad +2a^2b+a^2c-4ab^2-4abc-ac^2+8b^3+c^3 & \\
\quad \underline{+2a^2b \qquad -4ab^2-2abc \qquad +8b^3-4b^2c+2bc^2} & \\
\qquad +a^2c \qquad -2abc-ac^2 \qquad +4b^2c-2bc^2+c^3 & \\
\qquad \underline{+a^2c \qquad -2abc-ac^2 \qquad +4b^2c-2bc^2+c^3} &
\end{array}$$

50.

$$\begin{array}{l|l}
a^3 + 3a^2b + 3ab^2 + b^3 + c^3 & a + b + c \\
\underline{a^3 + a^2b \qquad\qquad + a^2c} & a^2 + 2ab + b^2 - ac - bc + c^2 \\
\qquad 2a^2b + 3ab^2 - a^2c + b^3 + c^3 & \\
\qquad \underline{2a^2b + 2ab^2 \qquad + 2abc} & \\
\qquad\qquad ab^2 - a^2c - 2abc + b^3 + c^3 & \\
\qquad\qquad \underline{ab^2 \qquad\qquad\quad + b^3 + b^2c} & \\
\qquad\qquad\quad - a^2c - 2abc - b^2c + c^3 & \\
\qquad\qquad\quad \underline{- a^2c - abc \qquad - ac^2} & \\
\qquad\qquad\qquad - abc - b^2c + ac^2 + c^3 & \\
\qquad\qquad\qquad \underline{- abc - b^2c \qquad - bc^2} & \\
\qquad\qquad\qquad\qquad ac^2 + bc^2 + c^3 & \\
\qquad\qquad\qquad\qquad \underline{ac^2 + bc^2 + c^3} &
\end{array}$$

Exercise XXIII.

1.

$$\begin{array}{l|l}
a^2(b + c) + b^2(a - c) + c^2(a - b) + abc & a + b + c \\
\underline{a^2(b + c) + b^2(a \qquad) + c^2(a \qquad) + 2abc} & a(b + c) - bc \\
- abc \qquad + b^2(\quad - c) + c^2(\quad - b) & \\
\underline{- abc \qquad + b^2(\quad - c) + c^2(\quad - b)} &
\end{array}$$

2.

$$\begin{array}{l|l}
x^3 - (a + b + c)x^2 + (ab + ac + bc)x - abc & x^2 - (a + b)x + ab \\
\underline{x^3 - (a + b \qquad)x^2 + (ab \qquad\qquad)x} & x - c \\
\qquad\qquad - cx^2 \qquad + (ac + bc)x - abc & \\
\qquad\qquad \underline{- cx^2 \qquad + (ac + bc)x - abc} &
\end{array}$$

3.

$$\begin{array}{l|l}
x^3 - 2ax^2 + (a^2 + ab - b^2)x - a^2b + ab^2 & x - a + b \\
\underline{x^3 - ax^2 + bx^2 \qquad\qquad\qquad\qquad} & x^2 - (a + b)x + ab \\
\quad - (a + b)x^2 + (a^2 + ab - b^2)x - a^2b + ab^2 & \\
\quad \underline{- (a + b)x^2 + (a^2 \qquad - b^2)x} & \\
\qquad\qquad\qquad\qquad + abx - a^2b + ab^2 & \\
\qquad\qquad\qquad\qquad \underline{+ abx - a^2b + ab^2} &
\end{array}$$

4.

$$\begin{array}{l|l}
x^4 - (a^2 - b - c)x^2 - (b - c)ax + bc & x^2 - ax + c \\
\underline{x^4 + (\qquad\quad + c)x^2 - ax^3} & x^2 + ax + b \\
ax^3 - (a^2 - b \qquad)x^2 - (b - c)ax + bc & \\
\underline{ax^3 - (a^2 \qquad\qquad)x^2 \qquad + cax} & \\
\qquad\qquad + bx^2 \qquad\quad - bax + bc & \\
\qquad\qquad \underline{+ bx^2 \qquad\quad - bax + bc} &
\end{array}$$

5.
$$\begin{array}{l|l}
y^3-(m+n+p)\,y^2+(mn+mp+np)\,y-mnp & y-p \\ \cline{2-2}
\underline{y^3-(\qquad\quad+p)\,y^2} & y^2-(m+n)y+mn \\
\quad -(m+n\qquad)\,y^2+(mn+mp+np)\,y & \\
\quad \underline{-(m+n\qquad)\,y^2+(\qquad+mp+np)\,y} & \\
\qquad\qquad\qquad mny-mnp & \\
\qquad\qquad\qquad \underline{mny-mnp} &
\end{array}$$

6.
$$\begin{array}{l|l}
x^4+(5+a)\,x^3-(4-5a+b)\,x^2-(4a+5b)\,x+4b & x^2+5x-4 \\ \cline{2-2}
\underline{x^4+(5\qquad)\,x^3-(4\qquad\qquad)\,x^2} & x^2+ax-b \\
\qquad ax^3-(\quad-5a+b)\,x^2-(4a+5b)\,x & \\
\qquad \underline{ax^3+(\quad+5a\qquad)\,x^2-(4a\qquad)\,x} & \\
\qquad\qquad\qquad -bx^2\qquad\quad-5bx+4b & \\
\qquad\qquad\qquad \underline{-bx^2\qquad\quad-5bx+4b} &
\end{array}$$

7.
$$\begin{array}{|l}
x^2-(a+c)x+ac \\ \hline
x^2-(b+d)x+bd
\end{array}$$
$$\begin{array}{l}
x^4-(a+b+c+d)x^3+(ab+ac+ad+bc+bd+cd)x^2-(abc+abd+acd+bcd)x+abcd \\
\underline{x^4-(a\quad+c\quad)x^3+(\quad+ac\qquad\qquad\qquad\qquad)x^2} \\
\quad -(\quad+b\quad+d)x^3+(ab\qquad+ad+bc+bd+cd)x^2-(abc+abd+acd+bcd)x \\
\quad \underline{-(\quad+b\quad+d)x^3+(ab\qquad+ad+bc\qquad+cd)x^2-(abc\qquad+acd\qquad)x} \\
\qquad\qquad\qquad\qquad\qquad\qquad bdx^2-(\quad+abd\qquad+bcd)x+abcd \\
\qquad\qquad\qquad\qquad\qquad\qquad \underline{bdx^2-(\quad+abd\qquad+bcd)x+abcd}
\end{array}$$

8.
$$\begin{array}{l|l}
x^5-(m-c)\,x^4+(n-cm+d)x^3+(r+cn-dm)x^2+(cr+dn)x+dr & x^3-mx^2+nx+r \\ \cline{2-2}
\underline{x^5-(m\quad)\,x^4+(n\qquad\qquad)x^3+(r\qquad\qquad)x^2} & x^2+cx+d \\
\qquad cx^4+(\quad-cm+d)x^3+(\quad+cn-dm)x^2+(cr+dn)x & \\
\qquad \underline{cx^4+(\quad-cm\quad)x^3+(\quad+cn\qquad)x^2+(cr\quad)x} & \\
\qquad\qquad\qquad dx^3\qquad-dmx^2\qquad+dnx+dr & \\
\qquad\qquad\qquad \underline{dx^3\qquad-dmx^2\qquad+dnx+dr} &
\end{array}$$

9.
$$\begin{array}{l|l}
x^5-mx^4+nx^3-nx^2+mx-1 & x-1 \\ \cline{2-2}
\underline{x^5-x^4} & x^4+(1-m)x^3+(1-m+n)x^2+(1-m)x+1 \\
(1-m)\,x^4+nx^3-nx^2+mx-1 & \\
\underline{(1-m)\,x^4-(1-m)\,x^3} & \\
\qquad (1-m+n)\,x^3-nx^2+mx-1 & \\
\qquad \underline{(1-m+n)\,x^3-(1-m+n)\,x^2} & \\
\qquad\qquad\qquad (1-m)\,x^2+mx-1 & \\
\qquad\qquad\qquad \underline{(1-m)\,x^2-(1-m)\,x} & \\
\qquad\qquad\qquad\qquad\qquad x-1 & \\
\qquad\qquad\qquad\qquad\qquad \underline{x-1} &
\end{array}$$

10.
$$\begin{array}{l|l}
(x+y)^3+3\,(x+y)^2z+3\,(x+y)\,z^2+z^3 & (x+y)^2+2(x+y)z+z^2 \\ \cline{2-2}
\underline{(x+y)^3+2\,(x+y)^2z+\quad(x+y)\,z^2} & x+y+z \\
\qquad\quad (x+y)^2z+2\,(x+y)\,z^2+z^3 & \\
\qquad\quad \underline{(x+y)^2z+2\,(x+y)\,z^2+z^3} &
\end{array}$$

EXERCISE XXIV.

1. $(y^3 - 1) \div (y - 1)$
$= y^2 + y + 1.$

2. $(b^3 - 125) \div (b - 5)$
$= b^2 + 5b + 25.$

3. $(a^3 - 216) \div (a - 6)$
$= a^2 + 6a + 36.$

4. $(x^3 - 343) \div (x - 7)$
$= x^2 + 7x + 49.$

5. $(x^5 - y^5) \div (x - y)$
$= x^4 + x^3y + x^2y^2 + xy^3 + y^4.$

6. $(a^5 - 1) \div (a - 1)$
$= a^4 + a^3 + a^2 + a + 1.$

7. $(1 - 8x^3) \div (1 - 2x)$
$= 1 + 2x + 4x^2.$

8. $(x^5 - 32b^5) \div (x - 2b)$
$= x^4 + 2x^3b + 4x^2b^2 + 8xb^3 + 16b^4.$

9. $(8a^3x^3 - 1) \div (2ax - 1)$
$= 4a^2x^2 + 2ax + 1.$

10. $(1 - 27x^3y^3) \div (1 - 3xy)$
$= 1 + 3xy + 9x^2y^2.$

11. $(64a^3b^3 - 27x^3) \div (4ab - 3x)$
$= 16a^2b^2 + 12abx + 9x^2.$

12. $(243a^5 - 1) \div (3a - 1)$
$= 81a^4 + 27a^3 + 9a^2 + 3a + 1.$

13. $(32a^5 - 243b^5) \div (2a - 3b)$
$= 16a^4 + 24a^3b + 36a^2b^2 + 54ab^3 + 81b^4.$

EXERCISE XXV.

1. $(x^3 + y^3) \div (x + y)$
$= x^2 - xy + y^2.$

2. $(x^5 + y^5) \div (x + y)$
$= x^4 - x^3y + x^2y^2 - xy^3 + y^4.$

3. $(1 + 8a^3) \div (1 + 2a)$
$= 1 - 2a + 4a^2.$

4. $(27a^3 + b^3) \div (3a + b)$
$= 9a^2 - 3ab + b^2.$

5. $(8a^3x^3 + 1) \div (2ax + 1)$
$= 4a^2x^2 - 2ax + 1.$

6. $(x^3 + 27y^3) \div (x + 3y)$
$= x^2 - 3xy + 9y^2.$

7. $(a^5 + 32b^5) \div (a + 2b)$
$= a^4 - 2a^3b + 4a^2b^2 - 8ab^3 + 16b^4.$

8. $(512x^3y^3 + z^3) \div (8xy + z)$
$= 64x^2y^2 - 8xyz + z^2.$

9. $(729a^3 + 216b^3) \div (9a + 6b)$
$= 81a^2 - 54ab + 36b^2.$

10. $(64a^3 + 1000b^3) \div (4a + 10b)$
$= 16a^2 - 40ab + 100b^2.$

11. $(64a^3b^3 + 27x^3) \div (4ab + 3x)$
$= 16a^2b^2 - 12abx + 9x^2.$

12. $(x^3 + 343) \div (x + 7)$
$= x^2 - 7x + 49.$

13. $(27x^3y^3 + 8z^3) \div (3xy + 2z)$
$= 9x^2y^2 - 6xyz + 4z^2.$

14. $(1024a^5 + 243b^5) \div (4a + 3b)$
$= 256a^4 - 192a^3b + 144a^2b^2 - 108ab^3 + 81b^4.$

EXERCISE XXVI.

1. $(x^4 - y^4) \div (x - y)$
$= x^3 + x^2y + xy^2 + y^3.$

2. $(x^4 - y^4) \div (x + y)$
$= x^3 - x^2y + xy^2 - y^3.$

3. $(a^6 - x^6) \div (a - x)$
$= a^5 + a^4x + a^3x^2 + a^2x^3 + ax^4 + x^5.$

4. $(a^6 - x^6) \div (a + x)$
$= a^5 - a^4x + a^3x^2 - a^2x^3 + ax^4 - x^5.$

5. $(x^4 - 81y^4) \div (x - 3y)$
$= x^3 + 3x^2y + 9xy^2 + 27y^3.$

6. $(x^4 - 81y^4) \div (x + 3y)$
$= x^3 - 3x^2y + 9xy^2 - 27y^3.$

7. $(16x^4 - 1) \div (2x - 1)$
$= 8x^3 + 4x^2 + 2x + 1.$

8. $(16x^4 - 1) \div (2x + 1)$
$= 8x^3 - 4x^2 + 2x - 1.$

9. $(81a^4x^4 - 1) \div (3ax - 1)$
$= 27a^3x^3 + 9a^2x^2 + 3ax + 1.$

10. $(81a^4x^4 - 1) \div (3ax + 1)$
$= 27a^3x^3 - 9a^2x^2 + 3ax - 1.$

11. $(64a^6 - b^6) \div (2a - b)$
$= 32a^5 + 16a^4b + 8a^3b^2 + 4a^2b^3 + 2ab^4 + b^5.$

12. $(64a^6 - b^6) \div (2a + b)$
$= 32a^5 - 16a^4b + 8a^3b^2 - 4a^2b^3 + 2ab^4 - b^5.$

13. $(x^6 - 729y^6) \div (x - 3y)$
$= x^5 + 3x^4y + 9x^3y^2 + 27x^2y^3 + 81xy^4 + 243y^5.$

14. $(x^6 - 729y^6) \div (x + 3y)$
$= x^5 - 3x^4y + 9x^3y^2 - 27x^2y^3 + 81xy^4 - 243y^5.$

15. $(81a^4 - 16c^4) \div (3a - 2c)$
$= 27a^3 + 18a^2c + 12ac^2 + 8c^3.$

16. $(81a^4 - 16c^4) \div (3a + 2c)$
$= 27a^3 - 18a^2c + 12ac^2 - 8c^3.$

17. $(256a^4 - 10{,}000) \div (4a - 10)$
$= 64a^3 + 160a^2 + 400a + 1000.$

18. $(256a^4 - 10{,}000) \div (4a + 10)$
$= 64a^3 - 160a^2 + 400a - 1000.$

19. $(625x^4 - 1) \div (5x - 1)$
$= 125x^3 + 25x^2 + 5x + 1.$

EXERCISE XXVII.

1. $(x^6 + y^6) \div (x^2 + y^2)$
$= x^4 - x^2y^2 + y^4.$

2. $(a^6 + 1) \div (a^2 + 1)$
$= a^4 - a^2 + 1.$

3. $(a^{10} + y^{10}) \div (a^2 + y^2)$
$= a^8 - a^6y^2 + a^4y^4 - a^2y^6 + y^8.$

4. $(b^{10} + 1) \div (b^2 + 1)$
$= b^8 - b^6 + b^4 - b^2 + 1.$

5. $(a^{12} + b^{12}) \div (a^4 + b^4)$
$= a^8 - a^4b^4 + b^8.$

6. $(x^{12} + 1) \div (x^4 + 1)$
$= x^8 - x^4 + 1.$

7. $(64x^6 + y^6) \div (4x^2 + y^2)$
$= 16x^4 - 4x^2y^2 + y^4.$

8. $(64 + a^6) \div (4 + a^2)$
$= 16 - 4a^2 + a^4.$

9. $(729a^6 + b^6) \div (9a^2 + b^2)$
$= 81a^4 - 9a^2b^2 + b^4.$

10. $(729c^6 + 1) \div (9c^2 + 1)$
$= 81c^4 - 9c^2 + 1.$

EXERCISE XXVIII.

1.
$$\begin{aligned} 5x - 1 &= 19, \\ 5x &= 19 + 1, \\ 5x &= 20, \\ x &= 4. \end{aligned}$$

2.
$$\begin{aligned} 3x + 6 &= 12, \\ 3x &= 12 - 6, \\ 3x &= 6, \\ x &= 2. \end{aligned}$$

3.
$$\begin{aligned} 24x &= 7x + 34, \\ 24x - 7x &= 34, \\ 17x &= 34, \\ x &= 2. \end{aligned}$$

4.
$$\begin{aligned} 8x - 29 &= 26 - 3x, \\ 8x + 3x &= 26 + 29, \\ 11x &= 55, \\ x &= 5. \end{aligned}$$

5.
$$\begin{aligned} 12 - 5x &= 19 - 12x, \\ -5x + 12x &= 19 - 12, \\ 7x &= 7, \\ x &= 1. \end{aligned}$$

6.
$$\begin{aligned} 3x + 6 - 2x &= 7x, \\ 3x - 2x - 7x &= -6, \\ -6x &= -6, \\ x &= 1. \end{aligned}$$

7.
$$\begin{aligned} 5x + 50 &= 4x + 56, \\ 5x - 4x &= 56 - 50, \\ x &= 6. \end{aligned}$$

8.
$$\begin{aligned} 16x - 11 &= 7x + 70, \\ 16x - 7x &= 70 + 11, \\ 9x &= 81, \\ x &= 9. \end{aligned}$$

9.
$$\begin{aligned} 24x - 49 &= 19x - 14, \\ 24x - 19x &= 49 - 14, \\ 5x &= 35, \\ x &= 7. \end{aligned}$$

10.
$$\begin{aligned} 3x + 23 &= 78 - 2x, \\ 3x + 2x &= 78 - 23, \\ 5x &= 55, \\ x &= 11. \end{aligned}$$

11.
$$\begin{aligned} 26 - 8x &= 80 - 14x, \\ 14x - 8x &= 80 - 26, \\ 6x &= 54, \\ x &= 9. \end{aligned}$$

12.
$$\begin{aligned} 13 - 3x &= 5x - 3, \\ -5x - 3x &= -3 - 13, \\ -8x &= -16, \\ x &= 2. \end{aligned}$$

13.
$$\begin{aligned} 3x - 22 &= 7x + 6, \\ 3x - 7x &= 6 + 22, \\ -4x &= 28, \\ x &= -7. \end{aligned}$$

14.
$$\begin{aligned} 8 + 4x &= 12x - 16, \\ 4x - 12x &= -16 - 8, \\ -8x &= -24, \\ x &= 3. \end{aligned}$$

15.
$$\begin{aligned} 5x - (3x - 7) &= 4x - (6x - 35), \\ 5x - 3x + 7 &= 4x - 6x + 35, \\ -4x + 5x - 3x + 6x &= 35 - 7, \\ 4x &= 28, \\ x &= 7. \end{aligned}$$

16.
$$\begin{aligned} 6x - 2(9 - 4x) + 3(5x - 7) &= 10x - (4 + 16x + 35), \\ 6x - 18 + 8x + 15x - 21 &= 10x - 4 - 16x - 35, \\ 6x + 8x + 15x - 10x + 16x &= 18 + 21 - 4 - 35, \\ 35x &= 0, \\ x &= 0. \end{aligned}$$

17.
$$\begin{aligned}9x - 3(5x - 6) + 30 &= 0,\\ 9x - 15x + 18 + 30 &= 0,\\ 9x - 15x &= -18 - 30,\\ -6x &= -48,\\ x &= 8.\end{aligned}$$

18.
$$\begin{aligned}x - 7(4x - 11) &= 14(x - 5) - 19(8 - x) - 61,\\ x - 28x + 77 &= 14x - 70 - 152 + 19x - 61,\\ x - 28x - 14x - 19x &= -70 - 152 - 61 - 77,\\ -60x &= -360,\\ x &= 6.\end{aligned}$$

19.
$$\begin{aligned}(x + 7)(x - 3) &= (x - 5)(x - 15),\\ x^2 + 4x - 21 &= x^2 - 20x + 75,\\ 4x + 20x &= 75 + 21,\\ 24x &= 96,\\ x &= 4.\end{aligned}$$

20.
$$\begin{aligned}(x - 8)(x + 12) &= (x + 1)(x - 6),\\ x^2 + 4x - 96 &= x^2 - 5x - 6,\\ 4x + 5x &= -6 + 96,\\ 9x &= 90,\\ x &= 10.\end{aligned}$$

21.
$$\begin{aligned}(x - 2)(7 - x) + (x - 5)(x + 3) - 2(x - 1) + 12 &= 0,\\ 9x - 14 - x^2 + x^2 - 2x - 15 - 2x + 2 + 12 &= 0,\\ 9x - 2x - 2x &= 14 + 15 - 2 - 12,\\ 5x &= 15,\\ x &= 3.\end{aligned}$$

22.
$$\begin{aligned}(2 - 7)(x + 5) &= (19 - 2x)(4 - x) + 229,\\ 2x^2 + 3x - 35 &= 36 - 17x + 2x^2 + 229,\\ 20x &= 300,\\ x &= 15.\end{aligned}$$

23.
$$\begin{aligned}14 - x - 5(x - 3)(x + 2) + (5 - x)(4 - 5x) &= 45x - 76,\\ 14 - x - 5x^2 + 5x + 30 + 5x^2 - 29x + 20 &= 45x - 76,\\ 5x - 29x - 45x - x &= -76 - 20 - 30 - 14,\\ -70x &= -140,\\ x &= 2.\end{aligned}$$

24.
$$\begin{aligned}(x + 5)^2 - (4 - x)^2 &= 21x,\\ (x^2 + 10x + 25) - (16 - 8x + x^2) &= 21x,\\ x^2 + 10x + 25 - 16 + 8x - x^2 &= 21x,\\ 10x + 8x - 21x &= -25 + 16,\\ -3x &= -9,\\ x &= 3.\end{aligned}$$

25.
$$\begin{aligned}5(x - 2)^2 + 7(x - 3)^2 &= (3x - 7)(4x - 19) + 42,\\ 5(x^2 - 4x + 4) + 7(x^2 - 6x + 9) &= 12x^2 - 85x + 133 + 42,\\ 5x^2 - 20x + 20 + 7x^2 - 42x + 63 &= 12x - 85x + 133 + 42,\\ 23x &= 92,\\ x &= 4.\end{aligned}$$

EXERCISE XXIX.

6. To the double of a certain number I add 14, and obtain as a result 154. What is the number?

Let $x =$ the number.
Then $2x =$ its double,
and $2x + 14 =$ its double increased by 14.
But $154 =$ its double increased by 14.
Therefore, $2x + 14 = 154$, $2x = 140$, $x = 70$.

7. To four times a certain number I add 16, and obtain as a result 188. What is the number?

Let $x =$ the number.
Then $4x = 4$ times the number,
and $4x + 16 = 4$ times the number increased by 16.
But $188 = 4$ times the number increased by 16.
Therefore, $4x + 16 = 188$, $4x = 172$, $x = 43$.

8. By adding 46 to a certain number, I obtain as a result a number three times as large as the original number. Find the original number.

Let $x =$ the original number.
Then $3x = 3$ times the original number.
But $x + 46 = 3$ times the original number.
Therefore, $3x = x + 46$, $2x = 46$, $x = 23$.

9. One number is three times as large as another. If I take the smaller from 16 and the greater from 30, the remainders are equal. What are the numbers?

Let $x =$ the smaller number.
Then $3x =$ the larger number,
and $16 - x = 16$ diminished by the smaller number;
also, $30 - 3x = 30$ diminished by the larger number.
Therefore, $16 - x = 30 - 3x$, $2x = 14$, $x = 7$, $3x = 21$.

10. Divide the number 92 into four parts, such that the first exceeds the second by 10, the third by 18, and the fourth by 24.

Let $x =$ the first part.
Then $x - 10 =$ the second part,
$x - 18 =$ the third part,
$x - 24 =$ the fourth part.
and $4x - 52 =$ the whole number.
But $92 =$ the whole number.
$\therefore 4x - 52 = 92$, $4x = 144$, $x = 36$, $x - 10 = 26$, $x - 18 = 18$, $x - 24 = 12$.

11. **The sum of two numbers is 20; and, if three times the smaller number be added to five times the greater, the sum is 84. What are the numbers?**

Let $x =$ the greater number.
Then $20 - x =$ the smaller number,
$5x = 5$ times the greater number,
$3(20 - x) = 3$ times the smaller number,
$5x + 3(20 - x) = 5$ times the greater $+\ 3$ times the smaller.
But $84 = 5$ times the greater $+\ 3$ times the smaller.
$\therefore 5x + 3(20 - x) = 84,\ \ 5x + 60 - 3x = 84,\ \ 2x = 24,\ \ x = 12,\ \ 20 - x = 8.$

12. **The joint ages of a father and son are 80 years. If the age of the son were doubled, he would be 10 years older than his father. What is the age of each?**

Let $x =$ number of years of father's age.
Then $80 - x =$ number of years of son's age,
$2(80 - x) =$ number of years of father's age $+ 10$,
$x + 10 =$ number of years of father's age $+ 10$.
$\therefore 2(80 - x) = x + 10,\ \ 160 - 2x = x + 10,\ \ -3x = -150,\ \ x = 50,\ \ 80 - x = 30.$

13. **A man has 6 sons, each 4 years older than the next younger. The eldest is three times as old as the youngest. What is the age of each?**

Let $x =$ number of years of age of youngest.
Then $x + 4 =$ number of years of age of second,
$x + 8 =$ number of years of age of third,
$x + 12 =$ number of years of age of fourth,
$x + 16 =$ number of years of age of fifth,
$x + 20 =$ number of years of age of sixth.
$3x = 3$ times age of youngest.
$\therefore 3x = x + 20,\ \ 2x = 20,\ \ x = 10,\ \ x + 4 = 14,\ \ x + 8 = 18,$
$x + 12 = 22,\ \ x + 16 = 26,\ \ x + 20 = 30.$

14. **Add $24 to a certain sum and the amount will be as much above $80 as the sum is below $80. What is the sum?**

Let $x =$ number of dollars in sum.
Then $x + 24 - 80 =$ number of dollars above 80,
and $80 - x =$ number of dollars below 80.
$\therefore x + 24 - 80 = 80 - x,\ \ 2x = 136,\ \ x = 68.$

15. **Thirty yards of cloth and 40 yards of silk together cost $330; and the silk cost twice as much a yard as the cloth. How much does each cost a yard?**

Let $x =$ number of dollars one yard of cloth cost.
Then $2x =$ number of dollars one yard of silk cost.
$30x + 80x =$ number of dollars all cost.
But $330 =$ number of dollars all cost.
$\therefore 30x + 80x = 330,\ \ 110x = 330,\ \ x = 3,\ \ 2x = 6.$

16. **Find the number whose double increased by 24 exceeds 80 by as much as the number itself is less than 100.**

Let $x =$ the number.
Then $2x + 24 =$ its double increased by 24,
$2x + 24 - 80 =$ excess over 80,
$100 - x =$ difference between the number and 100.
$\therefore 2x + 24 - 80 = 100 - x,\ \ 3x = 156,\ \ x = 52.$

17. **The sum of $500 is divided among A, B, C, and D. A and B have together $280, A and C $260, and A and D $220. How much does each receive?**

Let $x =$ number of dollars A has.
Then $280 - x =$ number of dollars B has,
$260 - x =$ number of dollars C has,
$220 - x =$ number of dollars D has,
$760 - 2x =$ number of dollars all have.
But $500 =$ number of dollars all have.
$\therefore 760 - 2x = 500,\ \ -2x = -260,\ \ x = 130,$
$280 - x = 150,\ \ 260 - x = 130,\ \ 220 - x = 90.$

18. **In a company of 266 persons composed of men, women, and children, there are twice as many men as women, and twice as many women as children. How many are there of each?**

Let $x =$ number of children.
Then $2x =$ number of women,
and $4x =$ number of men,
$7x =$ whole number.
But $266 =$ whole number.
$\therefore 7x = 266,\ \ x = 38,\ \ 2x = 76,\ \ 4x = 152.$

19. **Find two numbers differing by 8, such that four times the less may exceed twice the greater by 10.**

Let $x =$ greater number.
Then $x - 8 =$ smaller number.
$4(x - 8) - 2x = 10.$
$\therefore 4x - 32 - 2x = 10,\ \ 2x = 42,\ \ x = 21,\ \ x - 8 = 13.$

20. **A is 58 years older than B, and A's age is as much above 60 as B's age is below 50. Find the age of each.**

Let $x =$ number of years of B's age.
Then $x + 58 =$ number of years of A's age,
$(x + 58) - 60 =$ number of years of A's age above 60,
$50 - x =$ number of years of B's age below 50.
$\therefore (x + 58) - 60 = 50 - x,\ \ 2x = 52,\ \ x = 26,\ \ x + 58 = 84.$

45.

$$\begin{array}{l|l}
a^4+2a^3b+8a^2b^2+8ab^3+16b^4 & a^2+4b^2 \\ \cline{2-2}
\underline{a^4 \qquad\quad +4a^2b^2} & a^2+2ab+4b^2 \\
\qquad 2a^3b+4a^2b^2+8ab^3 & \\
\qquad \underline{2a^3b \qquad\quad +8ab^3} & \\
\qquad\qquad 4a^2b^2 \qquad +16b^4 & \\
\qquad\qquad \underline{4a^2b^2 \qquad +16b^4} &
\end{array}$$

46.

$$\begin{array}{l|l}
-x^6+21x^3y^3-24xy^5+8y^6 & -x^2+3xy-y^2 \\ \cline{2-2}
\underline{-x^6+3x^5y-\ x^4y^2} & x^4+3x^3y+8x^2y^2-8y^4 \\
\qquad -3x^5y+\ x^4y^2+21x^3y^3-24xy^5+8y^6 & \\
\qquad \underline{-3x^5y+9x^4y^2-\ 3x^3y^3} & \\
\qquad\qquad -8x^4y^2+24x^3y^3-24xy^5+8y^6 & \\
\qquad\qquad \underline{-8x^4y^2+24x^3y^3-8x^2y^4} & \\
\qquad\qquad\qquad 8x^2y^4-24xy^5+8y^6 & \\
\qquad\qquad\qquad \underline{8x^2y^4-24xy^5+8y^6} &
\end{array}$$

47.

$$\begin{array}{l|l}
16a^4 \qquad\quad +\ 8a^2b^2+9b^4 & 4a^2-4ab+3b^2 \\ \cline{2-2}
\underline{16a^4-16a^3b+12a^2b^2} & 4a^2+4ab+3b^2 \\
\qquad 16a^3b-\ 4a^2b^2+9b^4 & \\
\qquad \underline{16a^3b-16a^2b^2+12ab^3} & \\
\qquad\qquad 12a^2b^2-12ab^3+9b^4 & \\
\qquad\qquad \underline{12a^2b^2-12ab^3+9b^4} &
\end{array}$$

48.

$$\begin{array}{l|l}
a^3 \qquad\qquad\qquad -3abc+b^3+c^3 & a+b+c \\ \cline{2-2}
\underline{a^3+a^2b+a^2c} & a^2-ab-ac+b^2-bc+c^2 \\
\quad -a^2b-a^2c-3abc+b^3+c^3 & \\
\quad \underline{-a^2b-ab^2-\ \ abc} & \\
\qquad -a^2c+ab^2-2abc+b^3+c^3 & \\
\qquad \underline{-a^2c \qquad\quad -abc-ac^2} & \\
\qquad\quad +ab^2\ \ -abc+ac^2+b^3+c^3 & \\
\qquad\quad \underline{+ab^2 \qquad\qquad\quad +b^3+b^2c} & \\
\qquad\qquad -abc+ac^2 \qquad -b^2c+c^3 & \\
\qquad\qquad \underline{-abc \qquad\qquad\quad -b^2c-bc^2} & \\
\qquad\qquad\quad ac^2 \qquad\qquad +bc^2+c^3 & \\
\qquad\qquad\quad \underline{ac^2 \qquad\qquad +bc^2+c^3} &
\end{array}$$

49.

$$\begin{array}{l|l}
a^3 \qquad\qquad\qquad\qquad -6abc+8b^3+c^3 & a^2-2ab-ac+4b^2-2bc+c^2 \\ \cline{2-2}
\underline{a^3-2a^2b-a^2c+4ab^2-2abc+ac^2} & a+2b+c \\
\quad +2a^2b+a^2c-4ab^2-4abc-ac^2+8b^3+c^3 & \\
\quad \underline{+2a^2b \qquad -4ab^2-2abc \qquad +8b^3-4b^2c+2bc^2} & \\
\qquad\quad +a^2c \qquad -2abc-ac^2 \qquad +4b^2c-2bc^2+c^3 & \\
\qquad\quad \underline{+a^2c \qquad -2abc-ac^2 \qquad +4b^2c-2bc^2+c^3} &
\end{array}$$

50.
$$\begin{array}{l|l}
a^3+3a^2b+3ab^2+b^3+c^3 & a+b+c \\ \cline{2-2}
\underline{a^3+\;\;a^2b \qquad\qquad +a^2c} & a^2+2ab+b^2-ac-bc+c^2 \\
\quad 2a^2b+3ab^2-a^2c+b^3+c^3 & \\
\quad \underline{2a^2b+2ab^2 \qquad +2abc} & \\
\qquad ab^2-a^2c-2abc+b^3+c^3 & \\
\qquad \underline{ab^2 \qquad\qquad\quad +b^3+b^2c} & \\
\qquad\quad -a^2c-2abc-b^2c+c^3 & \\
\qquad\quad \underline{-a^2c-\;\;abc \qquad -ac^2} & \\
\qquad\qquad -abc-b^2c+ac^2+c^3 & \\
\qquad\qquad \underline{-abc-b^2c \qquad -bc^2} & \\
\qquad\qquad\qquad ac^2+bc^2+c^3 & \\
\qquad\qquad\qquad \underline{ac^2+bc^2+c^3} &
\end{array}$$

EXERCISE XXIII.

1.
$$\begin{array}{l|l}
a^2(b+c)+b^2(a-c)+c^2(a-b)+\;abc & a+b+c \\ \cline{2-2}
\underline{a^2(b+c)+b^2(a\qquad)+c^2(a\qquad)+2abc} & a(b+c)-bc \\
-abc\quad +b^2(\;\;-c)+c^2(\;\;-b) & \\
\underline{-abc\quad +b^2(\;\;-c)+c^2(\;\;-b)} &
\end{array}$$

2.
$$\begin{array}{l|l}
x^3-(a+b+c)x^2+(ab+ac+bc)x-abc & x^2-(a+b)x+ab \\ \cline{2-2}
\underline{x^3-(a+b\quad)x^2+(ab\qquad\quad)x} & x-c \\
\qquad -cx^2\qquad +(ac+bc)x-abc & \\
\qquad \underline{-cx^2\qquad +(ac+bc)x-abc} &
\end{array}$$

3.
$$\begin{array}{l|l}
x^3-2ax^2+(a^2+ab-b^2)x-a^2b+ab^2 & x-a+b \\ \cline{2-2}
\underline{x^3-\;\;ax^2+bx^2} & x^2-(a+b)x+ab \\
\quad -(a+b)x^2+(a^2+ab-b^2)x-a^2b+ab^2 & \\
\quad \underline{-(a+b)x^2+(a^2\qquad -b^2)x} & \\
\qquad\qquad +\;abx-a^2b+ab^2 & \\
\qquad\qquad \underline{+\;abx-a^2b+ab^2} &
\end{array}$$

4.
$$\begin{array}{l|l}
x^4\;-(a^2-b-c)x^2-(b-c)ax+bc & x^2-ax+c \\ \cline{2-2}
\underline{x^4\;+(\qquad\;+c)x^2-ax^3} & x^2+ax+b \\
ax^3-(a^2-b\quad)x^2-(b-c)ax+bc & \\
\underline{ax^3-(a^2\qquad)x^2\qquad +cax} & \\
\qquad +bx^2\qquad -bax+bc & \\
\qquad \underline{+bx^2\qquad -bax+bc} &
\end{array}$$

5.
$$\begin{array}{l|l}
y^3-(m+n+p)\,y^2+(mn+mp+np)\,y-mnp & y-p \\ \cline{2-2}
\underline{y^3-(\qquad\quad+p)\,y^2} & y^2-(m+n)y+mn \\
\quad -(m+n\qquad)\,y^2+(mn+mp+np)\,y & \\
\quad \underline{-(m+n\qquad)\,y^2+(\qquad+mp+np)\,y} & \\
\qquad\qquad\qquad\qquad mny-mnp & \\
\qquad\qquad\qquad\qquad \underline{mny-mnp} &
\end{array}$$

6.
$$\begin{array}{l|l}
x^4+(5+a)\,x^3-(4-5a+b)\,x^2-(4a+5b)\,x+4b & x^2+5x-4 \\ \cline{2-2}
\underline{x^4+(5\quad)\,x^3-(4\qquad\quad)\,x^2} & x^2+ax-b \\
\qquad ax^3-(\ -5a+b)\,x^2-(4a+5b)\,x & \\
\qquad \underline{ax^3+(\ +5a\quad)\,x^2-(4a\quad)\,x} & \\
\qquad\qquad\qquad -bx^2\qquad -5bx+4b & \\
\qquad\qquad\qquad \underline{-bx^2\qquad -5bx+4b} &
\end{array}$$

7.
$$\begin{array}{l|l}
 & x^2-(a+c)x+ac \\ \cline{2-2}
 & x^2-(b+d)x+bd
\end{array}$$

$$\begin{array}{l}
x^4-(a+b+c+d)x^3+(ab+ac+ad+bc+bd+cd)x^2-(abc+abd+acd+bcd)x+abcd \\
\underline{x^4-(a\quad+c\quad)x^3+(\quad+ac\qquad\qquad\qquad)x^2} \\
\quad -(\ +b\quad+d)x^3+(ab\quad+ad+bc+bd+cd)x^2-(abc+abd+acd+bcd)x \\
\quad \underline{-(\ +b\quad+d)x^3+(ab\quad+ad+bc\quad+cd)x^2-(abc\quad+acd\quad)x} \\
\qquad\qquad\qquad\qquad\qquad bdx^2-(\quad+abd\quad+bcd)x+abcd \\
\qquad\qquad\qquad\qquad\qquad \underline{bdx^2-(\quad+abd\quad+bcd)x+abcd}
\end{array}$$

8.
$$\begin{array}{l|l}
x^5-(m-c)\,x^4+(n-cm+d)x^3+(r+cn-dm)x^2+(cr+dn)x+dr & x^3-mx^2+nx+r \\ \cline{2-2}
\underline{x^5-(m\quad)\,x^4+(n\qquad\quad)x^3+(r\qquad\quad)x^2} & x^2+cx+d \\
\qquad cx^4+(\ -cm+d)x^3+(\ +cn-dm)x^2+(cr+dn)x & \\
\qquad \underline{cx^4+(\ -cm\quad)x^3+(\ +cn\quad)x^2+(cr\quad)x} & \\
\qquad\qquad\qquad dx^3\qquad -dmx^2\qquad +dnx+dr & \\
\qquad\qquad\qquad \underline{dx^3\qquad -dmx^2\qquad +dnx+dr} &
\end{array}$$

9.
$$\begin{array}{l|l}
x^5-mx^4+nx^3-nx^2+mx-1 & x-1 \\ \cline{2-2}
\underline{x^5-x^4} & x^4+(1-m)x^3+(1-m+n)x^2+(1-m)x+1 \\
(1-m)\,x^4+nx^3-nx^2+mx-1 & \\
\underline{(1-m)\,x^4-(1-m)\,x^3} & \\
\qquad (1-m+n)\,x^3-nx^2+mx-1 & \\
\qquad \underline{(1-m+n)\,x^3-(1-m+n)\,x^2} & \\
\qquad\qquad (1-m)\,x^2+mx-1 & \\
\qquad\qquad \underline{(1-m)\,x^2-(1-m)\,x} & \\
\qquad\qquad\qquad\qquad x-1 & \\
\qquad\qquad\qquad\qquad \underline{x-1} &
\end{array}$$

10.
$$\begin{array}{l|l}
(x+y)^3+3\,(x+y)^2z+3\,(x+y)\,z^2+z^3 & (x+y)^2+2(x+y)z+z^2 \\ \cline{2-2}
\underline{(x+y)^3+2\,(x+y)^2z+\quad(x+y)\,z^2} & x+y+z \\
\qquad (x+y)^2z+2\,(x+y)\,z^2+z^3 & \\
\qquad \underline{(x+y)^2z+2\,(x+y)\,z^2+z^3} &
\end{array}$$

EXERCISE XXIV.

1. $(y^3-1)\div(y-1)$
$=y^2+y+1.$

2. $(b^3-125)\div(b-5)$
$=b^2+5b+25.$

3. $(a^3-216)\div(a-6)$
$=a^2+6a+36.$

4. $(x^3-343)\div(x-7)$
$=x^2+7x+49.$

5. $(x^5-y^5)\div(x-y)$
$=x^4+x^3y+x^2y^2+xy^3+y^4.$

6. $(a^5-1)\div(a-1)$
$=a^4+a^3+a^2+a+1.$

7. $(1-8x^3)\div(1-2x)$
$=1+2x+4x^2.$

8. $(x^5-32b^5)\div(x-2b)$
$=x^4+2x^3b+4x^2b^2+8xb^3+16b^4.$

9. $(8a^3x^3-1)\div(2ax-1)$
$=4a^2x^2+2ax+1.$

10. $(1-27x^3y^3)\div(1-3xy)$
$=1+3xy+9x^2y^2.$

11. $(64a^3b^3-27x^3)\div(4ab-3x)$
$=16a^2b^2+12abx+9x^2.$

12. $(243a^5-1)\div(3a-1)$
$=81a^4+27a^3+9a^2+3a+1.$

13. $(32a^5-243b^5)\div(2a-3b)$
$=16a^4+24a^3b+36a^2b^2+54ab^3+81b^4.$

EXERCISE XXV.

1. $(x^3+y^3)\div(x+y)$
$=x^2-xy+y^2.$

2. $(x^5+y^5)\div(x+y)$
$=x^4-x^3y+x^2y^2-xy^3+y^4.$

3. $(1+8a^3)\div(1+2a)$
$=1-2a+4a^2.$

4. $(27a^3+b^3)\div(3a+b)$
$=9a^2-3ab+b^2.$

5. $(8a^3x^3+1)\div(2ax+1)$
$=4a^2x^2-2ax+1.$

6. $(x^3+27y^3)\div(x+3y)$
$=x^2-3xy+9y^2.$

7. $(a^5+32b^5)\div(a+2b)$
$=a^4-2a^3b+4a^2b^2-8ab^3+16b^4.$

8. $(512x^3y^3+z^3)\div(8xy+z)$
$=64x^2y^2-8xyz+z^2.$

9. $(729a^3+216b^3)\div(9a+6b)$
$=81a^2-54ab+36b^2.$

10. $(64a^3+1000b^3)\div(4a+10b)$
$=16a^2-40ab+100b^2.$

11. $(64a^3b^3+27x^3)\div(4ab+3x)$
$=16a^2b^2-12abx+9x^2.$

12. $(x^3+343)\div(x+7)$
$=x^2-7x+49.$

13. $(27x^3y^3+8z^3)\div(3xy+2z)$
$=9x^2y^2-6xyz+4z^2.$

14. $(1024a^5+243b^5)\div(4a+3b)$
$=256a^4-192a^3b+144a^2b^2-108ab^3+81b^4.$

6. $(3x^3-6x^5+9x^7-12x^9)\div 3x^2=x-2x^3+3x^5-4x^7.$

7. $(35m^3y+28m^2y^2-14my^3)\div -7my=-5m^2-4my+2y^2.$

8. $(4a^4b-6a^3b^2+12a^2b^3)\div 2a^2b=2a^2-3ab+6b^2.$

9. $(12x^3y^3-15x^4y^2-24x^5y)\div -3x^2y=-4xy^2+5x^2y+8x^3.$

10. $(12x^5y^4-24x^4y^2+36x^3y^3-12x^2y^2)\div 12x^2y^2=x^3y^2-2x^2+3xy-1.$

11. $(3a^4-2a^5b-a^6b^2)\div a^4=3-2ab-a^2b^2.$

12. $(3x^3yz^2+6x^4yz^3-15x^5y^2z^3+18x^6y^3z)\div -3x^3yz$
$=-z-2xz^2+5x^2yz^2-6x^3y^2.$

13. $(-16a^3b^2c^5+8a^4b^2c^4-12a^5b^3c^3)\div -4a^2b^2c^3$
$=4ac^3-2a^2c^2+3a^3bc.$

EXERCISE XXII.

6.
$$\begin{array}{r|l}
x^2-7x+12 & x-3 \\ \cline{2-2}
\underline{x^2-3x} & x-4 \\ \cline{1-1}
-4x+12 & \\
\underline{-4x+12} &
\end{array}$$

7.
$$\begin{array}{r|l}
x^2+x-72 & x+9 \\ \cline{2-2}
\underline{x^2+9x} & x-8 \\ \cline{1-1}
-8x-72 & \\
\underline{-8x-72} &
\end{array}$$

8.
$$\begin{array}{r|l}
2x^3-x^2+3x-9 & 2x-3 \\ \cline{2-2}
\underline{2x^3-3x^2} & x^2+x+3 \\ \cline{1-1}
2x^2+3x-9 & \\
\underline{2x^2-3x} & \\
6x-9 & \\
\underline{6x-9} &
\end{array}$$

9.
$$\begin{array}{r|l}
6x^3+14x^2-4x+24 & 2x+6 \\ \cline{2-2}
\underline{6x^3+18x^2} & 3x^2-2x+4 \\ \cline{1-1}
-4x^2-4x+24 & \\
\underline{-4x^2-12x} & \\
8x+24 & \\
\underline{8x+24} &
\end{array}$$

10.
$$\begin{array}{r|l}
9x^3+3x^2+x-1 & 3x-1 \\ \cline{2-2}
\underline{9x-3x^2} & 3x^2+2x+1 \\ \cline{1-1}
6x^2+x-1 & \\
\underline{6x^2-2x} & \\
3x-1 & \\
\underline{3x-1} &
\end{array}$$

11.
$$\begin{array}{r|l}
7x^3-24x^2+58x-21 & 7x-3 \\ \cline{2-2}
\underline{7x^3-3x^2} & x^2-3x+7 \\ \cline{1-1}
-21x^2+58x-21 & \\
\underline{-21x^2+9x} & \\
49x-21 & \\
\underline{49x-21} &
\end{array}$$

12.
$$\begin{array}{r|l}
x^6-1 & x-1 \\ \cline{2-2}
\underline{x^6-x^5} & x^5+x^4+x^3+x^2+x+1 \\
x^5-1 & \\
\underline{x^5-x^4} & \\
x^4-1 & \\
\underline{x^4-x^3} & \\
x^3-1 & \\
\underline{x^3-x^2} & \\
x^2-1 & \\
\underline{x^2-x} & \\
x-1 & \\
\underline{x-1} &
\end{array}$$

13.
$$\begin{array}{r|l}
a^3-2ab^2+b^3 & a-b \\ \cline{2-2}
\underline{a^3-a^2b} & a^2+ab-b^2 \\ \cline{1-1}
a^2b-2ab^2+b^3 & \\
\underline{a^2b-ab^2} & \\
-ab^2+b^3 & \\
\underline{-ab^2+b^3} &
\end{array}$$

14.
$$\begin{array}{l|l}
x^4-81y^4 & x-3y \\ \hline
\underline{x^4-3x^3y} & x^3+3x^2y+9xy^2+27y^3 \\
\quad 3x^3y-81y^4 & \\
\quad \underline{3x^3y-9x^2y^2} & \\
\qquad 9x^2y^2-81y^4 & \\
\qquad \underline{9x^2y^2-27xy^3} & \\
\qquad\quad 27xy^3-81y^4 & \\
\qquad\quad \underline{27xy^3-81y^4} &
\end{array}$$

15.
$$\begin{array}{l|l}
x^5-y^5 & x-y \\ \hline
\underline{x^5-x^4y} & x^4+x^3y+x^2y^2+xy^3+y^4 \\
\quad x^4y-y^5 & \\
\quad \underline{x^4y-x^3y^2} & \\
\qquad x^3y^2-y^5 & \\
\qquad \underline{x^3y^2-x^2y^3} & \\
\qquad\quad x^2y^3-y^5 & \\
\qquad\quad \underline{x^2y^3-xy^4} & \\
\qquad\qquad xy^4-y^5 & \\
\qquad\qquad \underline{xy^4-y^5} &
\end{array}$$

16.
$$\begin{array}{l|l}
a^5+32b^5 & a+2b \\ \hline
\underline{a^5+2a^4b} & a^4-2a^3b+4a^2b^2-8ab^3+16b^4 \\
\quad 2a^4b+32b^5 & \\
\quad \underline{2a^4b-4a^3b^2} & \\
\qquad 4a^3b^2+32b^5 & \\
\qquad \underline{4a^3b^2+8a^2b^3} & \\
\qquad\quad -8a^2b^3+32b^5 & \\
\qquad\quad \underline{-8a^2b^3-16ab^4} & \\
\qquad\qquad 16ab^4+32b^5 & \\
\qquad\qquad \underline{16ab^4+32b^5} &
\end{array}$$

17.
$$\begin{array}{l|l}
2a^4+27ab^3-81b^4 & a+3b \\ \hline
\underline{2a^4+6a^3b} & 2a^3-6a^2b+18ab^2-27b^3 \\
\quad -6a^3b+27ab^3-81b^4 & \\
\quad \underline{-6a^3b-18a^2b^2} & \\
\qquad 18a^2b^2+27ab^3-81b^4 & \\
\qquad \underline{18a^2b^2+54ab^3} & \\
\qquad\quad -27ab^3-81b^4 & \\
\qquad\quad \underline{-27ab^3-81b^4} &
\end{array}$$

18.
$$\begin{array}{l|l}
x^4-5x^3+11x^2-12x+6 & x^2-3x+3 \\ \hline
\underline{x^4-3x^3+3x^2} & x^2-2x+2 \\
\quad -2x^3+8x^2-12x & \\
\quad \underline{-2x^3+6x^2-6x} & \\
\qquad 2x^2-6x+6 & \\
\qquad \underline{2x^2-6x+6} &
\end{array}$$

19.
$$\begin{array}{l|l}
x^4+x^3-9x^2-16x-4 & x^2+4x+4 \\ \hline
\underline{x^4+4x^3+4x^2} & x^2-3x-1 \\
\quad -3x^3-13x^2-16x-4 & \\
\quad \underline{-3x^3-12x^2-12x} & \\
\qquad -x^2-4x-4 & \\
\qquad \underline{-x^2-4x-4} &
\end{array}$$

35.

$$\begin{array}{l}
x + a\\
x + 2a\\
\hline
x^2 + ax\\
\qquad + 2ax + 2a^2\\
\hline
x^2 + 3ax + 2a^2\\
x - 3a\\
\hline
x^3 + 3ax^2 + 2a^2x\\
\qquad - 3ax^2 - 9a^2x - 6a^3\\
\hline
x^3 - 7a^2x - 6a^3\\
x - 4a\\
\hline
x^4 - 7a^2x^2 - 6a^3x\\
\qquad\qquad + 28a^3x - 4ax^3 + 24a^4\\
\hline
x^4 - 7a^2x^2 + 22a^3x - 4ax^3 + 24a^4\\
x + 5a\\
\hline
x^5 - 7a^2x^3 + 22a^3x^2 - 4ax^4 + 24a^4x\\
\qquad - 20a^2x^3 - 35a^3x^2 + 5ax^4 + 110a^4x + 120a^5\\
\hline
x^5 - 27a^2x^3 - 13a^3x^2 + ax^4 + 134a^4x + 120a^5\\
\text{or}\quad x^5 + ax^4 - 27a^2x^3 - 13a^3x^2 + 134a^4x + 120a^5
\end{array}$$

36.

$$\begin{array}{l}
81a^4 - 9a^2b^2 + b^4\\
\quad 9a^2 + b^2\\
\hline
729a^6 - 81a^4b^2 + 9a^2b^4\\
\qquad + 81a^4b^2 - 9a^2b^4 + b^6\\
\hline
729a^6 + b^6
\end{array}$$

$$\begin{array}{l}
27a^3 + b^3\\
27a^3 - b^3\\
\hline
729a^6 + 27a^3b^3\\
\qquad - 27a^3b^3 - b^6\\
\hline
729a^6 - b^6\\
729a^6 + b^6\\
\hline
531441a^{12} - 729a^6b^6\\
\qquad + 729a^6b^6 - b^{12}\\
\hline
531441a^{12} - b^{12}
\end{array}$$

37.

$$\begin{array}{l}
y^2 - yz - 2z^2\\
y^2 + yz - 2z^2\\
\hline
y^4 - y^3z - 2y^2z^2\\
\quad + y^3z - y^2z^2 - 2yz^3\\
\qquad\qquad - 2y^2z^2 + 2yz^3 + 4z^4\\
\hline
y^4 - 5y^2z^2 + 4z^4
\end{array}$$

$$\begin{array}{l}
y^2 - 2yz - z^2\\
y^2 + 2yz - z^2\\
\hline
y^4 - 2y^3z - y^2z^2\\
\qquad 2y^3z - 4y^2z^2 - 2yz^3\\
\qquad\qquad - y^2z^2 + 2yz^3 + z^4\\
\hline
y^4 - 6y^2z^2 + z^4\\
y^4 - 5y^2z^2 + 4z^4\\
\hline
\qquad - y^2z^2 - 3z^4
\end{array}$$

38.

$$\begin{array}{l}
3a^2 - ab - 3b^2\\
\quad a^2b - 2b^2\\
\hline
3a^4b - a^3b^2 - 3a^2b^3\\
\qquad\qquad\qquad - 6a^2b^2 + 2ab^3 + 6b^4\\
\hline
3a^4b - a^3b^2 - 3a^2b^3 - 6a^2b^2 + 2ab^3 + 6b^4\\
\qquad\qquad\qquad\qquad\qquad - 2ab^4 - 6b^5\\
\hline
3a^4b - a^3b^2 - 3a^2b^3 - 6a^2b^2 + 2ab^3 - 2ab^4 + 6b^4 - 6b^5
\end{array}$$

39.

$$\begin{array}{l}
a+b-c\\
a-b+c\\ \hline
a^2+ab-ac\\
\quad -ab \qquad -b^2+bc\\
\qquad\quad +ac \qquad +bc-c^2\\ \hline
a^2 \qquad\qquad -b^2+2bc-c^2\\
-a+b+c\\ \hline
-a^3+ab^2-2abc+ac^2\\
\qquad\qquad\qquad +a^2b-b^3 \qquad +2b^2c-bc^2\\
\qquad\qquad\qquad\qquad\qquad +a^2c-b^2c+2bc^2-c^3\\ \hline
-a^3+ab^2-2abc+ac^2+a^2b-b^3+a^2c+b^2c+bc^2-c^3\\
a+b+c\\ \hline
-a^4+a^2b^2-2a^2bc+a^2c^2+a^3b-ab^3+a^3c+ab^2c+abc^2-ac^3\\
\quad +a^2b^2+a^2bc \qquad -a^3b+ab^3 \qquad -2ab^2c+abc^2 \qquad -b^4+b^3c+b^2c^2-bc^3\\
\qquad\quad +a^2bc+a^2c^2 \qquad\quad -a^3c+ab^2c-2abc^2+ac^3 \qquad -b^3c+b^2c^2+bc^3-c^4\\ \hline
-a^4+2a^2b^2 \qquad +2a^2c^2 \qquad\qquad\qquad\qquad\qquad -b^4 \qquad +2b^2c^2 \qquad -c^4
\end{array}$$

40.

$$\begin{array}{lll}
a+b & c+d & a+c\\
b+c & a+d & b-d\\ \hline
ab+b^2 & ac+ad & ab+bc\\
\qquad\quad +ac+bc & \qquad\quad +cd+d^2 & \qquad\quad -ad-cd\\ \hline
ab+b^2+ac+bc & ac+ad+cd+d^2 & ab+bc-ad-cd
\end{array}$$

$$\begin{aligned}
&(ab+b^2+ac+bc)-(ac+ad+cd+d^2)-(ab+bc-ad-cd)\\
&=ab+b^2+ac+bc-ac-ad-cd-d^2-ab-bc+ad+cd\\
&=b^2-d^2.
\end{aligned}$$

41.

$$\begin{array}{l}
a+b+c+d\\
a+b+c+d\\ \hline
a^2+ab+ac+ad\\
\quad +ab \qquad\qquad\quad +b^2+bc+bd\\
\qquad\quad +ac \qquad\qquad\quad +bc \qquad\quad +c^2+cd\\
\qquad\qquad\quad +ad \qquad\qquad\quad +bd \qquad\quad +cd+d^2\\ \hline
a^2+2ab+2ac+2ad+b^2+2bc+2bd+c^2+2cd+d^2
\end{array}$$

$$\begin{array}{l}
a-b-c+d\\
a-b-c+d\\ \hline
a^2-ab-ac+ad\\
\quad -ab \qquad\qquad\quad +b^2+bc-bd\\
\qquad\quad -ac \qquad\qquad\quad +bc \qquad\quad +c^2-cd\\
\qquad\qquad\quad +ad \qquad\qquad\quad -bd \qquad\quad -cd+d^2\\ \hline
a^2-2ab-2ac+2ad+b^2+2bc-2bd+c^2-2cd+d^2
\end{array}$$

$$\begin{array}{llllllllll}
\multicolumn{4}{l}{a-b+c-d}\\
\multicolumn{4}{l}{a-b+c-d}\\
\hline
a^2 & -\ ab & +\ ac & -\ ad \\
 & -\ ab & & & +b^2 & -\ bc & +\ bd \\
 & & +\ ac & & & -\ bc & & +c^2 & -\ cd \\
 & & & -\ ad & & & +\ bd & & -\ cd & +d^2 \\
\hline
a^2 & -2ab & +2ac & -2ad & +b^2 & -2bc & +2bd & +c^2 & -2cd & +d^2
\end{array}$$

$$\begin{array}{llllllllll}
\multicolumn{4}{l}{a+b-c-d}\\
\multicolumn{4}{l}{a+b-c-d}\\
\hline
a^2 & +\ ab & -\ ac & -\ ad \\
 & +\ ab & & & +\ b^2 & -\ bc & -\ bd \\
 & & -\ ac & & & -\ bc & & +\ c^2 & +\ cd \\
 & & & -\ ad & & & -\ bd & & +\ cd & +\ d^2 \\
\hline
a^2 & +2ab & -2ac & -2ad & +\ b^2 & -2bc & -2bd & +\ c^2 & +2cd & +\ d^2 \\
a^2 & +2ab & +2ac & +2ad & +\ b^2 & +2bc & +2bd & +\ c^2 & +2cd & +\ d^2 \\
a^2 & -2ab & -2ac & +2ad & +\ b^2 & +2bc & -2bd & +\ c^2 & -2cd & +\ d^2 \\
a^2 & -2ab & +2ac & -2ad & +\ b^2 & -2bc & +2bd & +\ c^2 & -2cd & +\ d^2 \\
\hline
4a^2 & & & & +4b^2 & & & +4c^2 & & +4d^2
\end{array}$$

42. $(a+b+c)^2 - a(b+c-a) - b(a+c-b) - c(a+b-c)$

$= a^2+b^2+c^2+2ab+2ac+2bc-ab-ac+a^2-ab-bc+b^2-ac-bc+c^2$

$= 2a^2+2b^2+2c^2.$

43. $(a-b)x - (b-c)a - \{(b-x)(b-a) - (b-c)(b+c)\}$

$= ax - bx - ab + ac - \{(b^2 - bx + ax + ab) - (b^2 - c^2)\}$

$= ax - bx - ab + ac - \{b^2 - bx + ax + ab - b^2 + c^2\}$

$= ax - bx - ab + ac - b^2 + bx - ax - ab + b^2 - c^2$

$= ac - c^2.$

44. $(m+n)m - \{(m-n)^2 - (n-m)n\}$

$= m^2 + mn - \{m^2 - 2mn + n^2 - n^2 + mn\}$

$= m^2 + mn - m^2 + 2mn - n^2 + n^2 - mn$

$= 2mn.$

45. $(a-b+c)^2 - \{a(c-a-b) - [b(a+b+c) - c(a-b-c)]\}$

$$\begin{aligned}
&= a^2 - 2ab + 2ac - 2bc + b^2 + c^2 - \{(ac - a^2 - ab) \\
&\qquad\qquad\qquad\qquad - [(ab + b^2 + bc) - (ac - bc - c^2)]\} \\
&= a^2 - 2ab + 2ac - 2bc + b^2 + c^2 - \{(ac - a^2 - ab) \\
&\qquad\qquad\qquad\qquad - [ab + b^2 + bc - ac + bc + c^2]\} \\
&= a^2 - 2ab + 2ac - 2bc + b^2 + c^2 \\
&\qquad\qquad - \{ac - a^2 - ab - ab - b^2 - 2bc + ac - c^2\} \\
&= a^2 - 2ab + 2ac - 2bc + b^2 + c^2 - ac + a^2 \\
&\qquad\qquad\qquad\qquad + ab + ab + b^2 + 2bc - ac + c^2 \\
&= 2a^2 + 2b^2 + 2c^2.
\end{aligned}$$

46.
$$\begin{aligned}
&(p^2+q^2)r-(p+q)(p\{r-q\}-q\{r-p\})\\
&=p^2r+q^2r-(p+q)(\{pr-pq\}-\{qr-pq\})\\
&=p^2r+q^2r-(p+q)(pr-pq-qr+pq)\\
&=p^2r+q^2r-(p+q)(pr-qr)\\
&=p^2r+q^2r-(p^2r-q^2r)\\
&=p^2r+q^2r-p^2r+q^2r\\
&=2q^2r.
\end{aligned}$$

47.
$$\begin{aligned}
&(9x^2y^2-4y^4)(x^2-y^2)-\{3xy-2y^2\}\{3x(x^2+y^2)-2y(y^2+3xy-x^2)\}y\\
&=9x^4y^2-13x^2y^4+4y^6-\{3xy-2y^2\}\{3x^3+3xy^2-2y^3-6xy^2+2x^2y\}y\\
&=9x^4y^2-13x^2y^4+4y^6-\{3xy-2y^2\}\{3x^3y+3xy^3-2y^4-6xy^3+2x^2y^2\}\\
&=9x^4y^2-13x^2y^4+4y^6-\{9x^4y^2-13x^2y^4+4y^6\}\\
&=9x^4y^2-13x^2y^4+4y^6-9x^4y^2+13x^2y^4-4y^6\\
&=0.
\end{aligned}$$

48.
$$\begin{aligned}
&a^2-\{2ab-[-(a+\{b-c\})(a-\{b-c\})+2ab]-4bc\}-(b+c)^2\\
&=a^2-\{2ab-[-(a+b-c)(a-b+c)+2ab]-4bc\}-(b+c)^2\\
&=a^2-\{2ab-[-a^2+b^2-2bc+c^2+2ab]-4bc\}-(b+c)^2\\
&=a^2-\{2ab+a^2-b^2+2bc-c^2-2ab-4bc\}-(b+c)^2\\
&=a^2-2ab-a^2+b^2-2bc+c^2+2ab+4bc-b^2-2bc-c^2\\
&=0.
\end{aligned}$$

49.
$$\begin{aligned}
&\{ac-(a-b)(b+c)\}-b\{b-(a-c)\}\\
&=\{ac-(ab-b^2+ac-bc)\}-b(b-a+c)\\
&=ac-ab+b^2-ac+bc-b^2+ab-bc\\
&=0.
\end{aligned}$$

50.
$$\begin{aligned}
&5\{(a-b)x-cy\}-2\{a(x-y)-bx\}-\{3ax-(5c-2a)y\}\\
&=5\{ax-bx-cy\}-2\{ax-ay-bx\}-\{3ax-5cy+2ay\}\\
&=5ax-5bx-5cy-2ax+2ay+2bx-3ax+5cy-2ay\\
&=-3bx.
\end{aligned}$$

51.
$$\begin{aligned}
&(x-1)(x-2)-3x(x+3)+2\{(x+2)(x+1)-3\}\\
&=x^2-3x+2-3x^2-9x+2\{x^2+3x+2-3\}\\
&=x^2-3x+2-3x^2-9x+2x^2+6x+4-6\\
&=-6x.
\end{aligned}$$

52.
$$\begin{aligned}
&\{(2a+b)^2+(a-2b)^2\}\{(3a-2b)^2-(2a-3b)^2\}\\
&=\{(4a^2+4ab+b^2)+(a^2-4ab+4b^2)\}\{(9a^2-12ab+4b^2)\\
&\qquad\qquad\qquad\qquad\qquad\qquad-(4a^2-12ab+9b^2)\}\\
&=\{4a^2+4ab+b^2+a^2-4ab+4b^2\}\{9a^2-12ab+4b^2\\
&\qquad\qquad\qquad\qquad\qquad\qquad-4a^2+12ab-9b^2\}\\
&=\{5a^2+5b^2\}\{5a^2-5b^2\}\\
&=25a^4-25b^4.
\end{aligned}$$

53.
$$\begin{aligned}
&4(a-3b)(a+3b)-2(a-6b)^2-2(a^2+6b^2)\\
&=4(a^2-9b^2)-2(a^2-12ab+36b^2)-2a^2-12b^2\\
&=4a^2-36b^2-2a^2+24ab-72b^2-2a^2-12b^2\\
&=24ab-120b^2.
\end{aligned}$$

54. $x^2(x^2+y^2)^2 - 2x^2y^2(x+y)(x-y) - (x^3-y^3)^2$
$= x^2(x^4+2x^2y^2+y^4) - 2x^2y^2(x^2-y^2) - (x^3-y^3)^2$
$= x^6 + 2x^4y^2 + x^2y^4 - 2x^4y^2 + 2x^2y^4 - x^6 + 2x^3y^3 - y^6$
$= 3x^2y^4 + 2x^3y^3 - y^6.$

55. $16(a^2+b^2)(a^2-b^2) - (2a-3)(2a+3)(4a^2+9)$
$+ (2b-3)(2b+3)(4b^2+9)$
$= 16(a^4-b^4) - (4a^2-9)(4a^2+9) + (4b^2-9)(4b^2+9)$
$= 16a^4 - 16b^4 - 16a^4 + 81 + 16b^4 - 81$
$= 0.$

Exercise XV.

7. $(x+y)^2$
$= x^2 + 2xy + y^2.$

8. $(y-z)^2$
$= y^2 - 2yz + z^2.$

9. $(2x+1)^2$
$= 4x^2 + 4x + 1.$

10. $(2a+5b)^2$
$= 4a^2 + 20ab + 25b^2.$

11. $(1-x^2)^2$
$= 1 - 2x^2 + x^4.$

12. $(3ax-4x^2)^2$
$= 9a^2x^2 - 24ax^3 + 16x^4.$

13. $(1-7a)^2$
$= 1 - 14a + 49a^2.$

14. $(5xy+2)^2$
$= 25x^2y^2 + 20xy + 4.$

15. $(ab+cd)^2$
$= a^2b^2 + 2abcd + c^2d^2.$

16. $(3mn-4)^2$
$= 9m^2n^2 - 24mn + 16.$

17. $(12+5x)^2$
$= 144 + 120x + 25x^2.$

18. $(4xy^2-yz^2)^2$
$= 16x^2y^4 - 8xy^3z^2 + y^2z^4.$

19. $(3abc-bcd)^2$
$= 9a^2b^2c^2 - 6ab^2c^2d + b^2c^2d^2.$

20. $(4x^3-xy^2)^2$
$= 16x^6 - 8x^4y^2 + x^2y^4.$

21. $(x+y)(x-y)$
$= x^2 - y^2.$

22. $(2a+b)(2a-b)$
$= 4a^2 - b^2.$

23. $(3-x)(3+x)$
$= 9 - x^2.$

24. $(3ab+2b^2)(3ab-2b^2)$
$= 9a^2b^2 - 4b^4.$

25. $(4x^2-3y^2)(4x^2+3y^2)$
$= 16x^4 - 9y^4.$

26. $(a^3x^2-by^4)(a^3x^2+by^4)$
$= a^6x^4 - b^2y^8.$

27. $(6xy-5y^2)(6xy+5y^2)$
$= 36x^2y^2 - 25y^4.$

28. $(4x^5-1)(4x^5+1)$
$= 16x^{10} - 1.$

29. $(1+3ab^3)(1-3ab^3)$
$= 1 - 9a^2b^6.$

30. $(ax+by)(ax-by)(a^2x^2+b^2y^2)$
$= a^4x^4 - b^4y^4.$

Exercise XVI.

1. $(x+y+z)^2 = x^2 + y^2 + z^2 + 2xy + 2xz + 2yz.$

2. $(x-y+z)^2 = x^2 + y^2 + z^2 - 2xy + 2xz - 2yz.$

3. $(m+n-p-q)^2=m^2+n^2+p^2+q^2+2mn-2mp-2mq-2np-2nq+2pq.$
4. $(x^2+2x-3)^2=x^4+4x^3-2x^2-12x+9.$
5. $(x^2-6x+7)^2=x^4-12x^3+50x^2-84x+49.$
6. $(2x^2-7x+9)^2=4x^4-28x^3+85x^2-126x+81.$
7. $(x^2+y^2-z^2)^2=x^4+y^4+z^4+2x^2y^2-2x^2z^2-2y^2z^2.$
8. $(x^4-4x^2y^2+y^4)^2=x^8+18x^4y^4+y^8-8x^6y^2-8x^2y^6.$
9. $(a^3+b^3+c^3)^2=a^6+b^6+c^6+2a^3b^3+2a^3c^3+2b^3c^3.$
10. $(x^3-y^3-z^3)^2=x^6+y^6+z^6-2x^3y^3-2x^3z^3+2y^3z^3.$
11. $(x+2y-3z)=x^2+4y^2+9z^2+4xy-6xz-12yz.$
12. $(x^2-2y^2+5z^2)^2=x^4+4y^4+25z^4-4x^2y^2+10x^2z^2-20y^2z^2.$
13. $(x^2+2x-2)^2=x^4+4x^3-8x+4.$
14. $(x^2-5x+7)^2=x^4+39x^2-10x^3-70x+49.$
15. $(2x^2-3x-4)^2=4x^4-12x^3-7x^2+24x+16.$
16. $(x+2y+3z)^2=x^2+4y^2+9z^2+4xy+6xz+12yz.$

EXERCISE XVII.

1. $(x+2)(x+3)=x^2+5x+6.$
2. $(x+1)(x+5)=x^2+6x+5.$
3. $(x-3)(x-6)=x^2-9x+18.$
4. $(x-8)(x-1)=x^2-9x+8.$
5. $(x-8)(x+1)=x^2-7x-8.$
6. $(x-2)(x+5)=x^2+3x-10.$
7. $(x-3)(x+7)=x^2+4x-21.$
8. $(x-2)(x-4)=x^2-6x+8.$
9. $(x+1)(x+11)=x^2+12x+11.$
10. $(x-2a)(x+3a)=x^2+ax-6a^2.$
11. $(x-c)(x-d)$
$=x^2-(c+d)x+cd.$
12. $(x-4y)(x+y)=x^2-3xy-4y^2.$
13. $(a-2b)(a-5b)=a^2-7ab+10b^2.$
14. $(x^2+2y^2)(x^2+y^2)$
$=x^4+3x^2y^2+2y^4.$
15. $(x^2-3xy)(x^2+xy)$
$=x^4-2x^3y-3x^2y^2.$
16. $(ax-9)(ax+6)$
$=a^2x^2-3ax-54.$
17. $(x+a)(x-b)$
$=x^2+(a-b)x-ab.$
18. $(x-11)(x+4)=x^2-7x-44.$
19. $(x+12)(x-11)=x^2+x-132.$
20. $(x-10)(x-5)=x^2-15x+50.$

EXERCISE XVIII.

1. $(x+a)^3=x^3+3x^2a+3xa^2+a^3.$
2. $(x-a)^3=x^3-3x^2a+3xa^2-a^3.$
3. $(x+1)^3=x^3+3x^2+3x+1.$
4. $(x-1)^3=x^3-3x^2+3x-1.$
5. $(x+a)^4=x^4+4x^3a+6x^2a^2+4xa^3+a^4.$
6. $(x-a)^4=x^4-4x^3a+6x^2a^2-4xa^3+a^4.$

7. $(x+1)^4 = x^4 + 4x^3 + 6x^2 + 4x + 1.$

8. $(x-1)^4 = x^4 - 4x^3 + 6x^2 - 4x + 1.$

9. $(x+y)^5 = x^5 + 5x^4y + 10x^3y^2 + 10x^2y^3 + 5xy^4 + y^5.$

10. $(x-y)^5 = x^5 - 5x^4y + 10x^3y^2 - 10x^2y^3 + 5xy^4 - y^5.$

11. $(x+1)^5 = x^5 + 5x^4 + 10x^3 + 10x^2 + 5x + 1.$

12. $(x-1)^5 = x^5 - 5x^4 + 10x^3 - 10x^2 + 5x - 1.$

EXERCISE XIX.

1. $\dfrac{+264}{+4} = 66.$

2. $\dfrac{-4648}{-8} = 581.$

3. $\dfrac{+3840}{-30} = -128.$

4. $\dfrac{-2568}{+12} = -214.$

5.
$$\begin{array}{r}
-21.7\\
-49.\overline{)1063.3}\\
\underline{98}\\
83\\
\underline{49}\\
343\\
\underline{343}
\end{array}$$

6.
$$\begin{array}{r}
-1.23\\
345\overline{)-424.35}\\
\underline{345}\\
793\\
\underline{690}\\
1035\\
\underline{1035}
\end{array}$$

7.
$$\begin{array}{r}
-11\\
+24\overline{)-264}\\
\underline{24}\\
24\\
\underline{24}
\end{array}$$

8.
$$\begin{array}{r}
+43\tfrac{3}{17}\\
-85\overline{)-3670}\\
\underline{340}\\
270\\
\underline{255}\\
\tfrac{15}{85} = \tfrac{3}{17}
\end{array}$$

9.
$$\begin{array}{r}
-.1123\\
-61\overline{)6.8503}\\
\underline{61}\\
75\\
\underline{61}\\
140\\
\underline{122}\\
183\\
\underline{183}
\end{array}$$

10.
$$\begin{array}{r}
-.022\tfrac{7}{81}\\
+324\overline{)-7.1560}\\
\underline{648}\\
676\\
\underline{648}\\
\tfrac{28}{324} = \tfrac{7}{81}
\end{array}$$

11.
$$\begin{array}{r}
.31831+\\
-314159.\overline{)-100000.0}\\
\underline{942477}\\
575230\\
\underline{314159}\\
2610710\\
\underline{2513272}\\
974380\\
\underline{942477}\\
319030\\
\underline{314159}\\
4871
\end{array}$$

12.
$$\begin{array}{r}
.0101321+\\
-314159\overline{)-3183.10}\\
\underline{314159}\\
415100\\
\underline{314159}\\
1009410\\
\underline{942477}\\
669330\\
\underline{628318}\\
410120\\
\underline{314159}\\
95961
\end{array}$$

EXERCISE XX.

5. $\frac{6mx}{2x} = 3m.$

6. $\frac{12a^4}{-3a} = -4a^3.$

7. $\frac{10ab}{2bc} = \frac{5a}{c}.$

8. $\frac{x^3}{-x^5} = -\frac{1}{x^2}.$

9. $\frac{-12am}{-2m} = 6a.$

10. $\frac{35abcd}{5bd} = 7ac.$

11. $\frac{abx}{5aby} = \frac{x}{5y}.$

12. $\frac{27a^7}{-3a^3} = -9a^4.$

13. $\frac{-3bmx}{4ax^2} = -\frac{3bm}{4ax}.$

14. $\frac{ab^2c^3}{abc} = bc^2.$

15. $\frac{m^5p^2x^4}{mp^2x^2} = m^4x^2.$

16. $\frac{-51abdy^2}{3bdy} = -17ay.$

17. $\frac{225m^2y}{25my^2} = \frac{9m}{y}.$

18. $\frac{30x^2y^3}{-5x^3y} = -\frac{6y^2}{x}.$

19. $\frac{4a^2m^4x^5}{5a^5m^3x} = \frac{4mx^4}{5a^3}.$

20. $\frac{42x^3y^2z^4}{7xy^2z^3} = 6x^2z.$

21. $\frac{-3a^2b^3c^4d^5}{-a^4b^2cd^3} = \frac{3bc^3d^2}{a^2}.$

22. $\frac{12am^5n^4p^3q^2}{4m^2n^3p^4q^5} = \frac{3am^3n}{pq^3}.$

23. $(4a^2bz^3 \times 10a^2b^3z) \div 5a^3b^2z^2$
$= 40a^4b^4z^4 \div 5a^3b^2z^2$
$= 8ab^2z^2.$

24. $(21x^2y^4z^6 \div 3xy^2z)(-2x^3y^2z)$
$= (7xy^2z^5)(-2x^3y^2z)$
$= -14x^4y^4z^6.$

25. $104ab^3x^9 \div (91a^5b^6x^7 \div 7a^4b^4x)$
$= 104ab^3x^9 \div 13ab^2x^6.$
$= 8bx^3.$

26. $(24a^5b^3x \div 3a^2b^2)$
$+ (35a^6b^2x^2 \div -5a^3bx)$
$= (8a^3bx) + (-7a^3bx)$
$= a^3bx.$

27. $85a^{4m+1} \div 5a^{4m-2}$
$= 17a^{4m+1-(4m-2)}$
$= 17a^3.$

28. $\frac{84a^{n-4}}{12a^2}$
$= 7a^{n-4-2}$
$= 7a^{n-6}.$

EXERCISE XXI.

3. $(18amy - 27bny + 36cpy) \div -9y = -2am + 3bn - 4cp.$

4. $(21ax - 18bx + 15cx) \div -3x = -7a + 6b - 5c.$

5. $(12x^5 - 8x^3 + 4x) \div 4x = 3x^4 - 2x^2 + 1.$

8. $49m^4 + 110m^2n^2 + 81n^4 = (7m^2 + 4mn + 9n^2)(7m^2 - 4mn + 9n^2)$.

9. $9a^4 + 21a^2c^2 + 25c^4 = (3a^2 + 3ac + 5c^2)(3a^2 - 3ac + 5c^2)$.

10. $49a^4 - 15a^2b^2 + 121b^4 = (7a^2 + 13ab + 11b^2)(7a^2 - 13ab + 11b^2)$.

11. $64x^4 + 128x^2y^2 + 81y^4 = (8x^2 + 4xy + 9y^2)(8x^2 - 4xy + 9y^2)$.

12. $4x^4 - 37x^2y^2 + 9y^4 = (2x^2 + 5xy - 3y^2)(2x^2 - 5xy - 3y^2)$.

13. $25x^4 - 41x^2y^2 + 16y^4 = (5x^2 + xy - 4y^2)(5x^2 - xy - 4y^2)$.

14. $81x^4 - 34x^2y^2 + y^4 = (9x^2 + 4xy - y^2)(9x^2 - 4xy - y^2)$.

EXERCISE XLIII.

1. $12x^2 - 5x - 2$
$= (4x + 1)(3x - 2)$.

2. $12x^2 - 7x + 1$
$= (3x - 1)(4x - 1)$.

3. $12x^2 - x - 1$
$= (4x + 1)(3x - 1)$.

4. $3x^2 - 2x - 5$
$= (x + 1)(3x - 5)$.

5. $3x^2 + 4x - 4$
$= (x + 2)(3x - 2)$.

6. $6x^2 + 5x - 4$
$= (3x + 4)(2x - 1)$.

7. $4x^2 + 13x + 3$
$= (4x + 1)(x + 3)$.

8. $4x^2 + 11x - 3$
$= (x + 3)(4x - 1)$.

9. $4x^2 - 4x - 3$
$= (2x + 1)(2x - 3)$.

10. $x^2 - 3ax + 2a^2$
$= (x - a)(x - 2a)$.

11. $12a^4 + a^2x^2 - x^4$
$= (3a^2 + x^2)(4a^2 - x^2)$.

12. $2x^2 + 5xy + 2y^2$
$= (2x + y)(x + 2y)$.

13. $6a^2x^2 + ax - 1$
$= (2ax + 1)(3ax - 1)$.

14. $6b^2 - 7bx - 3x^2$
$= (3b + x)(2b - 3x)$.

15. $4x^2 + 8x + 3$
$= (2x + 1)(2x + 3)$.

16. $a^2 - ax - 6x^2$
$= (a + 2x)(a - 3x)$.

17. $8a^2 + 14ab - 15b^2$
$= (2a + 5b)(4a - 3b)$.

18. $6a^2 - 19ac + 10c^2$
$= (3a - 2c)(2a - 5c)$.

19. $8x^2 + 34xy + 21y^2$
$= (4x + 3y)(2x + 7y)$.

20. $8x^2 - 22xy - 21y^2$
$= (4x + 3y)(2x - 7y)$.

21. $6x^2 + 19xy - 7y^2$
$= (2x + 7y)(3x - y)$.

22. $11a^2 - 23ab + 2b^2$
$= (11a - b)(a - 2b)$.

23. $2c^2 - 13cd + 6d^2$
$= (2c - d)(c - 6d)$.

24. $6y^2 + 7yz - 3z^2$
$= (2y + 3z)(3y - z)$.

14.

$$\begin{array}{l|l}
x^4-81y^4 & x-3y \\ \cline{2-2}
\underline{x^4-3x^3y} & x^3+3x^2y+9xy^2+27y^3 \\
\quad 3x^3y-81y^4 & \\
\quad \underline{3x^3y-9x^2y^2} & \\
\qquad 9x^2y^2-81y^4 & \\
\qquad \underline{9x^2y^2-27xy^3} & \\
\qquad\quad 27xy^3-81y^4 & \\
\qquad\quad \underline{27xy^3-81y^4} &
\end{array}$$

15.

$$\begin{array}{l|l}
x^5-y^5 & x-y \\ \cline{2-2}
\underline{x^5-x^4y} & x^4+x^3y+x^2y^2+xy^3+y^4 \\
\quad x^4y-y^5 & \\
\quad \underline{x^4y-x^3y^2} & \\
\qquad x^3y^2-y^5 & \\
\qquad \underline{x^3y^2-x^2y^3} & \\
\qquad\quad x^2y^3-y^5 & \\
\qquad\quad \underline{x^2y^3-xy^4} & \\
\qquad\qquad xy^4-y^5 & \\
\qquad\qquad \underline{xy^4-y^5} &
\end{array}$$

16.

$$\begin{array}{l|l}
a^5+32b^5 & a+2b \\ \cline{2-2}
\underline{a^5+2a^4b} & a^4-2a^3b+4a^2b^2-8ab^3+16b^4 \\
\quad 2a^4b+32b^5 & \\
\quad \underline{2a^4b-4a^3b^2} & \\
\qquad 4a^3b^2+32b^5 & \\
\qquad \underline{4a^3b^2+8a^2b^3} & \\
\qquad\quad -8a^2b^3+32b^5 & \\
\qquad\quad \underline{-8a^2b^3-16ab^4} & \\
\qquad\qquad 16ab^4+32b^5 & \\
\qquad\qquad \underline{16ab^4+32b^5} &
\end{array}$$

17.

$$\begin{array}{l|l}
2a^4+27ab^3-81b^4 & a+3b \\ \cline{2-2}
\underline{2a^4+6a^3b} & 2a^3-6a^2b+18ab^2-27b^3 \\
\quad -6a^3b+27ab^3-81b^4 & \\
\quad \underline{-6a^3b-18a^2b^2} & \\
\qquad 18a^2b^2+27ab^3-81b^4 & \\
\qquad \underline{18a^2b^2+54ab^3} & \\
\qquad\quad -27ab^3-81b^4 & \\
\qquad\quad \underline{-27ab^3-81b^4} &
\end{array}$$

18.

$$\begin{array}{l|l}
x^4-5x^3+11x^2-12x+6 & x^2-3x+3 \\ \cline{2-2}
\underline{x^4-3x^3+\ \ 3x^2} & x^2-2x+2 \\
\quad -2x^3+\ 8x^2-12x & \\
\quad \underline{-2x^3+\ 6x^2-\ \ 6x} & \\
\qquad 2x^2-\ \ 6x+6 & \\
\qquad \underline{2x^2-\ \ 6x+6} &
\end{array}$$

19.

$$\begin{array}{l|l}
x^4+\ \ x^3-\ \ 9x^2-16x-4 & x^2+4x+4 \\ \cline{2-2}
\underline{x^4+4x^3+\ \ 4x^2} & x^2-3x-1 \\
\quad -3x^3-13x^2-16x-4 & \\
\quad \underline{-3x^3-12x^2-12x} & \\
\qquad -x^2-\ \ 4x-4 & \\
\qquad \underline{-x^2-\ \ 4x-4} &
\end{array}$$

20.
$$\begin{array}{l|l}
x^4-13x^2+36 & x^2+5x+6 \\ \cline{2-2}
\underline{x^4+5x^3+6x^2} & x^2-5x+6 \\
\quad -5x^3-19x^2+36 & \\
\quad \underline{-5x^3-25x^2-30x} & \\
\qquad\qquad 6x^2+30x+36 & \\
\qquad\qquad \underline{6x^2+30x+36} &
\end{array}$$

21.
$$\begin{array}{l|l}
x^4+64 & x^2-4x+8 \\ \cline{2-2}
\underline{x^4+4x^3+\ 8x^2} & x^2-4x+8 \\
\quad -4x^3-\ 8x^2+64 & \\
\quad \underline{-4x^3-16x^2-32x} & \\
\qquad\qquad 8x^2+32x+64 & \\
\qquad\qquad \underline{8x^2+32x+64} &
\end{array}$$

22.
$$\begin{array}{l|l}
x^4+\ x^3-24x^2-35x+57 & x^2+2x-3 \\ \cline{2-2}
\underline{x^4+2x^3-\ 3x^2} & x^2-x-19 \\
\quad -\ x^3-21x^2-35x & \\
\quad \underline{-\ x^3-\ 2x^2-\ 3x} & \\
\qquad\qquad -19x^2-38x+57 & \\
\qquad\qquad \underline{-19x^2-38x+57} &
\end{array}$$

23.
$$\begin{array}{l|l}
1-\ x-3x^2-x^5 & 1+2x+x^2 \\ \cline{2-2}
\underline{1+2x+\ x^2} & 1-3x+2x^2-x^3 \\
\quad -3x-4x^2-x^5 & \\
\quad \underline{-3x-6x^2-3x^3} & \\
\qquad\qquad 2x^2+3x^3-x^5 & \\
\qquad\qquad \underline{2x^2+4x^3+2x^4} & \\
\qquad\qquad\quad -\ x^3-2x^4-x^5 & \\
\qquad\qquad\quad \underline{-\ x^3-2x^4-x^5} &
\end{array}$$

24.
$$\begin{array}{l|l}
x^6-2x^3+1 & x^2-2x+1 \\ \cline{2-2}
\underline{x^6-2x^5+x^4} & x^4+2x^3+3x^2+2x+1 \\
\quad 2x^5-x^4\ -2x^3+1 & \\
\quad \underline{2x^5-4x^4+2x^3} & \\
\qquad 3x^4-4x^3+1 & \\
\qquad \underline{3x^4-6x^3+3x^2} & \\
\qquad\quad 2x^3-3x^2+1 & \\
\qquad\quad \underline{2x^3-4x^2+2x} & \\
\qquad\qquad x^2-2x+1 & \\
\qquad\qquad \underline{x^2-2x+1} &
\end{array}$$

25.
$$\begin{array}{l|l}
a^4+2a^2b^2+9b^4 & a^2-2ab+3b^2 \\ \cline{2-2}
\underline{a^4-2a^3b+3a^2b^2} & a^2+2ab+3b^2 \\
\quad 2a^3b-\ a^2b^2+9b^4 & \\
\quad \underline{2a^3b-4a^2b^2+6ab^3} & \\
\qquad\quad 3a^2b^2-6ab^3+9b^4 & \\
\qquad\quad \underline{3a^2b^2-6ab^3+9b^4} &
\end{array}$$

26.
$$\begin{array}{l|l}
4x^5-\ x^3+4x & 2x^2+3x+2 \\ \cline{2-2}
\underline{4x^5+6x^4+4x^3} & 2x^3-3x^2+2x \\
\quad -6x^4-5x^3+4x & \\
\quad \underline{-6x^4-9x^3-6x^2} & \\
\qquad\quad 4x^3+6x^2+4x & \\
\qquad\quad \underline{4x^3+6x^2+4x} &
\end{array}$$

27.
$$\begin{array}{l|l}
a^5-243 & a-3 \\ \cline{2-2}
\underline{a^5-3a^4} & a^4+3a^3+9a^2+27a+81 \\
\quad 3a^4-243 & \\
\quad \underline{3a^4-9a^3} & \\
\qquad 9a^3-243 & \\
\qquad \underline{9a^3-27a^2} & \\
\qquad\quad 27a^2-243 & \\
\qquad\quad \underline{27a^2-81a} & \\
\qquad\qquad 81a-243 & \\
\qquad\qquad \underline{81a-243} &
\end{array}$$

28.
$$\begin{array}{l|l}
18x^4-45x^3+82x^2-67x+40 & 3x^2-4x+5 \\ \cline{2-2}
\underline{18x^4-24x^3+30x^2} & 6x^2-7x+8 \\
\quad -21x^3+52x^2-67x & \\
\quad \underline{-21x^3+28x^2-35x} & \\
\qquad\qquad 24x^2-32x+40 & \\
\qquad\qquad \underline{24x^2-32x+40} &
\end{array}$$

29.
$$\begin{array}{l|l}
x^4-9x^2-6xy-y^2 & \underline{x^2+3x+y} \\
\underline{x^4+3x^3+x^2y} & x^2-3x-y \\
\quad -3x^3-9x^2-x^2y-6xy-y^2 & \\
\quad \underline{-3x^3-9x^2\qquad\quad -3xy} & \\
\qquad\qquad -x^2y-3xy-y^2 & \\
\qquad\qquad \underline{-x^2y-3xy-y^2} &
\end{array}$$

30.
$$\begin{array}{l|l}
x^4-6x^3y+9x^2x^2-4y^4 & \underline{x^2-3xy+2y^2} \\
\underline{x^4-3x^3y+2x^2y^2} & x^2-3xy-2y^2 \\
\quad -3x^3y+7x^2y^2-4y^4 & \\
\quad \underline{-3x^3y+9x^2y^2-6xy^3} & \\
\qquad\qquad -2x^2y^2+6xy^3-4y^4 & \\
\qquad\qquad \underline{-2x^2y^2+6xy^3-4y^4} &
\end{array}$$

31.
$$\begin{array}{l|l}
x^4+x^2y^2+y^4 & \underline{x^2-xy+y^2} \\
\underline{x^4-x^3y+x^2y^2} & x^2+xy+y^2 \\
\quad x^3y+y^4 & \\
\quad \underline{x^3y-x^2y^2+xy^3} & \\
\qquad\quad x^2y^2-xy^3+y^4 & \\
\qquad\quad \underline{x^2y^2-xy^3+y^4} &
\end{array}$$

32.
$$\begin{array}{l|l}
x^5+x^3+x^4y-x^3y^2-2xy^2+y^3 & \underline{x^3+x-y} \\
\underline{x^5+x^3-x^2y\qquad\qquad\quad} & x^2+xy-y^2 \\
\qquad x^4y+x^2y-x^3y^2-2xy^2+y^3 & \\
\qquad \underline{x^4y+x^2y\qquad\quad -\ \ xy^2} & \\
\qquad\qquad\quad -x^3y^2-\ \ xy^2+y^3 & \\
\qquad\qquad\quad \underline{-x^3y^2-\ \ xy^2+y^3} &
\end{array}$$

33.
$$\begin{array}{l|l}
2x^2+\ \ xy-\ \ xz-3y^2-4yz-z^2 & \underline{2x+3y+z} \\
\underline{2x^2+3xy+\ \ xz\qquad\qquad\qquad} & x-y-z \\
\quad -2xy-2xz-3y^2-4yz-z^2 & \\
\quad \underline{-2xy\qquad\quad -3y^2-\ \ yz} & \\
\qquad\quad -2xz\qquad\quad -3yz-z^2 & \\
\qquad\quad \underline{-2xz\qquad\quad -3yz-z^2} &
\end{array}$$

34.

$$\begin{array}{l|l}
12-38x+82x^2-112x^3+106x^4-70x^5 & \underline{3-5x+7x^2} \\
\underline{12-20x+28x^2} & 4-6x+8x^2-10x^3 \\
\quad -18x+54x^2-112x^3 & \\
\quad \underline{-18x+30x^2-\ 42x^3} & \\
\qquad\qquad 24x^2-\ 70x^3+106x^4 & \\
\qquad\qquad \underline{24x^2-\ 40x^3+\ 56x^4} & \\
\qquad\qquad\qquad -\ 30x^3+\ 50x^4-70x^5 & \\
\qquad\qquad\qquad \underline{-\ 30x^3+\ 50x^4-70x^5} &
\end{array}$$

35.

$$\begin{array}{l|l}
x^5 \qquad\qquad\qquad\qquad\qquad + y^5 & \underline{x^4-x^3y+x^2y^2-xy^3+y^4} \\
\underline{x^5-x^4y+x^3y^2-x^2y^3+xy^4} & x+y \\
\quad x^4y-x^3y^2+x^2y^3-xy^4+y^5 & \\
\quad \underline{x^4y-x^3y^2+x^2y^3-xy^4+y^5} &
\end{array}$$

36.

$$\begin{array}{l|l}
2x^4-7x^2y+2x^2y^2-2xy^3-y^4 & \underline{2x^2-xy-y^2} \\
\underline{2x^4-\ \ x^3y+\ \ x^2y^2} & x^2-3xy-y^2 \\
\quad -6x^3y+\ \ x^2y^2-2xy^3 & \\
\quad \underline{-6x^3y+3x^2y^2-3xy^3} & \\
\qquad\qquad -2x^2y^2+\ \ xy^3-y^4 & \\
\qquad\qquad \underline{-2x^2y^2+\ \ xy^3-y^4} &
\end{array}$$

37.

$$\begin{array}{l|l}
16x^4+4x^2y^2+y^4 & \underline{4x^2-2xy+y^2} \\
\underline{16x^4-8x^3y\ +4x^2y^2} & 4x^2+2xy+y^2 \\
\qquad 8x^3y+y^4 & \\
\qquad \underline{8x^3y-4x^2y^2+2xy^3} & \\
\qquad\qquad\quad 4x^2y^2-2xy^3+y^4 & \\
\qquad\qquad\quad \underline{4x^2y^2-2xy^3+y^4} &
\end{array}$$

38.

$$\begin{array}{l|l}
32a^5b-56a^4b^2+\ 8a^3b^3-4a^2b^4-ab^5 & \underline{-4a^2b+6ab^2+b^3} \\
\underline{32a^5b-48a^4b^2-\ 8a^3b^3} & -8a^3+2a^2b-ab^2 \\
\quad -\ 8a^4b^2+16a^3b^3-4a^2b^4 & \\
\quad \underline{-\ 8a^4b^2+12a^3b^3+2a^2b^4} & \\
\qquad\qquad\quad 4a^3b^3-6a^2b^4-ab^5 & \\
\qquad\qquad\quad \underline{4a^3b^3-6a^2b^4-ab^5} &
\end{array}$$

39.

$$\begin{array}{l|l}
1+5x^3-6x^4 & \underline{1-x+3x^2} \\
\underline{1-x+3x^2} & 1+x-2x^2 \\
\quad x-3x^2+5x^3-6x^4 & \\
\quad \underline{x-\ \ x^2+3x^3} & \\
\qquad -2x^2+2x^3-6x^4 & \\
\qquad \underline{-2x^2+2x^3-6x^4} &
\end{array}$$

40.
$$\begin{array}{l|l}
1-51a^3b^3-52a^4b^4 & -1+3ab+4a^2b^2 \\ \cline{2-2}
\underline{1-3ab-4a^2b^2} & -1-3ab-13a^2b^2 \\
\quad 3ab+4a^2b^2-51a^3b^3-52a^4b^4 & \\
\quad \underline{3ab-9a^2b^2-12a^3b^3} & \\
\qquad 13a^2b^2-39a^3b^3-52a^4b^4 & \\
\qquad \underline{13a^2b^2-39a^3b^3-52a^4b^4} &
\end{array}$$

41.
$$\begin{array}{l|l}
x^7y-xy^7 & x^3y-2x^2y^2+2xy^3-y^4 \\ \cline{2-2}
\underline{x^7y-2x^6y^2+2x^5y^3-x^4y^4} & x^4+2x^3y+2x^2y^2+xy^3 \\
\quad 2x^6y^2-2x^5y^3+x^4y^4-xy^7 & \\
\quad \underline{2x^6y^2-4x^5y^3+4x^4y^4-2x^3y^5} & \\
\qquad 2x^5y^3-3x^4y^4+2x^3y^5-xy^7 & \\
\qquad \underline{2x^5y^3-4x^4y^4+4x^3y^5-2x^2y^6} & \\
\qquad\quad x^4y^4-2x^3y^5+2x^2y^6-xy^7 & \\
\qquad\quad \underline{x^4y^4-2x^3y^5+2x^2y^6-xy^7} &
\end{array}$$

42.
$$\begin{array}{l|l}
x^6-6x^5y+15x^4y^2-20x^3y^3+15x^2y^4-6xy^5+y^6 & x^3-3x^2y+3xy^2-y^3 \\ \cline{2-2}
\underline{x^6-3x^5y+3x^4y^2-x^3y^3} & x^3-3x^2y+3xy^2-y^3 \\
\quad -3x^5y+12x^4y^2-19x^3y^3+15x^2y^4 & \\
\quad \underline{-3x^5y+9x^4y^2-9x^3y^3+3x^2y^4} & \\
\qquad 3x^4y^2-10x^3y^3+12x^2y^4-6xy^5 & \\
\qquad \underline{3x^4y^2-9x^3y^3+9x^2y^4-3xy^5} & \\
\qquad\quad -x^3y^3+3x^2y^4-3xy^5+y^6 & \\
\qquad\quad \underline{-x^3y^3+3x^2y^4-3xy^5+y^6} &
\end{array}$$

43.
$$\begin{array}{l|l}
a^7-2a^6b-2a^4b^3+2a^3b^4-6a^2b^5-3ab^6 & a^3-2a^2b-ab^2 \\ \cline{2-2}
\underline{a^7-2a^6b-a^5b^2} & a^4+a^2b^2+3b^4 \\
\quad a^5b^2-2a^4b^3+2a^3b^4-6a^2b^5-3ab^6 & \\
\quad \underline{a^5b^2-2a^4b^3-a^3b^4} & \\
\qquad 3a^3b^4-6a^2b^5-3ab^6 & \\
\qquad \underline{3a^3b^4-6a^2b^5-3ab^6} &
\end{array}$$

44.
$$\begin{array}{l|l}
81x^6y-54x^5y^2\qquad -18x^3y^4+18x^2y^5-18xy^6-9y^7 & 3x^4+x^2y^2+y^4 \\ \cline{2-2}
\underline{81x^6y\qquad +27x^4y^3\qquad +27x^2y^5} & 27x^2y-18xy^2-9y^3 \\
\quad -54x^5y^2-27x^4y^3-18x^3y^4-9x^2y^5-18xy^6-9y^7 & \\
\quad \underline{-54x^5y^2\qquad -18x^3y^4\qquad -18xy^6} & \\
\qquad -27x^4y^3\qquad -9x^2y^5\qquad -9y^7 & \\
\qquad \underline{-27x^4y^3\qquad -9x^2y^5\qquad -9y^7} &
\end{array}$$

45.

$$\begin{array}{l|l}
a^4+2a^3b+8a^2b^2+8ab^3+16b^4 & a^2+4b^2 \\ \cline{2-2}
\underline{a^4 \qquad\quad +4a^2b^2} & a^2+2ab+4b^2 \\
\quad 2a^3b+4a^2b^2+8ab^3 & \\
\quad \underline{2a^3b \qquad\quad +8ab^3} & \\
\qquad 4a^2b^2 \qquad +16b^4 & \\
\qquad \underline{4a^2b^2 \qquad +16b^4} &
\end{array}$$

46.

$$\begin{array}{l|l}
-x^6+21x^3y^3-24xy^5+8y^6 & -x^2+3xy-y^2 \\ \cline{2-2}
\underline{-x^6+3x^5y-\ x^4y^2} & x^4+3x^3y+8x^2y^2-8y^4 \\
\quad -3x^5y+\ x^4y^2+21x^3y^3-24xy^5+8y^6 & \\
\quad \underline{-3x^5y+9x^4y^2-\ 3x^3y^3} & \\
\qquad -8x^4y^2+24x^3y^3-24xy^5+8y^6 & \\
\qquad \underline{-8x^4y^2+24x^3y^3-8x^2y^4} & \\
\qquad\qquad 8x^2y^4-24xy^5+8y^6 & \\
\qquad\qquad \underline{8x^2y^4-24xy^5+8y^6} &
\end{array}$$

47.

$$\begin{array}{l|l}
16a^4 \qquad\qquad +\ 8a^2b^2+9b^4 & 4a^2-4ab+3b^2 \\ \cline{2-2}
\underline{16a^4-16a^3b+12a^2b^2} & 4a^2+4ab+3b^2 \\
\quad 16a^3b-\ 4a^2b^2+9b^4 & \\
\quad \underline{16a^3b-16a^2b^2+12ab^3} & \\
\qquad 12a^2b^2-12ab^3+9b^4 & \\
\qquad \underline{12a^2b^2-12ab^3+9b^4} &
\end{array}$$

48.

$$\begin{array}{l|l}
a^3 \qquad\qquad -3abc+b^3+c^3 & a+b+c \\ \cline{2-2}
\underline{a^3+a^2b+a^2c} & a^2-ab-ac+b^2-bc+c^2 \\
\quad -a^2b-a^2c-3abc+b^3+c^3 & \\
\quad \underline{-a^2b-ab^2-\ abc} & \\
\qquad -a^2c+ab^2-2abc+b^3+c^3 & \\
\qquad \underline{-a^2c \qquad -abc-ac^2} & \\
\qquad\quad +ab^2 \quad -abc+ac^2+b^3+c^3 & \\
\qquad\quad \underline{+ab^2 \qquad\qquad +b^3+b^2c} & \\
\qquad\qquad -abc+ac^2 \qquad -b^2c+c^3 & \\
\qquad\qquad \underline{-abc \qquad\qquad -b^2c-bc^2} & \\
\qquad\qquad\quad ac^2 \qquad\qquad +bc^2+c^3 & \\
\qquad\qquad\quad \underline{ac^2 \qquad\qquad +bc^2+c^3} &
\end{array}$$

49.

$$\begin{array}{l|l}
a^3 \qquad\qquad -6abc+8b^3+c^3 & a^2-2ab-ac+4b^2-2bc+c^2 \\ \cline{2-2}
\underline{a^3-2a^2b-a^2c+4ab^2-2abc+ac^2} & a+2b+c \\
\quad +2a^2b+a^2c-4ab^2-4abc-ac^2+8b^3+c^3 & \\
\quad \underline{+2a^2b \qquad -4ab^2-2abc \qquad +8b^3-4b^2c+2bc^2} & \\
\qquad +a^2c \qquad -2abc-ac^2 \qquad +4b^2c-2bc^2+c^3 & \\
\qquad \underline{+a^2c \qquad -2abc-ac^2 \qquad +4b^2c-2bc^2+c^3} &
\end{array}$$

50.
$$\begin{array}{l|l}
a^3 + 3a^2b + 3ab^2 + b^3 + c^3 & a + b + c \\ \cline{2-2}
\underline{a^3 + a^2b \qquad\qquad + a^2c} & a^2 + 2ab + b^2 - ac - bc + c^2 \\
\qquad 2a^2b + 3ab^2 - a^2c + b^3 + c^3 & \\
\qquad \underline{2a^2b + 2ab^2 \qquad + 2abc} & \\
\qquad\qquad ab^2 - a^2c - 2abc + b^3 + c^3 & \\
\qquad\qquad \underline{ab^2 \qquad\qquad\quad + b^3 + b^2c} & \\
\qquad\qquad\quad - a^2c - 2abc - b^2c + c^3 & \\
\qquad\qquad\quad \underline{- a^2c - abc \qquad - ac^2} & \\
\qquad\qquad\qquad - abc - b^2c + ac^2 + c^3 & \\
\qquad\qquad\qquad \underline{- abc - b^2c \qquad - bc^2} & \\
\qquad\qquad\qquad\qquad ac^2 + bc^2 + c^3 & \\
\qquad\qquad\qquad\qquad \underline{ac^2 + bc^2 + c^3} &
\end{array}$$

EXERCISE XXIII.

1.
$$\begin{array}{l|l}
a^2(b + c) + b^2(a - c) + c^2(a - b) + abc & a + b + c \\ \cline{2-2}
\underline{a^2(b + c) + b^2(a \quad) + c^2(a \quad) + 2abc} & a(b + c) - bc \\
- abc \quad + b^2(\quad - c) + c^2(\quad - b) & \\
\underline{- abc \quad + b^2(\quad - c) + c^2(\quad - b)} &
\end{array}$$

2.
$$\begin{array}{l|l}
x^3 - (a + b + c)x^2 + (ab + ac + bc)x - abc & x^2 - (a + b)x + ab \\ \cline{2-2}
\underline{x^3 - (a + b \quad)x^2 + (ab \qquad\quad)x} & x - c \\
\qquad - cx^2 \qquad + (ac + bc)x - abc & \\
\qquad \underline{- cx^2 \qquad + (ac + bc)x - abc} &
\end{array}$$

3.
$$\begin{array}{l|l}
x^3 - 2ax^2 + (a^2 + ab - b^2)x - a^2b + ab^2 & x - a + b \\ \cline{2-2}
\underline{x^3 - ax^2 + bx^2 \qquad\qquad\qquad\qquad} & x^2 - (a + b)x + ab \\
\quad - (a + b)x^2 + (a^2 + ab - b^2)x - a^2b + ab^2 & \\
\quad \underline{- (a + b)x^2 + (a^2 \qquad - b^2)x} & \\
\qquad\qquad\qquad + abx - a^2b + ab^2 & \\
\qquad\qquad\qquad \underline{+ abx - a^2b + ab^2} &
\end{array}$$

4.
$$\begin{array}{l|l}
x^4 - (a^2 - b - c)x^2 - (b - c)ax + bc & x^2 - ax + c \\ \cline{2-2}
\underline{x^4 + (\qquad + c)x^2 - ax^3} & x^2 + ax + b \\
ax^3 - (a^2 - b \quad)x^2 - (b - c)ax + bc & \\
\underline{ax^3 - (a^2 \qquad)x^2 \qquad + cax} & \\
\qquad + bx^2 \qquad - bax + bc & \\
\qquad \underline{+ bx^2 \qquad - bax + bc} &
\end{array}$$

7. $(x+1)^4 = x^4 + 4x^3 + 6x^2 + 4x + 1.$

8. $(x-1)^4 = x^4 - 4x^3 + 6x^2 - 4x + 1.$

9. $(x+y)^5 = x^5 + 5x^4y + 10x^3y^2 + 10x^2y^3 + 5xy^4 + y^5.$

10. $(x-y)^5 = x^5 - 5x^4y + 10x^3y^2 - 10x^2y^3 + 5xy^4 - y^5.$

11. $(x+1)^5 = x^5 + 5x^4 + 10x^3 + 10x^2 + 5x + 1.$

12. $(x-1)^5 = x^5 - 5x^4 + 10x^3 - 10x^2 + 5x - 1.$

EXERCISE XIX.

1. $\dfrac{+264}{+4} = 66.$

2. $\dfrac{-4648}{-8} = 581.$

3. $\dfrac{+3840}{-30} = -128.$

4. $\dfrac{-2568}{+12} = -214.$

5.
$$\begin{array}{r} -21.7 \\ -49.\overline{)1063.3} \\ \underline{98} \\ 83 \\ \underline{49} \\ 343 \\ \underline{343} \end{array}$$

6.
$$\begin{array}{r} -1.23 \\ 345\overline{)-424.35} \\ \underline{345} \\ 793 \\ \underline{690} \\ 1035 \\ \underline{1035} \end{array}$$

7.
$$\begin{array}{r} -11 \\ +24\overline{)-264} \\ \underline{24} \\ 24 \\ \underline{24} \end{array}$$

8.
$$\begin{array}{r} +43\frac{3}{17} \\ -85\overline{)-3670} \\ \underline{340} \\ 270 \\ \underline{255} \\ \frac{15}{85} = \frac{3}{17} \end{array}$$

9.
$$\begin{array}{r} -.1123 \\ -61\overline{)6.8503} \\ \underline{61} \\ 75 \\ \underline{61} \\ 140 \\ \underline{122} \\ 183 \\ \underline{183} \end{array}$$

10.
$$\begin{array}{r} -.022\frac{7}{81} \\ +324\overline{)-7.1560} \\ \underline{648} \\ 676 \\ \underline{648} \\ \frac{28}{324} = \frac{7}{81} \end{array}$$

11.
$$\begin{array}{r} .31831+ \\ -314159.\overline{)-100000.0} \\ \underline{942477} \\ 575230 \\ \underline{314159} \\ 2610710 \\ \underline{2513272} \\ 974380 \\ \underline{942477} \\ 319030 \\ \underline{314159} \\ 4871 \end{array}$$

12.
$$\begin{array}{r} .0101321+ \\ -314159\overline{)-3183.10} \\ \underline{314159} \\ 415100 \\ \underline{314159} \\ 1009410 \\ \underline{942477} \\ 669330 \\ \underline{628318} \\ 410120 \\ \underline{314159} \\ 95961 \end{array}$$

EXERCISE XX.

5. $\frac{6mx}{2x} = 3m.$

6. $\frac{12a^4}{-3a} = -4a^3.$

7. $\frac{10ab}{2bc} = \frac{5a}{c}.$

8. $\frac{x^3}{-x^5} = -\frac{1}{x^2}.$

9. $\frac{-12am}{-2m} = 6a.$

10. $\frac{35abcd}{5bd} = 7ac.$

11. $\frac{abx}{5aby} = \frac{x}{5y}.$

12. $\frac{27a^7}{-3a^3} = -9a^4.$

13. $\frac{-3bmx}{4ax^2} = -\frac{3bm}{4ax}.$

14. $\frac{ab^2c^3}{abc} = bc^2.$

15. $\frac{m^5p^2x^4}{mp^2x^2} = m^4x^2.$

16. $\frac{-51abdy^2}{3bdy} = -17ay.$

17. $\frac{225m^2y}{25my^2} = \frac{9m}{y}.$

18. $\frac{30x^2y^3}{-5x^3y} = -\frac{6y^2}{x}.$

19. $\frac{4a^2m^4x^5}{5a^5m^3x} = \frac{4mx^4}{5a^3}.$

20. $\frac{42x^3y^2z^4}{7xy^2z^3} = 6x^2z.$

21. $\frac{-3a^2b^3c^4d^5}{-a^4b^2cd^3} = \frac{3bc^3d^2}{a^2}.$

22. $\frac{12am^5n^4p^3q^2}{4m^2n^3p^4q^5} = \frac{3am^3n}{pq^3}.$

23. $(4a^2bz^3 \times 10a^2b^3z) \div 5a^3b^2z^2$
$= 40a^4b^4z^4 \div 5a^3b^2z^2$
$= 8ab^2z^2.$

24. $(21x^2y^4z^6 \div 3xy^2z)(-2x^3y^2z)$
$= (7xy^2z^5)(-2x^3y^2z)$
$= -14x^4y^4z^6.$

25. $104ab^3x^9 \div (91a^5b^6x^7 \div 7a^4b^4x)$
$= 104ab^3x^9 \div 13ab^2x^6.$
$= 8bx^3.$

26. $(24a^5b^3x \div 3a^2b^2)$
$+ (35a^6b^2x^2 \div -5a^3bx)$
$= (8a^3bx) + (-7a^3bx)$
$= a^3bx.$

27. $85a^{4m+1} \div 5a^{4m-2}$
$= 17a^{4m+1-(4m-2)}$
$= 17a^3.$

28. $\frac{84a^{n-4}}{12a^2}$
$= 7a^{n-4-2}$
$= 7a^{n-6}.$

EXERCISE XXI.

3. $(18amy - 27bny + 36cpy) \div -9y = -2am + 3bn - 4cp.$

4. $(21ax - 18bx + 15cx) \div -3x = -7a + 6b - 5c.$

5. $(12x^5 - 8x^3 + 4x) \div 4x = 3x^4 - 2x^2 + 1.$

6. $(3x^3 - 6x^5 + 9x^7 - 12x^9) \div 3x^2 = x - 2x^3 + 3x^5 - 4x^7.$

7. $(35m^3y + 28m^2y^2 - 14my^3) \div -7my = -5m^2 - 4my + 2y^2.$

8. $(4a^4b - 6a^3b^2 + 12a^2b^3) \div 2a^2b = 2a^2 - 3ab + 6b^2.$

9. $(12x^3y^3 - 15x^4y^2 - 24x^5y) \div -3x^2y = -4xy^2 + 5x^2y + 8x^3.$

10. $(12x^5y^4 - 24x^4y^2 + 36x^3y^3 - 12x^2y^2) \div 12x^2y^2 = x^3y^2 - 2x^2 + 3xy - 1.$

11. $(3a^4 - 2a^5b - a^6b^2) \div a^4 = 3 - 2ab - a^2b^2.$

12. $(3x^3yz^2 + 6x^4yz^3 - 15x^5y^2z^3 + 18x^6y^3z) \div -3x^3yz$
$= -z - 2xz^2 + 5x^2yz^2 - 6x^3y^2.$

13. $(-16a^3b^2c^5 + 8a^4b^2c^4 - 12a^5b^3c^3) \div -4a^2b^2c^2$
$= 4ac^3 - 2a^2c^2 + 3a^3bc.$

EXERCISE XXII.

6.
$$\begin{array}{r|l}
x^2 - 7x + 12 & x - 3 \\ \cline{2-2}
x^2 - 3x \phantom{{}+12} & x - 4 \\ \cline{1-1}
-4x + 12 & \\
-4x + 12 & \\ \cline{1-1}
\end{array}$$

7.
$$\begin{array}{r|l}
x^2 + x - 72 & x + 9 \\ \cline{2-2}
x^2 + 9x \phantom{{}-72} & x - 8 \\ \cline{1-1}
-8x - 72 & \\
-8x - 72 & \\ \cline{1-1}
\end{array}$$

8.
$$\begin{array}{r|l}
2x^3 - x^2 + 3x - 9 & 2x - 3 \\ \cline{2-2}
2x^3 - 3x^2 \phantom{{}+3x-9} & x^2 + x + 3 \\ \cline{1-1}
2x^2 + 3x - 9 & \\
2x^2 - 3x \phantom{{}-9} & \\ \cline{1-1}
6x - 9 & \\
6x - 9 & \\ \cline{1-1}
\end{array}$$

9.
$$\begin{array}{r|l}
6x^3 + 14x^2 - 4x + 24 & 2x + 6 \\ \cline{2-2}
6x^3 + 18x^2 \phantom{{}-4x+24} & 3x^2 - 2x + 4 \\ \cline{1-1}
-4x^2 - 4x + 24 & \\
-4x^2 - 12x \phantom{{}+24} & \\ \cline{1-1}
8x + 24 & \\
8x + 24 & \\ \cline{1-1}
\end{array}$$

10.
$$\begin{array}{r|l}
9x^3 + 3x^2 + x - 1 & 3x - 1 \\ \cline{2-2}
9x - 3x^2 \phantom{{}+x-1} & 3x^2 + 2x + 1 \\ \cline{1-1}
6x^2 + x - 1 & \\
6x^2 - 2x \phantom{{}-1} & \\ \cline{1-1}
3x - 1 & \\
3x - 1 & \\ \cline{1-1}
\end{array}$$

11.
$$\begin{array}{r|l}
7x^3 - 24x^2 + 58x - 21 & 7x - 3 \\ \cline{2-2}
7x^3 - 3x^2 \phantom{{}+58x-21} & x^2 - 3x + 7 \\ \cline{1-1}
-21x^2 + 58x - 21 & \\
-21x^2 + 9x \phantom{{}-21} & \\ \cline{1-1}
49x - 21 & \\
49x - 21 & \\ \cline{1-1}
\end{array}$$

12.
$$\begin{array}{r|l}
x^6 - 1 & x - 1 \\ \cline{2-2}
x^6 - x^5 & x^5 + x^4 + x^3 + x^2 + x + 1 \\ \cline{1-1}
x^5 - 1 & \\
x^5 - x^4 & \\ \cline{1-1}
x^4 - 1 & \\
x^4 - x^3 & \\ \cline{1-1}
x^3 - 1 & \\
x^3 - x^2 & \\ \cline{1-1}
x^2 - 1 & \\
x^2 - x & \\ \cline{1-1}
x - 1 & \\
x - 1 & \\ \cline{1-1}
\end{array}$$

13.
$$\begin{array}{r|l}
a^3 - 2ab^2 + b^3 & a - b \\ \cline{2-2}
a^3 - a^2b \phantom{{}+b^3} & a^2 + ab - b^2 \\ \cline{1-1}
a^2b - 2ab^2 + b^3 & \\
a^2b - ab^2 \phantom{{}+b^3} & \\ \cline{1-1}
-ab^2 + b^3 & \\
-ab^2 + b^3 & \\ \cline{1-1}
\end{array}$$

14.
$$\begin{array}{l|l}
x^4-81y^4 & x-3y \\ \cline{2-2}
\underline{x^4-3x^3y} & x^3+3x^2y+9xy^2+27y^3 \\
\quad 3x^3y-81y^4 & \\
\quad \underline{3x^3y-9x^2y^2} & \\
\qquad 9x^2y^2-81y^4 & \\
\qquad \underline{9x^2y^2-27xy^3} & \\
\qquad\quad 27xy^3-81y^4 & \\
\qquad\quad \underline{27xy^3-81y^4} &
\end{array}$$

15.
$$\begin{array}{l|l}
x^5-y^5 & x-y \\ \cline{2-2}
\underline{x^5-x^4y} & x^4+x^3y+x^2y^2+xy^3+y^4 \\
\quad x^4y-y^5 & \\
\quad \underline{x^4y-x^3y^2} & \\
\qquad x^3y^2-y^5 & \\
\qquad \underline{x^3y^2-x^2y^3} & \\
\qquad\quad x^2y^3-y^5 & \\
\qquad\quad \underline{x^2y^3-xy^4} & \\
\qquad\qquad xy^4-y^5 & \\
\qquad\qquad \underline{xy^4-y^5} &
\end{array}$$

16.
$$\begin{array}{l|l}
a^5+32b^5 & a+2b \\ \cline{2-2}
\underline{a^5+2a^4b} & a^4-2a^3b+4a^2b^2-8ab^3+16b^4 \\
\quad 2a^4b+32b^5 & \\
\quad \underline{2a^4b-4a^3b^2} & \\
\qquad 4a^3b^2+32b^5 & \\
\qquad \underline{4a^3b^2+8a^2b^3} & \\
\qquad\quad -8a^2b^3+32b^5 & \\
\qquad\quad \underline{-8a^2b^3-16ab^4} & \\
\qquad\qquad 16ab^4+32b^5 & \\
\qquad\qquad \underline{16ab^4+32b^5} &
\end{array}$$

17.
$$\begin{array}{l|l}
2a^4+27ab^3-81b^4 & a+3b \\ \cline{2-2}
\underline{2a^4+6a^3b} & 2a^3-6a^2b+18ab^2-27b^3 \\
\quad -6a^3b+27ab^3-81b^4 & \\
\quad \underline{-6a^3b-18a^2b^2} & \\
\qquad 18a^2b^2+27ab^3-81b^4 & \\
\qquad \underline{18a^2b^2+54ab^3} & \\
\qquad\quad -27ab^3-81b^4 & \\
\qquad\quad \underline{-27ab^3-81b^4} &
\end{array}$$

18.
$$\begin{array}{l|l}
x^4-5x^3+11x^2-12x+6 & x^2-3x+3 \\ \cline{2-2}
\underline{x^4-3x^3+3x^2} & x^2-2x+2 \\
\quad -2x^3+8x^2-12x & \\
\quad \underline{-2x^3+6x^2-6x} & \\
\qquad 2x^2-6x+6 & \\
\qquad \underline{2x^2-6x+6} &
\end{array}$$

19.
$$\begin{array}{l|l}
x^4+x^3-9x^2-16x-4 & x^2+4x+4 \\ \cline{2-2}
\underline{x^4+4x^3+4x^2} & x^2-3x-1 \\
\quad -3x^3-13x^2-16x-4 & \\
\quad \underline{-3x^3-12x^2-12x} & \\
\qquad -x^2-4x-4 & \\
\qquad \underline{-x^2-4x-4} &
\end{array}$$

20.
$$\begin{array}{l|l} x^4-13x^2+36 & x^2+5x+6 \\ \cline{2-2} \underline{x^4+5x^3+6x^2} & x^2-5x+6 \\ \multicolumn{2}{l}{\quad -5x^3-19x^2+36} \\ \multicolumn{2}{l}{\quad \underline{-5x^3-25x^2-30x}} \\ \multicolumn{2}{l}{\qquad\qquad 6x^2+30x+36} \\ \multicolumn{2}{l}{\qquad\qquad \underline{6x^2+30x+36}} \end{array}$$

21.
$$\begin{array}{l|l} x^4+64 & x^2-4x+8 \\ \cline{2-2} \underline{x^4+4x^3+8x^2} & x^2-4x+8 \\ \multicolumn{2}{l}{\quad -4x^3-8x^2+64} \\ \multicolumn{2}{l}{\quad \underline{-4x^3-16x^2-32x}} \\ \multicolumn{2}{l}{\qquad\qquad 8x^2+32x+64} \\ \multicolumn{2}{l}{\qquad\qquad \underline{8x^2+32x+64}} \end{array}$$

22.
$$\begin{array}{l|l} x^4+x^3-24x^2-35x+57 & x^2+2x-3 \\ \cline{2-2} \underline{x^4+2x^3-3x^2} & x^2-x-19 \\ \multicolumn{2}{l}{\quad -x^3-21x^2-35x} \\ \multicolumn{2}{l}{\quad \underline{-x^3-2x^2-3x}} \\ \multicolumn{2}{l}{\qquad\qquad -19x^2-38x+57} \\ \multicolumn{2}{l}{\qquad\qquad \underline{-19x^2-38x+57}} \end{array}$$

23.
$$\begin{array}{l|l} 1-x-3x^2-x^5 & 1+2x+x^2 \\ \cline{2-2} \underline{1+2x+x^2} & 1-3x+2x^2-x^3 \\ \multicolumn{2}{l}{\quad -3x-4x^2-x^5} \\ \multicolumn{2}{l}{\quad \underline{-3x-6x^2-3x^3}} \\ \multicolumn{2}{l}{\qquad\qquad 2x^2+3x^3-x^5} \\ \multicolumn{2}{l}{\qquad\qquad \underline{2x^2+4x^3+2x^4}} \\ \multicolumn{2}{l}{\qquad\qquad\quad -x^3-2x^4-x^5} \\ \multicolumn{2}{l}{\qquad\qquad\quad \underline{-x^3-2x^4-x^5}} \end{array}$$

24.
$$\begin{array}{l|l} x^6-2x^3+1 & x^2-2x+1 \\ \cline{2-2} \underline{x^6-2x^5+x^4} & x^4+2x^3+3x^2+2x+1 \\ \multicolumn{2}{l}{\quad 2x^5-x^4-2x^3+1} \\ \multicolumn{2}{l}{\quad \underline{2x^5-4x^4+2x^3}} \\ \multicolumn{2}{l}{\qquad 3x^4-4x^3+1} \\ \multicolumn{2}{l}{\qquad \underline{3x^4-6x^3+3x^2}} \\ \multicolumn{2}{l}{\qquad\qquad 2x^3-3x^2+1} \\ \multicolumn{2}{l}{\qquad\qquad \underline{2x^3-4x^2+2x}} \\ \multicolumn{2}{l}{\qquad\qquad\qquad x^2-2x+1} \\ \multicolumn{2}{l}{\qquad\qquad\qquad \underline{x^2-2x+1}} \end{array}$$

25.
$$\begin{array}{l|l} a^4+2a^2b^2+9b^4 & a^2-2ab+3b^2 \\ \cline{2-2} \underline{a^4-2a^3b+3a^2b^2} & a^2+2ab+3b^2 \\ \multicolumn{2}{l}{\quad 2a^3b-a^2b^2+9b^4} \\ \multicolumn{2}{l}{\quad \underline{2a^3b-4a^2b^2+6ab^3}} \\ \multicolumn{2}{l}{\qquad\qquad 3a^2b^2-6ab^3+9b^4} \\ \multicolumn{2}{l}{\qquad\qquad \underline{3a^2b^2-6ab^3+9b^4}} \end{array}$$

26.
$$\begin{array}{l|l} 4x^5-x^3+4x & 2x^2+3x+2 \\ \cline{2-2} \underline{4x^5+6x^4+4x^3} & 2x^3-3x^2+2x \\ \multicolumn{2}{l}{\quad -6x^4-5x^3+4x} \\ \multicolumn{2}{l}{\quad \underline{-6x^4-9x^3-6x^2}} \\ \multicolumn{2}{l}{\qquad\qquad 4x^3+6x^2+4x} \\ \multicolumn{2}{l}{\qquad\qquad \underline{4x^3+6x^2+4x}} \end{array}$$

27.
$$\begin{array}{l|l} a^5-243 & a-3 \\ \cline{2-2} \underline{a^5-3a^4} & a^4+3a^3+9a^2+27a+81 \\ \multicolumn{2}{l}{\quad 3a^4-243} \\ \multicolumn{2}{l}{\quad \underline{3a^4-9a^3}} \\ \multicolumn{2}{l}{\qquad\quad 9a^3-243} \\ \multicolumn{2}{l}{\qquad\quad \underline{9a^3-27a^2}} \\ \multicolumn{2}{l}{\qquad\qquad\quad 27a^2-243} \\ \multicolumn{2}{l}{\qquad\qquad\quad \underline{27a^2-81a}} \\ \multicolumn{2}{l}{\qquad\qquad\qquad\quad 81a-243} \\ \multicolumn{2}{l}{\qquad\qquad\qquad\quad \underline{81a-243}} \end{array}$$

28.
$$\begin{array}{l|l}
18x^4-45x^3+82x^2-67x+40 & 3x^2-4x+5 \\ \cline{2-2}
\underline{18x^4-24x^3+30x^2} & 6x^2-7x+8 \\
\multicolumn{2}{l}{\qquad -21x^3+52x^2-67x} \\
\multicolumn{2}{l}{\qquad \underline{-21x^3+28x^2-35x}} \\
\multicolumn{2}{l}{\qquad\qquad\qquad 24x^2-32x+40} \\
\multicolumn{2}{l}{\qquad\qquad\qquad \underline{24x^2-32x+40}}
\end{array}$$

29.
$$\begin{array}{l|l}
x^4-9x^2-6xy-y^2 & x^2+3x+y \\ \cline{2-2}
\underline{x^4+3x^3+x^2y} & x^2-3x-y \\
\multicolumn{2}{l}{\quad -3x^3-9x^2-x^2y-6xy-y^2} \\
\multicolumn{2}{l}{\quad \underline{-3x^3-9x^2 \qquad\quad -3xy}} \\
\multicolumn{2}{l}{\qquad\qquad\quad -x^2y-3xy-y^2} \\
\multicolumn{2}{l}{\qquad\qquad\quad \underline{-x^2y-3xy-y^2}}
\end{array}$$

30.
$$\begin{array}{l|l}
x^4-6x^3y+9x^2x^2-4y^4 & x^2-3xy+2y^2 \\ \cline{2-2}
\underline{x^4-3x^3y+2x^2y^2} & x^2-3xy-2y^2 \\
\multicolumn{2}{l}{\quad -3x^3y+7x^2y^2-4y^4} \\
\multicolumn{2}{l}{\quad \underline{-3x^3y+9x^2y^2-6xy^3}} \\
\multicolumn{2}{l}{\qquad\qquad -2x^2y^2+6xy^3-4y^4} \\
\multicolumn{2}{l}{\qquad\qquad \underline{-2x^2y^2+6xy^3-4y^4}}
\end{array}$$

31.
$$\begin{array}{l|l}
x^4+x^2y^2+y^4 & x^2-xy+y^2 \\ \cline{2-2}
\underline{x^4-x^3y+x^2y^2} & x^2+xy+y^2 \\
\multicolumn{2}{l}{\quad x^3y+y^4} \\
\multicolumn{2}{l}{\quad \underline{x^3y-x^2y^2+xy^3}} \\
\multicolumn{2}{l}{\qquad\quad x^2y^2-xy^3+y^4} \\
\multicolumn{2}{l}{\qquad\quad \underline{x^2y^2-xy^3+y^4}}
\end{array}$$

32.
$$\begin{array}{l|l}
x^5+x^3+x^4y-x^3y^2-2xy^2+y^3 & x^3+x-y \\ \cline{2-2}
\underline{x^5+x^3-x^2y} & x^2+xy-y^2 \\
\multicolumn{2}{l}{\qquad\quad x^4y+x^2y-x^3y^2-2xy^2+y^3} \\
\multicolumn{2}{l}{\qquad\quad \underline{x^4y+x^2y \qquad\qquad -\ xy^2}} \\
\multicolumn{2}{l}{\qquad\qquad\qquad -x^3y^2-\ xy^2+y^3} \\
\multicolumn{2}{l}{\qquad\qquad\qquad \underline{-x^3y^2-\ xy^2+y^3}}
\end{array}$$

33.
$$\begin{array}{l|l}
2x^2+\ xy-\ xz-3y^2-4yz-z^2 & 2x+3y+z \\ \cline{2-2}
\underline{2x^2+3xy+\ xz} & x-y-z \\
\multicolumn{2}{l}{\quad -2xy-2xz-3y^2-4yz-z^2} \\
\multicolumn{2}{l}{\quad \underline{-2xy \qquad\quad -3y^2-\ yz}} \\
\multicolumn{2}{l}{\qquad\qquad -2xz \qquad\quad -3yz-z^2} \\
\multicolumn{2}{l}{\qquad\qquad \underline{-2xz \qquad\quad -3yz-z^2}}
\end{array}$$

34.
$$\begin{array}{l|l}
12-38x+82x^2-112x^3+106x^4-70x^5 & 3-5x+7x^2 \\ \cline{2-2}
\underline{12-20x+28x^2} & 4-6x+8x^2-10x^3 \\
\multicolumn{2}{l}{\quad -18x+54x^2-112x^3} \\
\multicolumn{2}{l}{\quad \underline{-18x+30x^2-\ 42x^3}} \\
\multicolumn{2}{l}{\qquad\qquad 24x^2-\ 70x^3+106x^4} \\
\multicolumn{2}{l}{\qquad\qquad \underline{24x^2-\ 40x^3+\ 56x^4}} \\
\multicolumn{2}{l}{\qquad\qquad\qquad -\ 30x^3+\ 50x^4-70x^5} \\
\multicolumn{2}{l}{\qquad\qquad\qquad \underline{-\ 30x^3+\ 50x^4-70x^5}}
\end{array}$$

35.
$$\begin{array}{l|l}
x^5 \qquad\qquad\qquad\qquad\qquad + y^5 & \underline{x^4-x^3y+x^2y^2-xy^3+y^4} \\
\underline{x^5-x^4y+x^3y^2-x^2y^3+xy^4} & x+y \\
\multicolumn{2}{l}{\qquad x^4y-x^3y^2+x^2y^3-xy^4+y^5} \\
\multicolumn{2}{l}{\qquad \underline{x^4y-x^3y^2+x^2y^3-xy^4+y^5}}
\end{array}$$

36.
$$\begin{array}{l|l}
2x^4-7x^2y+2x^2y^2-2xy^3-y^4 & 2x^2-xy-y^2 \\ \cline{2-2}
\underline{2x^4-\ x^3y+\ x^2y^2} & x^2-3xy-y^2 \\
\multicolumn{2}{l}{\qquad -6x^3y+\ x^2y^2-2xy^3} \\
\multicolumn{2}{l}{\qquad \underline{-6x^3y+3x^2y^2-3xy^3}} \\
\multicolumn{2}{l}{\qquad\qquad\qquad -2x^2y^2+\ xy^3-y^4} \\
\multicolumn{2}{l}{\qquad\qquad\qquad \underline{-2x^2y^2+\ xy^3-y^4}}
\end{array}$$

37.
$$\begin{array}{l|l}
16x^4+4x^2y^2+y^4 & 4x^2-2xy+y^2 \\ \cline{2-2}
\underline{16x^4-8x^3y\ +4x^2y^2} & 4x^2+2xy+y^2 \\
\multicolumn{2}{l}{\qquad\quad 8x^3y+y^4} \\
\multicolumn{2}{l}{\qquad\quad \underline{8x^3y-4x^2y^2+2xy^3}} \\
\multicolumn{2}{l}{\qquad\qquad\qquad 4x^2y^2-2xy^3+y^4} \\
\multicolumn{2}{l}{\qquad\qquad\qquad \underline{4x^2y^2-2xy^3+y^4}}
\end{array}$$

38.
$$\begin{array}{l|l}
32a^5b-56a^4b^2+\ 8a^3b^3-4a^2b^4-ab^5 & -4a^2b+6ab^2+b^3 \\ \cline{2-2}
\underline{32a^5b-48a^4b^2-\ 8a^3b^3} & -8a^3+2a^2b-ab^2 \\
\multicolumn{2}{l}{\qquad\quad -\ 8a^4b^2+16a^3b^3-4a^2b^4} \\
\multicolumn{2}{l}{\qquad\quad \underline{-\ 8a^4b^2+12a^3b^3+2a^2b^4}} \\
\multicolumn{2}{l}{\qquad\qquad\qquad\qquad 4a^3b^3-6a^2b^4-ab^5} \\
\multicolumn{2}{l}{\qquad\qquad\qquad\qquad \underline{4a^3b^3-6a^2b^4-ab^5}}
\end{array}$$

39.
$$\begin{array}{l|l}
1+5x^3-6x^4 & 1-x+3x^2 \\ \cline{2-2}
\underline{1-x+3x^2} & 1+x-2x^2 \\
\multicolumn{2}{l}{\qquad x-3x^2+5x^3-6x^4} \\
\multicolumn{2}{l}{\qquad \underline{x-\ x^2+3x^3}} \\
\multicolumn{2}{l}{\qquad\quad -2x^2+2x^3-6x^4} \\
\multicolumn{2}{l}{\qquad\quad \underline{-2x^2+2x^3-6x^4}}
\end{array}$$

40.

$$\begin{array}{l|l}
1-51a^3b^3-52a^4b^4 & \underline{-1+3ab+4a^2b^2} \\
\underline{1-3ab-4a^2b^2} & -1-3ab-13a^2b^2 \\
\quad 3ab+4a^2b^2-51a^3b^3-52a^4b^4 & \\
\quad \underline{3ab-9a^2b^2-12a^3b^3} & \\
\qquad 13a^2b^2-39a^3b^3-52a^4b^4 & \\
\qquad \underline{13a^2b^2-39a^3b^3-52a^4b^4} &
\end{array}$$

41.

$$\begin{array}{l|l}
x^7y-xy^7 & \underline{x^3y-2x^2y^2+2xy^3-y^4} \\
\underline{x^7y-2x^6y^2+2x^5y^3-x^4y^4} & x^4+2x^3y+2x^2y^2+xy^3 \\
\quad 2x^6y^2-2x^5y^3+x^4y^4-xy^7 & \\
\quad \underline{2x^6y^2-4x^5y^3+4x^4y^4-2x^3y^5} & \\
\qquad 2x^5y^3-3x^4y^4+2x^3y^5-xy^7 & \\
\qquad \underline{2x^5y^3-4x^4y^4+4x^3y^5-2x^2y^6} & \\
\qquad\quad x^4y^4-2x^3y^5+2x^2y^6-xy^7 & \\
\qquad\quad \underline{x^4y^4-2x^3y^5+2x^2y^6-xy^7} &
\end{array}$$

42.

$$\begin{array}{l|l}
x^6-6x^5y+15x^4y^2-20x^3y^3+15x^2y^4-6xy^5+y^6 & \underline{x^3-3x^2y+3xy^2-y^3} \\
\underline{x^6-3x^5y+3x^4y^2-x^3y^3} & x^3-3x^2y+3xy^2-y^3 \\
\quad -3x^5y+12x^4y^2-19x^3y^3+15x^2y^4 & \\
\quad \underline{-3x^5y+9x^4y^2-9x^3y^3+3x^2y^4} & \\
\qquad 3x^4y^2-10x^3y^3+12x^2y^4-6xy^5 & \\
\qquad \underline{3x^4y^2-9x^3y^3+9x^2y^4-3xy^5} & \\
\qquad\quad -x^3y^3+3x^2y^4-3xy^5+y^6 & \\
\qquad\quad \underline{-x^3y^3+3x^2y^4-3xy^5+y^6} &
\end{array}$$

43.

$$\begin{array}{l|l}
a^7-2a^6b-2a^4b^3+2a^3b^4-6a^2b^5-3ab^6 & \underline{a^3-2a^2b-ab^2} \\
\underline{a^7-2a^6b-a^5b^2} & a^4+a^2b^2+3b^4 \\
\quad a^5b^2-2a^4b^3+2a^3b^4-6a^2b^5-3ab^6 & \\
\quad \underline{a^5b^2-2a^4b^3-a^3b^4} & \\
\qquad 3a^3b^4-6a^2b^5-3ab^6 & \\
\qquad \underline{3a^3b^4-6a^2b^5-3ab^6} &
\end{array}$$

44.

$$\begin{array}{l|l}
81x^6y-54x^5y^2-18x^3y^4+18x^2y^5-18xy^6-9y^7 & \underline{3x^4+x^2y^2+y^4} \\
\underline{81x^6y+27x^4y^3+27x^2y^5} & 27x^2y-18xy^2-9y^3 \\
\quad -54x^5y^2-27x^4y^3-18x^3y^4-9x^2y^5-18xy^6-9y^7 & \\
\quad \underline{-54x^5y^2-18x^3y^4-18xy^6} & \\
\qquad -27x^4y^3-9x^2y^5-9y^7 & \\
\qquad \underline{-27x^4y^3-9x^2y^5-9y^7} &
\end{array}$$

45.

$$\begin{array}{l|l}
a^4+2a^3b+8a^2b^2+8ab^3+16b^4 & a^2+4b^2 \\ \cline{2-2}
\underline{a^4+4a^2b^2} & a^2+2ab+4b^2 \\
\quad 2a^3b+4a^2b^2+8ab^3 & \\
\quad \underline{2a^3b+8ab^3} & \\
\qquad 4a^2b^2+16b^4 & \\
\qquad \underline{4a^2b^2+16b^4} &
\end{array}$$

46.

$$\begin{array}{l|l}
-x^6+21x^3y^3-24xy^5+8y^6 & -x^2+3xy-y^2 \\ \cline{2-2}
\underline{-x^6+3x^5y-x^4y^2} & x^4+3x^3y+8x^2y^2-8y^4 \\
\quad -3x^5y+x^4y^2+21x^3y^3-24xy^5+8y^6 & \\
\quad \underline{-3x^5y+9x^4y^2-3x^3y^3} & \\
\qquad -8x^4y^2+24x^3y^3-24xy^5+8y^6 & \\
\qquad \underline{-8x^4y^2+24x^3y^3-8x^2y^4} & \\
\qquad\qquad 8x^2y^4-24xy^5+8y^6 & \\
\qquad\qquad \underline{8x^2y^4-24xy^5+8y^6} &
\end{array}$$

47.

$$\begin{array}{l|l}
16a^4+8a^2b^2+9b^4 & 4a^2-4ab+3b^2 \\ \cline{2-2}
\underline{16a^4-16a^3b+12a^2b^2} & 4a^2+4ab+3b^2 \\
\quad 16a^3b-4a^2b^2+9b^4 & \\
\quad \underline{16a^3b-16a^2b^2+12ab^3} & \\
\qquad 12a^2b^2-12ab^3+9b^4 & \\
\qquad \underline{12a^2b^2-12ab^3+9b^4} &
\end{array}$$

48.

$$\begin{array}{l|l}
a^3-3abc+b^3+c^3 & a+b+c \\ \cline{2-2}
\underline{a^3+a^2b+a^2c} & a^2-ab-ac+b^2-bc+c^2 \\
\quad -a^2b-a^2c-3abc+b^3+c^3 & \\
\quad \underline{-a^2b-ab^2-abc} & \\
\qquad -a^2c+ab^2-2abc+b^3+c^3 & \\
\qquad \underline{-a^2c-abc-ac^2} & \\
\qquad\quad +ab^2-abc+ac^2+b^3+c^3 & \\
\qquad\quad \underline{+ab^2+b^3+b^2c} & \\
\qquad\qquad -abc+ac^2-b^2c+c^3 & \\
\qquad\qquad \underline{-abc-b^2c-bc^2} & \\
\qquad\qquad\quad ac^2+bc^2+c^3 & \\
\qquad\qquad\quad \underline{ac^2+bc^2+c^3} &
\end{array}$$

49.

$$\begin{array}{l|l}
a^3-6abc+8b^3+c^3 & a^2-2ab-ac+4b^2-2bc+c^2 \\ \cline{2-2}
\underline{a^3-2a^2b-a^2c+4ab^2-2abc+ac^2} & a+2b+c \\
\quad +2a^2b+a^2c-4ab^2-4abc-ac^2+8b^3+c^3 & \\
\quad \underline{+2a^2b-4ab^2-2abc+8b^3-4b^2c+2bc^2} & \\
\qquad +a^2c-2abc-ac^2+4b^2c-2bc^2+c^3 & \\
\qquad \underline{+a^2c-2abc-ac^2+4b^2c-2bc^2+c^3} &
\end{array}$$

50.

$$\begin{array}{l|l}
a^3+3a^2b+3ab^2+b^3+c^3 & a+b+c \\ \cline{2-2}
\underline{a^3+a^2b+a^2c} & a^2+2ab+b^2-ac-bc+c^2 \\
\quad 2a^2b+3ab^2-a^2c+b^3+c^3 & \\
\quad \underline{2a^2b+2ab^2+2abc} & \\
\qquad ab^2-a^2c-2abc+b^3+c^3 & \\
\qquad \underline{ab^2+b^3+b^2c} & \\
\qquad\quad -a^2c-2abc-b^2c+c^3 & \\
\qquad\quad \underline{-a^2c-abc-ac^2} & \\
\qquad\qquad -abc-b^2c+ac^2+c^3 & \\
\qquad\qquad \underline{-abc-b^2c-bc^2} & \\
\qquad\qquad\quad ac^2+bc^2+c^3 & \\
\qquad\qquad\quad \underline{ac^2+bc^2+c^3} &
\end{array}$$

EXERCISE XXIII.

1.

$$\begin{array}{l|l}
a^2(b+c)+b^2(a-c)+c^2(a-b)+abc & a+b+c \\ \cline{2-2}
\underline{a^2(b+c)+b^2(a\quad)+c^2(a\quad)+2abc} & a(b+c)-bc \\
-abc+b^2(\quad-c)+c^2(\quad-b) & \\
\underline{-abc+b^2(\quad-c)+c^2(\quad-b)} &
\end{array}$$

2.

$$\begin{array}{l|l}
x^3-(a+b+c)x^2+(ab+ac+bc)x-abc & x^2-(a+b)x+ab \\ \cline{2-2}
\underline{x^3-(a+b\quad)x^2+(ab\quad)x} & x-c \\
\qquad -cx^2+(ac+bc)x-abc & \\
\qquad \underline{-cx^2+(ac+bc)x-abc} &
\end{array}$$

3.

$$\begin{array}{l|l}
x^3-2ax^2+(a^2+ab-b^2)x-a^2b+ab^2 & x-a+b \\ \cline{2-2}
\underline{x^3-ax^2+bx^2} & x^2-(a+b)x+ab \\
\quad -(a+b)x^2+(a^2+ab-b^2)x-a^2b+ab^2 & \\
\quad \underline{-(a+b)x^2+(a^2\quad-b^2)x} & \\
\qquad\qquad +abx-a^2b+ab^2 & \\
\qquad\qquad \underline{+abx-a^2b+ab^2} &
\end{array}$$

4.

$$\begin{array}{l|l}
x^4-(a^2-b-c)x^2-(b-c)ax+bc & x^2-ax+c \\ \cline{2-2}
\underline{x^4+(\quad+c)x^2-ax^3} & x^2+ax+b \\
ax^3-(a^2-b\quad)x^2-(b-c)ax+bc & \\
\underline{ax^3-(a^2\quad)x^2+cax} & \\
\qquad +bx^2-bax+bc & \\
\qquad \underline{+bx^2-bax+bc} &
\end{array}$$

5.
$$\begin{array}{l|l}
y^3-(m+n+p)\,y^2+(mn+mp+np)\,y-mnp & y-p \\ \cline{2-2}
\underline{y^3-(\qquad\quad +p)\,y^2} & y^2-(m+n)y+mn \\
\quad -(m+n\qquad)\,y^2+(mn+mp+np)\,y & \\
\quad \underline{-(m+n\qquad)\,y^2+(\qquad +mp+np)\,y} & \\
\qquad\qquad\qquad mny-mnp & \\
\qquad\qquad\qquad \underline{mny-mnp} &
\end{array}$$

6.
$$\begin{array}{l|l}
x^4+(5+a)\,x^3-(4-5a+b)\,x^2-(4a+5b)\,x+4b & x^2+5x-4 \\ \cline{2-2}
\underline{x^4+(5\qquad)\,x^3-(4\qquad\qquad\quad)\,x^2} & x^2+ax-b \\
\qquad ax^3-(\ -5a+b)\,x^2-(4a+5b)\,x & \\
\qquad \underline{ax^3+(\ +5a\qquad)\,x^2-(4a\qquad)\,x} & \\
\qquad\qquad\qquad -bx^2\qquad\quad -5bx+4b & \\
\qquad\qquad\qquad \underline{-bx^2\qquad\quad -5bx+4b} &
\end{array}$$

7.
$$\begin{array}{l|l}
 & x^2-(a+c)x+ac \\ \cline{2-2}
 & x^2-(b+d)x+bd
\end{array}$$
$$\begin{array}{l}
x^4-(a+b+c+d)x^3+(ab+ac+ad+bc+bd+cd)x^2-(abc+abd+acd+bcd)x+abcd \\
\underline{x^4-(a\quad +c\quad)x^3+(\quad +ac\qquad\qquad\qquad\qquad)x^2} \\
\quad -(\ +b\quad +d)x^3+(ab\quad +ad+bc+bd+cd)x^2-(abc+abd+acd+bcd)x \\
\quad \underline{-(\ +b\quad +d)x^3+(ab\quad +ad+bc\quad +cd)x^2-(abc\qquad +acd\qquad)x} \\
\qquad\qquad\qquad\qquad\qquad\qquad bdx^2-(\quad +abd\qquad +bcd)x+abcd \\
\qquad\qquad\qquad\qquad\qquad\qquad \underline{bdx^2-(\quad +abd\qquad +bcd)x+abcd}
\end{array}$$

8.
$$\begin{array}{l|l}
x^5-(m-c)\,x^4+(n-cm+d)x^3+(r+cn-dm)x^2+(cr+dn)x+dr & x^3-mx^2+nx+r \\ \cline{2-2}
\underline{x^5-(m\quad)\,x^4+(n\qquad\qquad)x^3+(r\qquad\qquad)x^2} & x^2+cx+d \\
\qquad cx^4+(\ -cm+d)x^3+(\ +cn-dm)x^2+(cr+dn)x & \\
\qquad \underline{cx^4+(\ -cm\quad)x^3+(\ +cn\qquad)x^2+(cr\qquad)x} & \\
\qquad\qquad\qquad dx^3\qquad\quad -dmx^2\qquad +dnx+dr & \\
\qquad\qquad\qquad \underline{dx^3\qquad\quad -dmx^2\qquad +dnx+dr} &
\end{array}$$

9.
$$\begin{array}{l|l}
x^5-mx^4+nx^3-nx^2+mx-1 & x-1 \\ \cline{2-2}
\underline{x^5-x^4} & x^4+(1-m)x^3+(1-m+n)x^2+(1-m)x+1 \\
(1-m)x^4+nx^3-nx^2+mx-1 & \\
\underline{(1-m)x^4-(1-m)x^3} & \\
\qquad (1-m+n)x^3-nx^2+mx-1 & \\
\qquad \underline{(1-m+n)x^3-(1-m+n)x^2} & \\
\qquad\qquad\qquad (1-m)x^2+mx-1 & \\
\qquad\qquad\qquad \underline{(1-m)x^2-(1-m)x} & \\
\qquad\qquad\qquad\qquad\qquad x-1 & \\
\qquad\qquad\qquad\qquad\qquad \underline{x-1} &
\end{array}$$

10.
$$\begin{array}{l|l}
(x+y)^3+3\,(x+y)^2z+3\,(x+y)z^2+z^3 & (x+y)^2+2(x+y)z+z^2 \\ \cline{2-2}
\underline{(x+y)^3+2\,(x+y)^2z+\quad(x+y)z^2} & x+y+z \\
\qquad\qquad (x+y)^2z+2\,(x+y)z^2+z^3 & \\
\qquad\qquad \underline{(x+y)^2z+2\,(x+y)z^2+z^3} &
\end{array}$$

EXERCISE XXIV.

1. $(y^3-1)\div(y-1)$
$=y^2+y+1.$

2. $(b^3-125)\div(b-5)$
$=b^2+5b+25.$

3. $(a^3-216)\div(a-6)$
$=a^2+6a+36.$

4. $(x^3-343)\div(x-7)$
$=x^2+7x+49.$

5. $(x^5-y^5)\div(x-y)$
$=x^4+x^3y+x^2y^2+xy^3+y^4.$

6. $(a^5-1)\div(a-1)$
$=a^4+a^3+a^2+a+1.$

7. $(1-8x^3)\div(1-2x)$
$=1+2x+4x^2.$

8. $(x^5-32b^5)\div(x-2b)$
$=x^4+2x^3b+4x^2b^2+8xb^3+16b^4.$

9. $(8a^3x^3-1)\div(2ax-1)$
$=4a^2x^2+2ax+1.$

10. $(1-27x^3y^3)\div(1-3xy)$
$=1+3xy+9x^2y^2.$

11. $(64a^3b^3-27x^3)\div(4ab-3x)$
$=16a^2b^2+12abx+9x^2.$

12. $(243a^5-1)\div(3a-1)$
$=81a^4+27a^3+9a^2+3a+1.$

13. $(32a^5-243b^5)\div(2a-3b)$
$=16a^4+24a^3b+36a^2b^2+54ab^3+81b^4.$

EXERCISE XXV.

1. $(x^3+y^3)\div(x+y)$
$=x^2-xy+y^2.$

2. $(x^5+y^5)\div(x+y)$
$=x^4-x^3y+x^2y^2-xy^3+y^4.$

3. $(1+8a^3)\div(1+2a)$
$=1-2a+4a^2.$

4. $(27a^3+b^3)\div(3a+b)$
$=9a^2-3ab+b^2.$

5. $(8a^3x^3+1)\div(2ax+1)$
$=4a^2x^2-2ax+1.$

6. $(x^3+27y^3)\div(x+3y)$
$=x^2-3xy+9y^2.$

7. $(a^5+32b^5)\div(a+2b)$
$=a^4-2a^3b+4a^2b^2-8ab^3+16b^4.$

8. $(512x^3y^3+z^3)\div(8xy+z)$
$=64x^2y^2-8xyz+z^2.$

9. $(729a^3+216b^3)\div(9a+6b)$
$=81a^2-54ab+36b^2.$

10. $(64a^3+1000b^3)\div(4a+10b)$
$=16a^2-40ab+100b^2.$

11. $(64a^3b^3+27x^3)\div(4ab+3x)$
$=16a^2b^2-12abx+9x^2.$

12. $(x^3+343)\div(x+7)$
$=x^2-7x+49.$

13. $(27x^3y^3+8z^3)\div(3xy+2z)$
$=9x^2y^2-6xyz+4z^2.$

14. $(1024a^5+243b^5)\div(4a+3b)$
$=256a^4-192a^3b+144a^2b^2-108ab^3+81b^4.$

EXERCISE XLVII.

1. $18ab^2c^2d = 3^2 \times 2ab^2c^2d,$
$36a^2bcd^2 = 3^2 \times 2^2a^2bcd^2.$
$\therefore$ H.C.F. $= 18abcd.$

2. $17pq^2 = 17pq^2,$
$34p^2q = 17 \times 2p^2q,$
$51p^3q^3 = 17 \times 3p^3q^3.$
$\therefore$ H.C.F. $= 17pq.$

3. $8x^2y^3z^4 = 2^3 \times x^2y^3z^4,$
$12x^3y^2z^3 = 2^2 \times 3x^3y^2z^3,$
$20x^4y^3z^2 = 2^2 \times 5x^4y^3z^2.$
$\therefore$ H.C.F. $= 4x^2y^2z^2.$

4. $30x^2y^5 = 2 \times 3 \times 5x^2y^5,$
$90x^2y^3 = 2 \times 3^2 \times 5x^2y^3,$
$120x^3y^4 = 2^3 \times 3 \times 5x^3y^4.$
$\therefore$ H.C.F. $= 30x^2y^3.$

5. $a^2 - b^2 = (a+b)(a-b),$
$a^3 - b^3 = (a-b)(a^2+ab+b^2).$
$\therefore$ H.C.F. $= a - b.$

6. $a^2 - x^2 = (a+x)(a-x),$
$(a-x)^2 = (a-x)(a-x).$
$\therefore$ H.C.F. $= a - x.$

7. $a^3 + x^3 = (a+x)(a^2 - ax + x^2)$
$(a+x)^3 = (a+x)^3.$
$\therefore$ H.C.F. $= a + x.$

8. $9x^2 - 1 = (3x+1)(3x-1)$
$(3x+1)^2 = (3x+1)^2.$
$\therefore$ H.C.F. $= 3x + 1.$

9. $7x^2 - 4x = x(7x-4),$
$7a^2x - 4a^2 = a^2(7x-4).$
$\therefore$ H.C.F. $= 7x - 4.$

10. $12a^3x^2y - 4a^3xy^2 = 4a^3xy(3x-y),$
$30a^2x^3y^2 - 10a^2x^2y^3 = 10a^2x^2y^2(3x-y).$
$\therefore$ H.C.F. $= 2a^2xy(3x-y).$

11. $8a^3b^2c - 12a^2bc^3 = 4a^2bc(2ab - 3c^2),$
$6ab^4c + 4ab^3c^2 = 2ab^3c(3b + 2c).$
$\therefore$ H.C.F. $= 2abc.$

12. $x^2 - 2x^2 - 3 = (x-3)(x+2),$
$x^2 - x - 12 = (x-3)(x+4).$
$\therefore$ H.C.F. $= x - 3.$

13. $2a^3 - 2ab^2 = 2a(a+b)(a-b),$
$4b(a+b)^2 = 4b(a+b)(a+b).$
$\therefore$ H.C.F. $= 2(a+b).$

14. $12x^3y(x-y)(x-3y) = 2^2 \times 3x^3y(x-y)(x-3y),$
$18x^2(x-y)(3x-y) = 2 \times 3^2x^2(x-y)(3x-y).$
$\therefore$ H.C.F. $= 6x^2(x-y).$

15. $3x^3 + 6x^2 - 24x = 3x(x^2 + 2x - 8)$
$= 3x(x+4)(x-2),$
$6x^3 - 96x = 6x(x^2 - 16)$
$= 6x(x-4)(x+4).$
$\therefore$ H.C.F. $= 3x(x+4).$

16. $ac(a-b)(a-c) = ac(a-b)(a-c),$
$bc(b-a)(b-c) = bc(a-b)(c-b).$
$\therefore$ H.C.F. $= c(a-b).$

17. $10x^3y - 60x^2y^2 + 5xy^3 = 5xy(2x^2 - 12xy + y^2),$
$5x^2y^2 - 5xy^3 - 100y^4 = 5y^2(x^2 - xy - 20y^2)$
$= 5y^2(x-5)(x+4).$
$\therefore$ H.C.F. $= 5y.$

18. $x(x+1)^2 = x(x+1)^2$,
$x^2(x^2-1) = x^2(x+1)(x-1)$,
$2x(x^2-x-2) = 2x(x-2)(x+1)$.
∴ H.C.F. $= x(x+1)$.

19. $3x^2-6x+3 = 3(x-1)^2$,
$6x^2+6x-12 = 6(x+2)(x-1)$,
$12x^2-12 = 12(x-1)$.
∴ H.C.F. $= 3(x-1)$.

20. $6(a-b)^4 = 6(a-b)^4$,
$8(a^2-b^2)^2 = 8(a+b)^2(a-b)^2$,
$10(a^4-b^4) = 10(a^2+b^2)(a+b)(a-b)$.
∴ H.C.F. $= 2(a-b)$.

21. $x^2-y^2 = (x+y)(x-y)$.
$(x+y)^2 = (x+y)^2$,
$x^2+3xy+2y^2 = (x+y)(x+2y)$.
∴ H.C.F. $= (x+y)$.

22. $x^2-y^2 = (x+y)(x-y)$,
$x^3-y^3 = (x-y)(x^2+xy+y^2)$,
$x^2-7xy+6y^2 = (x-y)(x-6y)$.
∴ H.C.F. $= (x-y)$.

23. $x^2-1 = (x-1)(x+1)$,
$x^3-1 = (x-1)(x^2+x+1)$,
$x^2+x-2 = (x-1)(x+2)$.
∴ H.C.F. $= x-1$.

EXERCISE XLVIII.

1.

$$\begin{array}{r|r|l}
5x^2+4x-1 & 20x^2+21x-5 & 4 \\
\underline{5x^2-x} & \underline{20x^2+16x-4} & \\
5x-1 & 5x-1 & x+1 \\
\underline{5x-1} & & 1
\end{array}$$

∴ H.C.F. $= 5x-1$.

2.

$$\begin{array}{r|r|l}
2x^3-4x^2-13x-7 & 6x^3-11x^2-37x-20 & 3 \\
\underline{2x^3+4x^2+2x} & \underline{6x^3-12x^2-39x-21} & \\
-8x^2-15x-7 & x^2+2x+1 & 2x-8 \\
\underline{-8x^2-16x-8} & \underline{x^2+x} & x+1 \\
x+1 & x+1 & \\
 & \underline{x+1} &
\end{array}$$

∴ H.C.F. $= x+1$.

3.

$$\begin{array}{r|r|l}
a)\,6a^4+25a^3-21a^2+4a & 2a)\,24a^4+112a^3-94a^2+18a & \text{Reserve } a. \\
6a^3+25a^2-21a+4 & 12a^3+56a^2-47a+9 & 2 \\
\underline{6a^3-5a^2+a} & \underline{12a^3+50a^2-42a+8} & \\
30a^2-22a+4 & 6a^2-5a+1 & a+5 \\
\underline{30a^2-25a+5} & \underline{6a^2-2a} & 2a-1 \\
3a-1 & -3a+1 & \\
 & \underline{-3a+1} &
\end{array}$$

∴ H.C.F. $= a(3a-1)$.

4.

$$\begin{array}{r|r|l}
9x^3+9x^2-4x-4 & 45x^3+54x^2-20x-24 & 5 \\
\underline{9x^3-4x} & \underline{45x^3+45x^2-20x-20} & \\
9x^2-4 & 9x^2-4 & x+1 \\
\underline{9x^2-4} & & 1
\end{array}$$

∴ H.C.F. $= 9x^2-4$.

5.

$$\begin{array}{r|r|l}
3x^2)\,27x^6-3x^4+6x^3-3x^2 & 6x)\,162x^6+48x^3-18x^2+6x & \text{Reserve } 3x. \\
9x^4-x^2+2x-1 & 27x^5+8x^2-3x+1 & 3x \\
9x^4+6x^3+3x & 27x^5-3x^3+6x^2-3x & \\
-6x^3-x^2-x-1 & 3x^3+2x^2+1 & 3x-2 \\
-6x^3-4x^2-2 & 3x^3-x^2+x & x+1 \\
3x^2-x+1 & 3x^2-x+1 & \\
 & 3x^2-x+1 &
\end{array}$$

$\therefore$ H.C.F. $= 3x(3x^2-x+1)$.

6.

$$\begin{array}{r|r|l}
10)\,20x^3-60x^2+50x-20 & 4x)\,32x^4-92x^3+68x^2-24x & \text{Reserve } 2. \\
2x^3-6x^2+5x-2 & 8x^3-23x^2+17x-6 & 4 \\
2x^3-6x^2+4x & 8x^3-24x^2+20x-8 & \\
x-2 & x^2-3x+2 & 2x \\
x-2 & x^2-2x & x-1 \\
 & -x+2 &
\end{array}$$

$\therefore$ H.C.F. $= 2(x-2)$.

7.

$$\begin{array}{r|r|l}
4x^2-8x-5 & 12x^2-4x-65 & 3 \\
4x^2-10x & 12x^2-24x-15 & \\
2x-5 & 10)\,20x-50 & \\
2x-5 & 2x-5 & 2x+1
\end{array}$$

$\therefore$ H.C.F. $= 2x-5$.

8.

$$\begin{array}{r|r|l}
a)\,3a^3-5a^2x-2ax^2 & a)\,9a^3-8a^2x-20ax^2 & \text{Reserve } a. \\
3a^2-5ax-2x^2 & 9a^2-8ax-20x^2 & 3 \\
3a^2-6ax & 9a^2-15ax-6x^2 & \\
ax-2x^2 & 7x)\,7ax-14x^2 & 3a+x \\
ax-2x^2 & a-2x &
\end{array}$$

$\therefore$ H.C.F. $= a(a-2x)$.

9.

$$\begin{array}{r|r|l}
10x^3+x^2-9x+24 & 20x^4-17x^2+48x-3 & 2x \\
10x^3-5x^2+15 & 20x^4+2x^3-18x^2+48x & \\
3)\,6x^2-9x+9 & -2x^3+x^2-3 & -5 \\
2x^2-3x+3 & -2x^3+3x^2-3x & -x-1 \\
 & -2x^2+3x-3 & \\
 & -2x^2+3x-3 &
\end{array}$$

$\therefore$ H.C.F. $= 2x^2-3x+3$.

10.

$$\begin{array}{r|r|l}
2)\underline{8x^3-4x^2-32x-182} & 3)\underline{36x^3-84x^2-111x-126} & \\
4x^3-2x^2-16x-91 & 12x^3-28x^2-37x-42 & 3 \\
\underline{4x^3-2x^2-42x} & \underline{12x^3-6x^2-48x-273} & \\
13)\underline{26x-91} & -11)\underline{-22x^2+11x+231} & \\
2x-7 & 2x^2-x-21 & 2x \\
 & \underline{2x^2-7x} & x+3 \\
 & 6x-21 & \\
 & \underline{6x-21} &
\end{array}$$

$\therefore$ H.C.F. $= 2x-7$.

11.

$$\begin{array}{r|r|l}
5x^2(12x^3+4x^2+17x-3) & 10x\,(24x^3-52x^2+14x-1) & \text{Reserve } 5x. \\
12x^3+4x^2+17x-3 & 24x^3-52x^2+14x-1 & 2 \\
\underline{12x^3+4x^2-x} & \underline{24x^3+8x^2+34x-6} & \\
3)\underline{18x-3} & -5)\underline{-60x^2-20x+5} & \\
6x-1 & 12x^2+4x-1 & x \\
 & \underline{12x^2-2x} & 2x+1 \\
 & 6x-1 & \\
 & \underline{6x-1} &
\end{array}$$

$\therefore$ H.C.F. $= 5x(6x-1)$.

12.

$$\begin{array}{r|r|l}
2y)\underline{18x^3y-18x^2y^2-2xy^3-8y^4} & xy)\underline{9x^4y-x^2y^3-20xy^4} & \text{Reserve } y. \\
9x^3-9x^2y-xy^2-4y^3 & 9x^3-xy^2-20y^3 & 1 \\
\underline{9x^3-xy^2-20y^3} & \underline{9x^3-16xy^2} & -x \\
y)\underline{-9x^2y+16y^3} & 5y^2)\underline{15xy^2-20y^3} & \\
-9x^2+16y^2 & 3x-4y & -3x-4y \\
\underline{-9x^2+12xy} & & \\
-12xy+16y^2 & & \\
\underline{-12xy+16y^2} & &
\end{array}$$

$\therefore$ H.C.F. $= y(3x-4y)$.

13.

$$\begin{array}{r|r|l}
6x^2-x-15 & 9x^2-3x-20 & \\
\underline{6x^2-10x} & \underline{2} & \\
9x-15 & 18x^2-6x-40 & 3 \\
\underline{9x-15} & \underline{18x^2-3x-45} & \\
 & -3x+5 & -2x-3
\end{array}$$

$\therefore$ H.C.F $= 3x-5$.

14.

$$\begin{array}{r|r|l}
12x^3 - 9x^2 + 5x + 2 & 24x^2 + 10x + 1 & x + 7 \\
\underline{2} & \underline{24x^2 + 6x} & 6x + 1 \\
24x^3 - 18x^2 + 10x + 4 & 4x + 1 & \\
\underline{24x^3 + 10x^2 + x} & \underline{4x + 1} & \\
-28x^2 + 9x + 4 & & \\
\underline{-6} & & \\
168x^2 - 54x - 24 & & \\
\underline{168x^2 + 70x + 7} & & \\
-31\underline{)-124x - 31} & & \\
4x + 1 & &
\end{array}$$

$\therefore$ H.C.F. $= 4x + 1$.

15.

$$\begin{array}{r|r|l}
3\underline{)6x^3 + 15x^2 - 6x + 9} & 3\underline{)9x^3 + 6x^2 - 51x + 36} & \text{Reserve 3.} \\
2x^3 + 5x^2 - 2x + 3 & 3x^3 + 2x^2 - 17x + 12 & \\
\underline{11} & \underline{2} & \\
22x^3 + 55x^2 - 22x + 33 & 6x^3 + 4x^2 - 34x + 24 & 3 \\
\underline{22x^3 + 56x^2 - 30x} & \underline{6x^3 + 15x^2 - 6x + 9} & \\
-x^2 + 8x + 33 & -11x^2 - 28x + 15 & -2x \\
\underline{-x^2 - 3x} & \underline{-11x^2 + 88x + 363} & 11 \\
11x + 33 & -116\underline{)-116x - 348} & \\
\underline{11x + 33} & x + 3 & -x + 11
\end{array}$$

$\therefore$ H.C.F. $= 3(x + 3)$.

16.

$$\begin{array}{r|r|l}
4x^3 - x^2y - xy^2 - 5y^3 & 7x^3 + 4x^2y + 4xy^2 - 3y^3 & \\
\underline{4x^3 + 4x^2y + 4xy^2} & \underline{4} & \\
-5x^2y - 5xy^2 - 5y^3 & 28x^3 + 16x^2y + 16xy^2 - 12y^3 & 7 \\
\underline{-5x^2y - 5xy^2 - 5y^3} & \underline{28x^3 - 7x^2y - 7xy^2 - 35y^3} & \\
 & 23y\underline{)23x^2y + 23xy^2 + 23y^3} & \\
 & x^2 + xy + y^2 & 4x - 5y
\end{array}$$

$\therefore$ H.C.F. $= x^2 + xy + y^2$.

17.

$$\begin{array}{r|r|l}
2a^3 - 2a^2 - 3a - 2 & 3a^3 - a^2 - 2a - 16 & \\
\underline{2} & \underline{2} & \\
4a^3 - 4a^2 - 6a - 4 & 6a^3 - 2a^2 - 4a - 32 & 3 \\
\underline{4a^3 + 5a^2 - 26a} & \underline{6a^3 - 6a^2 - 9a - 6} & \\
-9a^2 + 20a - 4 & 4a^2 + 5a - 26 & a \\
\underline{4} & \underline{4a^2 - 8a} & -9 \\
-36a^2 + 80a - 16 & 13a - 26 & \\
\underline{-36a^2 - 45a + 234} & \underline{13a - 26} & 4a + 13 \\
125\underline{)125a - 250} & & \\
a - 2 & &
\end{array}$$

$\therefore$ H.C.F. $= a - 2$.

18.

$$
\begin{array}{r|r|l}
2)\underline{12y^3+2y^2-94y-60} & 2)\underline{48y^3-24y^2-348y+30} & \text{Reserve 2.} \\
6y^3+y^2-47y-30 & 24y^3-12y^2-174y+15 & 4 \\
8 & \underline{24y^3+4y^2-188y-120} & \\
\overline{48y^3+8y^2-376y-240} & -16y^2+14y+135 & -3y-25 \\
\underline{48y^3-42y^2-405y} & \underline{-16y^2-40y} & \\
50y^2+29y-240 & 54y+135 & -8y+27 \\
8 & \underline{54y+135} & \\
\overline{400y^2+232y-1920} & & \\
\underline{400y^2-350y-3375} & & \\
291)\underline{582y+1455} & & \\
2y+5 & &
\end{array}
$$

$\therefore$ H.C.F. $= 2(2y+5)$.

19.

$$
\begin{array}{r|r|l}
9x(2x^4-6x^3-x^2+15x-10) & 6x^2(4x^4+6x^3-4x^2-15x-15) & \text{Reserve } 3x. \\
2x^4-6x^3-x^2+15x-10 & 4x^4+6x^3-4x^2-15x-15 & 2 \\
9 & \underline{4x^4-12x^3-2x^2+30x-20} & \\
\overline{18x^4-54x^3-9x^2+135x-90} & 18x^3-2x^2-45x+5 & x-13 \\
\underline{18x^4-2x^3-45x^2+5x} & \underline{18x^3-45x} & 9x-1 \\
2)\underline{-52x^3+36x^2+130x-90} & -2x^2+5 & \\
-26x^3+18x^2+65x-45 & \underline{-2x^2+5} & \\
9 & & \\
\overline{-234x^3+162x^2+585x-405} & & \\
\underline{-234x^3+26x^2+585x-65} & & \\
68)\underline{136x^2-340} & & \\
2x^2-5 & &
\end{array}
$$

$\therefore$ H.C.F. $= 3x(2x^2-5)$.

20.

$$
\begin{array}{r|r|l}
15x^4+2x^3-75x^2+5x+2 & 35x^4+x^3-175x^2+30x+1 & \\
\underline{15x^4-75x^2+15x} & 3 & \\
2x^3-10x+2 & \overline{105x^4+3x^3-525x^2+90x+3} & 7 \\
\underline{2x^3-10x+2} & \underline{105x^4+14x^3-525x^2+35x+14} & \\
 & -11)\underline{-11x^3+55x-11} & 15x+2 \\
 & x^3-5x+1 &
\end{array}
$$

$\therefore$ H.C.F. $= x^3-5x+1$.

21.

$$
\begin{array}{r|r|l}
21x^3-32x^2-54x-7 & 21x^4-4x^3-15x^2-2x & x \\
5 & \underline{21x^4-32x^3-54x^2-7x} & \\
\overline{105x^3-160x^2-270x-35} & 28x^3+39x^2+5x & \\
\underline{105x^3+99x^2+12x} & 3 & \\
-259x^2-282x-35 & \overline{84x^3+117x^2+15x} & 4 \\
5 & \underline{84x^3-128x^2-216x-28} & \\
\overline{-1295x^2-1410x-175} & 7)\underline{245x^2+231x+28} & \\
\underline{-1295x^2-1221x-148} & 35x^2+33x+4 & 3x-37 \\
-27)\underline{-189x-27} & \underline{35x^2+5x} & \\
7x+1 & 28x+4 & 5x+4 \\
 & \underline{28x+4} &
\end{array}
$$

$\therefore$ H.C.F. $= 7x+1$.

22.

$$
\begin{array}{r|r|l}
y)\,9x^4y-22x^2y^3-3xy^4+10y^5 & xy)\,9x^5y-6x^4y^2+x^3y^3-25xy^5 & \text{Res. } y. \\
9x^4-22x^2y^2-3xy^3+10y^4 & 9x^4-6x^3y+x^2y^2\qquad-25y^4 & 1 \\
2 & 9x^4\quad-22x^2y^2-3xy^3+10y^4 & \\
18x^4-44x^2y^2-6xy^3+20y^4 & -y)\,-6x^3y+23x^2y^2+3xy^3-35y^4 & \\
18x^4-9x^2y^2+105xy^3-69x^3y & 6x^3-23x^2y-3xy^2+35y^3 & 3x \\
y)\,69x^3y-35x^2y^2-111xy^3+20y^4 & 6x^3-2x^2y-10xy^2 & 23 \\
69x^3-35x^2y-111xy^2+20y^3 & -7y)\,-21x^2y+7xy^2+35y^3 & 2x \\
2 & 3x^2-xy-5y^2 & 1 \\
138x^3-70x^2y-222xy^2+40y^3 & 3x^2-xy-5y^2 & \\
138x^3-529x^2y-69xy^2+805y^3 & & \\
153y)\,459x^2y-153xy^2-765y^3 & & \\
3x^2-xy-5y^2 & &
\end{array}
$$

$\therefore$ H.C.F. $= y(3x^2-xy-5y^2)$.

23.

$$
\begin{array}{r|r|l}
4x^4+2x^3-18x^2+3x-5 & 6x^5-4x^4-11x^3-3x^2-3x-1 & \\
4x^4-8x^3+2x^2-2x & 2 & \\
10x^3-20x^2+5x-5 & 12x^5-8x^4-22x^3-6x^2-6x-2 & 3x \\
10x^3-20x^2+5x-5 & 12x^5+6x^4-54x^3+9x^2-15x & \\
 & -14x^4+32x^3-15x^2+9x-2 & \\
 & 2 & \\
 & -28x^4+64x^3-30x^2+18x-4 & -7 \\
 & -28x^4-14x^3+126x^2-21x+35 & \\
 & 39)\,78x^3-156x^2+39x-39 & \\
 & 2x^3-4x^2+x-1 & 2x+5
\end{array}
$$

$\therefore$ H.C.F. $= 2x^3-4x^2+x-1$.

24.

$$
\begin{array}{r|r|l}
3x^3-7ax^2+3a^2x-2a^3 & x^4-ax^3-a^2x^2-a^3x-2a^4 & \\
2 & 3 & \\
6x^3-14ax^2+6a^2x-4a^3 & 3x^4-3ax^3-3a^2x^2-3a^3x-6a^4 & x \\
6x^3-9ax^2-6a^2x & 3x^4-7ax^3+3a^2x^2-2a^3x & \\
-a)\,-5ax^2+12a^2x-4a^3 & 4ax^3-6a^2x^2-a^3x-6a^4 & \\
5x^2-12ax+4a^2 & 3 & \\
2 & 12ax^3-18a^2x^2-3a^3x-18a^4 & 4a \\
10x^2-24ax+8a^2 & 12ax^3-28a^2x^2+12a^3x-8a^4 & \\
10x-15ax-10a^2 & 5a^2)\,10a^2x^2-15a^3x-10a^4 & \\
-9a)\,-9ax+18a^2 & 2x^2-3ax-2a^2 & 3x \\
x-2a & 2x^2-4ax & 5 \\
 & ax-2a^2 & 2x+a \\
 & ax-2a^2 &
\end{array}
$$

$\therefore$ H.C.F. $= x-2a$.

EXERCISE XLIX.

1.
$$\begin{aligned} 2x^2+x-1 &= (x+1)(2x-1), \\ x^2+5x+4 &= (x+1)(x+4), \\ x^3+1 &= (x+1)(x^2-x+1). \\ \therefore \text{ H.C.F.} &= (x+1). \end{aligned}$$

2.
$$\begin{aligned} y^3-y^2-y+1 &= y^2(y-1)-(y-1) \\ &= (y^2-1)(y-1), \\ 3y^2-2y-1 &= (y-1)(3y+1), \\ y^3-y^2+y-1 &= y^2(y-1)+(y-1) \\ &= (y^2+1)(y-1). \\ \therefore \text{ H.C.F.} &= (y-1). \end{aligned}$$

3.
$$\begin{array}{r|r|l} x^3-4x^2+9x-10 & x^3+2x^2-3x+20 & 1 \\ \underline{x^3-2x^2+5x} & \underline{x^3-4x^2+9x-10} & \\ -2x^2+4x-10 & 6)\underline{6x^2-12x+30} & \\ \underline{-2x^2+4x-10} & x^2-2x+5 & x-2 \\ x^2-2x+5 & x^3+5x^2-9x+35 & x+7 \\ & \underline{x^3-2x^2+5x} & \\ & 7x^2-14x+35 & \\ & \underline{7x^2-14x+35} & \end{array}$$

$\therefore$ H.C.F. $= (x^2-2x+5)$.

4.
$$\begin{array}{r|r|l} x^3-7x^2+16x-12 & 3x^3-14x^2+16x & 3 \\ \underline{7} & \underline{3x^3-21x^2+48x-36} & \\ 7x^3-49x^2+112x-84 & 7x^2-32x+36 & x-17 \\ \underline{7x^3-32x^2+36x} & \underline{7x^2-14x} & \\ -17x^2+76x-84 & -18x+36 & 7x-18 \\ \underline{7} & \underline{-18x+36} & \\ -119x^2+532x-588 & & \\ \underline{-119x^2+544x-612} & & \\ -12)\underline{-12x+24} & & \\ x-2 & 5x^3-10x^2+7x-14 & 5x^2+7 \\ & \underline{5x^3-10x^2} & \\ & 7x-14 & \\ & \underline{7x-14} & \end{array}$$

$\therefore$ H.C.F. $= (x-2)$.

5.
$$\begin{array}{r|r|l} y^3-5y^2+11y-15 & y^3-y^2+3y+5 & 1 \\ \underline{y^3-y^2+3y+5} & \underline{y^3-2y^2+5y} & y+1 \\ -4)\underline{-4y^2+8y-20} & y^2-2y+5 & \\ y^2-2y+5 & \underline{y^2-2y+5} & \\ y^2-2y+5 & 2y^3-7y^2+16y-15 & 2y-3 \\ & \underline{2y^3-4y^2+10y} & \\ & -3y^2+6y-15 & \\ & \underline{-3y^2+6y-15} & \end{array}$$

$\therefore$ H.C.F. $= y^2-2y+5$.

6.
$$\begin{aligned} 2x^2+3x-5 &= (2x+5)(x-1). \\ 3x^2-x-2 &= (3x+2)(x-1), \\ 2x^2+x-3 &= (2x+3)(x-1). \end{aligned}$$
$$\therefore \text{H.C.F.} = x-1.$$

7.
$$\begin{array}{r|l|l} x^3-1 & x^3-x^2-x-2 & 1 \\ \underline{x^3+x^2+x} & \underline{x^3 \qquad\quad -1} & \\ -x^2-x-1 & -x^2-x-1 & -x+1 \\ \underline{-x^2-x-1} & & \\ x^2+x+1 & 2x^3-x^2-x-3 & 2x-3 \\ & \underline{2x^3+2x^2+2x} & \\ & -3x^2-3x-3 & \\ & \underline{-3x^2-3x-3} & \end{array}$$
$$\therefore \text{H.C.F.} = x^2+x+1.$$

8.
$$\begin{array}{l|l|l} x^3-3x \qquad -2 & 2x^3+3x^2 \qquad -1 & 2 \\ \underline{x^3+2x^2+x} & \underline{2x^3 \qquad -6x-4} & \\ -2x^2-4x-2 & 3)\underline{3x^2+6x+3} & \\ \underline{-2x^2-4x-2} & x^2+2x+1 & x-2 \\ x^2+2x+1 & x^3+1 & x-2 \\ \underline{x^2+x} & \underline{x^3+2x^2+x} & \\ x+1 & -2x^2-x+1 & \\ \underline{x+1} & \underline{-2x^2-4x-2} & \\ & 3)\underline{3x+3} & \\ & x+1 & x+1 \end{array}$$
$$\therefore \text{H.C.F.} = x+1.$$

9.
$$\begin{aligned} 12(x^4-y^4) &= 12(x^2+y^2)(x^2-y^2) \\ &= 12(x^2+y^2)(x+y)(x-y); \\ 10(x^6-y^6) &= 10(x^3+y^3)(x^3-y^3) \\ &= 10(x+y)(x^2-xy+y^2)(x-y)(x^2+xy+y^2); \\ 8(x^4y+xy^4) &= 8xy(x^3+y^3) \\ &= 8xy(x+y)(x^2-xy+y^2). \end{aligned}$$
$$\therefore \text{H.C.F.} = 2(x+y).$$

10.
$$\begin{aligned} x^4+xy^3 &= x(x^3+y^3) \\ &= x(x+y)(x^2-xy+y^2); \\ x^3y+y^4 &= y(x^3+y^3) \\ &= y(x+y)(x^2-xy+y^2); \\ x^4+x^2y^2+y^4 &= (x^4+2x^2y^2+y^4)-x^2y^2 \\ &= (x^2+y^2)^2-x^2y^2 \\ &= (x^2+xy+y^2)(x^2-xy+y^2). \end{aligned}$$
$$\therefore \text{H.C.F.} = (x^2-xy+y^2).$$

11. $2(x^2y - xy^2) = 2xy\,(x - y),$
$3(x^3y - xy^3) = 3xy\,(x + y)(x - y),$
$4(x^4y - xy^4) = 4xy\,(x - y)(x^2 + xy + y^2),$
$5(x^5y - xy^5) = 5xy\,(x + y)(x - y)(x^2 + y^2).$
$\therefore$ H.C.F. $= xy(x - y).$

EXERCISE L.

1. $4a^3x = 2^2 \times a^3 \times x,$
$6a^2x^2 = 3 \times 2 \times a^2 \times x^2,$
$2ax^2 = 2 \times a \times x^2.$
$\therefore$ L.C.M. $= 12a^3x^2.$

2. $18ax^2 = 3^2 \times 2 \times a \times x^2,$
$72ay^2 = 3^2 \times 2^3 \times a \times y^2,$
$12xy = 3 \times 2^2 \times x \times y.$
$\therefore$ L.C.M. $= 72ax^2y^2.$

3. $x^2 = x \times x,$
$ax + x^2 = x(a + x).$
$\therefore$ L.C.M. $= x^2(a + x).$

4. $x^2 - 1 = (x + 1)(x - 1),$
$(x^2 - x) = x(x - 1).$
$\therefore$ L.C.M. $= x(x + 1)(x - 1).$

5. $a^2 - b^2 = (a + b)(a - b),$
$a^2 + ab = a(a + b).$
$\therefore$ L.C.M. $= a(a+b)(a-b).$

6. $2x - 1 = 2x - 1,$
$4x^2 - 1 = (2x + 1)(2x - 1).$
$\therefore$ L.C.M. $= (2x+1)(2x-1).$

7. $a + b = a + b,$
$a^3 + b^3 = (a + b)(a^2 - ab + b^2).$
$\therefore$ L.C.M. $= (a+b)(a^2-ab+b^2).$

8. $x^2 - 1 = (x + 1)(x - 1),$
$x^2 + 1 = x^2 + 1,$
$x^4 - 1 = (x^2 + 1)(x + 1)(x - 1).$
$\therefore$ L.C.M. $= (x^2+1)(x+1)(x-1).$

9. $x^2 - x = x(x - 1),$
$x^3 - 1 = (x - 1)(x^2 + x + 1),$
$x^3 + 1 = (x + 1)(x^2 - x + 1).$
$\therefore$ L.C.M. $= x(x^3 + 1)(x^3 - 1).$

10. $x^2 - 1 = (x + 1)(x - 1),$
$x^2 - x = x(x + 1),$
$x^3 - 1 = (x - 1)(x^2 + x + 1).$
$\therefore$ L.C.M. $= x(x + 1)(x^3 - 1).$

11. $2a + 1 = 2a + 1,$
$4a^2 - 1 = (2a + 1)(2a - 1),$
$8a^3 + 1 = (2a+1)(4a^2-2a+1).$
$\therefore$ L.C.M. $= (8a^3+1)(2a-1).$

12. $(a + b)^2 = (a + b)^2,$
$(a^2 - b^2) = (a + b)(a - b).$
$\therefore$ L.C.M. $= (a+b)^2\,(a-b).$

13. $4(1 + x) = 4(1 + x),$
$4(1 - x) = 4(1 - x),$
$2(1 - x^2) = 2(1 + x)(1 - x).$
$\therefore$ L.C.M. $= 4(1 + x)(1 - x).$

14. $x - 1 = x - 1,$
$x^2 + x + 1 = x^2 + x + 1,$
$x^3 - 1 = (x - 1)(x^2 + x + 1).$
$\therefore$ L.C.M. $= x^3 - 1.$

15. $x^2 - y^2 = (x + y)(x - y),$
$(x + y)^2 = (x + y)^2,$
$(x - y)^2 = (x - y)^2.$
$\therefore$ L.C.M. $= (x + y)^2(x - y)^2.$

16. $x^2 - y^2 = (x + y)(x - y),$
$3(x - y)^2 = 3(x - y)^2,$
$12(x^3+y^3) = 12(x+y)(x^2-xy+y^2).$
$\therefore$ L.C.M. $= 12(x^3+y^3)(x - y)^2.$

17. $6(x^2 + xy) = 6x(x + y),$
$8(xy - y^2) = 8y(x - y),$
$10(x^2 - y^2) = 10(x + y)(x - y).$
$\therefore$ L.C.M. $= 120xy(x+y)(x-y).$

18. $x^2+5x+6=(x+3)(x+2)$,
$x^2+6x+8=(x+2)(x+4)$.

$\therefore$ L.C.M. $=(x+2)(x+3)(x+4)$.

19. $a^2-a-20=(a-5)(a+4)$,
$a^2+a-12=(a+4)(a-3)$.

$\therefore$ L.C.M. $=(a-3)(a+4)(a-5)$.

20. $x^2+11x+30=(x+6)(x+5)$,
$x^2+12x+35=(x+5)(x+7)$.

$\therefore$ L.C.M. $=(x+5)(x+6)(x+7)$.

21. $x^2-9x-22=(x+2)(x-11)$,
$x^2-13x+22=(x-2)(x-11)$.

$\therefore$ L.C.M. $=(x+2)(x-2)(x-11)$.

22. $4ab(a^2-3ab+2b)=4ab(a-2b)(a-b)$,
$5a^2(a^2+ab-6b^2)=5a^2(a+3b)(a-2b)$.

$\therefore$ L.C.M. $=20a^2b(a-b)(a-2b)(a+3b)$.

23. $20(x^2-1)=20(x+1)(x-1)$,
$24(x^2-x-2)=24(x-2)(x+1)$,
$16(x^2+x-2)=16(x-2)(x+1)$.

$\therefore$ L.C.M. $=240(x+1)(x-1)(x-2)$.

24. $12xy(x^2-y^2)=12xy(x+y)(x-y)$,
$2x^2(x+y)^2=2x^2(x+y)(x+y)$,
$3y^2(x-y)^2=3y^2(x-y)(x-y)$.

$\therefore$ L.C.M. $=12x^2y^2(x-y)^2(x+y)^2$.

25. $(a-b)(b-c)=(a-b)(b-c)$,
$(b-c)(c-a)=-(a-c)(b-c)$,
$(c-a)(a-b)=-(a-b)(a-c)$.

$\therefore$ L.C.M. $=(a-b)(b-c)(c-a)$.

26. $(a-b)(a-c)=(a-b)(a-c)$,
$(b-a)(b-c)=-(a-b)(b-c)$,
$(c-a)(c-b)=(a-c)(b-c)$.

$\therefore$ L.C.M. $=(a-b)(a-c)(b-c)$.

27. $x^3-4x^2+3x=x(x^2-4x+3)$
$=x(x-3)(x-1)$,
$x^4+x^3-12x^2=x^2(x^2+x-12)$
$=x^2(x+4)(x-3)$,
$x^5+3x^4-4x^3=x^3(x^2+3x-4)$
$=x^3(x-1)(x+4)$.

$\therefore$ L.C.M. $=x^3(x-1)(x-3)(x+4)$.

28. $x^2y-xy^2=xy(x-y)$,
$3x(x-y)^2=3x(x-y)^2$,
$4y(x-y)^3=4y(x-y)^3$.

$\therefore$ L.C.M. $=12xy(x-y)^3$.

29. $(a+b)^2-(c+d)^2=(a+b+c+d)(a+b-c-d)$,
$(a+c)^2-(b+d)^2=(a+b+c+d)(a-b+c-d)$,
$(a+d)^2-(b+c)^2=(a+b+c+d)(a-b-c+d)$.

$\therefore$ L.C.M. $=(a+b+c+d)(a+b-c-d)(a-b+c-d)(a-b-c+d)$.

30. $(2x-4)(3x-6)=2(x-2)\times3(x-2)$,
$(x-3)(4x-8)=(x-3)\times4(x-2)$,
$(2x-6)(5x-10)=2(x-3)\times5(x-2)$.

$\therefore$ L.C.M. $=60(x-2)^2(x-3)$.

EXERCISE LI.

1. $6x^2-x-2=(3x-2)(2x+1)$,
$21x^2-17x+2=(3x-2)(7x-1)$,
$14x^2+5x-1=(2x+1)(7x-1)$.

$\therefore$ L.C.M. $=(3x-2)(2x+1)(7x-1)$.

2. $x^2-1=(x+1)(x-1)$,
$x^2+2x-3=(x+3)(x-1)$,
$6x^2-x-2=(3x-2)(2x+1)$.

$\therefore$ L.C.M. $=(2x+1)(3x-2)(x-1)(x+1)(x+3)$.

3. $x^3-27=(x-3)(x^2+3x+9)$,
$x^2-15x+36=(x-3)(x-12)$,
$x^3-3x^2-2x+6=x^2(x-3)-2(x-3)$
$=(x^2-2)(x-3)$.

$\therefore$ L.C.M. $=(x-3)(x-12)(x^2-2)(x^2+3x+9)$.

4. $5x^2+19x-4=(5x-1)(x+4)$,
$10x^2+13x-3=(5x-1)(2x+3)$.

$\therefore$ L.C.M. $=(5x-1)(x+4)(2x+3)$.

5. $12x^2+xy-6y^2=(4x+3y)(3x-2y)$,
$18x^2+18xy-20y^2=(3x-2y)(6x+10y)$.

$\therefore$ L.C.M. $=(4x+3y)(3x-2y)(6x+10y)$.

6.
$$\begin{array}{rr}
x) & \underline{x^4-2x^3+x} \\
 & x^3-2x^2+1 \\
 & \underline{x^3-2x\;\;-1} \\
-2) & \underline{-2x^2+2x\;\;+2} \\
 & x^2-\;\;x\;\;-1
\end{array}
\qquad
\begin{array}{|r|l}
2)\underline{2x^4-2x^3-2x\;\;-2} & \\
x^4-\;\;x^3-\;\;x\;\;-1 & x \\
\underline{x^4-2x^3+\;\;x\qquad} & \\
x^3-2x\;\;-1 & 1 \\
\underline{x^3-\;\;x^2-x} & x+1 \\
\overline{x^2-\;\;x\;\;-1} & \\
\underline{x^2-\;\;x\;\;-1} &
\end{array}$$

Hence, $x^4-2x^3+x=(x^2-x-1)\times x(x-1)$,
and $2x^4-2x^3-2x-2=(x^2-x-1)\times 2(x+1)$.

$\therefore$ L.C.M. $=2x(x^2-x-1)(x+1)(x-1)$.

7. $12x^2+\;\;2x-\;\;4=(6x+4)(2x-1)=2(3x+2)(2x-1)$,
$12x^2-42x-24=(6x+3)(2x-8)=6(2x+1)(x-4)$,
$12x^2-28x-24=(6x+4)(2x-6)=4(3x+2)(x-3)$.

$\therefore$ L.C.M. $=12(3x+2)(2x-1)(2x+1)(x-4)(x-3)$.

8.

$$\begin{array}{r|r|l}
x^3-6x^2+11x-6 & x^3-9x^2+26x-24 & 1 \\
x^3-5x^2+\ \ 6x & x^3-6x^2+11x-\ \ 6 & \\
-\ \ x^2+\ \ 5x-6 & -3)\,-3x^2+15x-18 & \\
-\ \ x^2+\ \ 5x-6 & x^2-\ \ 5x+\ \ 6 & x-1 \\
x^2-5x+6 & x^3-8x^2+19x-12 & x-3 \\
x^2-3x & x^3-5x^2+\ \ 6x & \\
-2x+6 & -3x^2+13x-12 & \\
-2x+6 & -3x^2+15x-18 & \\
 & -2)\,-\ \ 2x+\ \ 6 & \\
 & x-\ \ 3 & x-2
\end{array}$$

Hence,
$$\begin{aligned}
x^3-6x^2+11x-\ \ 6 &= (x-1)(x-2)(x-3),\\
x^3-9x^2+26x-24 &= (x-2)(x-3)(x-4),\\
x^3-8x^2+19x-12 &= (x-1)(x-3)(x-4).
\end{aligned}$$

$\therefore$ L.C.M. $=(x-1)(x-2)(x-3)(x-4)$.

9.
$$\begin{aligned}
x^2-4a^2 &= (x+2a)(x-2a),\\
x^3+2ax^2+4a^2x+8a^3 &= x^2(x+2a)+4a^2(x+2a)\\
&= (x^2+4a^2)(x+2a),\\
x^3-2ax^2+4a^2x-8a^3 &= x^2(x-2a)+4a^2(x-2a)\\
&= (x^2+4a^2)(x-2a).
\end{aligned}$$

$\therefore$ L.C.M. $=(x+2a)(x-2a)(x^2+4a^2)$.

10.
$$\begin{aligned}
x^3+2x^2y-xy^2-2y^3 &= x^2(x+2y)-y^2(x+2y)\\
&= (x^2-y^2)(x+2y),\\
x^3-2x^2y-xy^2+2y^3 &= x^2(x-2y)-y^2(x-2y)\\
&= (x^2-y^2)(x-2y).
\end{aligned}$$

$\therefore$ L.C.M. $=(x^2-y^2)(x+2y)(x-2y)$.

11.
$$\begin{aligned}
1+p+p^2 &= 1+p+p^2,\\
1-p+p^2 &= 1-p+p^2,\\
1+p^2+p^4 &= (1+p+p^2)(1-p+p^2).
\end{aligned}$$

$\therefore$ L.C.M. $=1+p^2+p^4$.

12.
$$\begin{aligned}
1-a &= 1-a,\\
(1-a)^2 &= (1-a)(1-a),\\
(1-a)^3 &= (1-a)(1-a)(1-a).
\end{aligned}$$

$\therefore$ L.C.M. $=(1-a)^3$.

13.
$$\begin{aligned}
(a+c)^2-b^2 &= (a+b+c)(a-b+c),\\
(a+b)^2-c^2 &= (a+b+c)(a+b-c),\\
(b+c)^2-a^2 &= (a+b+c)(-a+b+c).
\end{aligned}$$

$\therefore$ L.C.M. $=(a+b+c)(a+b-c)(a-b+c)(-a+b+c)$.

14.
$$\begin{array}{r}
c\underline{)4c^3-c^2y-3cy^2}\\
4c^2-cy\ \ -3y^2\\
9\qquad\qquad\quad\\
\hline
36c^2-\ \ 9cy-27y^2\\
36c^2-52cy+16y^2\\
\hline
43y\underline{)43cy-43y^2}\\
c\ -\quad y
\end{array}
\qquad
\begin{array}{r|l}
3c^3-3c^2y+cy^2-y^3 & \\
4\qquad\qquad\qquad\quad & \\
\hline
12c^3-12c^2y+\ 4cy^2-4y^3 & 3c\\
12c^3-\ \ 3c^2y-\ \ 9cy^2\quad\ \ & \\
\hline
-y\underline{)-9c^2y+13cy^2-4y^3} & 4\\
9c^2\ \ -13cy\ \ +4y^2 & 9c-4y\\
9c^2\ \ -\ \ 9cy\qquad\ & \\
\hline
-\ \ 4cy\ \ +4y^2 & \\
-\ \ 4cy\ \ +4y^2 & \\
\hline
\end{array}$$

Hence
$$4c^3-c^2y-3cy^2=(c-y)(4c^2+3cy),$$
$$3c^3-3c^2y+cy^2-y^3=(c-y)(3c^2+y^2).$$
$$\therefore \text{L.C.M.}=c(c-y)(4c+3y)(3c^2+y^2).$$

15. $m^3-8m+3=(m+3)(m^2-3m+1),$
$$m^6+3m^5+m+3=m^5(m+3)+(m+3)$$
$$=(m^5+1)(m+3).$$
$$\therefore \text{L.C.M.}=(m+3)(m^2-3m+1)(m^5+1).$$

16. $20n^4+n^2-1=(5n^2-1)(4n^2+1),$
$$25n^4+5n^3-n-1=(5n^2-1)(5n^2+n+1)$$
$$\therefore \text{L.C.M.}=(5n^2-1)(4n^2+1)(5n^2+n+1).$$

17.
$$\begin{array}{r}
4b^3-12b^2+9b-1\quad\ \\
7\qquad\qquad\qquad\qquad\\
\hline
28b^3-\ \ 84b^2+\ \ 63b-7\\
28b^3-160b^2+132b\quad\ \ \\
\hline
76b^2-\ \ 69b-7\\
7\qquad\qquad\quad\ \\
\hline
532b^2-\ \ 483b-\quad 49\\
532b^2-3040b+2508\\
\hline
2557\underline{)2557b-2557}\\
b-\quad\ 1
\end{array}
\qquad
\begin{array}{r|l}
b^4-2b^3+b^2-8b+8 & \\
4\qquad\qquad\qquad\quad & \\
\hline
4b^4-\ \ 8b^3+\ 4b^2-32b+32 & b+1\\
4b^4-12b^3+\ \ 9b^2-\quad b\quad\ \ & \\
\hline
4b^3-\ \ 5b^2-31b+32 & \\
4b^3-12b^2+\ \ 9b-\ \ 1 & \\
\hline
7b^2-40b+33 & 4b+76\\
7b^2-\ \ 7b\qquad & \\
\hline
-33b+33 & 7b-33\\
-33b+33 & \\
\hline
\end{array}$$

Hence,
$$4b^3-12b^2+9b-1=(b-1)(4b^2-8b+1),$$
$$b^4-2b^3+b^2-8b+8=(b-1)(b^3-b^2-8).$$
$$\therefore \text{L.C.M.}=(b-1)(4b^2-8b+1)(b^3-b^2-8).$$

18.
$$\begin{array}{r}
2r\underline{)2r^5-8r^4+12r^3-8r^2+2r}\\
r^4-4r^3+\ 6r^2-4r\ +1\\
r^4\qquad\ -\ 2r^2\qquad\ +1\\
\hline
-4r\underline{)-4r^3+\ 8r^2-4r\qquad}\\
r^2-\ 2r\qquad\ +1
\end{array}
\qquad
\begin{array}{r|l}
3r\underline{)3r^5-6r^3+3r}\qquad & \text{Reserve } r.\\
r^4-2r^2+1\qquad\ \ & 1\\
r^4-2r^3+\ \ r^2\qquad\ \ & r^2+2r+1\\
\hline
2r^3-3r^2+1\quad & \\
2r^3-4r^2+2r\quad & \\
\hline
r^2-2r+1 & \\
r^2-2r+1 & \\
\hline
\end{array}$$

Hence, $2r^5-8r^4+12r^3-8r^2+2r=2r(r-1)^4,$
$$3r^5-6r^3+3r=3r(r^2-1)^2.$$
$$\therefore \text{L.C.M.}=6r(r-1)^4(r+1)^2.$$

EXERCISE LII.

1. $$\frac{x^2-1}{4x(x+1)} = \frac{(x+1)(x-1)}{4x(x+1)} = \frac{x-1}{4x}.$$

2. $$\frac{x^2-9x+20}{x^2-7x+12} = \frac{(x-5)(x-4)}{(x-3)(x-4)} = \frac{x-5}{x-3}.$$

3. $$\frac{x^2-2x-3}{x^2-10x+21} = \frac{(x-3)(x+1)}{(x-7)(x-3)} = \frac{x+1}{x-7}.$$

4. $$\frac{x^4+x^2+1}{x^2+x+1} = \frac{(x^2+x+1)(x^2-x+1)}{x^2+x+1} = x^2-x+1.$$

6. $$\frac{a^3+1}{a^3+2a^2+2a+1} = \frac{(a+1)(a^2-a+1)}{(a+1)(a^2+a+1)} = \frac{a^2-a+1}{a^2+a+1}.$$

5. $$\frac{x^6+2x^3y^3+y^6}{x^6-y^6} = \frac{(x^3+y^3)(x^3+y^3)}{(x^3+y^3)(x^3-y^3)} = \frac{x^3+y^3}{x^3-y^3}.$$

7. $$\frac{a^2-a-20}{a^2+a-12} = \frac{(a-5)(a+4)}{(a-3)(a+4)} = \frac{a-5}{a-3}.$$

8. $$\begin{array}{r|r|l}
x^3-4x^2+\ \ 9x-10 & x^3+2x^2-3x+20 & 1 \\
x^3+2x^2-\ \ 3x+20 & x^3-2x^2+5x\qquad & x \\
\hline
-6)\,-6x^2+12x-30 & 4x^2-8x+20 & \\
x^2-\ \ 2x+\ \ 5 & 4x^2-8x+20 & 4
\end{array}$$

$\therefore$ H.C.F. $= x^2-2x+5$.

$$\therefore \frac{x^3-4x^2+9x-10}{x^3+2x^2-3x+20} = \frac{(x^2-2x+5)(x-2)}{(x^2-2x+5)(x+4)} = \frac{x-2}{x+4}.$$

9.

$$\begin{array}{r|r|l}
x^3-5x^2+11x-15 & x^3-x^2+3x+5 & 1 \\
\underline{x^3-2x^2+5x} & \underline{x^3-5x^2+11x-15} & \\
-3x^2+6x-15 & 4)\underline{4x^2-8x+20} & \\
\underline{-3x^2+6x-15} & x^2-2x+5 & x-3
\end{array}$$

$\therefore$ H.C.F. $= x^2-2x+5.$

$$\therefore \frac{x^3-5x^2+11x-15}{x^3-x^2+3x+5}=\frac{(x-3)(x^2-2x+5)}{(x+1)(x^2-2x+5)}=\frac{x-3}{x+1}.$$

10.

$$\begin{array}{r|r|l}
x^4-x^3y-xy^3-y^4 & x^4+x^3y+xy^3-y^4 & 1 \\
\underline{x^4+x^2y^2} & \underline{x^4-x^3y-xy^3-y^4} & \\
-x^3y-x^2y^2-xy^3-y^4 & 2xy)\underline{2x^3y+2xy^3} & \\
\underline{-x^3y\qquad-xy^3} & x^2+y^2 & x^2 \\
-x^2y^2\qquad-y^4 & & -xy \\
\underline{-x^2y^2\qquad-y^4} & & -y^2
\end{array}$$

$\therefore$ H.C.F. $= x^2+y^2.$

$$\therefore \frac{x^4-x^3y-xy^3-y^4}{x^4-x^3y-xy^3-y^4}=\frac{(x^2+y^2)(x^2+xy-y^2)}{(x^2+y^2)(x^2-xy-y^2)}=\frac{x^2+xy-y^2}{x^2-xy-y^2}.$$

11.

$$\begin{array}{r|r|l}
a^3-3a+2 & a^3+4a^2-5 & 1 \\
\underline{4} & \underline{a^3-3a+2} & \\
4a^3\qquad-12a+8 & 4a^2+3a-7 & a \\
\underline{4a^3+3a^2-7a} & \underline{-3} & \\
-3a^2-5a+8 & -12a^2-9a+21 & 4 \\
\underline{-3a^2+3a} & \underline{-12a^2-20a+32} & \\
-8a+8 & 11)\underline{11a-11} & \\
\underline{-8a+8} & a-1 & -3a \\
 & & -8
\end{array}$$

$\therefore$ H.C.F. $= a-1.$

$$\therefore \frac{a^3+4a^2-5}{a^3-3a+2}=\frac{(a-1)(a^2+5a+5)}{(a-1)(a^2+a-2)}=\frac{a^2+5a+5}{a^2+a-2}.$$

12.

$$\begin{array}{r|r|l}
x^3+x^2-x-1 & 3x^2+2x-1 & x \\
\underline{3} & \underline{3x^2-6x-9} & 3 \\
3x^3+3x^2-3x-3 & 8)\underline{8x+8} & \\
\underline{3x^3+2x^2-x} & x+1 & x-3 \\
x^2-2x-3 & & \\
\underline{x^2+x} & & \\
-3x-3 & & \\
\underline{-3x-3} & &
\end{array}$$

$\therefore$ H.C.F. $= x+1.$

$$\therefore \frac{3x^2+2x-1}{x^3+x^2-x-1}=\frac{(x+1)(3x-1)}{(x+1)(x^2-1)}=\frac{3x-1}{x^2-1}.$$

13.
$$\begin{array}{r|r|l}
x^3 - x^2 - 2x + 2 & x^3 - 3x^2 + 4x - 2 & 1 \\
\underline{x^3 - 3x^2 + 2x} & \underline{x^3 - x^2 - 2x + 2} & \\
2x^2 - 4x + 2 & -2)\underline{-2x^2 + 6x - 4} & x \\
\underline{2x^2 - 6x + 4} & x^2 - 3x + 2 & 2 \\
2)\underline{2x - 2} & \underline{x^2 - x} & \\
x - 1 & -2x + 2 & \\
 & \underline{-2x + 2} & x - 2
\end{array}$$

$\therefore$ H. C. F. $= x - 1$.

$$\therefore \frac{x^3 - 3x^2 + 4x - 2}{x^3 - x^2 - 2x + 2} = \frac{(x-1)(x^2 - 2x + 2)}{(x-1)(x^2 - 2)} = \frac{x^2 - 2x + 2}{x^2 - 2}.$$

14.
$$\frac{4x^2 - 12ax + 9a^2}{8x^3 - 27a^3} = \frac{(2x - 3a)(2x - 3a)}{(2x - 3a)(4x^2 + 6ax + 9a^2)} = \frac{2x - 3a}{4x^2 + 6ax + 9a^2}.$$

16.
$$\frac{a^2 - b^2 - 2bc - c^2}{a^2 + 2ab + b^2 - c^2} = \frac{a^2 - (b^2 + 2bc + c^2)}{(a^2 + 2ab + b^2) - c^2} = \frac{(a + b + c)(a - b - c)}{(a + b + c)(a + b - c)} = \frac{a - b - c}{a + b - c}.$$

15.
$$\frac{15a^2 + ab - 2b^2}{9a^2 + 3ab - 2b^2} = \frac{(5a + 2b)(3a - b)}{(3a + 2b)(3a - b)} = \frac{5a + 2b}{3a + 2b}.$$

17.
$$\frac{x^4 - x^3 - 2x + 2}{2x^3 - x - 1} = \frac{(x - 1)(x^3 + x^2 - 2)}{(x - 1)(2x^2 + 2x + 1)} = \frac{x^3 + x^2 - 2}{2x^2 + 2x + 1}.$$

18.
$$\begin{array}{r|r|l}
x^3 - 2x^2 - x + 2 & x^3 - 6x^2 + 11x - 6 & 1 \\
\underline{x^3 - 3x^2 + 2x} & \underline{x^3 - 2x^2 - x + 2} & \\
x^2 - 3x + 2 & -4)\underline{-4x^2 + 12x - 8} & \\
\underline{x^2 - 3x + 2} & x^2 - 3x + 2 & x + 1
\end{array}$$

$\therefore$ H.C.F. $= x^2 - 3x + 2$.

$$\therefore \frac{x^3 - 6x^2 + 11x - 6}{x^3 - 2x^2 - x + 2} = \frac{(x^2 - 3x + 2)(x - 3)}{(x^2 - 3x + 2)(x + 1)} = \frac{x - 3}{x + 1}.$$

19.
$$\begin{array}{r|r|l}
6x^3 - 17x^2 + 11x - 2 & 6x^3 - 23x^2 + 16x - 3 & 1 \\
\underline{6x^3 - 5x^2 + x} & \underline{6x^3 - 17x^2 + 11x - 2} & \\
-12x^2 + 10x - 2 & -1)\underline{-6x^2 + 5x - 1} & x - 2 \\
\underline{-12x^2 + 10x - 2} & 6x^2 - 5x + 1 &
\end{array}$$

$$\therefore \frac{6x^3 - 23x^2 + 16x - 3}{6x^3 - 17x^2 + 11x - 2} = \frac{(6x^2 - 5x + 1)(x - 3)}{(6x^2 - 5x + 1)(x - 2)} = \frac{x - 3}{x - 2}.$$

20. $$\frac{x^4-x^3-x+1}{x^4-2x^3-x^2-2x+1}$$
$$=\frac{x^3(x-1)-(x-1)}{(x^2+x+1)(x^2-3x+1)}$$
$$=\frac{(x^3-1)(x-1)}{(x^2+x+1)(x^2-3x+1)}$$
$$=\frac{(x-1)(x^2+x+1)(x-1)}{(x^2-3x+1)(x^2+x+1)}$$
$$=\frac{(x-1)^2}{x^2-3x+1}$$

21.
$$\begin{array}{r|r|l}
a)\,\underline{a^4-a^3b-a^2b^2+ab^3} & a^5-a^4b-ab^4+b^5 & a^2+b^2\\
a^3-a^2b-ab^2+b^3 & \underline{a^5-a^4b-a^3b^2+a^2b^3} & \\
 & a^3b^2-a^2b^3-ab^4+b^5 & \\
 & \underline{a^3b^2-a^2b^3-ab^4+b^5} &
\end{array}$$

$\therefore$ H.C.F. $= a^3-a^2b-ab^2+b^3.$

$$\therefore \frac{a^5-a^4b-ab^4+b^5}{a^4-a^3b-a^2b^2+ab^3}=\frac{(a^2+b^2)(a^3-a^2b-ab^2+b^3}{a(a^3-a^2b-ab^2+b^3)}=\frac{a^2+b^2}{a}.$$

22. $$\frac{(a+b)^2}{a^2-ab-2b^2}$$
$$=\frac{(a+b)(a+b)}{(a-2b)(a+b)}$$
$$=\frac{a+b}{a-2b}.$$

23. $$\frac{3ab(a^2-b^2)}{4(a^2b-ab^2)^2}$$
$$=\frac{3ab(a+b)(a-b)}{4a^2b^2(a-b)(a-b)}$$
$$=\frac{3(a+b)}{4ab(a-b)}.$$

24. $$\frac{a^2+2ab+b^2-c^2}{a^2+ab-ac}$$
$$=\frac{(a^2+2ab+b^2)-c^2}{a^2+ab-ac}$$
$$=\frac{(a+b+c)(a+b-c)}{a(a+b-c)}$$
$$=\frac{a+b+c}{a}.$$

25. $$\frac{6x^3-11x^2y+3xy^2}{6x^2y-5xy^2-6y^3}$$
$$=\frac{x(6x^2-11xy+3y^2)}{y(6x^2-5xy-6y^2)}$$
$$=\frac{x(2x-3y)(3x-y)}{y(2x-3y)(3x+2y)}$$
$$=\frac{x(3x-y)}{y(3x+2y)}.$$

26. $$\frac{a^2-(b+c+d)^2}{(a-b)^2-(c+d)^2}$$
$$=\frac{(a+b+c+d)(a-b-c-d)}{(a-b+c+d)(a-b-c-d)}$$
$$=\frac{a+b+c+d}{a-b+c+d}.$$

27. $$\frac{6x^2-5x-6}{8x^2-2x-15}$$
$$=\frac{(3x+2)(2x-3)}{(4x+5)(2x-3)}$$
$$=\frac{3x+2}{4x+5}.$$

28. $$\frac{x^4+x^2y^2+y^4}{(x-y)(x^3-y^3)}$$
$$=\frac{(x^2+xy+y^2)(x^2-xy+y^2)}{(x-y)(x-y)(x^2+xy+y^2)}$$
$$=\frac{x^2-xy+y^2}{(x-y)^2}.$$

29. $$\frac{x^6+y^6}{x^4-x^2y^2+y^4}$$
$$=\frac{(x^2+y^2)(x^4-x^2y^2+y^4)}{x^4-x^2y^2+y^4}$$
$$=x^2+y^2.$$

30. $$\frac{(a^3+b^3)(a^2+ab+b^2)}{(a^3-b^3)(a^2-ab+b^2)}$$
$$=\frac{(a+b)(a^2-ab+b^2)(a^2+ab+b^2)}{(a-b)(a^2+ab+b^2)(a^2-ab+b^2)}$$
$$=\frac{a+b}{a-b}.$$

EXERCISE LIII.

1. $$\frac{x^2-2x+1}{x-1}=x-1.$$

2. $$\begin{array}{r|l} 3x^2+2x+1 & x+4 \\ \cline{2-2} 3x^2+12x\phantom{{}+1} & 3x-10 \\ \cline{1-1} -10x+1 & \\ -10x-40 & \\ \cline{1-1} +41 & \end{array}$$
$$\therefore \frac{3x^2+2x+1}{x+4}=3x-10+\frac{41}{x+4}.$$

3. $$\begin{array}{r|l} 3x^2+6x+5 & x+4 \\ \cline{2-2} 3x^2+12x\phantom{{}+5} & 3x-6 \\ \cline{1-1} -6x+5 & \\ -6x-24 & \\ \cline{1-1} +29 & \end{array}$$
$$\therefore \frac{3x^2+6x+5}{x+4}=3x-6+\frac{29}{x+4}.$$

4. $$\begin{array}{r|l} a^2-ax+x^2 & a+x \\ \cline{2-2} a^2+ax\phantom{{}+x^2} & a-2x \\ \cline{1-1} -2ax+x^2 & \\ -2ax-2x^2 & \\ \cline{1-1} +3x^2 & \end{array}$$
$$\therefore \frac{a^2-ax+x^2}{a+x}=a-2x+\frac{3x^2}{a+x}.$$

5. $$\begin{array}{r|l} 2x^2\phantom{{}-6x}+5 & x-3 \\ \cline{2-2} 2x^2-6x\phantom{{}+5} & 2x+6 \\ \cline{1-1} 6x+5 & \\ 6x-18 & \\ \cline{1-1} +23 & \end{array}$$
$$\therefore \frac{2x^2+5}{x-3}=2x+6+\frac{23}{x-3}.$$

6. $$\begin{array}{r|l} 10a^2-17ax+10x^2 & 5a-x \\ \cline{2-2} 10a^2-2ax\phantom{{}+10x^2} & 2a-3x \\ \cline{1-1} -15ax+10x^2 & \\ -15ax+3x^2 & \\ \cline{1-1} +7x^2 & \end{array}$$
$$\therefore \frac{10a^2-17ax+10x^2}{5a-x}=2a-3x+\frac{7x^2}{5a-x}.$$

7. $$\begin{array}{r|l} 48x^2\phantom{{}-12x}+16 & 4x-1 \\ \cline{2-2} 48x^2-12x\phantom{{}+16} & 12x+3 \\ \cline{1-1} 12x+16 & \\ 12x-3 & \\ \cline{1-1} +19 & \end{array}$$
$$\therefore \frac{48x^2+16}{4x-1}=2x+3+\frac{19}{4x-1}.$$

8.
$$\begin{array}{r|l} 2x^2-5x-\ \ 2 & x-4 \\ \underline{2x^2-8x} & \overline{2x+3} \\ 3x-\ \ 2 & \\ \underline{3x-12} & \\ +10 & \end{array}$$
$$\therefore \frac{2x^2-5x-2}{x-4}=2x+3+\frac{10}{x-4}$$

9.
$$\begin{array}{r|l} a^2+b^2 & a-b \\ \underline{a^2-ab} & \overline{a+b} \\ ab+b^2 & \\ \underline{ab-b^2} & \\ +2b^2 & \end{array}$$
$$\therefore \frac{a^2+b^2}{a-b}=a+b+\frac{2b^2}{a-b}.$$

10.
$$\begin{array}{r|l} 5x^3-x^2+5 & 5x^2+4x-1 \\ \underline{5x^3+4x^2-x} & \overline{x-1} \\ -5x^2+x+5 & \\ \underline{-5x^2-4x+1} & \\ +5x+4 & \end{array}$$
$$\therefore \frac{5x^3-x^2+5}{5x^2+4x-1}=x-1+\frac{5x+4}{5x^2+4x-1}.$$

EXERCISE LIV.

1.
$$\begin{aligned} &1-\frac{x-y}{x+y} \\ &=\frac{x+y-(x-y)}{x+y} \\ &=\frac{x+y-x+y}{x+y} \\ &=\frac{2y}{x+y}. \end{aligned}$$

2.
$$\begin{aligned} &1+\frac{x-y}{x+y} \\ &=\frac{x+y+(x-y)}{x+y} \\ &=\frac{x+y+x-y}{x+y} \\ &=\frac{2x}{x+y}. \end{aligned}$$

3.
$$\begin{aligned} &3x-\frac{1+2x^2}{x} \\ &=\frac{3x^2-(1+2x^2)}{x} \\ &=\frac{3x^2-1-2x^2}{x} \\ &=\frac{x^2-1}{x}. \end{aligned}$$

4.
$$\begin{aligned} &a-x+\frac{a^2+x^2}{a-x} \\ &=\frac{a^2-2ax+x^2+(a^2+x^2)}{a-x} \\ &=\frac{2(a^2-ax+x^2)}{a-x}. \end{aligned}$$

5.
$$\begin{aligned} &5a-2b-\frac{3a^2-4b^2}{5a-6b} \\ &=\frac{25a^2-40ab+12b^2-(3a^2-4b^2)}{5a-6b} \\ &=\frac{22a^2-40ab+16b^2}{5a-6b} \end{aligned}$$

6.
$$\begin{aligned} &a+b-\frac{a^2+b^2}{a+b} \\ &=\frac{a^2+2ab+b^2-(a^2+b^2)}{a+b} \\ &=\frac{2ab}{a+b}. \end{aligned}$$

7.
$$\begin{aligned} &7a-\frac{2-3a+4a^2}{5-6a} \\ &=\frac{35a-42a^2-(2-3a+4a^2)}{5-6a} \\ &=\frac{38a-46a^2-2}{5-6a} \end{aligned}$$

8. $$\begin{aligned} &3x-\frac{5ax-3}{2a}\\ &=\frac{6ax-(5ax-3)}{2a}\\ &=\frac{ax+3}{2a}. \end{aligned}$$

9. $$\begin{aligned} &\frac{a+b}{a-b}+1\\ &=\frac{a+b+(a-b)}{a-b}\\ &=\frac{2a}{a-b}. \end{aligned}$$

10. $$\begin{aligned} &\frac{a-b}{a+b}-1\\ &=\frac{a-b-(a+b)}{a+b}\\ &=\frac{-2b}{a+b}. \end{aligned}$$

11. $$\begin{aligned} &\frac{2x^2}{x+y}-(x+y)\\ &=\frac{2x^2-(x^2+2xy+y^2)}{x+y}\\ &=\frac{x^2-2xy-y^2}{x+y}. \end{aligned}$$

12. $$\begin{aligned} &\frac{5a-12x}{4}+6a+3x\\ &=\frac{5a-12x+24a+12x}{4}\\ &=\frac{29a}{4}. \end{aligned}$$

13. $$\begin{aligned} &a-1+\frac{1}{a+1}\\ &=\frac{a^2-1+1}{a+1}\\ &=\frac{a^2}{a+1}. \end{aligned}$$

14. $$\begin{aligned} &x+5-\frac{2x-15}{x-3}\\ &=\frac{x^2+2x-15-2x+15}{x-3}\\ &=\frac{x^2}{x-3}. \end{aligned}$$

15. $$\begin{aligned} &2a-b-\frac{2ab}{a+b}\\ &=\frac{2a^2+ab-b^2-2ab}{a+b}\\ &=\frac{2a^2-ab-b^2}{a+b}. \end{aligned}$$

16. $$\begin{aligned} &3x-10+\frac{41}{x+4}\\ &=\frac{3x^2+2x-40+41}{x+4}\\ &=\frac{3x^2+2x+1}{x+4}. \end{aligned}$$

17. $$\begin{aligned} &x^2+x+1+\frac{2}{x-1}\\ &=\frac{x^3-1+2}{x-1}\\ &=\frac{x^3+1}{x-1}. \end{aligned}$$

18. $$\begin{aligned} &x^3-3x-\frac{3x(3-x)}{x-2}\\ &=\frac{x^4-2x^3-3x^2+6x-9x+3x^2}{x-2}\\ &=\frac{x^4-2x^3-3x}{x-2}\\ &=\frac{x(x^3-2x^2-3)}{x-2}. \end{aligned}$$

19. $$\begin{aligned} &a^2-2ax+4x^2-\frac{6x^3}{a+2x}\\ &=\frac{a^3+8x^3-6x^3}{a+2x}\\ &=\frac{a^3+2x^3}{a+2x}. \end{aligned}$$

20. $x-a+y+\dfrac{a^2-ay+y^2}{x+a}$

$$=\frac{x^2-a^2+xy+ay+a^2-ay+y^2}{x+a}$$

$$=\frac{x^2+xy+y^2}{x+a}.$$

EXERCISE LV.

1. $\dfrac{3x-7}{6}$, $\dfrac{4x-9}{18}$.

L.C.D. $=18$.

The multipliers are 3 and 1 respectively.

$$\frac{3x-7}{6}=\frac{9x-21}{18};$$

$$\frac{4x-9}{18}=\frac{4x-9}{18}.$$

2. $\dfrac{2x-4y}{5x^2}$, $\dfrac{3x-8y}{10x}$.

L.C.D. $=10x^2$.

The multipliers are 2 and x respectively.

$$\frac{2x-4y}{5x^2}=\frac{4x-8y}{10x^2};$$

$$\frac{3x-8y}{10x}=\frac{3x^2-8xy}{10x^2}.$$

3. $\dfrac{4a-5c}{5ac}$, $\dfrac{3a-2c}{12a^2c}$.

L.C.D. $=60a^2c$.

The multipliers are $12a$ and 5 respectively.

$$\frac{4a-5c}{5ac}=\frac{48a^2-60ac}{60a^2c};$$

$$\frac{3a-2c}{12a^2c}=\frac{15a-10c}{60a^2c}.$$

4. $\dfrac{5}{1-x}$, $\dfrac{6}{1-x^2}$.

L.C.D. $=1-x^2$.

The multipliers are $1+x$ and 1.

$$\frac{5}{1-x}=\frac{5+5x}{1-x^2};$$

$$\frac{6}{1-x^2}=\frac{6}{1-x^2}.$$

5. $\dfrac{1}{(a-b)(b-c)}$, $\dfrac{1}{(a-b)(a-c)}$.

L.C.D. $=(a-b)(a-c)(b-c)$.

The multipliers are $a-c$ and $b-c$.

$$\frac{1}{(a-b)(b-c)}=\frac{a-c}{(a-b)(a-c)(b-c)};$$

$$\frac{1}{(a-b)(a-c)}=\frac{b-c}{(a-b)(a-c)(b-c)}.$$

6. $\dfrac{4x^2}{3(a+b)}, \ \dfrac{xy}{6(a^2-b^2)}.$

L.C.D. $= 6(a^2-b^2)$.

The multipliers are $2(a-b)$ and 1.

$$\frac{4x^2}{3(a+b)}=\frac{8x^2(a-b)}{6(a^2-b^2)};$$
$$\frac{xy}{6(a^2+b^2)}=\frac{xy}{6(a^2-b^2)}.$$

7. $\dfrac{8x+2}{x-2}, \ \dfrac{2x-1}{3x-6}, \ \dfrac{3x+2}{5x-10}.$

L.C.D. $= 15(x-2)$.

The multipliers are 15, 5, and 3.

$$\frac{8x+2}{x-2}=\frac{30(4x+1)}{15(x-2)};$$
$$\frac{2x-1}{3x-6}=\frac{5(2x-1)}{15(x-2)};$$
$$\frac{3x+2}{5x-10}=\frac{3(3x+2)}{15(x-2)}.$$

8. $\dfrac{a-bm}{mx}, \ 1, \ \dfrac{c-bn}{nx}.$

L.C.D. $= mnx$.

The multipliers are n, mnx, and m.

$$\frac{a-bm}{mx}=\frac{an-bmn}{mnx};$$
$$1=\frac{mnx}{mnx};$$
$$\frac{c-bn}{nx}=\frac{cm-bmn}{mnx}.$$

EXERCISE LVI.

1. $\dfrac{3x-2y}{5x}+\dfrac{5x-7y}{10x}+\dfrac{8x+2y}{25}.$

L.C.D. $= 50x$.

The multipliers are 10, 5, and $2x$.

$$\begin{array}{rrrrl} & 30x & & -20y & = \text{first numerator,} \\ & 25x & & -35y & = \text{second numerator,} \\ 16x^2 & & +4xy & & = \text{third numerator.} \\ \hline 16x^2 & +55x & +4xy & -55y & = \text{sum of numerators.} \end{array}$$

$$\therefore \text{ Sum of fractions} = \frac{16x^2+55x+4xy-55y}{50x}.$$

2. $\frac{4x^2-7y^2}{3x^2}+\frac{3x-8y}{6x}+\frac{5-2y}{12}.$

L.C.D. $= 12x^2$.

The multipliers are 4, $2x$, and x^2.

$$\begin{array}{lr}
16x^2 \qquad\qquad\qquad\qquad -28y^2 & = \text{first numerator,} \\
6x^2 \qquad -16xy & = \text{second numerator,} \\
5x^2-2x^2y & = \text{third numerator.} \\
\hline
27x^2-2x^2y-16xy-28y^2 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= \frac{27x^2-2x^2y-16xy-28y^2}{12x^2}.$

3. $\frac{4a^2+5b^2}{2b^2}+\frac{3a+2b}{5b}+\frac{7-2a}{9}.$

L.C.D. $= 90b^2$.

The multipliers are 45, $18b$, and $10b^2$.

$$\begin{array}{lr}
180a^2+225b^2 & = \text{first numerator,} \\
36b^2+54ab & = \text{second numerator,} \\
70b^2 \qquad -20ab^2 & = \text{third numerator.} \\
\hline
180a^2+331b^2+54ab-20ab^2 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= \frac{180a^2+54ab-20ab^2+331b^2}{90b^2}.$

4. $\frac{4x+5}{3}-\frac{3x-7}{5x}+\frac{9}{12x^2}.$

L.C.D. $= 60x^2$.

The multipliers are $20x^2$, $12x$, and 5.

$$\begin{array}{lr}
80x^3+100x^2 & = \text{first numerator,} \\
-\ 36x^2+84x & = \text{second numerator,} \\
45 & = \text{third numerator.} \\
\hline
80x^3+\ 64x^2+84x+45 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= \frac{80x^3+64x^2+84x+45}{60x^2}.$

5. $\frac{4x-3y}{7}+\frac{3x+7y}{14}-\frac{5x-2y}{21}+\frac{9x+2y}{42}.$

L.C.D. $= 42$.

The multipliers are 6, 3, 2, and 1.

$$\begin{array}{rl}
24x-18y & = \text{first numerator,} \\
9x+21y & = \text{second numerator,} \\
-10x+\ \ 4y & = \text{third numerator,} \\
9x+\ \ 2y & = \text{fourth numerator.} \\
\hline
32x+\ \ 9y & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= \frac{32x+9y}{42}.$

6. $\frac{3xy-4}{x^2y^2}-\frac{5y^2+7}{xy^3}-\frac{6x^2-11}{x^3y}.$

L.C.D. $=x^3y^3$.

$$\begin{array}{llll} 3x^2y^2-4xy & & & =\text{first numerator,}\\ -5x^2y^2 & & -7x^2 & =\text{second numerator,}\\ \underline{-6x^2y^2} & \underline{+11y^2} & & =\text{third numerator.}\\ \hline -8x^2y^2-4xy & +11y^2 & -7x^2 & =\text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{11y^2-4xy-8x^2y^2-7x^2}{x^3y^3}.$

7. $\frac{a^2-2ac+c^2}{a^2c^2}-\frac{b^2-2bc+c^2}{b^2c^2}.$

L.C.D. $=a^2b^2c^2$.

$$\begin{array}{lllll} a^2b^2 & -2ab^2c & & +b^2c^2 & =\text{first numerator,}\\ -a^2b^2 & & +2a^2bc & -a^2c^2 & =\text{second numerator,}\\ \hline & -2ab^2c & +2a^2bc & +b^2c^2-a^2c^2 & =\text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{b^2c^2-2ab^2c+2a^2bc-a^2c^2}{a^2b^2c^2}.$

8. $\frac{5a^3-2}{8a^2}-\frac{3a^2-a}{8}.$

L.C.D. $=8a^2$.

$$\begin{array}{llll} 5a^3 & & -2 & =\text{first numerator,}\\ a^3 & -3a^4 & & =\text{second numerator.}\\ \hline 6a^3 & -3a^4 & -2 & =\text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{6a^3-3a^4-2}{8a^2}.$

9. $\frac{a-b}{c}+\frac{b-c}{a}+\frac{c-a}{b}+\frac{ab^2+bc^2+ca^2}{abc}.$

L.C.D. $=abc$.

$$\begin{array}{lllllll} a^2b & & & -ab^2 & & & =\text{first numerator,}\\ & b^2c & & & -bc^2 & & =\text{second numerator,}\\ & & ac^2 & & & -a^2c & =\text{third numerator,}\\ & & & ab^2 & +bc^2 & +a^2c & =\text{fourth numerator.}\\ \hline a^2b & +b^2c & +ac^2 & & & & =\text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{a^2b+b^2c+ac^2}{abc}$

10. $\dfrac{1}{2x^2y}-\dfrac{1}{6y^2z}-\dfrac{1}{2xz^2}+\dfrac{2x-z}{4x^2z^2}+\dfrac{y-2z}{4x^2yz}.$

L. C. D. $= 12x^2y^2z^2$.

$$\begin{array}{lllll}
6yz^2 & & & & = \text{first numerator,}\\
 & -2x^2z & & & = \text{second numerator,}\\
 & & -6xy^2 & & = \text{third numerator,}\\
 & & 6xy^2 & -3y^2z & = \text{fourth numerator,}\\
\underline{-6yz^2} & & & \underline{+3y^2z} & = \text{fifth numerator.}\\
 & -2x^2z & & & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= -\dfrac{2x^2z}{12x^2y^2z^2} = -\dfrac{1}{6y^2z}$.

Exercise LVII.

1. $\dfrac{1}{x-6}+\dfrac{1}{x+5}.$

L. C. D. $=(x-6)(x+5)$.

The multipliers are $x+5$ and $x-6$ respectively.

$$\begin{array}{l}
x+5 = \text{first numerator,}\\
\underline{x-6} = \text{second numerator.}\\
2x-1 = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{2x-1}{x^2-x-30}.$

2. $\dfrac{1}{x-7}-\dfrac{1}{x-3}.$

L. C. D. $=(x-7)(x-3)$.

The multipliers are $x-7$ and $x-3$ respectively.

$$\begin{array}{r}
x-3 = \text{first numerator,}\\
\underline{-x+7} = \text{second numerator.}\\
4 = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{4}{x^2-10x+21}.$

3. $\dfrac{1}{1+x}+\dfrac{1}{1-x}$

L. C. D. $=1-x^2$.

The multipliers are $1-x$ and $1+x$ respectively.

$$\begin{array}{ll}
1-x & = \text{first numerator,}\\
\underline{1+x} & = \text{second numerator.}\\
2 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{2}{1-x^2}.$

4. $\dfrac{1}{1-x}-\dfrac{2}{1-x^2}$.

L.C.D. $=1-x^2$.

The multipliers are $1+x$ and 1.

$$\begin{array}{rl} 1+x & = \text{first numerator,} \\ \underline{-2} & = \text{second numerator.} \\ -1+x & = \text{sum of numerators.} \\ & = -(1-x). \end{array}$$

∴ Sum of fractions $=\dfrac{-(1-x)}{1-x^2}=-\dfrac{1}{1+x}$.

5. $\dfrac{1}{x-y}+\dfrac{x}{(x-y)^2}$.

L.C.D. $=(x-y)^2$.

The multipliers are $x-y$ and 1.

$$\begin{array}{rl} x-y & = \text{first numerator,} \\ \underline{x} & = \text{second numerator.} \\ 2x-y & = \text{sum of numerators.} \end{array}$$

∴ Sum of fractions $=\dfrac{2x-y}{(x-y)^2}$.

6. $\dfrac{1}{2a(a+x)}+\dfrac{1}{2a(a-x)}$.

L.C.D. $=2a(a+x)(a-x)$.

The multipliers are $a-x$ and $a+x$.

$$\begin{array}{rl} a-x & = \text{first numerator,} \\ \underline{a+x} & = \text{second numerator.} \\ 2a & = \text{sum of numerators.} \end{array}$$

∴ Sum of fractions $=\dfrac{2a}{2a(a+x)(a-x)}=\dfrac{1}{a^2-x^2}$.

7. $\dfrac{a}{(a+b)b}-\dfrac{b}{(a-b)a}$.

L.C.D. $=ab(a^2-b^2)$.

The multipliers are $a(a-b)$ and $b(a+b)$.

$$\begin{array}{rl} a^3-a^2b & = \text{first numerator,} \\ \underline{-ab^2-b^3} & = \text{second numerator.} \\ a^3-a^2b-ab^2-b^3 & = \text{sum of numerators.} \end{array}$$

∴ Sum of fractions $=\dfrac{a^3-a^2b-ab^2-b^3}{ab(a^2-b^2)}$.

8. $\dfrac{5}{2x(x-1)}-\dfrac{3}{4x(x-2)}$.

L. C. D. $= 4x(x-1)(x-2)$.

The multipliers are $2(x-2)$ and $(x-1)$.

$10x - 20 =$ first numerator,
$-3x + 3 =$ second numerator.
$7x - 17 =$ sum of numerators.

$\therefore$ Sum of fractions $= \dfrac{7x-17}{4x(x^2-3x+2)}$.

9. $\dfrac{1+x}{1+x+x^2}-\dfrac{1-x}{1-x+x^2}$.

L. C. D. $= 1 + x^2 + x^4$.

The multipliers are $1-x+x^2$ and $1+x+x^2$.

$1 + x^3 =$ first numerator,
$-1 + x^3 =$ second numerator.
$2x^3 =$ sum of numerators.

$\therefore$ Sum of fractions $= \dfrac{2x^3}{1+x^2+x^4}$.

10. $\dfrac{2ax-3by}{2xy(x-y)}-\dfrac{2ax+3by}{2xy(x+y)}$.

L. C. D. $= 2xy(x^2-y^2)$.

The multipliers are $x+y$ and $x-y$.

$2ax^2 + 2axy - 3bxy - 3by^2 =$ first numerator,
$2ax^2 + 2axy - 3bxy + 3by^2 =$ second numerator.
$4axy - 6bxy =$ sum of numerators.
or $2xy(2a-3b) =$ sum of numerators.

$\therefore$ Sum of fractions $= \dfrac{2a-3b}{x^2-y^2}$.

EXERCISE LVIII.

1. $\dfrac{1}{1+a}+\dfrac{1}{1-a}+\dfrac{2a}{1-a^2}$.

L. C. D. $= 1 - a^2$.

The multipliers are $1-a$, $1+a$, and 1.

$1 - a =$ first numerator,
$1 + a =$ second numerator,
$2a =$ third numerator.
$2 + 2a = 2(1+a) =$ sum of numerators.

$\therefore$ Sum of fractions $= \dfrac{2(1+a)}{(1+a)(1-a)} = \dfrac{2}{1-a}$.

2. $\dfrac{1}{1-x}-\dfrac{1}{1+x}+\dfrac{2x}{1+x^2}.$

L. C. D. $=(1-x)(1+x)(1+x^2).$

$$\begin{array}{rl}
1+x+x^2+\ \ x^3 & =\text{first numerator,}\\
-1+x-x^2+\ \ x^3 & =\text{second numerator,}\\
2x\qquad -2x^3 & =\text{third numerator.}\\
\hline
4x\qquad\qquad & =\text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{4x}{1-x^4}.$

3. $\dfrac{x}{1-x}-\dfrac{x^2}{1-x}+\dfrac{x}{1+x^2}.$

L. C. D. $=(1-x)(1+x^2).$

$$\begin{array}{rl}
x\qquad +x^3\qquad & =\text{first numerator,}\\
-x^2\qquad -x^4 & =\text{second numerator,}\\
x\ \ -x^2\qquad\qquad & =\text{third numerator.}\\
\hline
2x-2x^2+x^3-x^4 & =\text{sum of numerators.}\\
 & =2x(1-x)+x^3(1-x).
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{(2x+x^3)(1-x)}{(1+x^2)(1-x)}=\dfrac{2x+x^3}{1+x^2}.$

4. $\dfrac{x}{y}+\dfrac{y}{x+y}+\dfrac{x^2}{x^2+xy}.$

L. C. D. $=xy(x+y).$

$$\begin{array}{rl}
x^3\ \ +x^2y\qquad\quad & =\text{first numerator,}\\
+xy^2 & =\text{second numerator,}\\
+x^2y\qquad\quad & =\text{third numerator.}\\
\hline
x^3+2x^2y+xy^2 & =\text{sum of numerators.}\\
 & =x(x+y)^2.
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{x(x+y)^2}{xy(x+y)}=\dfrac{x+y}{y}.$

5. $\dfrac{x-1}{x-2}+\dfrac{x-2}{x-3}+\dfrac{x-3}{x-4}.$

L. C. D. $=(x-2)(x-3)(x-4).$

$$\begin{array}{rl}
x^3-\ \ 8x^2+19x-12 & =\text{first numerator,}\\
x^3-\ \ 8x^2+20x-16 & =\text{second numerator,}\\
x^3-\ \ 8x^2+21x-18 & =\text{third numerator.}\\
\hline
3x^3-24x^2+60x-46 & =\text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{3x^3-24x^2+60x-46}{x^3-9x^2+26x-24}.$

6. $\dfrac{3}{x-a}+\dfrac{4a}{(x-a)^2}-\dfrac{5a^2}{(x-a)^3}.$

L.C.D. $=(x-a)^3.$

$$\begin{array}{rl}
3x^2-6ax+3a^2 & = \text{first numerator,}\\
4ax-4a^2 & = \text{second numerator,}\\
-5a^2 & = \text{third numerator.}\\
\hline
3x^2-2ax-6a^2 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{3x^2-2ax-6a^2}{(x-a)^3}.$

7. $\dfrac{1}{x-1}-\dfrac{1}{x+2}-\dfrac{3}{(x+1)(x+2)}.$

L.C.D. $=(x-1)(x+1)(x+2).$

$$\begin{array}{rl}
x^2+3x+2 & = \text{first numerator,}\\
-x^2\qquad\ +1 & = \text{second numerator,}\\
-3x+3 & = \text{third numerator.}\\
\hline
6 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{6}{(x^2-1)(x+2)}.$

8. $\dfrac{a-b}{(b+c)(c+a)}+\dfrac{b-c}{(c+a)(a+b)}+\dfrac{c-a}{(a+b)(b+c)}.$

L.C.D. $=(b+c)(a+b)(c+a).$

$$\begin{array}{rl}
a^2-b^2\qquad\ & = \text{first numerator,}\\
+b^2-c^2 & = \text{second numerator,}\\
-a^2\qquad\ +c^2 & = \text{third numerator.}\\
\hline
0 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=0.$

9. $\dfrac{x-a}{x-b}+\dfrac{x-b}{x-a}-\dfrac{(a-b)^2}{(x-a)(x-b)}.$

L.C.D. $=(x-a)(x-b).$

$$\begin{array}{ll}
x^2-2ax+a^2 & = \text{first numerator,}\\
x^2-2bx+b^2 & = \text{second numerator,}\\
-a^2+2ab-b^2 & = \text{third numerator.}\\
\hline
2x^2-2bx+2ab-2ax & = \text{sum of numerators.}\\
 & = 2(x-a)(x-b).
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{2(x-a)(x-b)}{(x-a)(x-b)}=2.$

10. $$\frac{x+y}{y}-\frac{2x}{x+y}+\frac{x^2y-x^3}{y(x^2-y^2)}.$$

L.C.D. $= y(x^2-y^2)$.

$$\begin{array}{rrrrl}
x^3 & -\,xy^2 & +\,x^2y & -\,y^3 & = \text{first numerator,}\\
 & 2xy^2 & -\,2x^2y & & = \text{second numerator,}\\
-x^3 & & +\,x^2y & & = \text{third numerator.}\\
\hline
 & xy^2 & & -\,y^3 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{y^2(x-y)}{y(x^2-y^2)}=\dfrac{y}{x+y}$.

11. $$\frac{a+b}{(b-c)(c-a)}+\frac{b+c}{(c-a)(a-b)}+\frac{c+a}{(a-b)(b-c)}.$$

L.C.D. $=(b-c)(c-a)(a-b)$.

$$\begin{array}{rrrl}
a^2 & -\,b^2 & & = \text{first numerator,}\\
 & +\,b^2 & -\,c^2 & = \text{second numerator,}\\
-a^2 & & +\,c^2 & = \text{third numerator.}\\
\hline
 & & 0 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= 0$.

12. $$\frac{a^2-bc}{(a+b)(a+c)}+\frac{b^2-ac}{(b+a)(b+c)}+\frac{c^2+ab}{(c+b)(c+a)}.$$

L.C.D. $=(a+b)(b+c)(a+c)$.

$$\begin{array}{ll}
a^2b-b^2c+a^2c-bc^2 & = \text{first numerator,}\\
ab^2+b^2c-a^2c-ac^2 & = \text{second numerator,}\\
a^2b+ac^2+bc^2+ab^2 & = \text{third numerator.}\\
\hline
2a^2b+2ab^2 & = \text{sum of numerators.}\\
 & = 2ab(a+b).
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{2ab(a+b)}{(a+b)(b+c)(a+c)}=\dfrac{2ab}{(b+c)(a+c)}$.

13. $$\frac{a}{a-x}-\frac{x}{a+2x}-\frac{a^2+x^2}{(a-x)(a+2x)}.$$

L.C.D. $=(a-x)(a+2x)$.

$$\begin{array}{rrrl}
a^2 & +\,2ax & & = \text{first numerator,}\\
 & -\,ax & +\,x^2 & = \text{second numerator,}\\
-a^2 & & -\,x^2 & = \text{third numerator.}\\
\hline
 & ax & & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{ax}{(a-x)(a+2x)}$.

14. $\dfrac{3}{(a-b)(b-c)} - \dfrac{4}{(a-b)(a-c)} + \dfrac{6}{(a-c)(b-c)}.$

L.C.D. $= (a-b)(a-c)(b-c).$

$$\begin{array}{llll} 3a & & -3c & = \text{first numerator,} \\ & -4b & +4c & = \text{second numerator,} \\ \underline{6a} & \underline{-6b} & & = \text{third numerator.} \\ 9a & -10b & +c & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $= \dfrac{9a-10b+c}{(a-b)(a-c)(b-c)}.$

15. $\dfrac{x-2y}{x(x-y)} - \dfrac{2x+y}{y(x+y)} - \dfrac{2x}{x^2-y^2}.$

L.C.D. $= xy(x^2-y^2).$

$$\begin{array}{lllll} & x^2y & -xy^2 & -2y^3 & = \text{first numerator,} \\ -2x^3 + & x^2y & +xy^2 & & = \text{second numerator,} \\ & \underline{-2x^2y} & & & = \text{third numerator.} \\ -2x^3 & & & -2y^3 & = \text{sum of numerators.} \\ & & & & = -2(x+y)(x^2-xy+y^2). \end{array}$$

$\therefore$ Sum of fractions $= \dfrac{-2(x+y)(x^2-xy+y^2)}{xy(x+y)(x-y)}$

$= -\dfrac{2(x^2-xy+y^2)}{xy(x-y)}.$

16. $\dfrac{a-b}{x(a+b)} - \dfrac{a-b}{y(a+b)} - \dfrac{(a-b)(x+y)}{xy(a+b)}.$

L.C.D. $= xy(a+b).$

$$\begin{array}{lllll} ay - by & & & & = \text{first numerator,} \\ & - & ax + & bx & = \text{second numerator,} \\ \underline{-ay + by} & \underline{-} & \underline{ax +} & \underline{bx} & = \text{third numerator.} \\ & & -2ax + & 2bx & = \text{sum of numerators.} \\ & & & & = 2x(b-a). \end{array}$$

$\therefore$ Sum of fractions $= \dfrac{2x(b-a)}{xy(a+b)} = \dfrac{2(b-a)}{y(a+b)}.$

17. $\dfrac{3x}{(x+y)^2} - \dfrac{x+2y}{x^2-y^2} + \dfrac{3y}{(x-y)^2}.$

L.C.D. $= (x+y)^2(x-y)^2.$

$$\begin{array}{lllll} 3x^3 & -6x^2y + & 3xy^2 & & = \text{first numerator,} \\ -x^3 & -2x^2y + & xy^2 & +2y^3 & = \text{second numerator,} \\ & \underline{+3x^2y +} & \underline{6xy^2} & \underline{+3y^3} & = \text{third numerator.} \\ 2x^3 & -5x^2y + & 10xy^2 & +5y^3 & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $= \dfrac{2x^3-5x^2y+10xy^2+5y^3}{(x+y)^2(x-y)^2}.$

18. $\dfrac{a-c}{(a+b)^2-c^2}-\dfrac{a-b}{(a+c)^2-b^2}$.

L.C.D. $=(a+b+c)(a+b-c)(a-b+c)$.

$$\begin{array}{rl}
a^2 \qquad\qquad\qquad -c^2 & = \text{first numerator,}\\
\underline{-a^2+ac+b^2-ab\qquad} & = \text{second numerator.}\\
ac+b^2-ab-c^2 & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{ac-ab+b^2-c^2}{(a+b+c)(a+b-c)(a+c-b)}$.

19. $\dfrac{a+b}{ax+by}-\dfrac{a-b}{ax-by}+\dfrac{ab(x-y)}{a^2x^2-b^2y^2}$.

L.C.D. $=(ax+by)(ax-by)$.

$$\begin{array}{rl}
a^2x+abx-aby-b^2y & = \text{first numerator,}\\
-a^2x+abx-aby+b^2y & = \text{second numerator,}\\
\underline{+abx-aby\qquad} & = \text{third numerator.}\\
+3abx-3aby\qquad & = \text{sum of numerators;}\\
\text{or,}\qquad 3ab(x-y) & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{3ab(x-y)}{a^2x^2-b^2y^2}$.

Exercise LIX.

1. $\dfrac{x}{x-y}+\dfrac{x-y}{y-x}=\dfrac{x}{x-y}-\dfrac{x-y}{x-y}$.

L.C.D. $=x-y$.

$$\begin{array}{rl}
x & = \text{first numerator,}\\
\underline{y-x} & = \text{second numerator.}\\
y\qquad & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{y}{x-y}$.

2. $\dfrac{3+2x}{2-x}+\dfrac{3x-2}{2+x}+\dfrac{16x-x^2}{x^2-4}$

$=\dfrac{3+2x}{2-x}+\dfrac{3x-2}{2+x}-\dfrac{16x-x^2}{4-x^2}$.

L.C.D. $=4-x^2$.

$$\begin{array}{rl}
6+\ \ 7x+2x^2 & = \text{first numerator,}\\
-4+\ \ 8x-3x^2 & = \text{second numerator,}\\
\underline{-16x+\ \ x^2} & = \text{third numerator.}\\
2\quad -x\qquad & = \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{2-x}{4-x^2}=\dfrac{1}{2+x}$.

3. $\frac{x^2}{x^2-1}+\frac{x}{x+1}-\frac{x}{1-x}=\frac{x^2}{x^2-1}+\frac{x}{x+1}+\frac{x}{x-1}.$

L. C. D. $=x^2-1.$

$$\begin{array}{ll} x^2 & = \text{first numerator,} \\ x^2-x & = \text{second numerator,} \\ \underline{x^2+x} & = \text{third numerator.} \\ 3x^2 & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{3x^2}{x^2-1}.$

4. $\frac{4}{3-3y^2}+\frac{1}{2-2y}+\frac{1}{6y+6}$

$=\frac{4}{3(1+y)(1-y)}+\frac{1}{2(1-y)}+\frac{1}{6(1+y)}.$

L. C. D. $=6(1+y)(1-y).$

$$\begin{array}{rl} 8 & = \text{first numerator,} \\ 3y+3 & = \text{second numerator,} \\ \underline{-y+1} & = \text{third numerator.} \\ 2y+12 & = \text{sum of numerators;} \\ \text{or, } 2(6+y) & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{6+y}{3(1-y^2)}.$

5. $\frac{1}{(2-m)(3-m)}-\frac{2}{(m-1)(m-3)}+\frac{1}{(m-1)(m-2)}$

$=\frac{1}{(2-m)(3-m)}-\frac{2}{(1-m)(3-m)}+\frac{1}{(1-m)(2-m)}.$

L. C. D. $=(1-m)(2-m)(3-m).$

$$\begin{array}{rl} 1-m & = \text{first numerator,} \\ -4+2m & = \text{second numerator,} \\ \underline{3-m} & = \text{third numerator.} \\ 0 & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=0.$

6. $\frac{1}{(b-a)(x+a)}+\frac{1}{(a-b)(x+b)}$

$=\frac{1}{(b-a)(x+a)}-\frac{1}{(b-a)(x+b)}.$

L. C. D. $=(b-a)(x+a)(x+b).$

$$\begin{array}{rl} x+b & = \text{first numerator,} \\ \underline{-x-a} & = \text{second numerator.} \\ b-a & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $=\frac{b-a}{(b-a)(x+a)(x+b)}=\frac{1}{(x+a)(x+b)}.$

7. $\dfrac{a^2+b^2}{a^2-b^2}+\dfrac{2ab^2}{b^3-a^3}+\dfrac{2a^2b}{a^3+b^3}=\dfrac{a^2+b^2}{a^2-b^2}-\dfrac{2ab^2}{a^3-b^3}+\dfrac{2a^2b}{a^3+b^3}.$

L. C. D. $=(a^3-b^3)(a^3+b^3).$

$$\begin{array}{llllllll}
a^6 & & +2a^4b^2 & +2a^2b^4 & & +b^6 & = & \text{first numerator,}\\
 & & -2a^4b^2 & & -2ab^5 & & = & \text{second numerator,}\\
 & +2a^5b & & -2a^2b^4 & & & = & \text{third numerator.}\\ \hline
a^6 & +2a^5b & & & -2ab^5 & +b^6 & = & \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{a^6+2a^5b-2ab^5+b^6}{(a^3-b^3)(a^3+b^3)}.$

8. $\dfrac{b-a}{x-b}-\dfrac{a-2b}{b+x}-\dfrac{3x(a-b)}{b^2-x^2}=\dfrac{b-a}{x-b}-\dfrac{a-2b}{x+b}+\dfrac{3x(a-b)}{x^2-b^2}.$

L. C. D. $=x^2-b^2.$

$$\begin{array}{lllllll}
-ab & -ax & +bx & +b^2 & = & \text{first numerator,}\\
ab & -ax & +2bx & -2b^2 & = & \text{second numerator,}\\
 & 3ax & -3bx & & = & \text{third numerator.}\\ \hline
 & ax & & -b^2 & = & \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{ax-b^2}{x^2-b^2}.$

9. $\dfrac{3+2x}{2-x}-\dfrac{2-3x}{2+x}+\dfrac{16x-x^2}{x^2-4}=\dfrac{3+2x}{2-x}-\dfrac{2-3x}{2+x}-\dfrac{16x-x^2}{4-x^2}.$

L. C. D. $=4-x^2.$

$$\begin{array}{llllll}
6 & +7x & +2x^2 & = & \text{first numerator,}\\
-4 & +8x & -3x^2 & = & \text{second numerator,}\\
 & -16x & +x^2 & = & \text{third numerator.}\\ \hline
2 & -x & & = & \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{2-x}{4-x^2}=\dfrac{1}{2+x}.$

10. $\dfrac{3}{1-2x}-\dfrac{7}{1+2x}-\dfrac{4-20x}{4x^2-1}=\dfrac{3}{1-2x}-\dfrac{7}{1+2x}+\dfrac{4-20x}{1-4x^2}.$

L. C. D. $=1-4x^2.$

$$\begin{array}{lllll}
3 & +6x & = & \text{first numerator,}\\
-7 & +14x & = & \text{second numerator,}\\
4 & -20x & = & \text{third numerator.}\\ \hline
 & 0 & = & \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $=0.$

11. $$\frac{a+b}{(b-c)(c-a)}+\frac{b+c}{(b-a)(a-c)}+\frac{c+a}{(a-b)(b-c)}$$
$$=-\frac{a+b}{(b-c)(a-c)}-\frac{b+c}{(a-b)(a-c)}+\frac{a+c}{(a-b)(b-c)}.$$
L. C. D. $= (a-b)(a-c)(b-c)$.
$$\begin{array}{rl}
-a^2+b^2\phantom{{}+c^2} &= \text{first numerator,}\\
-b^2+c^2 &= \text{second numerator,}\\
a^2\phantom{{}+b^2}-c^2 &= \text{third numerator.}\\
\hline
0 &= \text{sum of numerators.}
\end{array}$$
∴ Sum of fractions $= 0$.

12. $$\frac{a^2-bc}{(a-b)(a-c)}+\frac{b^2+ac}{(b+c)(b-a)}+\frac{c^2+ab}{(c-a)(c+b)}$$
$$=\frac{a^2-bc}{(a-b)(a-c)}-\frac{ac+b^2}{(b+c)(a-b)}-\frac{ab+c^2}{(a-c)(b+c)}.$$
L. C. D. $= (a-b)(a-c)(b+c)$.
$$\begin{array}{rl}
a^2b-b^2c+a^2c-bc^2 &= \text{first numerator,}\\
b^2c-a^2c+ac^2-ab^2 &= \text{second numerator,}\\
-a^2b+bc^2-ac^2+ab^2 &= \text{third numerator.}\\
\hline
0 &= \text{sum of numerators.}
\end{array}$$
∴ Sum of fractions $= 0$.

13. $$\frac{y+z}{(x-y)(x-z)}+\frac{z+x}{(y-x)(y-z)}+\frac{x+y}{(z-x)(z-y)}$$
$$=\frac{y+z}{(x-y)(x-z)}-\frac{x+z}{(x-y)(y-z)}+\frac{x+y}{(x-z)(y-z)}.$$
L. C. D. $= (x-y)(y-z)(x-z)$.
$$\begin{array}{rl}
y^2-z^2 &= \text{first numerator,}\\
-x^2\phantom{{}-y^2}+z^2 &= \text{second numerator,}\\
x^2-y^2\phantom{{}+z^2} &= \text{third numerator.}\\
\hline
0 &= \text{sum of numerators.}
\end{array}$$
∴ Sum of fractions $= 0$.

14. $$\frac{3}{(a-b)(b-c)}-\frac{4}{(b-a)(c-a)}-\frac{6}{(a-c)(c-b)}$$
$$=\frac{3}{(a-b)(b-c)}-\frac{4}{(a-b)(a-c)}+\frac{6}{(a-c)(b-c)}.$$
L. C. D. $= (a-b)(a-c)(b-c)$.
$$\begin{array}{rl}
3a\phantom{{}-10b}-3c &= \text{first numerator,}\\
-4b+4c &= \text{second numerator,}\\
6a-6b\phantom{{}+4c} &= \text{third numerator.}\\
\hline
9a-10b+c &= \text{sum of numerators.}
\end{array}$$
∴ Sum of fractions $=\dfrac{9a-10b+c}{(a-b)(a-c)(b-c)}.$

15. $$\frac{1}{x(x-y)(x-z)}+\frac{1}{y(y-x)(y-z)}-\frac{1}{xyz}$$

$$=\frac{1}{x(x-y)(x-z)}-\frac{1}{y(x-y)(y-z)}-\frac{1}{xyz}.$$

L. C. D. $= xyz(x-y)(x-z)(y-z)$.

$$\begin{array}{rl} y^2z \qquad\qquad -yz^2 & = \text{first numerator,} \\ -x^2z+xz^2 \qquad & = \text{second numerator} \\ \underline{-x^2y+xy^2-y^2z+x^2z-xz^2+yz^2} & = \text{third numerator.} \\ -x^2y+xy^2 \qquad\qquad\qquad & = \text{sum of numerators;} \\ \text{or,} \qquad\qquad -xy(x-y) & = \text{sum of numerators.} \end{array}$$

$\therefore$ Sum of fractions $= \dfrac{-xy(x-y)}{xyz(x-y)(x-z)(y-z)}$

$$=-\frac{1}{z(x-z)(y-z)}.$$

Exercise LX.

1. $\dfrac{a}{bx}\times\dfrac{cx}{d}.$

Cancelling common factor x,

$=\dfrac{ac}{bd}.$

2. $\dfrac{2x}{a}\times\dfrac{3ab}{c}\times\dfrac{3ac}{2b}.$

Cancelling $2abc$,

$=9ax.$

3. $\dfrac{3p}{2p-2}\div\dfrac{2p}{p-1}$

$=\dfrac{3p}{2(p-1)}\times\dfrac{p-1}{2p}.$

Cancelling p and $p-1$,

$=\frac{3}{4}.$

4. $\dfrac{8x^4y}{15ab^3}\div\dfrac{2x^3}{3ab^2}$

$=\dfrac{8x^4y}{15ab^3}\times\dfrac{3ab^2}{2x^3}.$

Cancelling $2x^3$ and $3ab^2$,

$=\dfrac{4xy}{5b}.$

5. $\dfrac{8a^2b^3}{45x^2y}\times\dfrac{15xy^2}{24a^3b^2}.$

Cancelling 8, 15, a^2, b^2, x, and y,

$=\dfrac{by}{9ax}.$

6. $\dfrac{9x^2y^2z}{10a^2b^2c}\times-\dfrac{20a^3b^2c}{18xy^2z}.$

Cancelling $9xy^2z$, $10a^2b^2c$, and 2,

$=-ax.$

7. $\dfrac{3x^2y}{4xz^2}\times\dfrac{5y^2z}{6xy}\times-\dfrac{12x^2}{2xy^2}.$

Cancelling 2, 6, x^3, y^3, and z,

$=-\dfrac{15x}{4z}.$

8. $\dfrac{9m^2n^2}{8p^3q^3}\times\dfrac{5p^2q}{2xy}\times\dfrac{24x^2y^2}{90mn}.$

Cancelling 9, 5, 8, mn, p^2q, and xy,

$=\dfrac{3mnxy}{4pq^2}.$

9. $\frac{25k^3m^2}{14n^2q^2}\times\frac{70n^3q}{75p^2m}\times\frac{3pm}{4k^2n}.$

Cancelling $25k^2m$, $14n^3q$, and $3p$,

$=\frac{5km^2}{4pq}$

10. $\frac{a-b}{a^2+ab}\times\frac{a^2-b^2}{a^2-ab}$

$=\frac{a-b}{a(a+b)}\times\frac{(a+b)(a-b)}{a(a-b)}.$

Cancelling $a-b$ and $a+b$,

$=\frac{a-b}{a^2}.$

11. $\frac{a^2+b^2}{a^2-b^2}\div\frac{a-b}{a+b}$

$=\frac{a^2+b^2}{(a-b)(a+b)}\times\frac{a+b}{a-b}.$

Cancelling $a+b$,

$=\frac{a^2+b^2}{(a-b)^2}.$

12. $\frac{x^2+x-2}{x^2-7x}\times\frac{x^2-13x+42}{x^2+2x}$

$=\frac{(x+2)(x-1)}{x(x-7)}\times\frac{(x-6)(x-7)}{x(x+2)}.$

Cancelling $x-7$ and $x+2$

$=\frac{(x-1)(x-6)}{x^2}.$

13. $\frac{x^2-11x+30}{x^2-6x+9}\times\frac{x^2-3x}{x^2-5x}$

$=\frac{(x-5)(x-6)}{(x-3)(x-3)}\times\frac{x(x-3)}{x(x-5)}$

$=\frac{x-6}{x-3}.$

14. $\frac{a^3-x^3}{a^3+x^3}\times\frac{(a+x)^2}{(a-x)^2}$

$=\frac{(a-x)(a^2+ax+x^2)}{(a+x)(a^2-ax+x^2)}\times\frac{(a+x)^2}{(a-x)^2}$

$=\frac{(a+x)(a^2+ax+x^2)}{(a-x)(a^2-ax+x^2)}.$

15. $\frac{2a(x^2-y^2)^2}{cx}\times\frac{x^3}{(x-y)(x+y)^2}$

$=\frac{2a(x+y)^2(x-y)^2}{cx}\times\frac{x^3}{(x-y)(x+y)^2}.$

$=\frac{2ax^2(x-y)}{c}.$

16. $\dfrac{a^2+2ab}{a^2+4b^2}\times\dfrac{ab-2b^2}{a^2-4b^2}$

$=\dfrac{a(a+2b)}{a^2+4b^2}\times\dfrac{b(a-2b)}{(a-2b)(a+2b)}$

$=\dfrac{ab}{a^2+4b^2}$

17. $\dfrac{x^2-4}{x^2+5x}\times\dfrac{x^2-25}{x^2+2x}$

$=\dfrac{(x+2)(x-2)}{x(x+5)}\times\dfrac{(x+5)(x-5)}{x(x+2)}$

$=\dfrac{(x-2)(x-5)}{x^2}$

18. $\dfrac{x^2+xy}{x-y}\times\dfrac{(x-y)^2}{x^4-y^4}$

$=\dfrac{x(x+y)}{x-y}\times\dfrac{(x-y)(x-y)}{(x^2+y^2)(x+y)(x-y)}$

$=\dfrac{x}{x^2+y^2}.$

19. $\dfrac{m^2-n^2}{c^3+d^3}\div\dfrac{n-m}{c+d}$

$=\dfrac{(m+n)(m-n)}{(c+d)(c^2-cd+d^2)}\times-\dfrac{c+d}{m-n}$

$=-\dfrac{m+n}{c^2-cd+d^2}.$

20. $\dfrac{a^2-4a+3}{a^2-5a+4}\times\dfrac{a^2-9a+20}{a^2-10a+21}\times\dfrac{a^2-7a}{a^2-5a}$

$=\dfrac{(a-3)(a-1)}{(a-4)(a-1)}\times\dfrac{(a-5)(a-4)}{(a-7)(a-3)}\times\dfrac{a(a-7)}{a(a-5)}$

$=1.$

21. $\dfrac{b^2-7b+6}{b^2-3b-4}\times\dfrac{b^2+10b+24}{b^2-14b+48}\div\dfrac{b^2+6b}{b^3-8b^2}$

$=\dfrac{(b-6)(b-1)}{(b+4)(b-1)}\times\dfrac{(b+6)(b+4)}{(b-8)(b-6)}\times\dfrac{b^2(b-8)}{b(b+6)}$

$=b.$

22. $\dfrac{x^2-y^2}{x^2-3xy+2y^2}\times\dfrac{xy-2y^2}{x^2+xy}\times\dfrac{x^2-xy}{(x-y)^2}$

$=\dfrac{(x+y)(x-y)}{(x-2y)(x-y)}\times\dfrac{y(x-2y)}{x(x+y)}\times\dfrac{x(x-y)}{(x-y)(x-y)}$

$=\dfrac{y}{x-y}.$

23. $$\frac{a^3-3a^2b+3ab^2-b^3}{a^2-b^2}\div\frac{2ab-2b^2}{3}\times\frac{a^2+ab}{a-b}$$

$$=\frac{a^3-3a^2b+3ab^2-b^3}{a^2-b^2}\times\frac{3}{2ab-2b^2}\times\frac{a^2+ab}{a-b}$$

$$=\frac{(a-b)(a-b)(a-b)}{(a+b)(a-b)}\times\frac{3}{2b(a-b)}\times\frac{a(a+b)}{a-b}$$

$$=\frac{3a}{2b}.$$

24. $$\frac{(a+b)^2-c^2}{a^2-(b-c)^2}\div\frac{c^2-(a+b)^2}{c^2-(a-b)^2}$$

$$=\frac{(a+b+c)(a+b-c)(c-a+b)(c+a-b)}{(a-b+c)(a+b-c)(c-a-b)(c+a+b)}$$

$$=\frac{c-a+b}{c-a-b}.$$

25. $$\frac{(x-a)^2-b^2}{(x-b)^2-a^2}\times\frac{x^2-(b-a)^2}{x^2-(a-b)^2}$$

$$=\frac{(x-a+b)(x-a-b)(x+b-a)(x-b+a)}{(x-b+a)(x-b-a)(x+a-b)(x-a+b)}$$

$$=\frac{x-a+b}{x+a-b}.$$

26. $$\frac{(a+b)^2-(c+d)^2}{(a+c)^2-(b+d)^2}\div\frac{(a-c)^2-(d-b)^2}{(a-b)^2-(d-c)^2}$$

$$=\frac{(a+b+c+d)(a+b-c-d)(a-b+d-c)(a+b-d+c)}{(a+c+b+d)(a+c-b-d)(a-c+d-b)(a-c-d+b)}$$

$$=1.$$

27. $$\frac{x^2-2xy+y^2-z^2}{x^2+2xy+y^2-z^2}\times\frac{x+y-z}{x-y+z}$$

$$=\frac{(x-y)^2-z^2}{(x+y)^2-z^2}\times\frac{x+y-z}{x-y+z}$$

$$=\frac{(x-y+z)(x-y-z)(x+y-z)}{(x+y+z)(x+y-z)(x-y+z)}$$

$$=\frac{x-y-z}{x+y+z}.$$

EXERCISE LXI.

1. $$\frac{\frac{3x}{2}+\frac{x-1}{3}}{\frac{13}{6}(x+1)-\frac{x}{3}-2\tfrac{1}{2}}.$$

Multiply both terms by 6,

$$=\frac{9x+2x-2}{13x+13-2x-15}$$

$$=\frac{11x-2}{11x-2}=1.$$

2. $$\frac{x-1+\frac{6}{x-6}}{x-2+\frac{3}{x-6}}.$$

Multiply both terms by $x-6$,

$$=\frac{x^2-7x+12}{x^2-8x+15}$$

$$=\frac{(x-4)(x-3)}{(x-5)(x-3)}$$

$$=\frac{x-4}{x-5}.$$

3. $$\frac{3}{x+1}-\frac{2x-1}{x^2+\frac{x}{2}-\frac{1}{2}}.$$

Multiply both terms of second fraction by 2,

$$=\frac{3}{x+1}-\frac{4x-2}{2x^2+x-1}$$

$$=\frac{3}{x+1}-\frac{2(2x-1)}{(2x-1)(x+1)}$$

$$=\frac{3}{x+1}-\frac{2}{x+1}=\frac{1}{x+1}.$$

4. $$\frac{x-a}{x-\frac{(x-b)(x-c)}{x+a}}$$

$$=\frac{x-a}{\frac{x^2+ax-x^2+bx+cx-bc}{x+a}}$$

$$=\frac{(x-a)(x+a)}{ax+bx+cx-bc}$$

5. $$\frac{\left(\frac{a}{x}-\frac{x}{a}\right)\left(\frac{a}{x}+\frac{x}{a}\right)}{1-\frac{x-a}{x+a}}.$$

$$=\frac{\left(\frac{a^2-x^2}{ax}\right)\left(\frac{a^2+x^2}{ax}\right)}{\frac{2a}{a+x}}$$

$$=\frac{(a^2-x^2)(a^2+x^2)(a+x)}{2a^3x^2}.$$

6. $$\frac{\frac{1}{x-y}-\frac{x}{x^2-y^2}}{\frac{x}{xy+y^2}-\frac{y}{x^2+xy}}$$

$$=\frac{\frac{x+y-x}{x^2-y^2}}{\frac{x^2-y^2}{xy(x+y)}}$$

$$=\frac{y}{x^2-y^2}\times\frac{xy(x+y)}{x^2-y^2}$$

$$=\frac{xy^2}{(x+y)(x-y)^2}.$$

7. $$\frac{\dfrac{x+1}{x-1}+\dfrac{x-1}{x+1}}{\dfrac{x+1}{x-1}-\dfrac{x-1}{x+1}}$$

$$=\frac{\dfrac{(x+1)^2}{x^2-1}+\dfrac{(x-1)^2}{x^2-1}}{\dfrac{(x+1)^2}{x^2-1}-\dfrac{(x-1)^2}{x^2-1}}$$

$$=\frac{(x^2+2x+1)+(x^2-2x+1)}{(x^2+2x+1)-(x^2-2x+1)}$$

$$=\frac{2x^2+2}{4x}=\frac{x^2+1}{2x}.$$

8. $$1-\frac{1}{1+\dfrac{1}{x}}$$

$$=1-\frac{x}{x+1}$$

$$=\frac{x+1-x}{x+1}$$

$$=\frac{1}{x+1}.$$

9. $$1+\frac{x}{1+x+\dfrac{2x^2}{1-x}}$$

$$=1+\frac{x(1-x)}{(1+x)(1-x)+2x^2}$$

$$=1+\frac{x(1-x)}{1+x^2}$$

$$=\frac{1+x^2+x-x^2}{1+x^2}$$

$$=\frac{1+x}{1+x^2}.$$

10. $$\frac{1}{1-\dfrac{1}{1+\dfrac{1}{x}}}$$

$$=\frac{1}{1-\dfrac{x}{x+1}}$$

$$=\frac{x+1}{x+1-x}$$

$$=\frac{x+1}{1}$$

$$=x+1.$$

11. $$\frac{1}{1+\dfrac{x}{1+x+\dfrac{2x^2}{1-x}}}$$

$$=\frac{1}{1+\dfrac{x}{\dfrac{1+x^2}{1-x}}}$$

$$=\frac{1}{1+\dfrac{x-x^2}{1+x^2}}$$

$$=\frac{1+x^2}{1+x}.$$

12. $$\frac{\left(\dfrac{a}{x}+\dfrac{x}{a}-2\right)\left(\dfrac{a}{x}+\dfrac{x}{a}+2\right)}{\left(\dfrac{a}{x}-\dfrac{x}{a}\right)^2}$$

$$=\frac{\left(\dfrac{a^2-2ax+x^2}{ax}\right)\left(\dfrac{a^2+2ax+x^2}{ax}\right)}{\left(\dfrac{a^2-x^2}{ax}\right)\left(\dfrac{a^2-x^2}{ax}\right)}$$

$$=\frac{(a-x)(a-x)(a+x)(a+x)}{(a+x)(a-x)(a+x)(a-x)}$$

$$=1.$$

13. $$\frac{\dfrac{x^2+y^2}{x^2-y^2}+\dfrac{2x}{x+y}\left\{\dfrac{xy-x^2}{(x-y)^2}+\dfrac{x+y}{x-y}\right\}}{xy}$$

$$=\frac{\dfrac{x^2+y^2}{x^2-y^2}+\dfrac{2x}{x+y}\left\{-\dfrac{x}{x-y}+\dfrac{x+y}{x-y}\right\}}{x-y}$$

$$=\frac{\dfrac{x^2+y^2}{x^2-y^2}+\dfrac{2x}{x+y}\left\{\dfrac{y}{x-y}\right\}}{x-y}$$

$$=\frac{\dfrac{x^2+y^2}{x^2-y^2}+\dfrac{2xy}{x^2-y^2}}{x-y}$$

$$=\frac{\dfrac{x^2+2xy+y^2}{x^2-y^2}}{x-y}$$

$$=\frac{(x+y)(x+y)}{(x-y)(x+y)}\times\frac{1}{x-y}=\frac{x+y}{x^2-2xy+y^2}.$$

14. $$\frac{\dfrac{(x^2-y^2)(2x^2-2xy)}{4(x-y)^2}}{\dfrac{xy}{x+y}}$$

$$=\frac{(x+y)(x-y)2x(x-y)(x+y)}{4(x-y)(x-y)xy}$$

$$=\frac{(x+y)^2}{2y}$$

15. $$\frac{\dfrac{ab}{x^2+(a+b)x+ab}-\dfrac{ac}{x^2+(a+c)x+ac}}{\dfrac{b-c}{x^2+(b+c)x+bc}}$$

$$=\frac{\dfrac{(abx+abc)-(acx+abc)}{(x+a)(x+b)(x+c)}}{\dfrac{(b-c)}{(x+b)(x+c)}}$$

$$=\frac{ax(b-c)(x+b)(x+c)}{(x+a)(x+b)(x+c)(b-c)}=\frac{ax}{x+a}.$$

16. $$\frac{x}{1+\frac{1}{x}}+1-\frac{1}{x+1}$$

$$=\frac{x^2}{x+1}+1-\frac{1}{x+1}$$

$$=\frac{x^2+x}{x+1}$$

$$=x.$$

17. $$\frac{\frac{a+b}{b}+\frac{b}{a+b}}{\frac{1}{a}+\frac{1}{b}}$$

$$=\frac{\frac{(a+b)^2+b^2}{b(a+b)}}{\frac{a+b}{ab}}$$

$$=\frac{(a+b)^2+b^2}{b(a+b)}\times\frac{ab}{a+b}$$

$$=\frac{\{(a+b)^2+b^2\}a}{(a+b)^2}$$

$$=\frac{(a^2+2ab+2b^2)a}{(a+b)^2}.$$

18. $$\frac{2m-3+\frac{1}{m}}{\frac{2m-1}{m}}$$

$$=\frac{\frac{2m^2-3m+1}{m}}{\frac{2m-1}{m}}$$

$$=\frac{(2m-1)(m-1)}{2m-1}$$

$$=m-1.$$

19. $$\frac{\frac{1}{ab}+\frac{1}{ac}+\frac{1}{bc}}{\frac{a^2-(b+c)^2}{ab}}$$

Multiply the terms of the numerator by *abc*, and factor the denominator,

$$=\frac{\frac{c+b+a}{abc}}{\frac{(a+b+c)(a-b-c)}{ab}}$$

$$=\frac{c+b+a}{abc}\times\frac{ab}{(a+b+c)(a-b-c)}$$

$$=\frac{1}{c(a-b-c)}.$$

20. $$\frac{3}{1+\frac{3}{1+\frac{3}{1-x}}}$$

$$=\frac{3}{1+\frac{3(1-x)}{1-x+3}}$$

$$=\frac{3}{\frac{7-4x}{4-x}}$$

$$=\frac{3(4-x)}{7-4x}.$$

EXERCISE LXII.

1. $$\frac{x^4-9x^3+7x^2+9x-8}{x^4+7x^3-9x^2-7x+8}$$
$$=\frac{(x-8)(x^3-x^2-x+1)}{(x+8)(x^3-x^2-x+1)}$$
$$=\frac{x-8}{x+8}.$$

2. $$\frac{a^2+b^2-c^2+2ab}{a^2-b^2-c^2+2bc}$$
$$=\frac{16+\frac{1}{4}-1+4}{16-\frac{1}{4}-1+1}$$
$$=\frac{19\frac{1}{4}}{15\frac{3}{4}}.$$
Multiply both terms by 4,
$$=\tfrac{77}{63}=1\tfrac{2}{9}.$$

3. $$3a^2+\frac{2ab^2}{c}-\frac{c^3}{b^2}$$
$$=3\times4\times4+\frac{2\times4\times\frac{1}{2}\times\frac{1}{2}}{1}-\frac{1}{\frac{1}{4}}$$
$$=48+2-4=46.$$

4. $$\frac{2}{(x^2-1)^2}-\frac{1}{2x^2-4x+2}-\frac{1}{1-x^2}$$
$$=\frac{2}{(x^2-1)^2}-\frac{1}{2(x-1)^2}+\frac{1}{x^2-1}.$$
L. C. D. $=2(x^2-1)^2$.

$$\begin{array}{rl} 4 &= \text{first numerator,}\\ -x^2-2x-1 &= \text{second numerator,}\\ \underline{2x^2\qquad-2} &= \text{third numerator.}\\ x^2-2x+1 &= \text{sum of numerators.}\end{array}$$

$\therefore$ Sum of fractions $=\dfrac{x^2-2x+1}{2(x^2-2x+1)(x+1)^2}=\dfrac{1}{2(x+1)^2}.$

5. $$\left(\frac{x}{1+\frac{1}{x}}+1-\frac{1}{x+1}\right)\div\left(\frac{x}{1-\frac{1}{x}}-x-\frac{1}{x-1}\right)$$
$$=\left(\frac{x^2}{x+1}+1-\frac{1}{x+1}\right)\div\left(\frac{x^2}{x-1}-x-\frac{1}{x-1}\right)$$
$$=\left(\frac{x^2}{x+1}+\frac{x+1}{x+1}-\frac{1}{x+1}\right)\div\left(\frac{x^2}{x-1}-\frac{x^2-x}{x-1}-\frac{1}{x-1}\right)$$
$$=\frac{x(x+1)}{x+1}\times\frac{x-1}{x-1}$$
$$=x.$$

6. $\left(\frac{x-a}{x-b}\right)^3-\left(\frac{x-2a+b}{x+a-2b}\right)$

$$=\left(\frac{\frac{a+b}{2}-a}{\frac{a+b}{2}-b}\right)^3-\left(\frac{\frac{a+b}{2}-2a+b}{\frac{a+b}{2}+a-2b}\right)$$

$$=\left(\frac{a+b-2a}{a+b-2b}\right)^3-\left(\frac{a+b-4a+2b}{a+b+2a-4b}\right)$$

$$=\left(\frac{b-a}{a-b}\right)^3-\left(\frac{3b-3a}{3a-3b}\right)$$

$$=(-1)^3-(-1)=0.$$

7. $\left(\frac{a+b}{2(a-b)}-\frac{a-b}{2(a+b)}+\frac{2b^2}{a^2-b^2}\right)\frac{a-b}{2b}.$

L. C. D. of fractions in brackets $= 2(a^2-b^2)$.

$$\begin{array}{rl} a^2+2ab+b^2 &= \text{first numerator,}\\ -a^2+2ab-b^2 &= \text{second numerator,}\\ 4b^2 &= \text{third numerator.}\\ \hline 4ab+4b^2 &= \text{sum of numerators;}\\ \text{or,}\quad 4b(a+b) &= \text{sum of numerators.} \end{array}$$

∴ Sum of fractions in brackets $=\frac{4b(a+b)}{2(a^2-b^2)}=\frac{2b}{a-b}.$

$$\frac{2b}{a-b}\times\frac{a-b}{2b}=1.$$

8. $\left(\frac{x^2+y^2}{x^2-y^2}-\frac{x^2-y^2}{x^2+y^2}\right)\div\left(\frac{x+y}{x-y}-\frac{x-y}{x+y}\right)$

$$=\left(\frac{x^4+2x^2y^2+y^4}{x^4-y^4}-\frac{x^4-2x^2y^2+y^4}{x^4-y^4}\right)\div\left(\frac{x^2+2xy+y^2}{x^2-y^2}-\frac{x^2-2xy+y^2}{x^2-y^2}\right)$$

$$=\frac{4x^2y^2}{x^4-y^4}\div\frac{4xy}{x^2-y^2}$$

$$=\frac{4x^2y^2}{x^4-y^4}\times\frac{x^2-y^2}{4xy}$$

$$=\frac{xy}{x^2+y^2}.$$

9. $$\left(\frac{x^2}{y^2}-1\right)\left(\frac{x}{x-y}-1\right)+\left(\frac{x^3}{y^3}-1\right)\left(\frac{x^2+xy}{x^2+xy+y^2}-1\right)$$

$$=\left(\frac{x^2-y^2}{y^2}\right)\left(\frac{y}{x-y}\right)+\left(\frac{x^3-y^3}{y^3}\right)\left(\frac{-y^2}{x^2+xy+y^2}\right)$$

$$=\frac{x^2-y^2}{y^2}\times\frac{y}{x-y}+\frac{x^3-y^3}{y^3}\times\frac{-y^2}{x^2+xy+y^2}$$

$$=\frac{x+y}{y}-\frac{x-y}{y}$$

$$=2.$$

10. $$\left(\frac{a^2-ab}{a^3-b^3}\right)\left(\frac{a^2+ab+b^2}{a+b}\right)+\left(\frac{2a^3}{a^3+b^3}-1\right)\left(1-\frac{2ab}{a^2+ab+b^2}\right)$$

$$=\left(\frac{a(a-b)}{a^3-b^3}\right)\left(\frac{a^2+ab+b^2}{a+b}\right)+\left(\frac{a^3-b^3}{a^3+b^3}\right)\left(\frac{a^2-ab+b^2}{a^2+ab+b^2}\right)$$

$$=\frac{a}{a+b}+\frac{a-b}{a+b}$$

$$=\frac{2a-b}{a+b}.$$

11. $$\frac{1+\dfrac{a-x}{a+x}}{1-\dfrac{a-x}{a+x}}\div\frac{1+\dfrac{a^2-x^2}{a^2+x^2}}{1-\dfrac{a^2-x^2}{a^2+x^2}}.$$

Multiply both terms of first fraction by $a+x$, and both terms of the second by a^2+x^2,

$$=\frac{a+x+a-x}{a+x-a+x}\div\frac{a^2+x^2+a^2-x^2}{a^2+x^2-a^2+x^2}$$

$$=\frac{2a}{2x}\times\frac{2x^2}{2a^2}=\frac{x}{a}.$$

12. $$x^3+\frac{1}{x^3}-3\left(\frac{1}{x^2}-x^2\right)+4\left(x+\frac{1}{x}\right)\div\left(x+\frac{1}{x}\right)$$

$$=\left(x^3+\frac{1}{x^3}\right)+3\left(x^2-\frac{1}{x^2}\right)+4\left(x+\frac{1}{x}\right)\div\left(x+\frac{1}{x}\right)$$

$$=\left(x^2-1+\frac{1}{x^2}\right)+3\left(x-\frac{1}{x}\right)+4$$

$$=x^2+3x+3-\frac{3}{x}+\frac{1}{x^2}.$$

13. $$\frac{1-\dfrac{2xy}{(x+y)^2}}{1+\dfrac{2xy}{(x-y)^2}} \div \left\{\frac{1-\dfrac{y}{x}}{1+\dfrac{y}{x}}\right\}^2$$

$$=\frac{\dfrac{x^2+y^2}{(x+y)^2}}{\dfrac{x^2+y^2}{(x-y)^2}} \div \frac{\left(\dfrac{x-y}{x}\right)^2}{\left(\dfrac{x+y}{x}\right)^2}$$

$$=\frac{(x^2+y^2)(x-y)^2}{(x^2+y^2)(x+y)^2} \times \frac{(x+y)^2}{(x-y)^2}$$

$$=1.$$

14. $$\frac{x+2a}{2b-x}+\frac{x-2a}{2b+x}-\frac{4ab}{4b^2-x^2}$$

$$=\frac{\dfrac{ab}{a+b}+2a}{2b-\dfrac{ab}{a+b}}+\frac{\dfrac{ab}{a+b}-2a}{2b+\dfrac{ab}{a+b}}-\frac{4ab}{4b^2-\left(\dfrac{ab}{a+b}\right)^2}$$

$$=\frac{3ab+2a^2}{ab+2b^2}-\frac{2a^2+ab}{3ab+2b^2}-\frac{4ab(a+b)^2}{b^2(3a^2+8ab+4b^2)}$$

$$=\frac{a(3b+2a)}{b(a+2b)}-\frac{a(2a+b)}{b(3a+2b)}-\frac{4ab(a+b)^2}{b^2(3a+2b)(a+2b)}.$$

L. C. D. $= b^2(3a+2b)(a+2b)$.

$$\begin{array}{rl}
6a^3b+13a^2b^2+6ab^3 &= \text{first numerator,}\\
-2a^3b-5a^2b^2-2ab^3 &= \text{second numerator,}\\
-4a^3b-8a^2b^2-4ab^3 &= \text{third numerator.}\\ \hline
0 &= \text{sum of numerators.}
\end{array}$$

$\therefore$ Sum of fractions $= 0$.

15. $$\frac{x+y-1}{x-y+1}$$

$$=\frac{\dfrac{a+1}{ab+1}+\dfrac{ab+a}{ab+1}-1}{\dfrac{a+1}{ab+1}-\dfrac{ab+a}{ab+1}+1}$$

$$=\frac{\dfrac{2a}{ab+1}}{\dfrac{2}{ab+1}}$$

$$=a.$$

16. $$\frac{1}{a(a-b)(a-c)}+\frac{1}{b(b-c)(b-a)}+\frac{1}{c(c-a)(c-b)}$$

$$=\frac{1}{a(a-b)(a-c)}-\frac{1}{b(b-c)(a-b)}+\frac{1}{c(a-c)(b-c)}.$$

L. C. D. $= abc(a-b)(a-c)(b-c)$.

$$\begin{array}{lll}
b^2c-bc^2 & & = \text{first numerator,}\\
 & -a^2c+ac^2 \quad & = \text{second numerator,}\\
 & \qquad\qquad +a^2b-ab^2 & = \text{third numerator.}\\
\hline
\multicolumn{2}{l}{b^2c-bc^2-a^2c+ac^2+a^2b-ab^2} & = \text{sum of numerators.}
\end{array}$$

$$\therefore \text{ Sum of fractions} = \frac{b^2c-bc^2-a^2c+ac^2+a^2b-ab^2}{abc(b^2c-bc^2-a^2c+ac^2+a^2b-ab^2)}$$

$$=\frac{1}{abc}.$$

17. $$\frac{3abc}{bc+ca-ab}-\frac{\dfrac{a-1}{a}+\dfrac{b-1}{b}+\dfrac{c-1}{c}}{\dfrac{1}{a}+\dfrac{1}{b}-\dfrac{1}{c}}.$$

Multiply both terms of the second fraction by abc.

$$=\frac{3abc}{bc+ca-ab}-\frac{abc-bc+abc-ac+abc-ab}{bc+ca-ab}$$

$$=\frac{3abc}{bc+ca-ab}-\frac{3abc-bc-ac-ab}{bc+ca-ab}$$

$$=\frac{bc+ac+ab}{bc+ac-ab}.$$

18. $$\frac{\dfrac{m^2+n^2}{n}-m}{\dfrac{1}{n}-\dfrac{1}{m}}\times\frac{m^2-n^2}{m^3+n^3}$$

$$=\frac{m^2-mn+n^2}{n}\times\frac{mn}{m-n}\times\frac{(m+n)(m-n)}{(m+n)(m^2-mn+n^2)}$$

$$m.$$

19. $$\frac{\dfrac{1}{a}+\dfrac{1}{b+c}}{\dfrac{1}{a}-\dfrac{1}{b+c}}\left(1+\frac{b^2+c^2-a^2}{2bc}\right)$$

$$=\frac{(b+c+a)(2bc+b^2+c^2-a^2)}{(b+c-a)2bc}$$

$$=\frac{(b+c+a)\{(b+c)^2-a^2\}}{(b+c-a)2bc}$$

$$=\frac{(b+c+a)(b+c+a)(b+c-a)}{(b+c-a)2bc}$$

$$=\frac{(b+c+a)^2}{2bc}.$$

20. $$3a-[b+\{2a-(b-c)\}]+\tfrac{1}{2}+\frac{2c^2-\frac{1}{2}}{2c+1}$$

$$=3a-[b+2a-b+c]+\tfrac{1}{2}+\frac{2c^2-\frac{1}{2}}{2c+1}$$

$$=3a-b-2a+b-c+\tfrac{1}{2}+\frac{2c^2-\frac{1}{2}}{2c+1}$$

$$=a-c+\tfrac{1}{2}+\frac{2c^2-\frac{1}{2}}{2c+1}$$

$$=a-c+\tfrac{1}{2}+\frac{4c^2-1}{2(2c+1)}$$

$$=a-c+\tfrac{1}{2}+\frac{2c-1}{2}$$

$$=a-c+\tfrac{1}{2}+c-\tfrac{1}{2}$$

$$=a.$$

21. $$\frac{\dfrac{1}{a-x}-\dfrac{1}{a-y}+\dfrac{x}{(a-x)^2}-\dfrac{y}{(a-y)^2}}{\dfrac{1}{(a-y)(a-x)^2}-\dfrac{1}{(a-x)(a-y)^2}}$$

$$=\frac{\dfrac{(a-x)(a-y)^2-(a-y)(a-x)^2+x(a-y)^2-y(a-x)^2}{(a-x)^2(a-y)^2}}{\dfrac{x-y}{(a-x)^2(a-y)^2}}$$

$$=\frac{a(2a-x-y)(x-y)}{(a-x)^2(a-y)^2}\times\frac{(a-x)^2(a-y)^2}{x-y}$$

$$=a(2a-x-y).$$

22.
$$\frac{1}{x+\dfrac{1}{1+\dfrac{x+1}{3-x}}}$$
$$=\frac{1}{x+\dfrac{3-x}{3+1}}$$
$$=\frac{4}{4x+3-x}$$
$$=\frac{4}{3(x+1)}.$$

23.
$$\frac{(x^2-y^2)(2x^2-2xy)}{4(x-y)^2\div\dfrac{xy}{x+y}}$$
$$=\frac{(x+y)(x-y)(x-y)2x}{\dfrac{4(x-y)(x-y)(x+y)}{xy}}$$
$$=\frac{x^2y}{2}.$$

24.
$$\left(\frac{c-b}{c+b}-\frac{c^3-b^3}{c^3+b^3}\right)\div\left(\frac{c+b}{c-b}+\frac{c^2+b^2}{c^2-b^2}\right).$$

L. C. D. 1st expression $= c^3+b^3$. L. C. D. 2d expression $= c^2-b^2$.

$$\begin{array}{ll}
c^3-2c^2b+2cb^2-b^3 = \text{1st num.} & c^2+2cb+\ b^2 = \text{1st num.}\\
\underline{-c^3 \qquad\qquad\qquad +b^3} = \text{2d num.} & \underline{c^2 \qquad\ +\ \ b^2} = \text{2d num.}\\
-2c^2b+2cb^2 \quad = \text{sum of nums.} & 2c^2+2cb+2b^2 = \text{sum of nums.}\\
\text{or,}\quad -2cb(c-b) = \text{sum of nums.} & \text{or, } 2(c^2+cb+b^2) = \text{sum of nums.}
\end{array}$$

$$=\frac{-2cb(c-b)}{(c+b)(c^2-cb+b^2)}\times\frac{(c+b)(c-b)}{2(c^2+cb+b^2)}$$
$$=\frac{-cb(c-b)^2}{c^4+c^2b^2+b^4}$$
$$=\frac{bc(b-c)^2}{b^4+b^2c^2+c^4}.$$

25.
$$\frac{y}{(x-y)(x-z)}+\frac{x}{(y-x)(y-z)}+\frac{x+y}{(z-x)(z-y)}$$
$$=\frac{y}{(x-y)(x-z)}-\frac{x}{(x-y)(y-z)}+\frac{x+y}{(x-z)(y-z)}.$$

L.C.D. $=(x-y)(x-z)(y-z)$.

$$\begin{array}{rl}
y^2 \qquad -yz & = \text{first numerator,}\\
-x^2 \qquad +xz \qquad & = \text{second numerator,}\\
\underline{x^2-y^2 \qquad\qquad} & = \text{third numerator.}\\
xz-yz & = \text{sum of numerators;}\\
\text{or,}\qquad z(x-y) & = \text{sum of numerators.}
\end{array}$$

$$\therefore \text{ Sum of fractions} = \frac{z(x-y)}{(x-y)(y-z)(x-z)}=\frac{z}{(x-z)(y-z)}.$$

26. $$\frac{1}{a(a-b)(a-c)}+\frac{1}{b(b-a)(b-c)}-\frac{1}{abc}$$

$$=\frac{1}{a(a-b)(a-c)}-\frac{1}{b(a-b)(b-c)}-\frac{1}{abc}$$

L.C.D. $= abc(a-b)(b-c)(a-c)$.

$$\begin{array}{ll}
-bc^2 \qquad\qquad\qquad + b^2c & = \text{first numerator,} \\
\qquad\qquad\qquad\qquad - a^2c + ac^2 & = \text{second numerator,} \\
\underline{-bc^2 - a^2b + ab^2 - b^2c + a^2c - ac^2} & = \text{third numerator.} \\
\qquad -a^2b + ab^2 & = \text{sum of numerators.}
\end{array}$$

$$\therefore \text{ Sum of fractions} = -\frac{ab(a-b)}{abc(a-b)(b-c)(a-c)}$$

$$= -\frac{1}{c(b-c)(a-c)}.$$

27. $$\frac{x-4+\dfrac{6}{x+1}}{x-\dfrac{6}{x-1}}\times\frac{1-\dfrac{x+5}{x^2-1}}{(x-1)(x-2)}$$

$$=\frac{\dfrac{x^2-3x+2}{x+1}}{\dfrac{x^2-x-6}{x-1}}\times\frac{\dfrac{x^2-x-6}{x^2-1}}{(x-1)(x-2)}$$

$$=\frac{(x-1)(x-2)(x-1)}{(x+1)(x-3)(x+2)}\times\frac{(x-3)(x+2)}{(x+1)(x-1)(x-1)(x-2)}$$

$$=\frac{1}{(x+1)^2}.$$

EXERCISE LXIII.

1. $5x-\frac{x+2}{2}=71.$

Multiply by 2; then

$$\begin{aligned} 10x - x - 2 &= 142, \\ 9x &= 144, \\ x &= 16. \end{aligned}$$

2. $x-\frac{3-x}{3}=\frac{17}{3}.$

Multiply by 3; then

$$\begin{aligned} 3x - 3 + x &= 17, \\ 4x &= 20, \\ x &= 5. \end{aligned}$$

3. $\frac{5-2x}{4}+2=x-\frac{6x-8}{2}.$

Multiply by 4; then

$$5-2x+8=4x-12x+16,$$
$$6x=3,$$
$$x=\tfrac{1}{2}.$$

4. $\frac{5x}{2}-\frac{5x}{4}=\frac{9}{4}-\frac{3-x}{2}.$

Multiply by 4; then

$$10x-5x=9-6+2x,$$
$$3x=3,$$
$$x=1.$$

5. $2x-\frac{5x-4}{6}=7-\frac{1-2x}{5}.$

Multiply by 30; then

$$60x-25x+20$$
$$=210-6+12x,$$
$$23x=184,$$
$$x=8.$$

6. $\frac{x+2}{2}=\frac{14}{9}-\frac{3+5x}{4}.$

Multiply by 36; then

$$18x+36=56-27-45x,$$
$$63x=-7,$$
$$x=-\tfrac{1}{9}.$$

7. $\frac{5x+3}{8}-\frac{3-4x}{3}+\frac{x}{2}=\frac{31}{2}-\frac{9-5x}{6}.$

Multiply by 24; then

$$15x+9-24+32x+12x=372-36+20x,$$
$$39x=351,$$
$$x=9.$$

8. $\frac{10x+3}{3}-\frac{6x-7}{2}=10(x-1).$

Multiply by 6; then

$$20x+6-18x+21$$
$$=60x-60,$$
$$58x=87,$$
$$x=1\tfrac{1}{2}.$$

9. $\frac{5x-7}{2}-\frac{2x+7}{3}=3x-14.$

Multiply by 6; then

$$15x-21-4x-14=18x-84,$$
$$7x=49,$$
$$x=7.$$

10. $\frac{7x+5}{6}-\frac{5x-6}{4}=\frac{8-5x}{12}.$

Multiply by 12; then

$$14x+10-15x+18=8-5x,$$
$$4x=-20,$$
$$x=-5.$$

11. $\frac{x+4}{3}-\frac{x-4}{5}=2+\frac{3x-1}{15}.$

Multiply by 15; then

$$5x+20-3x+12$$
$$=30+3x-1,$$
$$x=-3,$$
$$x=3.$$

12. $\frac{3x+5}{7}-\frac{2x+7}{3}+10-\frac{3x}{5}=0.$

Multiply by 105; then

$$45x+75-70x-245+1050-63x=0,$$
$$-88x=-880,$$
$$x=10.$$

13. $\frac{1}{7}(3x-4)+\frac{1}{3}(5x+3)=43-5x.$

Multiply by 21; then

$$\begin{aligned}9x-12+35x+21&\\ &=903-105x,\\ 149x&=894,\\ x&=6.\end{aligned}$$

14. $\frac{1}{2}(27-2x)=\frac{9}{2}-\frac{1}{10}(7x-54).$

Multiply by 10; then

$$\begin{aligned}135-10x&=45-7x+54,\\ -3x&=-36,\\ x&=12.\end{aligned}$$

15. $5x-\{8x-3[16-6x-(4-5x)]\}=6,$

$$\begin{aligned}&5x-\{8x-3[16-6x-4+5x]\}=6,\\ &5x-\{8x-48+18x+12-15x\}=6,\\ &5x-8x+48-18x-12+15x=6,\\ &-6x=-30,\\ &\quad x=5.\end{aligned}$$

16. $\frac{5x-3}{7}-\frac{9-x}{3}=\frac{5x}{2}+\frac{19}{6}(x-4).$

Multiply by 42; then

$$\begin{aligned}30x-18-126+14x&=105x+133x-532,\\ -194x&=-388,\\ x&=2.\end{aligned}$$

17. $\frac{2x+7}{7}-\frac{9x-8}{11}=\frac{x-11}{2}.$

Multiply by 154; then

$$\begin{aligned}44x+154-126x+112&\\ &=77x-847,\\ -159x&=-1113,\\ x&=7.\end{aligned}$$

18. $\frac{8x-15}{3}-\frac{11x-1}{7}=\frac{7x+2}{13}.$

Multiply by 273; then

$$\begin{aligned}728x-1365-429x+39&\\ &=147x+42,\\ 152x&=1368,\\ x&=9.\end{aligned}$$

19. $\frac{7x+9}{8}-\frac{3x+1}{7}=\frac{9x-13}{4}-\frac{249-9x}{14}.$

Multiply by 56; then

$$\begin{aligned}49x+63-24x-8&=126x-182-996+36x,\\ -137x&=-1233,\\ x&=9.\end{aligned}$$

EXERCISE LXIV.

1. $\frac{9x+20}{36}=\frac{4(x-3)}{5x-4}+\frac{x}{4}.$

Multiply by 36; then

$$9x+20=\frac{144(x-3)}{5x-4}+9x,$$
$$\frac{144(x-3)}{5x-4}=20,$$
$$144x-432=100x-80,$$
$$44x=352,$$
$$x=8.$$

2. $\frac{9(2x-3)}{14}+\frac{11x-1}{3x+1}=\frac{9x+11}{7}.$

Multiply by 14; then

$$18x-27+\frac{154x-14}{3x+1}$$
$$=18x+22,$$
$$\frac{154x-14}{3x+1}=49.$$

Divide by 7,

$$\frac{22x-2}{3x+1}=7,$$
$$22x-2=21x+7,$$
$$x=9.$$

3. $\frac{10x+17}{18}-\frac{12x+2}{13x-16}=\frac{5x-4}{9}.$

Multiply by 18; then

$$10x+17-\frac{216x+36}{13x-16}$$
$$=10x-8,$$
$$\frac{216x+36}{13x-16}=25,$$
$$325x-400=216x+36,$$
$$109x=436,$$
$$x=4.$$

4. $\frac{6x+13}{15}-\frac{3x+5}{5x-25}=\frac{2x}{5}.$

Multiply by 15; then

$$6x+13-\frac{45x+75}{5x-25}=6x,$$
$$\frac{45x+75}{5x-25}=13,$$
$$45x+75=65x-325,$$
$$-20x=-400,$$
$$x=20.$$

5. $\frac{18x-22}{39-6x}+2x+\frac{1+16x}{24}=4\tfrac{5}{12}-\frac{101-64x}{24}.$

Reduce the mixed number to an improper fraction,

$$\frac{18x-22}{3(13-2x)}+2x+\frac{1+16x}{24}=\frac{53}{12}-\frac{101-64x}{24}.$$

Multiply by 24; then

$$\frac{8(18x-22)}{13-2x}+48x+1+16x=106-101+64x,$$
$$\frac{144x-176}{13-2x}=4,$$
$$144x-176=52-8x,$$
$$152x=228,$$
$$x=1\tfrac{1}{2}.$$

6. $\frac{6-5x}{15}-\frac{7-2x^2}{14(x-1)}=\frac{1+3x}{21}-\frac{10x-11}{30}+\frac{1}{105}.$

Multiply by 210; then

$$84-70x-\frac{105-30x^2}{x-1}=10+30x-70x+77+2,$$
$$-\frac{105-30x^2}{x-1}=30x+5,$$
$$-105+30x^2=30x^2-25x-5,$$
$$25x=100,$$
$$x=4.$$

7. $\frac{9x+5}{14}+\frac{8x-7}{6x+2}=\frac{36x+15}{56}+\frac{41}{56}.$

Multiply by 56; then

$$36x+20+\frac{224x-196}{3x+1}$$
$$=36x+15+41,$$
$$\frac{224x-196}{3x+1}=36,$$
$$224x-196=108x+36,$$
$$116x=232,$$
$$x=2.$$

8. $\frac{6x+7}{15}-\frac{2x-2}{7x-6}=\frac{2x+1}{5}.$

Multiply by 15; then

$$6x+7-\frac{30x-30}{7x-6}=6x+3,$$
$$-\frac{30x-30}{7x-6}=-4,$$
$$-30x+30=-28x+24,$$
$$-2x=-6,$$
$$x=3.$$

9. $\frac{6x+1}{15}-\frac{2x-4}{7x-16}=\frac{2x-1}{5}.$

Multiply by 15; then

$$6x+1-\frac{30x-60}{7x-16}=6x-3,$$
$$-\frac{30x-60}{7x-16}=-4,$$
$$-30x+60=-28x+64,$$
$$-2x=4,$$
$$x=-2.$$

10. $\frac{7x-6}{35}-\frac{x-5}{6x-101}=\frac{x}{5}.$

Multiply by 35; then

$$7x-6-\frac{35x-175}{6x-101}=7x.$$

Transpose, and clear of fractions,

$$-35x+175=36x-606,$$
$$-71x=-781,$$
$$x=11.$$

EXERCISE LXV.

1. $ax+bc=bx+ac,$
$ax-bx=ac-bc,$
$x(a-b)=c(a-b),$
$x=c.$

2. $2a-cx=3c-5bx,$
$5bx-cx=3c-2a,$
$x(5b-c)=3c-2a,$
$x=\frac{3c-2a}{5b-c}.$

3. $a^2x + bx - c = b^2x + cx - d,$
$a^2x - b^2x + bx - cx = c - d,$
$x(a^2 - b^2 + b - c) = c - d,$
$x = \frac{c - d}{a^2 - b^2 + b - c}.$

4. $-ac^2 + b^2c + abcx = abc + cmx - ac^2x + b^2c - mc,$
$abcx - cmx + ac^2x = abc + b^2c - mc + ac^2 - b^2c,$
$x(abc - cm + ac^2) = abc - mc + ac^2,$
$x = 1.$

5. $(a + x + b)(a + b - x) = (a + x)(b - x) - ab,$
$-x^2 + a^2 + 2ab + b^2 = ab + bx - ax - x^2 - ab,$
$ax - bx = -a^2 - 2ab - b^2,$
$ax - bx = -(a^2 + 2ab + b^2),$
$x = -\frac{(a + b)^2}{a - b}.$

6. $(a^2 + x)^2 = x^2 + 4a^2 + a^4,$
$a^4 + 2a^2x + x^2 = x^2 + 4a^2 + a^4,$
$2a^2x = 4a^2,$
$x = 2.$

7. $(a^2 - x)(a^2 + x) = (a^4 + 2ax - x^2),$
$a^4 - x^2 = a^4 + 2ax - x^2,$
$-2ax = 0,$
$x = 0.$

8. $\frac{ax - b}{c} + a = \frac{x + ac}{c}.$

Multiply by c; then

$ax - b + ac = x + ac.$
$ax - x = b,$
$x(a - 1) = b,$
$x = \frac{b}{a - 1}.$

9. $\frac{a(b^2x + x^3)}{bx} = acx + \frac{ax^2}{b}.$

Divide by a; then

$\frac{b^2x + x^3}{bx} = cx + \frac{x^2}{b}.$

Multiply by bx,

$b^2x + x^3 = bcx^2 + x^3,$
$b^2x = bcx^2,$
$x = 0 \text{ or } \frac{b}{c}.$

10. $ax - \frac{3a - bx}{2} = \frac{1}{2}.$

Multiply by 2,

$2ax - 3a + bx = 1,$
$2ax + bx = 3a + 1,$
$x(2a + b) = 3a + 1,$
$x = \frac{3a + 1}{2a + b}.$

11. $6a - \frac{4ax - 2b}{3} = x.$

$$\begin{aligned} 18a - 4ax + 2b &= 3x, \\ -3x - 4ax &= -18a - 2b, \\ x(3 + 4a) &= 2(9a + b), \\ x &= \frac{2(9a + b)}{3 + 4a}. \end{aligned}$$

12. $\frac{x^2 - a}{bx} - \frac{a - x}{b} = \frac{2x}{b} - \frac{a}{x}.$

$$\begin{aligned} x^2 - a - ax + x^2 &= 2x^2 - ab, \\ -ax &= -ab + a, \\ x &= b - 1. \end{aligned}$$

13. $\frac{3}{c} - \frac{ab - x^2}{bx} = \frac{4x - ac}{cx}.$

$$\begin{aligned} 3bx - abc + cx^2 &= 4bx - abc, \\ cx^2 &= bx, \\ x &= 0 \text{ or } \frac{b}{c}. \end{aligned}$$

14. $am - b - \frac{ax}{b} + \frac{x}{m} = 0.$

$$\begin{aligned} abm^2 - b^2m - amx + bx &= 0, \\ bx - amx &= b^2m - abm^2, \\ x &= \frac{b^2m - abm^2}{b - am} \\ &= bm. \end{aligned}$$

15. $\frac{3ax - 2b}{3b} - \frac{ax - a}{2b} = \frac{ax}{b} - \frac{2}{3}.$

$$\begin{aligned} 6ax - 4b - 3ax + 3a &= 6ax - 4b, \\ -3ax &= -3a, \\ x &= 1. \end{aligned}$$

16. $\frac{ab + x}{b^2} - \frac{b^2 - x}{a^2b} = \frac{x - b}{a^2} - \frac{ab - x}{b^2}.$

$$\begin{aligned} a^3b + a^2x - b^3 + bx & \\ &= b^2x - b^3 - a^3b + a^2x, \\ -b^2x + bx &= -a^3b - a^3b, \\ bx(b - 1) &= 2a^3b, \\ x &= \frac{2a^3}{b - 1}. \end{aligned}$$

17. $ax - \frac{bx + 1}{x} = \frac{a(x^2 - 1)}{x}.$

$$\begin{aligned} ax^2 - bx - 1 &= ax^2 - a, \\ -bx &= -a + 1, \\ x &= \frac{a - 1}{b}. \end{aligned}$$

18. $\frac{ax^2}{b - cx} + a + \frac{ax}{c} = 0.$

$$acx^2 + abc - ac^2x + abx - acx^2 = 0.$$

Divide by a,

$$\begin{aligned} cx^2 + bc - c^2x + bx - cx^2 &= 0, \\ bx - c^2x &= -bc, \\ x &= \frac{bc}{c^2 - b}. \end{aligned}$$

19. $\frac{ab}{x} = bc + d + \frac{1}{x}.$

$$\begin{aligned} ab &= bcx + dx + 1, \\ -bcx - dx &= -ab + 1, \\ x &= \frac{ab - 1}{bc + d}. \end{aligned}$$

20. $\frac{a(d^2 + x^2)}{dx} = ac + \frac{ax}{d}.$

$$\begin{aligned} ad^2 + ax^2 &= acdx + ax^2, \\ acdx &= ad^2, \\ x &= \frac{d}{c}. \end{aligned}$$

EXERCISE LXVI.

1. $\frac{x-3}{4(x-1)}=\frac{x-5}{6(x-1)}+\frac{1}{9}.$

Clear of fractions,

$$9x-27=6x-30+4x-4,$$
$$-x=-7,$$
$$x=7.$$

2. $x+\frac{x}{x-1}=\frac{(x-2)(x+4)}{x+1}.$

Clear of fractions,

$$x^3-x+x^2+x=x^3+x^2-10x+8,$$
$$10x=8,$$
$$x=\tfrac{4}{5}.$$

3. $\frac{7}{x-1}=\frac{6x+1}{x+1}-\frac{3(1+2x^2)}{x^2-1}.$

Clear of fractions,

$$7x+7=6x^2+x-6x-1-3-6x^2,$$
$$12x=-11,$$
$$x=-\tfrac{11}{12}.$$

4. $\frac{1}{2(x-3)}-\frac{1}{3(x-2)}=\frac{x-1}{(x-2)(x-3)}$

Clear of fractions,

$$3x-6-2x+6=6x-6,$$
$$-5x=-6,$$
$$x=1\tfrac{1}{5}.$$

5. $1-\frac{2(2x+3)}{9(7-x)}=\frac{6}{7-x}-\frac{5x+1}{4(7-x)}.$

Clear of fractions,

$$252-36x-16x-24$$
$$=216-45x-9,$$
$$-7x=-21,$$
$$x=3.$$

6. $\frac{17}{x+3}-4=\frac{5(21+2x)}{3x+9}-10.$

Clear of fractions,

$$51-12x-36$$
$$=105+10x-30x-90,$$
$$8x=0,$$
$$x=0.$$

7. $\frac{x-7}{x+7}=\frac{2x-15}{2x-6}-\frac{1}{2(x+7)}.$

Clear of fractions,

$$2x^2-20x+42=2x^2-x-105-x+3,$$
$$-18x=-144,$$
$$x=8.$$

8. $\frac{x+4}{3x+5}+1\tfrac{1}{6}=\frac{3x+8}{2x+3}.$

Clear of fractions,

$$12x^2+66x+72+36x^2+114x+90+6x^2+19x+15$$
$$=54x^2+134x+240,$$
$$-35x=63,$$
$$x=-1\tfrac{4}{5}.$$

9. $\dfrac{132x+1}{3x+1}+\dfrac{8x+5}{x-1}=52.$

Clear of fractions,

$$\begin{aligned}132x^2-131x-1+24x^2+23x+5&\\ =156x^2-104x-52&,\\ -4x=-56&,\\ x=14&.\end{aligned}$$

10. $\dfrac{2}{2x-3}+\dfrac{1}{x-2}=\dfrac{6}{3x+2}.$

Clear of fractions,

$$\begin{aligned}6x^2-8x-8+6x^2-5x-6&\\ =12x^2-42x+36&,\\ 29x=50&,\\ x=1\tfrac{21}{29}&.\end{aligned}$$

11. $\dfrac{3x-1}{2x-1}-\dfrac{4x-2}{3x-2}=\dfrac{1}{6}.$

Clear of fractions,

$$\begin{aligned}54x^2-54x+12-48x^2+48x-12&\\ =6x^2-7x+2&,\\ x=2&.\end{aligned}$$

12. $\dfrac{3}{x-1}-\dfrac{x+1}{x-1}=\dfrac{x^2}{1-x^2};$

or, $\dfrac{3}{x-1}-\dfrac{x+1}{x-1}=\dfrac{-x^2}{x^2-1}.$

Clear of fractions,

$$\begin{aligned}3x+3-x^2-2x-1=-x^2&,\\ x=-2&.\end{aligned}$$

13. $\dfrac{x-4}{x-5}-\dfrac{x-5}{x-6}=\dfrac{x-7}{x-8}-\dfrac{x-8}{x-9}.$

Then

$$\frac{(x-4)(x-6)}{(x-5)(x-6)}-\frac{(x-5)(x-5)}{(x-5)(x-6)}=\frac{(x-7)(x-9)}{(x-8)(x-9)}-\frac{(x-8)(x-8)}{(x-8)(x-9)}.$$

$$\frac{-1}{(x-5)(x-6)}=\frac{-1}{(x-8)(x-9)}.$$

Clear of fractions,

$$\begin{aligned}-x^2+17x-72&=-x^2+11x-30,\\ 6x&=42,\\ x&=7.\end{aligned}$$

14. $(x-a)(x-b)=(x-a-b)^2,$

$$\begin{aligned}x^2-ax-bx+ab&=x^2-2ax-2bx+a^2+2ab+b^2,\\ ax+bx&=a^2+ab+b^2,\\ x&=\frac{a^2+ab+b^2}{a+b}.\end{aligned}$$

15. $(a-b)(x-c)-(b-c)(x-a)-(c-a)(x-b)=0,$

$$\begin{aligned}&ax-bx-ac+bc-bx+cx+ab-ac-cx+ax+bc-ab=0,\\ &ax-bx-bx+cx-cx+ax=ac-bc-ab+ac-bc+ab,\\ &2ax-2bx=2ac-2bc,\\ &2x(a-b)=2c(a-b),\\ &x=c.\end{aligned}$$

16. $\frac{x^2-x+1}{x-1}+\frac{x^2+x+1}{x+1}=2x.$

Clear of fractions,

$$x^3+1+x^3-1=2x^3-2x,$$
$$2x=0,$$
$$x=0.$$

17. $\frac{4}{x+2}+\frac{7}{x+3}=\frac{37}{x^2+5x+6}.$

Clear of fractions,

$$4x+12+7x+14=37,$$
$$11x=11,$$
$$x=1.$$

18. $(x+1)^2=x[6-(1-x)]-2,$

$$(x+1)^2=x(6-1+x)-2,$$
$$x^2+2x+1=6x-x+x^2-2,$$
$$-3x=-3,$$
$$x=1.$$

19. $\frac{25-\frac{1}{3}x}{x+1}+\frac{16x+4\frac{1}{5}}{3x+2}=\frac{23}{x+1}+5.$

Reduce the complex to simple fractions,

$$\frac{75-x}{3(x+1)}+\frac{80x+21}{5(3x+2)}=\frac{23}{x+1}+5.$$

Clear of fractions,

$$1115x-15x^2+750+240x^2+303x+63$$
$$=1035x+690+225x^2+375x+150,$$
$$8x=27,$$
$$x=3\tfrac{3}{8}.$$

20. $\frac{3abc}{a+b}+\frac{a^2b^2}{(a+b)^3}+\frac{(2a+b)b^2x}{a(a+b)^2}=3cx+\frac{bx}{a}.$

Clear of fractions,

$$3a^4bc+6a^3b^2c+3a^2b^3c+a^3b^2+2a^2b^2x+3ab^3x+b^4x$$
$$=3a^4cx+9a^3bcx+9a^2b^2cx+3ab^3cx+a^3bx+3a^2b^2x+3ab^3x+b^4x,$$
$$3a^4cx+9a^3bcx+9a^2b^2cx+3ab^3cx+a^3bx+a^2b^2x$$
$$=3a^4bc+6a^3b^2c+3a^2b^3c+a^3b^2,$$
$$ax(3a^3c+9a^2bc+9ab^2c+3b^3c+a^2b+ab^2)$$
$$=a^2b(3a^2c+6abc+3b^2c+ab),$$
$$x\{3c(a+b)^3+ab(a+b)\}=ab\{3c(a+b)^2+ab\}.$$
$$x=\frac{ab}{a+b}.$$

21. $\frac{4}{x-8}+\frac{3}{2x-16}-\frac{29}{24}=\frac{2}{3x-24}.$

Clear of fractions,

$$96+36-29x+232=16,$$
$$-29x=-348,$$
$$x=12.$$

22. $5-x\left(\frac{7}{2}-\frac{2}{x}\right)=\frac{x}{2}-\frac{3x-(4-5x)}{4}$

$$5-\frac{7x}{2}+2=\frac{x}{2}-\frac{3x-4+5x}{4}.$$

Clear of fractions,

$$20-14x+8=2x-3x+4-5x,$$
$$-8x=-24,$$
$$x=3.$$

23. $\frac{1}{5}-\frac{3}{x-1}=\frac{2+\frac{x+4}{1-x}}{3}.$

Multiply both terms of right member by $1-x$; then

$$\frac{1}{5}-\frac{3}{x-1}=\frac{6-x}{3(1-x)},$$

$$\frac{1}{5}-\frac{3}{x-1}=\frac{x-6}{3(x-1)}.$$

Clear of fractions,

$$3x-3-45=5x-30,$$
$$-2x=18,$$
$$x=-9.$$

24. $\frac{x-\frac{3}{2}}{\frac{3}{2}(x-1)}+\frac{x-\frac{5}{2}}{\frac{5}{2}(x+1)}=1+\frac{1}{15\left(1-\frac{1}{x^2}\right)}$

Reduce the complex to simple fractions,

$$\frac{2x-3}{3x-3}+\frac{2x-5}{5x+5}=1+\frac{x^2}{15x^2-15}.$$

Clear of fractions,

$$10x^2-5x-15+6x^2-21x+15=15x^2-15+x^2,$$
$$-26x=-15,$$
$$x=\tfrac{15}{26}.$$

EXERCISE LXVII.

1. Find the number whose third and fourth parts added together make 14.

Let $x=$ the number.

Then $\frac{x}{3}=$ one-third of the number,

and $\frac{x}{4}=$ one-fourth of the number,

and $\frac{x}{3}+\frac{x}{4}=$ sum of the two parts.

But $14=$ sum of the two parts.

$\therefore \frac{x}{3}+\frac{x}{4}=14.$ Whence, $x=24.$

2. Find the number whose third part exceeds its fourth part by 14.

Let $x =$ the number.

Then $\frac{x}{3} =$ one-third of the number,

and $\frac{x}{4} =$ one-fourth of the number,

and $\frac{x}{3} - \frac{x}{4} =$ the excess.

But $14 =$ the excess.

$\therefore \frac{x}{3} - \frac{x}{4} = 14.$ Whence, $x = 168.$

3. The half, fourth, and fifth of a certain number are together equal to 76; find the number.

Let $x =$ the number.

Then $\frac{x}{2} =$ one-half of the number,

and $\frac{x}{4} =$ one-fourth of the number,

$\frac{x}{5} =$ one-fifth of the number,

$\frac{x}{2} + \frac{x}{4} + \frac{x}{5} =$ sum of the parts.

But $76 =$ sum of the parts.

$\therefore \frac{x}{2} + \frac{x}{4} + \frac{x}{5} = 76.$ Whence, $x = 80.$

4. Find the number whose double exceeds its half by 12.

Let $x =$ the number.

Then $\frac{x}{2} =$ one-half the number,

and $2x =$ double the number,

$2x - \frac{x}{2} =$ the excess.

But $12 =$ the excess.

$\therefore 2x - \frac{x}{2} = 12.$ Whence, $x = 8.$

5. Divide 60 into two such parts that a seventh of one part may be equal to an eighth of the other.

Let $x =$ one part,
and $60 - x =$ the other part.
Then $\frac{x}{7} =$ one-seventh of one part,
and $\frac{60 - x}{8} =$ one-eighth of the other part.

$$\therefore \frac{60 - x}{8} = \frac{x}{7}.$$

Whence, $x = 28$,
and $60 - x = 32$.

6. Divide 50 into two such parts that a fourth of one part increased by five-sixths of the other part may be equal to 40.

Let $x =$ the smaller part.
Then $50 - x =$ the larger part,
$\frac{x}{4} + \frac{5}{6}(50 - x) = \frac{1}{4}$ of one part increased by $\frac{5}{6}$ of the other.
But $40 = \frac{1}{4}$ of one part increased by $\frac{5}{6}$ of the other.

$$\therefore \frac{x}{4} + \frac{5}{6}(50 - x) = 40.$$

Whence, $x = 2\frac{6}{7}$,
and $50 - x = 47\frac{1}{7}$.

7. Divide 100 into two such parts that a fourth of one part diminished by a third of the other part may be equal to 11.

Let $x =$ one part.
Then $100 - x =$ the other.
$\frac{x}{4} - \frac{100 - x}{3} = \frac{1}{4}$ of one part diminished by $\frac{1}{3}$ of the other.
But $11 = \frac{1}{4}$ of one part diminished by $\frac{1}{3}$ of the other.

$$\therefore \frac{x}{4} - \frac{100 - x}{3} = 11.$$

Whence, $x = 76$,
and $100 - x = 24$.

8. The sum of the fourth, fifth, and sixth parts of a certain number exceeds the half of the number by 112. What is the number?

Let $x =$ the number.

Then $\frac{x}{2} =$ one-half of the number,

$\frac{x}{4} =$ one-fourth of the number,

$\frac{x}{5} =$ one-fifth of the number,

$\frac{x}{6} =$ one-sixth of the number.

$$\therefore \frac{x}{4} + \frac{x}{5} + \frac{x}{6} = 112 + \frac{x}{2}.$$

Whence, $x = 960.$

9. The sum of two numbers is 5760, and their difference is equal to one-third of the greater. What are the numbers?

Let $x =$ the greater number.

Then $5760 - x =$ the smaller number.

$$x - (5760 - x) = \frac{x}{3}.$$

$$\therefore 3x - 17{,}280 + 3x = x.$$

Whence, $x = 3456,$

and $5760 - x = 2304.$

10. Divide 45 into two such parts that the first part divided by 2 shall be equal to the second part multiplied by 2.

Let $x =$ first number.

Then $45 - x =$ second number,

$\frac{x}{2} =$ first divided by 2,

$90 - 2x =$ second multiplied by 2.

Then $\frac{x}{2} = 90 - 2x.$

$$\therefore x = 180 - 4x.$$

Whence, $x = 36,$

and $45 - x = 9.$

11. **Find a number such that the sum of its fifth and its seventh parts shall exceed the difference of its fourth and its seventh parts by 99.**

Let $x =$ the number.

Then $\frac{x}{5} =$ one-fifth of the number,

$\frac{x}{4} =$ one-fourth of the number,

$\frac{x}{7} =$ one-seventh of the number,

$\frac{x}{5} + \frac{x}{7} =$ sum of $\frac{1}{5}$ and $\frac{1}{7}$ of the number,

$\frac{x}{4} - \frac{x}{7} =$ difference between $\frac{1}{4}$ and $\frac{1}{7}$ of the number.

$\left(\frac{x}{5} + \frac{x}{7}\right) - \left(\frac{x}{4} - \frac{x}{7}\right) =$ the excess of the sum of its fourth and seventh parts over the difference of its fourth and seventh parts.

But $99 =$ this excess.

$\therefore \left(\frac{x}{5} + \frac{x}{7}\right) - \left(\frac{x}{4} - \frac{x}{7}\right) = 99.$

Whence, $x = 420.$

12. **In a mixture of wine and water, the wine was 25 gallons more than half of the mixture, and the water 5 gallons less than one-third of the mixture. How many gallons were there of each?**

Let $x =$ number of gallons in mixture.

Then $\frac{x}{2} + 25 =$ number of gallons of wine,

$\frac{x}{3} - 5 =$ number of gallons of water,

$\frac{x}{2} + 25 + \frac{x}{3} - 5 =$ number of gallons in mixture.

$\therefore \frac{x}{2} + 25 + \frac{x}{3} - 5 = x.$

Whence, $x = 120,$

and $\frac{x}{2} + 25 = 85, \ \frac{x}{3} - 5 = 35.$

13. In a certain weight of gunpowder the saltpetre was 6 pounds more than half of the weight, the sulphur 5 pounds less than the third, and the charcoal 3 pounds less than the fourth of the weight. How many pounds were there of each?

Let $x =$ number of pounds in mixture.

Then $\frac{x}{2} + 6 =$ number of pounds of saltpetre,

$\frac{x}{3} - 5 =$ number of pounds of sulphur,

and $\frac{x}{4} - 3 =$ number of pounds of charcoal.

$$\therefore \frac{x}{2} + 6 + \frac{x}{3} - 5 + \frac{x}{4} - 3 = x.$$

Whence, $x = 24$, $\frac{x}{2} + 6 = 18$, $\frac{x}{3} - 5 = 3$, $\frac{x}{4} - 3 = 3$.

14. Divide 46 into two parts such that if one part be divided by 7, and the other by 3, the sum of the quotients shall be 10.

Let $x =$ first part.
Then $46 - x =$ second part,
and $\frac{x}{3} + \frac{46 - x}{7} = 10.$
Whence, $x = 18$, and $46 - x = 28$.

15. A house and garden cost $850, and five times the price of the house was equal to twelve times the price of the garden. What is the price of each?

Let $x =$ number of dollars the house cost,
and $850 - x =$ number of dollars the garden cost.
Then $5x =$ five times cost of house,
$10{,}200 - 12x =$ twelve times cost of garden.
$\therefore 5x = 10{,}200 - 12x.$
Whence, $x = 600$, and $850 - x = 250$.

16. A man leaves the half of his property to his wife, a sixth to each of his two children, a twelfth to his brother, and the remainder, amounting to $600, to his sister. What was the amount of his property?

Let $x =$ number of dollars the property amounted to.
Then $\frac{x}{2} =$ number of dollars left to wife,
$\frac{x}{6} =$ number of dollars left to each child,
$\frac{x}{12} =$ number of dollars left to brother.
$\frac{x}{2} + \frac{x}{6} + \frac{x}{6} + \frac{x}{12} + 600 =$ number of dollars in all.
But $x =$ number of dollars in all.

$$\therefore \frac{x}{2} + \frac{x}{6} + \frac{x}{6} + \frac{x}{12} + 600 = x.$$

Whence, $x = 7200.$

17. The sum of two numbers is a and their difference is b; find the numbers.

Let $x =$ the smaller number.
Then $x + b =$ the larger number,
$2x + b =$ the sum of the numbers.
But $a =$ the sum of the numbers.

$$\therefore 2x + b = a.$$

Whence, $x = \frac{a-b}{2}$, and $x + b = \frac{a+b}{2}$.

18. Find two numbers of which the sum is 70, such that the first divided by the second gives 2 as a quotient and 1 as a remainder.

Let $x =$ first number,
and $70 - x =$ second number.
Then $\frac{x-1}{70-x} = 2.$
Whence, $x = 47$, and $70 - x = 23.$

19. Find two numbers of which the difference is 25, such that the second divided by the first gives 4 as a quotient and 4 as a remainder.

Let $x =$ smaller number.
Then $x + 25 =$ larger number,

$$\frac{x+25}{x} = 4 + \frac{4}{x}.$$

Whence, $x = 7$, and $x + 25 = 32.$

20. **Divide the number 208 into two parts such that the sum of the fourth of the greater and the third of the smaller is less by 4 than four times the difference of the two parts.**

Let $x =$ the greater part.
Then $208 - x =$ the smaller part,
$\frac{x}{4} + \frac{208 - x}{3} =$ sum of $\frac{1}{4}$ the greater and $\frac{1}{3}$ the smaller,
$x - (208 - x) =$ difference of the parts.
$\therefore \frac{x}{4} + \frac{208 - x}{3} + 4 = 4(x - 208 + x)$.
Whence, $x = 112$, and $208 - x = 96$.

21. **Find four consecutive numbers whose sum is 82.**

Let $x =$ first number.
Then $x + 1 =$ second number,
$x + 2 =$ third number,
$x + 3 =$ fourth number.
Then $x + x + 1 + x + 2 + x + 3 =$ sum of the numbers.
But $82 =$ sum of the numbers.
$\therefore x + x + 1 + x + 2 + x + 3 = 82$.
Whence, $x = 19$, $x + 1 = 20$, $x + 2 = 21$, $x + 3 = 22$.

22. **A is 72 years old, and B's age is two-thirds of A's. How long is it since A was five times as old as B?**

Let $x =$ number of years since A's age was five times that of B.
$\frac{2}{3}$ of $72 = 48 =$ A's age at present,
$72 - x =$ A's age x years since,
$48 - x =$ B's age x years since.
Then $72 - x = 5(48 - x)$.
Whence, $x = 42$.

23. **A mother is 70 years old, her daughter is half that age. How long is it since the mother was three and one-third times as old as the daughter?**

Let $x =$ number of years since.
Then $70 - x =$ mother's age x years since,
$35 - x =$ daughter's age x years since.
$\therefore 70 - x = 3\frac{1}{3}(35 - x)$.
Whence, $x = 20$.

24. **A father is three times as old as the son; four years ago the father was four times as old as the son then was. What is the age of each?**

Let $x =$ number of years in son's age.
Then $3x =$ number of years in father's age,
$x - 4 =$ number of years in son's age 4 years since,
$3x - 4 =$ number of years in father's age 4 years since.
$\therefore 3x - 4 = 4x - 16.$ Whence, $x = 12$, and $3x = 36$.

25. A is twice as old as B, and seven years ago their united ages amounted to as many years as now represent the age of A. Find the ages of A and B.

Let $x =$ number of years in B's age.
Then $2x =$ number of years in A's age,
$x - 7 =$ number of years in B's age 7 years since,
$2x - 7 =$ number of years in A's age 7 years since.
$\therefore x - 7 + 2x - 7 = 2x.$ Whence, $x = 14$, and $2x = 28$.

26. The sum of the ages of a father and son is half what it will be in 25 years; the difference is one-third what the sum will be in 20 years. What is the age of each?

Let $x =$ number of years in father's age.
Then $50 - x =$ number of years in son's age,
$x - (50 - x) =$ difference of their ages.

$$\text{But } \frac{(x + 20) + (50 - x) + 20}{3} = \text{difference of their ages.}$$

$$\therefore x - 50 + x = \frac{x + 20 + 50 - x + 20}{3}.$$

Whence, $x = 40$, and $50 - x = 10$.

27. A can do a piece of work in 5 days, B in 6 days, and C in $7\frac{1}{2}$ days; in what time will they do it, all working together?

Let $x =$ number of days required for A, B, and C, together.
Then $\frac{1}{x} =$ part all can do in one day.
But $\frac{1}{5} =$ part A can do in one day,
$\frac{1}{6} =$ part B can do in one day,
$\frac{2}{15} =$ part C can do in one day.
Then $\frac{1}{5} + \frac{1}{6} + \frac{2}{15} =$ what all can do in one day.
But $\frac{1}{x} =$ what all can do in one day.

$$\therefore \frac{1}{5} + \frac{1}{6} + \frac{2}{15} = \frac{1}{x}. \quad \text{Whence, } x = 2.$$

28. A can do a piece of work in $2\frac{1}{2}$ days, B in $3\frac{1}{3}$ days, and C in $3\frac{3}{4}$ days; in what time will they do it, all working together?

Let $x =$ number of days required for A, B, and C, together.

Then $\frac{1}{x} =$ part they can do in one day.

Now $\frac{1}{2\frac{1}{2}} =$ part A can do in one day,

$\frac{1}{3\frac{1}{3}} =$ part B can do in one day,

$\frac{1}{3\frac{3}{4}} =$ part C can do in one day.

Then $\frac{1}{2\frac{1}{2}} + \frac{1}{3\frac{1}{3}} + \frac{1}{3\frac{3}{4}} =$ part all can do in one day.

But $\frac{1}{x} =$ part all can do in one day.

$$\therefore \frac{1}{x} = \frac{1}{2\frac{1}{2}} + \frac{1}{3\frac{1}{3}} + \frac{1}{3\frac{3}{4}}.$$

Whence, $x = 1\frac{1}{29}$.

29. Two men who can separately do a piece of work in 15 days and 16 days, can, with the help of another, do it in 6 days. How long would it take the third man to do it alone?

Let $x =$ number of days required for third man.

$\frac{1}{x} + \frac{1}{15} + \frac{1}{16} =$ part all can do in one day.

But $\frac{1}{6} =$ part all can do in one day.

$\therefore \frac{1}{x} + \frac{1}{15} + \frac{1}{16} = \frac{1}{6}.$ Whence, $x = 26\frac{2}{3}$.

30. A can do half as much work as B, B can do half as much as C, and together they can complete a piece of work in 24 days. In what time can each alone complete the work?

Let $x =$ number of days C works.

Then $2x =$ number of days B works,

$4x =$ number of days A works.

Then $\frac{1}{x} + \frac{1}{2x} + \frac{1}{4x} =$ part all can do in one day.

But $\frac{1}{24} =$ part all can do in one day.

$\therefore \frac{1}{x} + \frac{1}{2x} + \frac{1}{4x} = \frac{1}{24}.$ Whence, $x = 42$, $2x = 84$, and $4x = 168$.

31. A does $\frac{5}{9}$ of a piece of work in 10 days, when B comes to help him, and they finish the work in 3 days more. How long would it have taken B alone to do the whole work?

Let $x =$ number of days required for B.

Then $\frac{1}{x} =$ part B can do in one day,

$\frac{1}{18} =$ part A can do in one day,

$\frac{4}{9} =$ part left to be finished,

$\frac{1}{3}$ of $\frac{4}{9}$ or $\frac{4}{27} =$ part both can do in one day.

But $\frac{1}{18} + \frac{1}{x} =$ part both can do in one day.

$$\therefore \frac{1}{18} + \frac{1}{x} = \frac{4}{27}.$$

Whence, $x = 10\frac{4}{5}$.

32. A and B together can reap a field in 12 hours, A and C in 16 hours, and A by himself in 20 hours. In what time can B and C together reap it? In what time can A, B, and C together reap it?

$\frac{1}{12} =$ part A and B can do together in one hour,

and $\frac{1}{20} =$ part A can do in one hour.

$\therefore \frac{1}{12} - \frac{1}{20}$ or $\frac{1}{30} =$ part B can do in one hour,

$\frac{1}{16} =$ part A and C can do together in one hour.

$\therefore \frac{1}{16} - \frac{1}{20}$ or $\frac{1}{80} =$ part C can do in one hour.

Let $\frac{1}{x} =$ part A, B, and C can do together in one hour.

Then $\frac{1}{x} = \frac{1}{20} + \frac{1}{30} + \frac{1}{80}.$

Whence, $x = 10\frac{10}{23}$.

33. A and B together can do a piece of work in 12 days, A and C in 15 days, B and C in 20 days. In what time can they do it, all working together?

Let $x =$ number of days required working together.

$\frac{1}{12} =$ part A and B do in one day,

$\frac{1}{15} =$ part A and C do in one day,

$\frac{1}{20} =$ part B and C do in one day.

Then $\frac{1}{12} + \frac{1}{15} + \frac{1}{20} =$ part all do in two days.

But $\frac{2}{x} =$ part all do in two days.

$$\therefore \frac{2}{x} = \frac{1}{12} + \frac{1}{15} + \frac{1}{20}.$$

Whence, $x = 10.$

34. A tank can be filled by two pipes in 24 minutes and 30 minutes respectively, and emptied by a third in 20 minutes. In what time will it be filled if all three are running together?

Let $x =$ number of minutes required for all running together,

$\frac{1}{x} =$ part filled by all in one minute,

$\frac{1}{24} =$ part filled by first in one minute,

$\frac{1}{30} =$ part filled by second in one minute,

$\frac{1}{20} =$ part emptied by third in one minute,

$\frac{1}{24} + \frac{1}{30} - \frac{1}{20} =$ part filled by all in one minute.

But $\frac{1}{x} =$ part filled by all in one minute.

$$\therefore \frac{1}{x} = \frac{1}{24} + \frac{1}{30} - \frac{1}{20}.$$

Whence, $x = 40.$

35. A tank can be filled in 15 minutes by two pipes, A and B, running together. After A has been running by itself for 5 minutes, B is also turned on, and the tank is filled in 13 minutes more. In what time may it be filled by each pipe separately?

Let $x =$ number of minutes required for A.

Then $\frac{1}{x} =$ part filled by A in one minute,

and $\frac{18}{x} =$ part filled by A in eighteen minutes,

$\frac{1}{15} - \frac{1}{x} =$ part filled by B in one minute,

$\frac{13}{15} - \frac{13}{x} =$ part filled by B in thirteen minutes.

$\therefore \frac{18}{x} + \frac{13}{15} - \frac{13}{x} = 1.$

Whence, $x = 37\frac{1}{2}$.

36. A cistern could be filled by two pipes in 6 hours and 8 hours respectively, and could be emptied by a third in 12 hours. In what time would the cistern be filled if the pipes were all running together?

Let $x =$ number of hours required for all running together,

$\frac{1}{x} =$ part all can fill in one hour,

$\frac{1}{6} =$ part filled by first pipe in one hour,

$\frac{1}{8} =$ part filled by second pipe in one hour,

$\frac{1}{12} =$ part emptied by third pipe in one hour.

Then $\frac{1}{6} + \frac{1}{8} - \frac{1}{12} =$ part filled by all in one hour.

But $\frac{1}{x} =$ part filled by all in one hour.

$\therefore \frac{1}{x} = \frac{1}{6} + \frac{1}{8} - \frac{1}{12}.$

Whence, $x = 4\frac{4}{5}$.

37. A tank can be filled by three pipes in 1 hour and 20 minutes, 3 hours and 20 minutes, and 5 hours, respectively. In what time will the tank be filled when all three pipes are running together?

Let $x =$ number of minutes required for all to fill it,

$\frac{1}{80} =$ part first will fill in one minute,

$\frac{1}{200} =$ part second will fill in one minute,

$\frac{1}{300} =$ part third will fill in one minute,

$\frac{1}{x} =$ part all will fill in one minute.

$$\therefore \frac{1}{x} = \frac{1}{80} + \frac{1}{200} + \frac{1}{300}.$$

Whence, $x = 48.$

38. If three pipes can fill a cistern in a, b, and c minutes, respectively, in what time will it be filled by all three running together?

Let $x =$ number of minutes required for all.

Then $\frac{1}{a} =$ part first fills in one minute,

$\frac{1}{b} =$ part second fills in one minute,

$\frac{1}{c} =$ part third fills in one minute,

$\frac{1}{a} + \frac{1}{b} + \frac{1}{c} =$ part all fill in one minute.

But $\frac{1}{x} =$ part all fill in one minute.

$$\therefore \frac{1}{x} = \frac{1}{a} + \frac{1}{b} + \frac{1}{c}.$$

Whence, $x = \frac{abc}{ab + ac + bc}.$

39. The capacity of a cistern is $755\frac{1}{4}$ gallons. The cistern has three pipes, of which the first lets in 12 gallons in $3\frac{1}{4}$ minutes, the second $15\frac{1}{3}$ gallons in $2\frac{1}{2}$ minutes, the third 17 gallons in 3 minutes. In what time will the cistern be filled by the three pipes running together?

Let $x =$ number of minutes required for all.

Then $\frac{755\frac{1}{4}}{x} =$ number of gallons let in per minute by all,

$\frac{12}{3\frac{1}{4}} =$ number of gallons let in per minute by first,

$\frac{15\frac{1}{3}}{2\frac{1}{2}} =$ number of gallons let in per minute by second,

$\frac{17}{3} =$ number of gallons let in per minute by third,

$\frac{12}{3\frac{1}{4}} + \frac{15\frac{1}{3}}{2\frac{1}{2}} + \frac{77}{3} =$ number of gallons let in per minute by all.

But $\frac{755\frac{1}{4}}{x} =$ number of gallons let in per minute by all.

$$\therefore \frac{755\frac{1}{4}}{x} = \frac{12}{3\frac{1}{4}} + \frac{15\frac{1}{3}}{2\frac{1}{2}} + \frac{17}{3}.$$

Whence, $x = 48\frac{3}{4}$.

40. A sets out and travels at the rate of 7 miles in 5 hours. Eight hours afterwards, B sets out from the same place, and travels in the same direction at the rate of 5 miles in 3 hours. In how many hours will B overtake A?

Let $x =$ number of hours A is travelling.
Then $x - 8 =$ number of hours B is travelling,
$1\frac{2}{5} =$ number of miles per hour A is travelling,
$1\frac{2}{3} =$ number of miles per hour B is travelling,
$1\frac{2}{5}x =$ number of miles A travels,
$1\frac{2}{3}(x - 8) =$ number of miles B travels.

$$\therefore 1\frac{2}{5}x = 1\frac{2}{3}(x - 8).$$

Whence, $x = 50$, $x - 8 = 42$.

41. A person walks to the top of a mountain at the rate of $2\frac{1}{3}$ miles an hour, and down the same way at the rate of $3\frac{1}{2}$ miles an hour, and is out 5 hours. How far is it to the top of the mountain?

Let $x =$ number of hours required to go up,
and $5 - x =$ number of hours required to go down.
Then $2\frac{1}{3}x =$ distance up the mountain,
and $3\frac{1}{2}(5 - x) =$ distance down the mountain.

$$\therefore 2\frac{1}{3}x = 3\frac{1}{2}(5 - x).$$

Whence, $x = 3$, and $2\frac{1}{3}x = 7$.

42. A person has a hours at his disposal. How far may he ride in a coach which travels b miles an hour, so as to return home in time, walking back at the rate of c miles an hour?

Let $x =$ number of miles he may go.

Then $\frac{x}{b} =$ number of hours he is riding,

and $\frac{x}{c} =$ number of hours he is walking.

$$\therefore \frac{x}{b} + \frac{x}{c} = a.$$

Whence, $x = \frac{abc}{b+c}$.

43. The distance between London and Edinburgh is 360 miles. One traveller starts from Edinburgh and travels at the rate of 10 miles an hour; another starts at the same time from London, and travels at the rate of 8 miles an hour. How far from London will they meet?

Let $x =$ number of hours both travel.
Then $10x =$ number of miles first travels,
and $8x =$ number of miles second travels.
$10x + 8x =$ number of miles both travel.
$\therefore 18x = 360.$
Whence, $x = 20$, and $8x = 160$.

44. Two persons set out from the same place in opposite directions. The rate of one of them per hour is a mile less than double that of the other, and in 4 hours they are 32 miles apart. Determine their rates.

Let $x =$ rate of second in miles.
Then $2x - 1 =$ rate of first in miles,
and $3x - 1 =$ number of miles apart in one hour.
$12x - 4 =$ number of miles apart in four hours.
$\therefore 12x - 4 = 32.$
Whence, $x = 3$, and $2x - 1 = 5$.

45. In going a certain distance, a train travelling 35 miles an hour takes 2 hours less than one travelling 25 miles an hour. Determine the distance.

Let $x =$ number of miles.

Then $\frac{x}{35} =$ number of hours first was travelling,

and $\frac{x}{25} =$ number of hours second was travelling.

$\therefore \frac{x}{35} + 2 = \frac{x}{25}.$ Whence, $x = 175$.

46. At what time are the hands of a watch together:

I. Between 3 and 4?
II. Between 6 and 7?
III. Between 9 and 10?

I. Let CH and CM denote the positions of the hour and minute hands at 3 o'clock, and CB the position of both hands when together.

Then arc $HB = \frac{1}{12}$ of arc MHB.
Then $x =$ number of minute-spaces in arc MB,
Then $\frac{x}{12} =$ number of minute-spaces in arc HB,
and $15 =$ number of minute-spaces in arc MH.
Now arc $MB =$ arc $MH +$ arc HB.
That is, $x = 15 + \frac{x}{12}$.
Whence, $x = 16\frac{4}{11}$.



II. Let CM and CH denote the positions of hour and minute hands at 6 o'clock, CB the position of both when together.

Then arc $HB = \frac{1}{12}$ of arc MHB.
Let $x =$ number of minute-spaces in arc MHB.
Then $\frac{x}{12} =$ number of minute-spaces in arc HB,
and $30 =$ number of minute-spaces in arc MH.
Now arc $MHB =$ arc $MH +$ arc HB.
That is, $x = \frac{x}{12} + 30$.
Whence, $x = 32\frac{8}{11}$.



III. Let BC and BA denote the positions of the hour and minute hands at 9 o'clock, and BD the position of both hands when together.

Then $CD = \frac{1}{12}$ of arc $AECD$.
Let $x =$ number of minute-spaces in arc $AECD$.
Then $\frac{x}{12} =$ number of minute-spaces in arc CD,
and $45 =$ number of minute-spaces in arc AEC.
Now arc $AECD =$ arc $AEC +$ arc CD.
That is, $x = 45 + \frac{x}{12}$.
Whence, $x = 49\frac{1}{11}$.



47. At what time are the hands of a watch at right angles:

I. Between 3 and 4?
II. Between 4 and 5?
III. Between 7 and 8?

I. Let CB and CD denote the positions of the hour and minute hands when at right angles.



Let $x =$ number of minute-spaces in arc $MHBD$.

Then $\frac{x}{12} =$ number of minute-spaces in arc HB,

and $15 =$ number of minute-spaces in arc MH,

also $15 =$ number of minute-spaces in arc BD.

Now arc $MHBD =$ arcs $MH + HB + BD$.

That is, $x = 15 + \frac{x}{12} + 15$.

Whence, $x = 32\frac{8}{11}$.

II. Let CE and DE denote the positions of the hour and minute hands when at right angles.



Let $x =$ number of minute-spaces in arc $ABCD$.

Then $\frac{x}{12} =$ number of minute-spaces in arc BC,

and $20 =$ number of minute-spaces in arc AB,

also $15 =$ number of minute-spaces in arc CD.

Now arc $ABCD =$ arcs $BC + AB + CD$.

That is, $x = 20 + \frac{x}{12} + 15$.

Whence, $x = 38\frac{2}{11}$.



Let $x =$ number of minute-spaces in arc AB.

Then $\frac{x}{12} =$ number of minute-spaces in arc CD,

and $20 =$ number of minute-spaces in arc ABC,

also $15 =$ number of minute-spaces in arc BCD.

Now arc $AB =$ arcs $CD + AC - BD$.

That is, $x = \frac{x}{12} + 20 - 15$.

Whence, $x = 5\frac{5}{11}$.

III. Let BC and DC denote the positions of the hour and minute hands when at right angles.



Let $x =$ number of minute-spaces in arc $MHBD$.

Then $\frac{x}{12} =$ number of minute-spaces in arc HB,

and $35 =$ number of minute-spaces in arc MAH,

also $15 =$ number of minute-spaces in arc BD.

Now arc $MHBD =$ arcs $MAH + HB + BD$.

That is, $x = 35 + \frac{x}{12} + 15$.

Whence, $x = 54\frac{6}{11}$.



Let $x =$ number of minute-spaces in arc MB.

Then $\frac{x}{12} =$ number of minute-spaces in arc HD,

and $35 =$ number of minute-spaces in arc MBH,

also $15 =$ number of minute-spaces in arc BHD.

Now arc MB

$= $ arcs $HBM + HD - BHD$.

That is, $x = 35 + \frac{x}{12} - 15$.

Whence, $x = 21\frac{9}{11}$.

48. At what time are the hands of a watch opposite to each other:

I. Between 1 and 2?
II. Between 4 and 5?
III. Between 8 and 9?

I. Let CB and CD denote the positions of the hour and minute hands when opposite.



Let $x =$ number of minute-spaces in arc $MHBD$.

Then $\frac{x}{12} =$ number of minute-spaces in arc HB,

and $5 =$ number of minute-spaces in arc MH,

also $30 =$ number of minute-spaces in arc BAD.

Now arc $MHBD$

$=$ arcs $MH + HB + BAD$.

That is, $x = 5 + \frac{x}{12} + 30$.

Whence, $x = 38\frac{2}{11}$.

II. Let CB and CD denote the positions of the hour and minute hands when opposite.



Let $x =$ number of minute-spaces in arc $MHBD$.

Then $\frac{x}{12} =$ number of minute-spaces in arc HB,

and $20 =$ number of minute-spaces in arc MH,

also $30 =$ number of minute-spaces in arc BAD.

Now arc $MHBD$
$= \text{arcs } MH + HB + BAD.$

That is, $x = 20 + \frac{x}{12} + 30.$

Whence, $x = 54\frac{6}{11}$.

III. Let CB and CD denote the positions of the hour and minute hands when opposite.



Let $x =$ number of minute-spaces in arc MD.

Then $\frac{x}{12} =$ number of minute-spaces in arc HB,

and $40 =$ number of minute-spaces in arc MDH,

also $30 =$ number of minute-spaces in arc DHB.

Now arc $MD = \text{arcs } MDH + HB - DHB.$

That is, $x = 40 + \frac{x}{12} - 30.$

Whence, $x = 10\frac{10}{11}$.

49. It is between 2 and 3 o'clock; but a person looking at his watch, and mistaking the hour-hand for the minute-hand, fancies that the time of day is 55 minutes earlier than it really is. What is the true time?

Let CB and CD denote the positions of the hour and minute hands and CE the 1 o'clock point.



Let $x =$ number of minute-spaces in arc MED.

Then $\frac{x}{12} =$ number of minute-spaces in arc HB,

and $10 =$ number of minute-spaces in arc $MEDH$,

also $5 =$ number of minute-spaces in arc DHB.

Now arc MED
$= \text{arcs } MEDH + HB - DHB.$

That is, $x = 10 + \frac{x}{12} - 5.$

$\therefore x = 5\frac{5}{11}$.

50. A hare takes 6 leaps to a dog's 5, and 7 of the dog's leaps are equivalent to 9 of the hare's. The hare has a start of 50 of her own leaps. How many leaps will the hare take before she is caught?

Let $6x$ = number of leaps taken by the hare.
Then $5x$ = number of leaps taken by the dog.
Also let a = number of feet in one leap of the hare.
Then $\frac{9a}{7}$ = number of feet in one leap of the dog.

$$\therefore \left(\frac{9a}{7}\right)5x = (50 + 6x)a,$$

$$\frac{45ax}{7} = 50a + 6ax,$$

$$45ax = 350a + 42ax.$$

Divide by a, $3x = 350$.
Whence, $x = 116\frac{2}{3}$,
$6x = 700$.

51. A greyhound makes 3 leaps while a hare makes 4; but 2 of the greyhound's leaps are equivalent to 3 of the hare's. The hare has a start of 50 of the greyhound's leaps. How many leaps does each take before the hare is caught?

Let $3x$ = number of leaps taken by the greyhound.
Then $4x$ = number of leaps taken by the hare.
Also let a = number of feet in one leap of the hare.
Then $\frac{3a}{2}$ = number of feet in one leap of the greyhound.

That is, $3x \times \frac{3a}{2}$ = the whole distance.

But $\frac{150a}{2} + 4ax$ = the whole distance.

$$\therefore \frac{9ax}{2} = \frac{150a}{2} + 4ax.$$

Divide by a, $\frac{9x}{2} = \frac{150}{2} + 4x$,
$9x = 150 + 8x$.
Whence, $x = 150$,
$3x = 450$,
$4x = 600$.

52. A greyhound makes two leaps while a hare makes 3; but 1 leap of the greyhound is equivalent to 2 of the hare's. The hare has a start of 80 of her own leaps. How many leaps will the hare take before she is caught?

Let $2x =$ number of leaps taken by the greyhound.
Then $3x =$ number of leaps taken by the hare.
Also let $a =$ number of feet in one leap of the hare.
Then $2a =$ number of feet in one leap of the greyhound.
That is, $2x \times 2a =$ whole distance.
But $(80 + 3x)\,a =$ whole distance.
$\therefore (80 + 3x)\,a = 4ax.$
Divide by a, $80 + 3x = 4x$. Whence, $x = 80$, and $3x = 240$.

53. A rectangle whose length is 5 feet more than its breadth would have its area increased by 22 feet if its length and breadth were each made a foot more. Find its dimensions.

Let $x =$ number of feet in breadth.
Then $x + 5 =$ number of feet in length.
$x(x + 5) =$ number of square feet in area,
$x + 1 =$ number of feet in breadth $+ 1$,
$x + 6 =$ number of feet in length $+ 1$.
$\therefore (x + 1)(x + 6) - x(x + 5) = 22.$
Whence, $x = 8$, and $x + 5 = 13$.

54. A rectangle has its length and breadth respectively 5 feet longer and 3 feet shorter than the side of the equivalent square. Find its area.

Let $x - 3 =$ number of feet in breadth,
and $x + 5 =$ number of feet in length.
Then $(x-3)(x+5) =$ number of feet in area.
But $x^2 =$ number of feet in area.
$\therefore x^2 = x^2 + 2x - 15.$ Whence, $x = 7\frac{1}{2}$, and $x^2 = 56\frac{1}{4}$.

55. The length of a rectangle is an inch less than double its breadth; and when a strip 3 inches wide is cut off all round, the area is diminished by 210 inches. Find the size of the rectangle at first.

Let $x =$ number of inches in breadth.
Then $2x - 1 =$ number of inches in length,
and $6x + 12x - 6 - 36 =$ number of inches in area cut off.
But $210 =$ number of inches in area cut off.
$\therefore 6x + 12x - 6 - 36 = 210.$ Whence, $x = 14$, and $2x - 1 = 27$.

56. **The length of a floor exceeds the breadth by 4 feet; if each dimension were increased by 1 foot, the area of the room would be increased by 27 square feet. Find its dimensions.**

Let $x =$ number of feet in breadth.
Then $x + 4 =$ number of feet in length,
and $x^2 + 4x =$ number of feet in area,
$x + 1 =$ number of feet in breadth $+ 1$ foot,
$x + 5 =$ number of feet in length $+ 1$ foot,
$x^2 + 6x + 5 =$ number of feet in area after addition.
But $x^2 + 4x + 27 =$ number of feet in area after addition.
$\therefore x^2 + 6x + 5 = x^2 + 4x + 27.$ Whence, $x = 11$, and $x + 4 = 15$.

57. **A mass of tin and lead weighing 180 pounds loses 21 pounds when weighed in water; and it is known that 37 pounds of tin lose 5 pounds, and 23 pounds of lead lose 2 pounds, when weighed in water. How many pounds of tin and of lead in the mass?**

Let $x =$ number of pounds of tin.
Then $180 - x =$ number of pounds of lead,
$\frac{5x}{37} =$ number of pounds x pounds of tin lose in water,
$\frac{2}{23}(180 - x) =$ number of pounds $180 - x$ pounds of lead lose in water.
But $21 =$ number of pounds tin and lead lose in water.
$\therefore \frac{5x}{37} + \frac{2}{23}(180 - x) = 21.$
Whence, $x = 111$, and $180 - x = 69$.

58. **If 19 pounds of gold lose 1 pound, and 10 pounds of silver lose 1 pound, when weighed in water, find the amount of each in a mass of gold and silver weighing 106 pounds in air and 99 pounds in water.**

Let $x =$ number of pounds of gold.
Then $106 - x =$ number of pounds of silver,
$\frac{x}{19} =$ number of pounds the gold loses in water,
$\frac{106 - x}{10} =$ number of pounds the silver loses in water,
$\frac{x}{19} + \frac{106 - x}{10} =$ number of pounds both lose in water.
But $7 =$ number of pounds both lose in water.
$\therefore \frac{x}{19} + \frac{106 - x}{10} = 7.$
Whence, $x = 76$, and $106 - x = 30$.

59. Fifteen sovereigns should weigh 77 pennyweights; but a parcel of light sovereigns, having been weighed and counted, was found to contain 9 more than was supposed from the weight; and it appeared that 21 of these coins weighed the same as 20 true sovereigns. How many were there altogether?

Let $x =$ number in parcel,

$\frac{77}{15} =$ number pennyweights a good sovereign weighs,

$x - 9 =$ number good sovereigns that weigh same as bad,

$\frac{77(x-9)}{15} =$ number pennyweights the good coins weigh,

$\frac{20}{21} \times \frac{77}{15}$ or $\frac{44}{9} =$ number pennyweights a bad coin weighs.

$\therefore \frac{44x}{9} = \frac{77(x-9)}{15}.$

Whence, $x = 189.$

60. There are two silver cups, and one cover for both. The first weighs 12 ounces, and with the cover weighs twice as much as the other without it; but the second with the cover weighs one-third more than the first without it. Find the weight of the cover.

Let $x =$ weight of cover in ounces,

$12 + x =$ weight of first cover and cup in ounces,

$16 - x =$ double the weight of the second cup in ounces.

But $12 + x =$ double the weight of the second cup in ounces.

$\therefore 12 + x = 2(16 - x).$

Whence, $x = 6\frac{2}{3}.$

61. A man wishes to enclose a circular piece of ground with palisades, and finds that if he sets them a foot apart he will have too few by 150; but if he sets them a yard apart he will have too many by 70. What is the circuit of the piece of ground?

Let $x =$ number of feet in circuit of field.

Then $x - 150 =$ number of palisades he had.

But $\frac{x}{3} + 70 =$ number of palisades he had.

$\therefore x - 150 = \frac{x}{3} + 70.$

Whence, $x = 330.$

62. A horse was sold at a loss for $200; but if it had been sold for $250, the gain would have been three-fourths of the loss when sold for $200. Find the value of the horse.

Let x = number of dollars the horse is worth.
Then $250 - x$ = number of dollars made if sold for $250,
$x - 200$ = number of dollars lost if sold for $200.
$\therefore 250 - x = \frac{3}{4}(x - 200).$
Whence, $x = 228\frac{4}{7}.$

63. A and B shoot by turns at a target. A puts 7 bullets out of 12, and B 9 out of 12, into the centre. Between them they put in 32 bullets. How many shots did each fire?

Let x = number of shots each fired,
$\frac{7x}{12}$ = number of centres made by A,
$\frac{9x}{12}$ = number of centres made by B.
But 32 = number of centres made by both.
$\therefore \frac{7x}{12} + \frac{9x}{12} = 32.$
Whence, $x = 24.$

64. A boy buys a number of apples at the rate of 5 for 2 pence. He sells half of them at 2 a penny and the rest at 3 a penny, and clears a penny by the transaction. How many does he buy?

Let x = number bought.
Then $\frac{2x}{5}$ = number of pence paid,
and $\frac{x}{2} \times \frac{1}{2}$ or $\frac{x}{4}$ = selling price of one-half.
But $\frac{x}{2} \times \frac{1}{3}$ or $\frac{x}{6}$ = selling price of the other half.
$\therefore \frac{2x}{5} - \left(\frac{x}{4} + \frac{x}{6}\right) = 1.$
Whence, $x = 60.$

65. A person bought a piece of land for $6750, of which he kept $\frac{4}{9}$ for himself. At the cost of $250 he made a road which took $\frac{1}{10}$ of the remainder, and then sold the rest at $12\frac{1}{2}$ cents a square yard more than double the price it cost him, thus clearing his outlay and $500 besides. How much land did he buy, and what was the cost-price per yard?

Let $x =$ number of yards.

Then $\frac{4x}{9} =$ number of yards kept,

$\frac{5x}{90} =$ number of yards used for road,

$\frac{x}{2} =$ number of yards sold.

$$\therefore\ 6750 + \frac{1}{8} \times \frac{x}{2} = 7500.$$

Whence, $x = 12{,}000$,

and $\$6750.00 \div x = \$0.56\frac{1}{4}$.

66. A boy who runs at the rate of 12 yards per second starts 20 yards behind another whose rate is $10\frac{1}{2}$ yards per second. How soon will the first boy be 10 yards ahead of the second?

Let $x =$ number of seconds they are running.

Then $12x =$ number of yards first boy runs,

and $\frac{21x}{2} =$ number of yards second boy runs.

$$\therefore\ 12x - \left(10 + \frac{21x}{2}\right) = 20,$$

$$12x - \frac{20 + 21x}{2} = 20,$$

$$24x - 20 - 21x = 40,$$

$$3x = 60,$$

$$x = 20.$$

67. A merchant adds yearly to his capital one-third of it, but takes from it, at the end of each year, $5000 for expenses. At the end of the third year, after deducting the last $5000, he has twice his original capital. How much had he at first?

Let $x =$ number of dollars he had at first.

Then $\frac{4x}{3} - 5000 =$ number of dollars he had at the end of the first year,

or $\frac{4x - 15,000}{3} =$ number of dollars he had at the end of the first year,

$\frac{4}{3}\left(\frac{4x - 15,000}{3}\right) - 5000 =$ number of dollars he had at the end of the second year,

or $\frac{16x - 105,000}{9} =$ number of dollars he had at the end of the second year,

$\frac{4}{3}\left(\frac{16x - 105,000}{9}\right) - 5000 =$ number of dollars he had at the end of the third year,

or $\frac{64x - 555,000}{27} =$ number of dollars he had at the end of the third year.

But $2x =$ number of dollars he had at the end of the third year.

$$\therefore \frac{64x - 555,000}{27} = 2x.$$

Whence, $x = 55,500.$

68. A shepherd lost a number of sheep equal to one-fourth of his flock and one-fourth of a sheep; then, he lost a number equal to one-third of what he had left and one-third of a sheep; finally, he lost a number equal to one-half of what now remained and one-half a sheep, after which he had but 25 sheep left. How many had he at first?

Let $x =$ number of sheep he had at first.

Then $\frac{3x-1}{4} =$ number of sheep he had left after first loss,

$\frac{3(x+1)}{12} =$ number of sheep he lost the second time,

$\frac{x-1}{2} =$ number of sheep he had left after second loss,

$\frac{x+1}{4} =$ number of sheep he lost the third time,

$\frac{x-3}{4} =$ number of sheep he had left after third loss.

But $25 =$ number of sheep he had left after third loss.

$$\therefore \frac{x-3}{4} = 25.$$

Whence, $x = 103.$

69. A trader maintained himself for three years at an expense of $250 a year; and each year increased that part of his stock which was not so expended by one-third of it. At the end of the third year his original stock was doubled. What was his original stock?

Let $x =$ number of dollars in stock at first.

Then $\frac{4}{3}(x-250)$

or $\frac{4x-1000}{3} =$ number of dollars in stock at the end of first year,

$\frac{4}{3}\left(\frac{4x-1000}{3}-250\right)$

or $\frac{16x-7000}{9} =$ number of dollars in stock at the end of second year,

$\frac{4}{3}\left(\frac{16x-7000}{9}-250\right) =$ number of dollars in stock at the end of third year.

But $2x =$ number of dollars in stock at the end of third year.

$\therefore \frac{4}{3}\left(\frac{16x-7000}{9}-250\right) = 2x.$

Whence, $x = 3700.$

70. A cask contains 12 gallons of wine and 18 gallons of water; another cask contains 9 gallons of wine and 3 gallons of water. How many gallons must be drawn from each cask to produce a mixture containing 7 gallons of wine and 7 gallons of water?

Let $x =$ number of gallons drawn from 1st cask,

$14 - x =$ number of gallons drawn from 2d cask,

$\frac{2}{5} =$ proportion of wine to water in 1st cask,

$\frac{3}{4} =$ proportion of wine to water in 2d cask.

$\therefore \frac{2x}{5} + \frac{3}{4}(14-x) = 7.$

Whence, $x = 10,$

and $14 - x = 4.$

71. The members of a club subscribe each as many dollars as there are members. If there had been 12 more members, the subscription from each would have been $10 less, to amount to the same sum. How many members were there?

Let $x =$ number of members of the club.
Then $x =$ number of dollars each subscribed,
$x + 12 =$ number of members $+ 12$,
and $x - 10 =$ number of dollars each would have subscribed in second case.
But $x^2 =$ number of dollars all subscribed.
$\therefore (x + 12)(x - 10) = x^2$.
Whence, $x = 60$.

72. A number of troops being formed into a solid square, it was found there were 60 men over; but when formed in a column with 5 men more in front than before and three men less in depth, there was lacking one man to complete it. Find the number of troops.

Let $x =$ number of men on one side.
Then $x^2 + 60 =$ number of men in the square,
$x + 5 =$ number of men on a side $+5$,
$x - 3 =$ number of men on a side -3,
and $(x + 5)(x - 3) - 1 =$ number of men in the square.
$\therefore (x + 5)(x - 3) - 1 = x^2 + 60$.
Whence, $x = 38$,
and $x^2 + 60 = 1504$.

73. An officer can form the men of his regiment into a hollow square 12 deep. The number of men in the regiment is 1296. Find the number of men in the front of the hollow square.

Let $x =$ number of men in front.
Then $12x =$ number of men in twelve lines,
and $24x =$ number of men in twelve lines front and rear.
$12(x - 24) =$ number of men on a side,
$12(x - 24) \times 2 =$ number of men on both sides.
Then $24x + 12(x - 24) \times 2 =$ whole number of men.
But $1296 =$ whole number of men.
$\therefore 24x + 12(x - 24) \times 2 = 1296$.
Whence, $x = 39$.

74. A person starts from P and walks towards Q at the rate of 3 miles an hour; 20 minutes later another person starts from Q and walks towards P at the rate of four miles an hour. The distance from P to Q is 20 miles. How far from P will they meet?

Let $x =$ number of miles first travels.
Then $20 - x =$ number of miles second travels,
$\frac{x}{3} =$ number of hours first travels,
$\frac{20-x}{4} =$ number of hours second travels.
$\therefore \frac{x}{3} = \frac{20-x}{4} + \frac{1}{3}$. Whence, $x = 9\frac{1}{7}$.

75. A person engaged to work a days on these conditions: for each day he worked he was to receive b cents, and for each day he was idle he was to forfeit c cents. At the end of a days he received d cents. How many days was he idle?

Let $x =$ number of days he was idle.
Then $a - x =$ number of days he worked,
and $cx =$ number of cents he forfeited,
$b(a - x) =$ number of cents he received,
$(ab - bx) - cx =$ whole amount.
But $d =$ whole amount.
$\therefore (ab - bx) - cx = d.$
Whence, $x = \frac{ab - d}{b + c}$.

76. A banker has two kinds of coins: it takes a pieces of the first to make a dollar, and b pieces of the second to make a dollar. A person wishes to obtain c pieces for a dollar. How many pieces of each kind must the banker give him?

Let $x =$ number of pieces of first kind.
Then $c - x =$ number of pieces of second kind,
$\frac{1}{a} =$ the part of a dollar in one piece of first,
$\frac{1}{b} =$ the part of a dollar in one piece of second.
$\therefore \frac{x}{a} + \frac{c-x}{b} = 1.$
Whence, $x = \frac{a(b-c)}{b-a}$, and $c - x = \frac{b(c-a)}{b-a}$.

EXERCISE LXVIII.

1.
$$\begin{aligned} 2x+3y&=7 \quad (1)\\ 4x-5y&=3 \quad (2)\end{aligned}$$

Multiply (1) by 2,
$$4x+6y=14$$

(2) is $4x-5y=3$

Subtract, $11y=11$

$$\therefore y=1$$

Substitute value of y in (2),
$$4x-5=3.$$
$$\therefore x=2.$$

2.
$$\begin{aligned} x-2y&=4 \quad (1)\\ 2x-\ \ y&=5 \quad (2)\end{aligned}$$

Multiply (1) by 2,
$$2x-4y=8$$

(2) is $2x-y=5$

Subtract, $-3y=3$

$$\therefore y=-1.$$

Substitute value of y in (2),
$$x+2=4.$$
$$\therefore x=2.$$

3.
$$\begin{aligned} 7x+2y&=30 \quad (1)\\ -3x+y&=2 \quad (2)\end{aligned}$$

(1) is $7x+2y=30$

(2) by 2, $-6x+2y=4$

Subtract, $13x=26$

$$\therefore x=2.$$

Substitute value of x in (1),
$$\begin{aligned}14+2y&=30,\\ 2y&=16.\end{aligned}$$
$$\therefore y=8.$$

4.
$$\begin{aligned} 3x-5y&=51 \quad (1)\\ 2x+7y&=3 \quad (2)\end{aligned}$$

Multiply (1) by 2, and (2) by 3,
$$\begin{aligned}6x-10y&=102\\ 6x+21y&=9\end{aligned}$$

Subtract, $-31y=93$

$$\therefore y=-3.$$

Substitute value of y in (1),
$$\begin{aligned}3x+15&=51,\\ 3x&=36.\end{aligned}$$
$$\therefore x=12.$$

5.
$$\begin{aligned} 5x+4y&=58 \quad (1)\\ 3x+7y&=67 \quad (2)\end{aligned}$$

Multiply (1) by 3, and (2) by 5,
$$\begin{aligned}15x+12y&=174\\ 15x+35y&=335\end{aligned}$$

Subtract, $-23y=-161$

$$\therefore y=7.$$

Substitute value of y in (1),
$$5x+28=58.$$
$$\therefore x=6.$$

6.
$$\begin{aligned} 3x+2y&=39 \quad (1)\\ 3y-2x&=13 \quad (2)\end{aligned}$$

Multiply (1) by 3, and (2) by 2,
$$\begin{aligned}9x+6y&=117\\ -4x+6y&=26\end{aligned}$$

Subtract, $13x=91$

$$\therefore x=7.$$

Substitute value of x in (1),
$$21+2y=39,\ 2y=18.$$
$$\therefore y=9.$$

7.
$$\begin{aligned} 3x-4y&=-5 \quad (1)\\ 4x-5y&=1 \quad (2)\end{aligned}$$

Multiply (1) by 4 and (2) by 3,
$$\begin{aligned}12x-16y&=-20\\ 12x-15y&=3\end{aligned}$$

Subtract, $-y=-23$

$$\therefore y=23.$$

Substitute value of y in (1),
$$3x-92=-5,\ 3x=87.$$
$$\therefore x=29.$$

8.
$$\begin{aligned} 11x+3y&=100 \quad (1)\\ 4x-7y&=4 \quad (2)\end{aligned}$$

Multiply (1) by 4 and (2) by 11,
$$\begin{aligned}44x+12y&=400\\ 44x-77y&=44\end{aligned}$$

Subtract, $89y=356$

$$\therefore y=4.$$

Substitute value of y in (1),
$$11x+12=100,\ 11x=88.$$
$$\therefore x=8.$$

9.

$$\begin{aligned} x + 49y &= 693 \quad (1)\\ 49x + y &= 357 \quad (2)\end{aligned}$$

Add, $50x + 50y = 1050$ (3)

Divide by 50, $x + y = 21$ (4)

Subtract (4) from (1),

$$\begin{aligned} 48y &= 672.\\ \therefore y &= 14.\end{aligned}$$

Subtract (4) from (2),

$$\begin{aligned} 48x &= 336.\\ \therefore x &= 7.\end{aligned}$$

10.

$$\begin{aligned} 17x + 3y &= 573 \quad (1)\\ -3x + 16y &= 23 \quad (2)\end{aligned}$$

Multiply (1) by 3 and (2) by 17,

$$\begin{aligned} 51x + 9y &= 171\\ -51x + 272y &= 391\end{aligned}$$

Add, $281y = 562$

$$\therefore y = 2.$$

Substitute value of y in (2),

$$\begin{aligned} 3x + 32 &= 23,\\ -3x &= -9.\\ \therefore x &= 3.\end{aligned}$$

11.

$$\begin{aligned} 12x + 7y &= 176 \quad (1)\\ 3y - 19x &= 3 \quad (2)\end{aligned}$$

Multiply (1) by 3 and (2) by 7,

$$\begin{aligned} 36x + 21y &= 528 \quad (3)\\ -133x + 21y &= 21\end{aligned}$$

Subt., $169x = 507$

$$\therefore x = 3.$$

Substitute value of x in (2),

$$\begin{aligned} 3y - 57 &= 3,\\ 3y &= 60.\\ \therefore y &= 20.\end{aligned}$$

12.

$$\begin{aligned} 2x - 7y &= 8 \quad (1)\\ -9x + 4y &= 19 \quad (2)\end{aligned}$$

Multiply (1) by 4 and (2) by 7,

$$\begin{aligned} 8x - 28y &= 32 \quad (3)\\ 63x + 28y &= 133 \quad (4)\end{aligned}$$

Add, $-55x = 165$

$$\therefore x = -3.$$

Substitute value of x in (2),

$$\begin{aligned} 27 + 4y &= 19,\\ 4y &= -8.\\ \therefore y &= -2.\end{aligned}$$

13.

$$\begin{aligned} 69y - 17x &= 103 \quad (1)\\ 14x - 13y &= -41 \quad (2)\end{aligned}$$

Multiply (1) by 14, and (2) by 17,

$$\begin{aligned} -238x + 966y &= 1442 \quad (3)\\ 238x - 221y &= -697 \quad (4)\end{aligned}$$

Add $745y = 745$

$$\therefore y = 1.$$

Substitute value of y in (2),

$$\begin{aligned} 14x - 13 &= -41,\\ 14x &= -28.\\ \therefore x &= -2.\end{aligned}$$

14.

$$\begin{aligned} 17x + 30y &= 59 \quad (1)\\ 19x + 28y &= 77 \quad (2)\end{aligned}$$

Multiply (1) by 14, and (2) by 15,

$$\begin{aligned} 238x + 420y &= 826 \quad (3)\\ 285x + 420y &= 1155 \quad (4)\\ -47x &= -329\\ \therefore x &= 7.\end{aligned}$$

Substitute value of x in (2),

$$\begin{aligned} 133 + 28y &= 77,\\ 28y &= -56.\\ \therefore y &= -2.\end{aligned}$$

EXERCISE LXIX.

1.
$$\begin{aligned} 3x-4y&=2 \qquad (1)\\ 7x-9y&=7 \qquad (2)\end{aligned}$$

Transpose $-4y$ in (1),

$$3x=2+4y.$$

Divide by coefficient of x,

$$x=\frac{2+4y}{3}.$$

Substitute value of x in (2),

$$7\left(\frac{2+4y}{3}\right)-9y=7.$$

Simplify,

$$\begin{aligned} 14+28y-27y&=21.\\ \therefore y&=7.\end{aligned}$$

Substitute value of y in (1),

$$\begin{aligned} 3x-28&=2,\\ 3x&=30.\\ \therefore x&=10.\end{aligned}$$

2.
$$\begin{aligned} 7x-5y&=24 \qquad (1)\\ 4x-3y&=11 \qquad (2)\end{aligned}$$

Transpose $5y$ in (1),

$$7x=24+5y.$$

Divide by coefficient of x,

$$x=\frac{24+5y}{7}.$$

Substitute value of x in (2),

$$4\left(\frac{24+5y}{7}\right)-3y=11.$$

Simplify,

$$\begin{aligned} 96+20y-21y&=77,\\ -y&=19.\\ \therefore y&=19.\end{aligned}$$

Substitute value of y in (1),

$$\begin{aligned} 7x-95&=24,\\ 7x&=119.\\ \therefore x&=17.\end{aligned}$$

3.
$$\begin{aligned} 3x+2y&=32 \qquad (1)\\ 20x-3y&=1 \qquad (2)\end{aligned}$$

Transpose $2y$ in (1),

$$3x=32-3y.$$

Divide by coefficient of x,

$$x=\frac{32-2y}{3}.$$

Substitute value of x in (2),

$$20\left(\frac{32-2y}{3}\right)-3y=1,$$

$$\frac{640-40y}{3}-3y=1.$$

Simplify,

$$\begin{aligned} 640-40y-9y&=3,\\ -49y&=-637.\\ \therefore y&=13.\end{aligned}$$

Substitute value of y in (1),

$$\begin{aligned} 3x+26&=32.\\ \therefore x&=2.\end{aligned}$$

4.
$$\begin{aligned} 11x-7y&=37 \qquad (1)\\ 8x+9y&=41 \qquad (2)\end{aligned}$$

Transpose $7y$ in (1),

$$11x=37+7y.$$

Divide by coefficient of x,

$$x=\frac{37+7y}{11}.$$

Substitute value of x in (2),

$$8\left(\frac{37+7y}{11}\right)+9y=41.$$

Simplify,

$$\begin{aligned} 296+56y+99y&=451,\\ 155y&=155.\\ \therefore y&=1.\end{aligned}$$

Substitute value of y in (2),

$$\begin{aligned} 8x+9&=41.\\ \therefore x&=4.\end{aligned}$$

5.

$$7x + 5y = 60 \quad (1)$$
$$13x - 11y = 10 \quad (2)$$

Transpose $5y$ in (1),

$$7x = 60 - 5y.$$

Divide by coefficient of x,

$$x = \frac{60 - 5y}{7}.$$

Substitute value of x in (2),

$$13\left(\frac{60 - 5y}{7}\right) - 11y = 10.$$

Simplify,

$$780 - 65y - 77y = 70,$$
$$780 - 142y = 70,$$
$$142y = 710.$$
$$\therefore y = 5.$$

Substitute value of y in (1),

$$7x + 25 = 60,$$
$$7x = 35.$$
$$\therefore x = 5.$$

6.

$$6x - 7y = 42 \quad (1)$$
$$7x - 6y = 75 \quad (2)$$

Transpose $7y$ in (1),

$$6x = 42 + 7y.$$

Divide by coefficient of x,

$$x = \frac{42 + 7y}{6}.$$

Substitute value of x in (2),

$$7\left(\frac{42 + 7y}{6}\right) - 6y = 75.$$

Simplify,

$$294 + 49y - 36y = 450,$$
$$13y = 156.$$
$$\therefore y = 12.$$

Substitute value of y in (1),

$$6x - 84 = 42.$$
$$\therefore x = 21.$$

7.

$$10x + 9y = 290 \quad (1)$$
$$12x - 11y = 130 \quad (2)$$

Transpose $9y$ in (1),

$$10x = 290 - 9y.$$

Divide by coefficient of x,

$$x = \frac{290 - 9y}{10}.$$

Substitute value of x in (2),

$$12\left(\frac{290 - 9y}{10}\right) - 11y = 130.$$

Simplify,

$$3480 - 108y - 110y = 1300,$$
$$218y = 2180.$$
$$\therefore y = 10.$$

Substitute value of y in (1),

$$10x + 90 = 290,$$
$$10x = 200.$$
$$\therefore x = 20.$$

8.

$$3x - 4y = 18 \quad (1)$$
$$3x + 2y = 0 \quad (2)$$

Transpose $4y$ in (1),

$$3x = 18 + 4y.$$

Divide by coefficient of x,

$$x = \frac{18 + 4y}{3}.$$

Substitute value of x in (2),

$$3\left(\frac{18 + 4y}{3}\right) + 2y = 0.$$

Simplify,

$$54 + 12y + 6y = 0,$$
$$18 = -54.$$
$$\therefore y = -3.$$

Substitute value of y in (2),

$$3x - 6 = 0.$$
$$\therefore x = 2.$$

9.

$$9x - 5y = 52 \qquad (1)$$
$$8y - 3x = 8 \qquad (2)$$

Transpose $5y$ in (1),

$$9x = 52 + 5y.$$

Divide by coefficient of x,

$$x = \frac{52 + 5y}{9}.$$

Substitute value of x in (2),

$$8y - 3\left(\frac{52 + 5y}{9}\right) = 8.$$

Simplify,

$$72y - 156 - 15y = 72,$$
$$57y = 228.$$
$$\therefore y = 4.$$

Substitute value of y in (1),

$$9x - 20 = 52,$$
$$9x = 72.$$
$$\therefore x = 8.$$

10.

$$5x - 3y = 4 \qquad (1)$$
$$12y - 7x = 10 \qquad (2)$$

Transpose $-3y$ in (1),

$$5x = 4 + 3y.$$

Divide by coefficient of x,

$$x = \frac{4 + 3y}{5}.$$

Substitute value of x in (2),

$$12y - 7\left(\frac{4 + 3y}{5}\right) = 10.$$

Simplify,

$$60y - 28 - 21y = 50,$$
$$39y = 78.$$
$$\therefore y = 2.$$

Substitute value of y in (1),

$$5x - 6 = 4,$$
$$5x = 10.$$
$$\therefore x = 2.$$

11.

$$9y - 7x = 13 \qquad (1)$$
$$15x - 7y = 9 \qquad (2)$$

Transpose $-7x$ in (1),

$$9y = 13 + 7x.$$

Divide by coefficient of y,

$$y = \frac{13 + 7x}{9}.$$

Substitute value of y in (2),

$$15x - 7\left(\frac{13 + 7x}{9}\right) = 9.$$

Simplify,

$$135x - 91 - 49x = 81,$$
$$86x = 172.$$
$$\therefore x = 2.$$

Substitute value of x in (1),

$$9y - 14 = 13.$$
$$\therefore y = 3.$$

12.

$$5x - 2y = 51 \qquad (1)$$
$$19x - 3y = 180 \qquad (2)$$

Transpose $2y$ in (1),

$$5x = 51 + 2y.$$

Divide by coefficient of x,

$$x = \frac{51 + 2y}{5}.$$

Substitute value of x in (2),

$$19\left(\frac{51 + 2y}{5}\right) - 3y = 180.$$

Simplify,

$$969 + 38y - 15y = 900,$$
$$23y = -69.$$
$$\therefore y = -3.$$

Substitute value of y in (1),

$$5x + 6 = 51,$$
$$5x = 45.$$
$$\therefore x = 9.$$

13.
$$\begin{aligned} 4x + 9y &= 106 \quad (1)\\ 8x + 17y &= 198 \quad (2)\end{aligned}$$

Transpose $9y$ in (1),

$$4x = 106 - 9y.$$

Divide by coefficient of x,

$$x = \frac{106 - 9y}{4}.$$

Substitute value of x in (2),

$$8\left(\frac{106 - 9y}{4}\right) + 17y = 198.$$

Simplify,

$$\begin{aligned} 212 - 18y + 17y &= 198.\\ \therefore y &= 14.\end{aligned}$$

Substitute value of y in (1),

$$\begin{aligned} 4x + 126 &= 106,\\ 4x &= -20.\\ \therefore x &= -5.\end{aligned}$$

14.
$$\begin{aligned} 8x + 3y &= 3 \quad (1)\\ 12x + 9y &= 3 \quad (2)\end{aligned}$$

Transpose $3y$ in (1),

$$8x = 3 - 3y.$$

Divide by coefficient of x,

$$x = \frac{3 - 3x}{8}.$$

Substitute value of x in (2),

$$12\left(\frac{3 - 3y}{8}\right) + 9y = 3.$$

Simplify,

$$\begin{aligned} 9 - 9y + 18y &= 6,\\ 9y &= -3.\\ \therefore y &= -\tfrac{1}{3}.\end{aligned}$$

Substitute value of y in (1),

$$\begin{aligned} 8x - 1 &= 3,\\ 8x &= 4.\\ \therefore x &= \tfrac{1}{2}.\end{aligned}$$

EXERCISE LXX.

1.
$$\begin{aligned} x + 15y &= 53 \quad (1)\\ 3x + y &= 27 \quad (2)\end{aligned}$$

Transpose $15y$ in (1) and y in (2),

$$\begin{aligned} x &= 53 - 15y \quad (3)\\ 3x &= 27 - y \quad (4)\end{aligned}$$

Divide (4) by 3,

$$x = \frac{27 - y}{3} \quad (5)$$

Equate values of x,

$$53 - 15y = \frac{27 - y}{3} \quad (6)$$

Reduce,

$$\begin{aligned} 159 - 45y &= 27 - y,\\ 44y &= 132.\\ \therefore y &= 3.\end{aligned}$$

Substitute value of y in (2),

$$\begin{aligned} 3x + 3 &= 27,\\ 3x &= 24.\\ \therefore x &= 8.\end{aligned}$$

2.
$$\begin{aligned} 4x + 9y &= 51 \quad (1)\\ 8x + 13y &= 9 \quad (2)\end{aligned}$$

Transpose $9y$ in (1), and $13y$ in (2),

$$\begin{aligned} 4x &= 51 - 9y \quad (3)\\ 8x &= 9 + 13y \quad (4)\end{aligned}$$

Divide (3) by 4 and (4) by 8,

$$x = \frac{51 - 9y}{4} \quad (5)$$

$$x = \frac{9 - 13y}{8} \quad (6)$$

Equate values of x,

$$\frac{51 - 9y}{4} = \frac{9 + 13y}{8} \quad (7)$$

Reduce,

$$\begin{aligned} 102 - 18y &= 9 + 13y.\\ \therefore y &= 3.\end{aligned}$$

Substitute value of y in (1),

$$\begin{aligned} 4x + 27 &= 51.\\ \therefore x &= 6.\end{aligned}$$

3.
$$4x + 3y = 48 \tag{1}$$
$$5y - 3x = 22 \tag{2}$$

Transpose $3y$ in (1) and $5y$ in (2),
$$4x = 48 - 3y \tag{3}$$
$$3x = 5y - 22 \tag{4}$$

Divide (3) by 4 and (4) by 3,
$$x = \frac{48 - 3y}{4},$$
$$x = \frac{5y - 22}{3}.$$

Equate values of x,
$$\frac{48 - 3y}{4} = \frac{5y - 22}{3}.$$

Reduce,
$$144 - 9y = 20y - 88,$$
$$-29y = -232.$$
$$\therefore y = 8.$$

Substitute value of y in (1),
$$4x + 24 = 48,$$
$$4x = 24.$$
$$\therefore x = 6.$$

4.
$$2x + 3y = 43 \tag{1}$$
$$10x - y = 7 \tag{2}$$

Transpose $3y$ in (1) and y in (2),
$$2x = 43 - 3y \tag{3}$$
$$10x = 7 + y \tag{4}$$

Divide (3) by 2 and (4) by 10,
$$x = \frac{43 - 3y}{2},$$
$$x = \frac{7 + y}{10}.$$

Equate values of x,
$$\frac{43 - 3y}{2} = \frac{7 + y}{10}.$$

Reduce,
$$215 - 15y = 7 + y,$$
$$-16y = -208.$$
$$\therefore y = 13.$$

Substitute value of y in (1),
$$2x + 39 = 43.$$
$$\therefore x = 2.$$

5.
$$5x - 7y = 33 \tag{1}$$
$$11x + 12y = 100 \tag{2}$$

Transpose $5x$ in (1) and $11x$ in (2),
$$5x = 33 + 7y \tag{3}$$
$$11x = 100 - 12y \tag{4}$$

Divide (3) by 5 and (4) by 11,
$$x = \frac{33 + 7y}{5x},$$
$$x = \frac{100 - 12y}{11}.$$

Equate values of x,
$$\frac{33 + 7y}{5} = \frac{100 - 12y}{11}.$$

Reduce,
$$363 + 77y = 500 - 60y,$$
$$147y = 147.$$
$$\therefore y = 1.$$

Substitute value of y in (1),
$$5x - 7 = 33,$$
$$5x = 40.$$
$$\therefore x = 8.$$

6.
$$5x + 7y = 43 \tag{1}$$
$$11x + 9y = 69 \tag{2}$$

Transpose $9y$ in (2) and $7y$ in (1),
$$5x = 43 - 7y \tag{3}$$
$$11x = 69 - 9y \tag{4}$$

Divide (3) by 5 and (4) by 11,
$$x = \frac{43 - 7y}{5},$$
$$x = \frac{69 - 9y}{11}.$$

Equate values of x,
$$\frac{43 - 7y}{5} = \frac{69 - 9y}{11}.$$

Reduce,
$$473 - 77y = 345 - 45y,$$
$$-32y = -128.$$
$$\therefore y = 4.$$

Substitute value of y in (1),
$$5x + 28 = 43.$$
$$\therefore x = 3.$$

7.
$$8x-21y=33 \qquad (1)$$
$$6x+35y=177 \qquad (2)$$
Transpose $21y$ in (1) and $35y$ in (2),
$$8x=33+21y \qquad (3)$$
$$6x=177-35y \qquad (4)$$
Divide (3) by 8, and (4) by 6,
$$x=\frac{33+21y}{8},$$
$$x=\frac{177-35y}{6}.$$
Equate values of x,
$$\frac{33+21y}{8}=\frac{177-35y}{6}.$$
Reduce,
$$99+63y=708-140y,$$
$$203y=609.$$
$$\therefore y=3.$$
Substitute value of y in (1),
$$8x-63=33,$$
$$8x=96.$$
$$\therefore x=12.$$

8.
$$3y-7x=4 \qquad (1)$$
$$2y+5x=22 \qquad (2)$$
Transpose $7x$ in (1) and $5x$ in (2),
$$3y=4+7x \qquad (1)$$
$$2y=22-5x \qquad (2)$$
Divide (3) by 3 and (4) by 2,
$$x=\frac{4+7x}{3},$$
$$y=\frac{22-5x}{2}.$$
Equate values of y,
$$\frac{4+7x}{3}=\frac{22-5x}{2}.$$
Reduce,
$$8+14x=66-15x,$$
$$29x=58.$$
$$\therefore x=2.$$
Substitute value of x in (1),
$$3y-14=4.$$
$$\therefore y=6.$$

9.
$$21y+20x=165 \qquad (1)$$
$$77y-30x=295 \qquad (2)$$
Transpose $20x$ in (1) and $30x$ in (2),
$$21y=165-20x \qquad (3)$$
$$77y=295+30x \qquad (4)$$
Divide (3) by 21 and (4) by 77,
$$y=\frac{165-20x}{21},$$
$$y=\frac{295+30x}{77}.$$
Equate values of x,
$$\frac{165-20x}{21}=\frac{295+30x}{77}.$$
Reduce,
$$1815-220x=885+90x,$$
$$-310x=-930.$$
$$\therefore x=3.$$
Substitute value of x in (1),
$$21y+60=165,$$
$$21y=105.$$
$$\therefore y=5.$$

10.
$$11x-10y=14 \qquad (1)$$
$$5x+\ 7y=41 \qquad (2)$$
Transpose $10y$ in (1) and $7y$ in (2),
$$11x=10y+14 \qquad (3)$$
$$5x=41-7y \qquad (4)$$
Divide (3) by 11 and (4) by 5,
$$x=\frac{10y+14}{11},$$
$$x=\frac{41-7y}{5}.$$
Equate values of x,
$$\frac{10y+14}{11}=\frac{41-7y}{5}.$$
Reduce,
$$50y+70=451-77y,$$
$$127y=381.$$
$$\therefore y=3.$$
Substitute value of y in (1),
$$11x-30=14.$$
$$\therefore x=4.$$

11.
$$\begin{aligned} 7y-3x&=139 \qquad (1)\\ 2x+5y&=91 \qquad (2)\end{aligned}$$

Transpose $7y$ in (1) and $5y$ in (2),
$$\begin{aligned} 3x&=7y-139 \qquad (3)\\ 2x&=91-5y \qquad (4)\end{aligned}$$

Divide (3) by 3 and (4) by 2,
$$x=\frac{7y-139}{3},$$
$$x=\frac{91-5y}{2}.$$

Equate values of x,
$$\frac{7y-139}{3}=\frac{91-5y}{2}.$$

Reduce,
$$\begin{aligned} 14y-278&=273-15y,\\ 29y&=551.\\ \therefore y&=19.\end{aligned}$$

Substitute value of y in (2),
$$\begin{aligned} 2x&=91-95,\\ 2x&=-4.\\ \therefore x&=-2.\end{aligned}$$

12.
$$\begin{aligned} 17x+12y&=59 \qquad (1)\\ 19x-4y&=153 \qquad (2)\end{aligned}$$

Transpose $12y$ in (1) and $4y$ in (2),
$$\begin{aligned} 17x&=59-12y \qquad (3)\\ 19x&=153+4y \qquad (4)\end{aligned}$$

Divide (3) by 17 and (4) by 19,
$$x=\frac{59-12y}{17},$$
$$x=\frac{153+4y}{19}.$$

Equate values of x,
$$\frac{153+4y}{19}=\frac{59-12y}{17}.$$

Reduce,
$$\begin{aligned} 2601+68y&=1121-228y,\\ 296y&=-1480.\\ \therefore y&=-5.\end{aligned}$$

Substitute value of x in (1),
$$\begin{aligned} 17x-60&=59.\\ \therefore x&=7.\end{aligned}$$

13.
$$\begin{aligned} 24x+7y&=27 \qquad (1)\\ 8x-33y&=115 \qquad (2)\end{aligned}$$

Transpose $7y$ in (1) and $33y$ in (2),
$$\begin{aligned} 24x&=27-7y \qquad (3)\\ 8x&=115+33y \qquad (4)\end{aligned}$$

Divide (3) by 24 and (4) by 8,
$$x=\frac{27-7y}{24},$$
$$x=\frac{115+33y}{8}.$$

Equate values of x,
$$\frac{27-7y}{24}=\frac{115+33y}{8}.$$

Reduce,
$$\begin{aligned} 27-7y&=345+99y,\\ -106y&=318.\\ \therefore y&=-3.\end{aligned}$$

Substitute value of y in (3),
$$\begin{aligned} 24x&=27+21,\\ 24x&=48.\\ \therefore x&=2.\end{aligned}$$

14.
$$\begin{aligned} x&=3y-19 \qquad (1)\\ y&=3x-23 \qquad (2)\end{aligned}$$

Transpose $3x$ and y in (2),
$$3x=23+y \qquad (3)$$

Divide (3) by 3,
$$x=\frac{23+y}{3}.$$

Equate values of x,
$$3y-19=\frac{23+y}{3}.$$

Reduce,
$$\begin{aligned} 9y-57&=23+y,\\ 8y&=80.\\ \therefore y&=10.\end{aligned}$$

Substitute value of y in (1),
$$\begin{aligned} x&=30-19.\\ \therefore x&=11.\end{aligned}$$

EXERCISE LXXI.

1.
$$x(y+7)=y(x+1) \quad (1)$$
$$2x+20=3y+1 \quad (2)$$

Simplify (1),
$$xy+7x=xy+y.$$

Transpose and combine,
$$7x-y=0 \quad (3)$$

Transpose and combine (2),
$$2x-3y=-19 \quad (4)$$

Multiply (3) by 3,
$$\begin{array}{ll} & 21x-3y=0 \\ \text{(4) is} & \underline{2x-3y=-19} \\ \text{Subt.,} & 19x=19 \end{array}$$
$$\therefore x=1.$$

Substitute value of x in (3),
$$7-y=0.$$
$$\therefore y=7.$$

2.
$$2x-\frac{y-3}{5}-4=0 \quad (1)$$
$$3y+\frac{x-2}{3}-9=0 \quad (2)$$

Simplify (1),
$$10x-y+3-20=0.$$

Transpose and combine,
$$10x-y=17 \quad (3)$$

Simplify (2),
$$9y+x-2-27=0.$$

Transpose and combine,
$$x+9y=29 \quad (4)$$

Multiply (3) by 9,
$$\begin{array}{ll} & 90x-9y=153 \\ \text{(4) is} & \underline{x+9y=29} \\ \text{Add,} & 91x=182 \end{array}$$
$$\therefore x=2.$$

Substitute value of x in (4),
$$2+9y=29.$$
$$\therefore y=3.$$

3.
$$\frac{2}{x+3}=\frac{3}{y-2} \quad (1)$$
$$5(x+3)=3(y-2)+2 \quad (2)$$

Simplify (1),
$$2y-4=3x+9.$$

Transpose and combine,
$$2y-3x=13 \quad (3)$$

Simplify (2),
$$5x+15=3y-6+2.$$

Transpose and combine,
$$5x-3y=-19 \quad (4)$$

Multiply (3) by 3 and (4) by 2,
$$\begin{array}{ll} & 6y-9x=39 \\ & \underline{-6y+10x=-38} \\ \text{Add,} & x=1. \end{array}$$

Substitute value of x in (3),
$$2y-3=13.$$
$$\therefore y=8.$$

4.
$$\frac{x-4}{5}-\frac{y+2}{10}=0 \quad (1)$$
$$\frac{x}{6}+\frac{y-2}{4}=3 \quad (2)$$

Simplify (1),
$$2x-8-y-2=0,$$
$$2x-y=10 \quad (3)$$

Simplify (2),
$$2x+3y-6=36,$$
$$2x+3y=42 \quad (4)$$

Subtract (4) from (3),
$$\begin{array}{l} 2x-y=10 \\ \underline{2x+3y=42} \\ -4y=-32 \end{array}$$
$$\therefore y=8.$$

Substitute value of y in (3),
$$2x-8=10.$$
$$\therefore x=9.$$

5.

$(x+1)(y+2)-(x+2)(y+1)=-1$ (1)
$3(x+3)-4(y+4)=-8$ (2)

Simplify, (1), $xy+y+2x+2-xy-2y-x-2=-1.$
Combine, $x-y=-1$ (3)
Simplify (2), $3x+9-4y-16=-8.$
Transpose and unite, $3x-4y=-1$ (4)
Multiply (3) by 3, $3x-3y=-3$
Subtract, $-y=2$
$\therefore y=-2.$
Substitute value of y in (3), $x+2=-1.$
$\therefore x=-3.$

6. $\frac{x-2}{5}-\frac{10-x}{3}=\frac{y-10}{4}$ (1)

$\frac{2y+4}{3}-\frac{2x+y}{8}=\frac{x+13}{4}$ (2)

Simplify (1), $12x-24-200+20x=15y-150.$
Transpose and combine, $32x-15y=74$ (3)
Simplify (2), $16y+32-6x-3y=6x+78.$
Transpose and combine, $-12x+13y=46$ (4)
Multiply (3) by 3, $96x-45y=222$
Multiply (4) by 8, $-96x+104y=368$
Add, $59y=590$
$\therefore y=10.$
Substitute value of y in (3), $32x-150=74,$
$32x=224.$
$\therefore x=7.$

7. $\frac{x+1}{3}-\frac{y+2}{4}=\frac{2(x-y)}{5}$ (1)

$\frac{x-3}{4}-\frac{y-3}{3}=2y-x$ (2)

Simplify (1), $20x+20-15y-30=24x-24y.$
Transpose and combine, $-4x+9y=10$ (3)
Simplify (2). $3x-9-4y+12=24y-12x.$
Transpose and combine, $15x-28y=-3$ (4)
Multiply (3) by 15, $60x-135y=-150$
Multiply (4) by 4, $60x-112y=-12$
Subtract, $-23y=-138$
$\therefore y=6.$
Substitute value of y in (2), $-4x+54=10,$
$-4x=-44.$
$\therefore x=11.$

8.

$$\frac{3x-2y}{5}+\frac{5x-3y}{3}=x+1 \qquad (1)$$

$$\frac{2x-3y}{3}+\frac{4x-3y}{2}=y+1 \qquad (2)$$

Simplify (1), $9x-6y+25x-15y=15x+15.$

Transpose and combine, $19x-21y=15$ (3)

Simplify (2), $4x-6y+12x-9y=6y+6.$

Transpose and combine, $16x-21y=6$ (4)

Subtract (3) from (4),

$$\begin{array}{r}16x-21y=6\\ 19x-21y=15\\ \hline -3x\qquad\ =-9\end{array}$$

$\therefore x=3.$

Substitute value of x in (4), $48-21y=6,$

$-21y=-42.$

$\therefore y=2.$

9.

$$\frac{2x-y+3}{3}-\frac{x-2y+3}{4}=4 \qquad (1)$$

$$\frac{3x-4y+3}{4}+\frac{4x-2y-9}{3}=4 \qquad (2)$$

Simplify (1), $8x-4y+12-3y+6y-9=48.$

Transpose and combine, $5x+2y=45$ (3)

Simplify (2), $9x-12y+9+16x-8y-36=48.$

Transpose and combine, $25x-20y=75$ (4)

Divide (4) by 5, $5x-4y=\ 15$

(3) is $5x+2y=\ 45$

Subtract,

$$\begin{array}{r}5x-4y=\ 15\\ 5x+2y=\ 45\\ \hline -6y=-30\end{array}$$

$\therefore y=5.$

Substitute value of y in (1), $5x+10=45,$

$5x=35.$

$\therefore x=7.$

10.

$1\frac{1}{2}x=1\frac{1}{3}y+4\frac{5}{12}$ (1)

$4\frac{1}{2}x=\frac{1}{3}y-21\frac{7}{12}$ (2)

Simplify (1), $18x-16y=53$ (1)

Simplify (2), $54x-\ 4y=-259$ (2)

Multiply (1) by 3, $54x-48y=\ 159$ (3)

(2) is $54x-\ 4y=-259$

Subtract,

$$\begin{array}{r}54x-48y=\ 159\\ 54x-\ 4y=-259\\ \hline -44y=\ 418\end{array}$$

$\therefore y=-9\frac{1}{2}.$

Substitute value of y in (1), $18x+162=53,$

$18x=-109.$

$\therefore x=-5\frac{1}{2}.$

11. $$\frac{13}{x+2y+3}=\frac{3}{4x-5y+6} \qquad (1)$$

$$\frac{3}{6x-5y+4}=\frac{19}{3x+2y+1} \qquad (2)$$

Simplify (1), $$55x-59y=-87 \qquad (3)$$

Simplify (2), $$-105x+101y=73 \qquad (4)$$

Transpose $59y$ in (3) and $101y$ in (4), and divide by 55 and 105 respectively,

$$x=\frac{59y-87}{55},$$

$$x=\frac{101y-73}{105}.$$

Equate values of x, $$\frac{59y-87}{55}=\frac{101y-73}{105}.$$

Simplify, $$1239y-1827=1111y-803,$$

$$128y=1024.$$

$$\therefore y=8.$$

Substitute value of y in (3), $$55x-472=-87,$$

$$55x=385.$$

$$\therefore x=7.$$

12. $$\frac{x+y}{y-x}=\frac{15}{8} \qquad (1)$$

$$9x-\frac{3y+44}{7}=100 \qquad (2)$$

Simplify (1), $$8x+8y=15y-15x.$$

Transpose and combine, $$23x-7y=0 \qquad (3)$$

Simplify (2), $$63x-3y-44=700.$$

Transpose and combine, $$63x-3y=744 \qquad (4)$$

Multiply (3) by 3, $$69x-21y=0$$

Multiply (4) by 7, $$441x-21y=5208$$

$$\overline{-372x \qquad =-5208}$$

$$\therefore x=14.$$

Substitute value of x in (3), $$322-7y=0,$$

$$-7y=-322.$$

$$\therefore y=46.$$

13.

$$\frac{3x-5y}{2}+3=\frac{2x+y}{5} \qquad (1)$$

$$8-\frac{x-2y}{4}=\frac{x}{2}+\frac{y}{3} \qquad (2)$$

Simplify (1), $15x-25y+30=4x+2y.$

Transpose and combine, $11x-27y=-30$ (3)

Simplify (2), $96-3x+6y=6x+4y.$

Transpose and combine, $-9x+2y=-96$ (4)

Multiply (3) by 9, $99x-243y=-270$

Multiply (4) by -11, $\underline{99x-22y=1056}$

Subtract, $-221y=-1326$

$\therefore y=6.$

Substitute value of y in (4), $-9x+18=-96.$

$\therefore x=12.$

14. $$\frac{4x-3y-7}{5}=\frac{3x}{10}-\frac{2y}{15}-\frac{5}{6} \qquad (1)$$

$$\frac{y-1}{3}+\frac{x}{2}-\frac{3y}{20}-1=\frac{y-x}{15}+\frac{x}{6}+\frac{1}{10} \qquad (2)$$

Simplify (1), $24x-18y-42=9x-4y-25.$

Transpose and combine, $15x-14y=17$ (3)

Simplify (2), $20y-20+30x-9y-60=4y-4x+10x+6.$

Transpose and combine, $24x+7y=86$ (4)

Multiply (4) by 2, $48x+14y=172$ (5)

Add (3) and (5), $\underline{15x-14y=17}$

$63x=189$

$\therefore x=3.$

Substitute value of x in (3), $45-14y=17.$

$\therefore y=2.$

15. $$\frac{x-4}{5}=\frac{y+2}{10} \qquad (1)$$

$$\frac{x}{6}+\frac{y-2}{4}=3 \qquad (2)$$

Simplify (1), $2x-8=y+2.$

Transpose and combine, $2x-y=10$ (3)

Simplify (2), $2x+3y-6=36.$

Transpose and combine, $2x+3y=42$ (4)

$\underline{2x-y=10}$ (3)

Subtract, $4y=32$

$\therefore y=8.$

Substitute value of y in (2), $2x+24=42.$

$\therefore x=9.$

16. $$\frac{3x+12y}{11}=9 \qquad (1)$$

$$\frac{1-3x}{7}=\frac{11-3y}{5} \quad (2)$$

Simplify (1) and (2),

$$3x+12y=99 \qquad (3)$$

$$15x-21y=-72 \qquad (4)$$

Divide (3) by 3 and (4) by 15,

$$x=\frac{99-12y}{3}.$$

$$x=\frac{-72+21y}{15}.$$

Equate values of x,

$$\frac{99-12y}{3}=\frac{-72+21y}{15}.$$

Simplify,

$$495-60y=-72+21y,$$

$$-81y=-567.$$

$$\therefore y=7.$$

Substitute value of y in (3),

$$3x+84=99.$$

$$\therefore x=5.$$

17. $$5x-\tfrac{1}{4}(5y+2)=32 \qquad (1)$$

$$3y+\tfrac{1}{3}(x+2)=9 \qquad (2)$$

Simplify (1) and (2),

$$20x-5y=130 \qquad (3)$$

$$x+9y=25 \qquad (4)$$

Multiply (4) by 20,

$$20x+180y=500 \qquad (5)$$

$$20x-\ \ 5y=130 \qquad (3)$$

Subtract, $185y=370$

$$\therefore y=2.$$

Substitute value of y in (3),

$$20x-10=130.$$

$$\therefore x=70.$$

18. $$3x-.25y=28 \qquad (1)$$

$$.12x+.7y=2.54 \qquad (2)$$

Multiply (1) by .04,

$$.12x-.01y=1.12 \qquad (3)$$

$$.12x+\ .7y=2.54 \qquad (2)$$

Subtract, $-.71y=-1.42$

$$\therefore y=2.$$

Substitute value of y in (1),

$$3x-.5=28.$$

$$\therefore x=9.5.$$

19. $$7(x-1)=3(y-8) \quad (1)$$

$$\frac{4x+2}{9}=\frac{5y+9}{2} \quad (2)$$

Simplify (1) and (2),

$$7x-7=3y+24,$$

$$7x-3y=31 \qquad (3)$$

$$8x+4=45y+81,$$

$$8x-45y=77 \qquad (4)$$

Multiply (3) by 8 and (4) by 7,

$$56x-\ \ 24y=248$$

$$56x-315y=539$$

Subtract, $291y=-291$

$$\therefore y=-1.$$

Substitute value of y in (3),

$$7x+3=31.$$

$$\therefore x=4.$$

20. $7x + \frac{1}{5}(2y + 4) = 16 \qquad (1)$

$3y - \frac{1}{4}(x + 2) = 8 \qquad (2)$

Simplify (1),

$$35x + 2y + 4 = 80.$$

Transpose and combine,

$$35x + 2y = 76 \qquad (3)$$

Simplify (2),

$$12y - x - 2 = 32.$$

Transpose and combine,

$$12y - x = 34 \qquad (4)$$

Multiply (4) by 35,

$$\begin{array}{rl} -35x + 420y = 1190 & \\ 35x + \quad 2y = \quad 76 & (3) \\ \hline 422y = 1266 & \end{array}$$

$$\therefore y = 3.$$

Substitute value of y in (3),

$$35x + 6 = 76,$$

$$35x = 70.$$

$$\therefore x = 2.$$

21. $\frac{5x - 6y}{13} + 3x = 4y - 2 \qquad (1)$

$\frac{5x + 6y}{6} - \frac{3x - 2y}{4} = 2y - 2 \qquad (2)$

Simplify (1),

$$5x - 6y + 39x = 52y - 26.$$

Transpose and combine,

$$44x - 58y = -26 \qquad (3)$$

Simplify (2),

$$10x + 12y - 9x + 6y = 24y - 24.$$

Transpose and combine,

$$x - 6y = -24 \qquad (4)$$

Multiply (4) by 44,

$$\begin{array}{rl} 44x - 264y = -1056 & \\ 44x - \quad 58y = - \quad 26 & (3) \\ \hline 206y = 1030 & \end{array}$$

$$\therefore y = 5.$$

Substitute value of y in (2),

$$x - 30 = -24.$$

$$\therefore x = 6.$$

22.

$$\frac{5x - 3}{2} - \frac{3x - 19}{2} = 4 - \frac{3y - x}{3} \qquad (1)$$

$$\frac{2x + y}{2} - \frac{9x - 7}{8} = \frac{3(y + 3)}{4} - \frac{4x + 5y}{16} \qquad (2)$$

Simplify (1), $15x - 9 - 9x + 57 = 24 - 6y + 2x.$

Simplify (2), $16x + 8y - 18x + 14 = 12y + 36 - 4x - 5y.$

Transpose and combine (1), $4x + 6y = -24 \qquad (3)$

Transpose and combine (2), $2x + y = 22 \qquad (4)$

Divide (1) by 2, $2x + 3y = -12$

$$\begin{array}{r} \hline 2y = -34 \end{array}$$

$$\therefore y = -17.$$

Substitute value of y in (4), $2x - 17 = 22,$

$$2x = 39.$$

$$\therefore x = 19\tfrac{1}{2}.$$

23.

$$3y+11=\frac{4x^2-y(x+3y)}{x-y+4}+31-4x \quad (1)$$

$$(x+7)(y-2)+3=2xy-(y-1)(x+1) \quad (2)$$

Simplify (1), $3xy-3y^2+12y+11x-11y+44$

$= 4x^2-xy-3y^2+31x-31y+124-4x^2+4xy-16x$ (3)

Transpose and combine, $32y-4x=80$ (4)

Divide by 4, $8y-x=20$ (5)

Simplify (2), $xy+7y-2x-14+3=2xy-xy-y+x+1$ (6)

Transpose and combine, $8y-3x=12$

Subtract (5), $8y-\ \ x=20$

$-2x=-8$

$\therefore x=4.$

Substitute value of x in (5), $8y-4=20,$

$8y=24.$

$\therefore y=3.$

24.

$$\frac{6x+9}{4}+\frac{3x+5y}{4x-6}=3\tfrac{1}{4}+\frac{3x+4}{2} \quad (1)$$

$$\frac{8y+7}{10}+\frac{6x-3y}{2y-8}=4+\frac{4y-9}{5} \quad (2)$$

Multiply (1) by 4, $6x+9+\dfrac{6x+10y}{2x-3}=13+6x+8.$

Transpose and combine, $\dfrac{6x+10y}{2x-3}=12.$

Divide both sides by (2), $\dfrac{3x+5y}{2x-3}=6.$

Multiply by $2x-3$, $3x+5y=12x-18.$

Transpose and combine, $-9x+5y=-18$ (3)

Multiply (2) by 10 $8y+7+\dfrac{30x-15y}{y-4}=40+8y-18.$

Transpose and combine, $\dfrac{30x-15y}{y-4}=15.$

Divide both sides by 15, $\dfrac{2x-y}{y-4}=1.$

Multiply by $y-4$, $2x-y=y-4.$

Transpose and combine, $2x-2y=4.$

Divide by 2, $x-y=-2$ (4)

Multiply (3) by 1 and (4) by 9, $-9x+5y=-18$

$9x-9y=-18$

Add, $-4y=-36$

$\therefore y=9.$

Substitute value of y in (4), $x-9=-2.$

$\therefore x=7.$

25. $x - \frac{2y - x}{23 - x} = 20 - \frac{59 - 2x}{2}$ (1)

$y + \frac{y - 3}{x - 18} = 30 - \frac{73 - 3y}{3}$ (2)

Multiply (1) by 2, $2x - \frac{4y - 2x}{23 - x} = 40 - 59 + 2x.$

Transpose and combine, $\frac{4y - 2x}{23 - x} = 19.$

Multiply by $23 - x$, $4y - 2x = 437 - 19x.$

Transpose and combine, $4y + 17x = 437$ (3)

Multiply both sides of (2) by 3, $3y + \frac{3y - 9}{x - 18} = 90 - 73 + 3y.$

Transpose and combine, $\frac{3y - 9}{x - 18} = 17.$

Multiply by $x - 18$, $3y - 9 = 17x - 306.$

Transpose and combine, $3y - 17x = -297$ (4)

Add (3),

$$\begin{array}{rl} 4y + 17x = & 437 \\ \hline 7y \qquad = & 140 \end{array}$$

$\therefore y = 20.$

Substitute value of y in (3), $80 + 17x = 437,$

$17x = 357.$

$\therefore x = 21.$

Exercise LXXII.

1. $x + y = a$ (1)

$x - y = b$ (2)

Add, $2x = a + b$

$\therefore x = \frac{a + b}{2}.$

Subtract (2) from (1),

$2y = a - b.$

$\therefore y = \frac{a - b}{2}.$

2. $ax + by = c$ (1)

$px + qy = r$ (2)

Multiply (1) by p and (2) by a,

$apx + bpy = cp$ (3)

$apx + aqy = ar$ (4)

Subt., $y(bp - aq) = cp - ar.$

$\therefore y = \frac{cp - ar}{bp - aq}.$

Multiply (1) by q and (2) by b,

$aqx + bqy = cq$

$bpx + bqy = br$

Subt., $(aq - bp)x = cq - br$

$\therefore x = \frac{cq - br}{aq - bp}.$

3. $mx + ny = a$ (1)

$px + qy = b$ (2)

Multiply (1) by p and (2) by m,

$mpx + npy = ap$ (3)

$mpx + mqy = mb$ (4)

Sub., $(np - mq)y = ap - mb$

$$\therefore y = \frac{ap - mb}{np - mq}.$$

Multiply (1) by q and (2) by n,

$mqx + nqy = aq$

$mpx + nqy = nb$

Sub., $(mq - np)x = (aq - nb)$

$$\therefore x = \frac{aq - nb}{mq - np}.$$

4. $ax + by = e$ (1)

$ax + cy = d$ (2)

Subt., $(b - c)y = (e - d)$

$$\therefore y = \frac{e - d}{b - c}.$$

Multiply (1) by c and (2) by b,

$acx + bcy = ce$

$abx + bcy = bd$

Subt., $(ac - ab)x = ce - bd$

$$\therefore x = \frac{ce - bd}{a(c - b)}.$$

5. $mx - ny = r$ (1)

$m'x + n'y = r'$ (2)

Multiply (1) by m', $mm'x - m'ny = m'r$ (3)

Multiply (2) by m, $mm'x - m'n'y = mr'$ (4)

Subtract, $(m'n - m'n')y = mr' - m'r$

$$\therefore y = \frac{mr' - m'r}{m'n + m'n'}.$$

Multiply (1) by n', $mn'x - nn'y = n'r$

Multiply (2) by n, $m'nx + nn'y = nr'$

Add, $(mn' + m'n)x = n'r + nr'$

$$\therefore x = \frac{n'r + nr'}{mn' + m'n}.$$

6. $ax + by = c$ (1)

$dx + fy = c^2$ (2)

Multiply (1) by d, $adx + bdy = cd$

Multiply (2) by a, $adx + afy = ac^2$

Subtract, $bdy - afy = cd - ac^2$

$$\therefore y = \frac{c(d - ac)}{bd - af}.$$

Multiply (1) by f, $abx + bfy = cf$

Multiply (2) by b, $bdx + bfy = bc^2$

Subtract, $(af - bd)x = cf - bc^2$

$$\therefore x = c\left(\frac{b - bc}{af - bd}\right).$$

7. $$\frac{x}{a}+\frac{y}{b}=c \qquad (1)$$

$$\frac{x}{b}\div\frac{y}{a}=-c \qquad (2)$$

Simplify (1), $bx+ay=abc$ (3)

Simplify (2), $ax+bcy=0$ (4)

Multiply (3) by a and (4) by b,

$$abx+a^2y=a^2bc$$

$$\underline{abx+b^2cy=0}$$

Subt., $a^2y-b^2cy=a^2bc$

$$(a^2-b^2c)y=a^2bc,$$

$$\therefore y=\frac{a^2bc}{a^2-b^2c}$$

Multiply (1) by bc and (2) by a,

$$b^2cx+abcy=ab^2c^2$$

$$\underline{a^2x+abcy=0}$$

Subt., $b^2cx-a^2x=ab^2c^2$

$$(b^2c-a^2)x=ab^2c^2.$$

$$\therefore x=\frac{ab^2c^2}{b^2c-a^2}.$$

8. $$abx+cdy=2 \qquad (1)$$

$$ax-ay=\frac{d-b}{bd} \qquad (2)$$

Simplify (2),

$$abdx-abdy=d-b \qquad (3)$$

Multiply (1) by b,

$$ab^2x+bcdy=2b \qquad (4)$$

(2) is $\underline{abdx-bcdy=d-b}$ (5)

Add, $(ab^2+abd)x=b+d$

$$\therefore x=\frac{b+d}{ab(b+)d},$$

$$\text{or, } x=\frac{1}{ab}.$$

Multiply (1) by d,

$$abdx+cd^2y=2d$$

(3) is $\underline{abdx-bcdy=d-b}$

Add, $(cd^2+bcd)y=b+d$

$$\therefore y=\frac{b+d}{cd(b+d)},$$

$$\text{or, } y=\frac{1}{cd}.$$

9. $$\frac{a}{b+y}=\frac{b}{3a+x} \qquad (1)$$

$$ax+2by=d \qquad (2)$$

Simplify (1),

$$3a^2+ax=b^2+by.$$

Transpose and combine,

$$ax-by=b^2-3a^2 \qquad (3)$$

(1) is $\underline{ax+2by=d}$

Subt., $-3by=b^2-3a^2-d$

$$\therefore y=\frac{3a^2-b^2+d}{3b}.$$

Multiply (3) by 2,

$$2ax-2by=2b^2-6a^2$$

(1) is $\underline{ax+2by=d}$

Add, $3ax=2b^2-6a^2+d$

$$\therefore x=\frac{2b^2-6a^2+d}{3a}.$$

10. $$\frac{x}{a+b}-\frac{y}{x-b}=\frac{1}{a+b} \qquad (1)$$

$$\frac{x}{a+b}+\frac{y}{a-b}=\frac{1}{a-b} \qquad (2)$$

Add (1) and (2),

$$\frac{2x}{a+b}=\frac{1}{a+b}+\frac{1}{a-b}.$$

Simplify,

$$2x(a-b)=2a,$$

$$x(a-b)=a.$$

$$\therefore x=\frac{a}{a-b}.$$

Subtract (1) from (2),

$$\frac{2y}{a-b}=\frac{1}{a-b}-\frac{1}{a+b}.$$

Simplify,

$$2y(a+b)=2b,$$

$$y(a+b)=b.$$

$$\therefore y=\frac{b}{a+b}.$$

11.

$$a(a-x)=b(x+y-a) \tag{1}$$

$$a(y-b-x)=b(y-b) \tag{2}$$

Simplify (1), $a^2-ax=bx+by-ab.$

Simplify (2), $ay-ab-ax=by-b^2.$

Transpose a^2 and bx in (3), $$ax+bx=a^2+ab-by \tag{3}$$

Transpose $ay-ab$ in (4), $ax=ay-ab-by+b^2.$

Divide (3) by $(a+b)$ and (4) by a, $x=\frac{a^2+ab-by}{a+b},$

$$x=\frac{ay-ab-by+b^2}{a}.$$

Equate values of x, $\frac{a^2+ab-by}{a+b}=\frac{ay-ab-by+b^2}{a}.$

Simplify, $a^3+a^2b-aby=a^2y-a^2b-b^2y+b^3,$

$$a^2y+aby-b^2y=a^3+2a^2b-b^3.$$

$$\therefore y=a+b.$$

Substitute value of y in (3), $ax+bx=a^2+ab-ab-b^2.$

$$\therefore x=a-b.$$

12.

$$\frac{x-y+1}{x-y-1}=a \tag{1}$$

$$\frac{x+y+1}{x+y-1}=b \tag{2}$$

Simplify (1), $x-y+1=ax-ay-a.$

Simplify (2), $x+y+1=bx+by-b.$

Trans. and combine, $$(a-1)x-(a-1)y=a+1 \tag{3}$$

$$(b-1)x+(b-1)y=b+1 \tag{4}$$

Multiply (3) by $b-1$ and (4) by $(a-1)$,

$$(a-1)(b-1)x-(a-1)(b-1)y=(a+1)(b-1) \tag{5}$$

$$\underline{(a-1)(b-1)x+(a-1)(b-1)y=(a-1)(b+1)} \tag{6}$$

Add, $2(a-1)(b-1)x=2(ab-1)$

$$\therefore x=\frac{ab-1}{(a-1)(b-1)}.$$

Subtract (5) from (6), $2(a-1)(b-1)y=2(a-b).$

$$\therefore y=\frac{a-b}{(a-1)(b-1)}.$$

13.

$$ax = by + \frac{a^2 + b^2}{2} \qquad (1)$$

$$(a - b)x = (a + b)y \qquad (2)$$

Simplify (1),

$$2ax - 2by = a^2 + b^2 \qquad (3)$$

Simplify (2),

$$ax - bx - ay - by = 0 \qquad (4)$$

In (3),

$$x = \frac{a^2 + b^2 + 2by}{2a}.$$

In (4),

$$x = \frac{ay + by}{a - b}.$$

Equate values of x,

$$\frac{a^2 + b^2 + 2by}{2a} = \frac{ay + by}{a - b}$$

Simplify,

$$a^3 + ab^2 + 2aby - a^2b - b^3 - 2b^2y = 2a^2y + 2aby.$$

Transpose and combine,

$$2a^2y + 2b^2y = a^3 - a^2b + ab^2 - b^3,$$

$$\therefore y = \frac{a - b}{2}.$$

Substitute value of y in (1),

$$ax = \frac{ab - b^2}{2} + \frac{a^2 + b^2}{2},$$

$$ax = \frac{a^2 + ab}{2}.$$

$$\therefore x = \frac{a + b}{2}.$$

14.

$$ax + by = c^2 \qquad (1)$$

$$\frac{a}{b + y} - \frac{b}{a + x} = 0 \qquad (2)$$

Simplify (2),

$$ax - by = -a^2 + b^2 \qquad (3)$$

Add (1) and (3),

$$\begin{array}{r} ax + by = c^2 \\ ax - by = -a^2 + b^2 \\ \hline 2ax = c^2 - a^2 + b^2 \end{array}$$

$$\therefore x = \frac{c^2 - a^2 + b^2}{2a}.$$

Subtract (3) from (1),

$$\begin{array}{r} ax + by = c^2 \\ ax - by = -a^2 + b^2 \\ \hline 2by = c^2 + a^2 - b^2 \end{array}$$

$$\therefore y = \frac{c^2 + a^2 - b^2}{2b}.$$

15.

$$\frac{x}{a+b} + \frac{y}{a-b} = 2a \qquad (1)$$

$$\frac{x-y}{2ab} = \frac{x+y}{a^2+b^2} \qquad (2)$$

Clear (1) of fractions, $ax - bx + ay + by = 2a^3 - 2ab^2$ (3)

Clear (2) of fractions, $a^2x + b^2x - a^2y - b^2y = 2abx + 2aby$ (4)

In (3), $$y = \frac{2a^3 - 2ab^2 - ax + bx}{a+b}.$$

In (4), $$y = \frac{a^2x - 2abx + b^2x}{a^2 + 2ab + b^2}.$$

Hence, $$\frac{2a^3 - 2ab^2 - ax + bx}{a+b} = \frac{a^2x - 2abx + b^2x}{a^2 + 2ab + b^2},$$

$$2a^4 - 2a^2b^2 - a^2x + 2a^3b - 2ab^3 + b^2x = a^2x - 2abx + b^2x.$$

Transpose and combine, $2a^2x - 2abx = 2a^4 - 2a^2b^2 + 2a^3b - 2ab^3.$

Divide by $2a$, $ax - bx = a^3 - ab^2 + a^2b - b^3$

$$\therefore x = \frac{a^3 - ab^2 + a^2b - b^3}{a-b},$$

or, $x = a^2 + 2ab + b^2.$

Substitute value of x in (3),

$$a^3 + 2a^2b + ab^2 - a^2b - 2ab^2 - b^3 + ay + by = 2a^3 - 2ab^2.$$

Transpose and combine, $ay + by = a^3 - a^2b - ab^2 + b^3.$

$$\therefore y = \frac{a^3 - a^2b - ab^2 + b^3}{a+b},$$

or, $y = a^2 - 2ab + b^2.$

16.

$$bx - bc = ay - ac \qquad (1)$$

$$x - y = a - b \qquad (2)$$

Transpose (1), $bx - ay = (b-a)c$

Multiply (2) by a, $ax - ay = (a-b)a$ (3)

Subtract, $(b-a)x = c(b-a) + a(b-a)$

$$\therefore x = c + a.$$

$bx - ay = (b-a)c$ (1)

Multiply (2) by b, $bx - by = (a-b)b$ (4)

Subtract, $(b-a)y = c(b-a) + b(b-a)$

$$\therefore y = c + b.$$

17.

$$\frac{x-a}{y-b}=c \qquad (1)$$

$$a(x-a)+b(y-b)+abc=0 \qquad (2)$$

Simplify (1), $x-cy=a-cb$ (3)

(2) is $ax+by=a^2+b^2-abc$ (4)

Multiply (3) by a, $\underline{ax-acy=a^2-abc}$

Subtract, $by+acy=b^2$

$$\therefore y=\frac{b^2}{b+ac}.$$

Multiply (1) by b and (2) by c, $bx-bcy=ab-cb^2$

$\underline{acx+bcy=a^2c+b^2c-abc^2}$

Add, $bx+acx=ab+a^2c-abc^2$

$$\therefore x=a-\frac{abc^2}{ac+b}.$$

18.

$$(a+b)x-(a-b)y=4ab \qquad (1)$$

$$(a-b)x+(a+b)y=2a^2-2b^2 \qquad (2)$$

Multiply (1) by $(a-b)$,

$$(a^2-b^2)x-(a-b)^2y=4a^2b-4ab^2 \qquad (3)$$

Multiply (2) by $(a+b)$,

$$(a^2-b^2)x+(a+b)^2y=2a^3-2ab^2+2a^2b-2b^3 \qquad (4)$$

Subtract (4) from (3), $(2a^2+2b^2)y=2a^3-2a^2b+2ab^2-2b^3.$

$$\therefore y=a-b.$$

Multiply (1) by $(a+b)$ and (2) by $(a-b)$,

$(a+b)^2x-(a^2-b^2)y=4a^2b+4ab^2$

$\underline{(a-b)^2x+(a^2-b^2)y=2a^3-2a^2b-2ab^2+2b^3}$

Add, $(2a^2+2b^2)x=2a^3+2a^2b+2ab^2+2b^3$

$$\therefore x=a+b.$$

19.

$$(x+a)(y+b)-(x-a)(y-b)=2(a-b)^2 \qquad (1)$$

$$x-y+2(a-b)=0 \qquad (2)$$

Simplify (1) and (2),

$$xy+bx+ay+ab-xy+ay+bx-ab=2(a-b)^2 \qquad (3)$$

$$x-y+2a-2b=0 \qquad (4)$$

Transpose and combine, $2ay+2bx=2a^2-4ab+2b^2$ (5)

$x-y=2b-2a$ (6)

Divide (5) by 2, $ay+bx=a^2-2ab+b^2$

Multiply (6) by a, $\underline{-ay+ax=2ab-2a^2}$

Add, $(b+a)x=b^2-a^2$

$$\therefore x=b-a.$$

Substitute value of y in (6), $b-a-y=2b-2a.$

$$\therefore y=a-b.$$

20.

$$\left.\begin{aligned}(a+b)(x+y)-(a-b)(x-y)&=a^2\\(a-b)(x+y)+(a+b)(x-y)&=b^2\end{aligned}\right\}\quad\begin{matrix}(1)\\(2)\end{matrix}$$

Simplify (1), $2bx+2ay=a^2$ (3)

Simplify (2), $2ax-2by=b^2$ (4)

Multiply (3) by a, $2abx+2a^2y=a^3$

Multiply (4) by b, $2abx-2b^2y=b^3$

Subtract, $(2a^2+2b^2)y=a^3-b^3$

$$\therefore y=\frac{a^3-b^3}{2(a^2+b^2)}.$$

Multiply (3) by b, $2b^2x+2aby=a^2b$

Multiply (4) by $-a$, $-2a^2x+2aby=-ab^2$

Subtract, $(2a^2+2b^2)x=a^2b+ab^2$

$$\therefore x=\frac{ab(a+b)}{2(a^2+b^2)}.$$

Exercise LXXIII.

1. $\dfrac{1}{x}+\dfrac{2}{y}=10$ (1)

$\dfrac{4}{x}+\dfrac{3}{y}=20$ (2)

Multiply (1) by 4,

$\dfrac{4}{x}+\dfrac{8}{y}=40$ (3)

(2) is $\dfrac{4}{x}+\dfrac{3}{y}=20$

Subtract, $\dfrac{5}{y}=20$

$\therefore y=\frac{1}{4}.$

Multiply (1) by 3,

$\dfrac{3}{x}+\dfrac{6}{y}=30$ (4)

(2) by 2, $\dfrac{8}{x}+\dfrac{6}{y}=40$ (5)

Subtract, $-\dfrac{5}{x}=-10$

or, $10x=5$.

$\therefore x=\frac{1}{2}.$

2. $\dfrac{1}{x}+\dfrac{2}{y}=a$ (1)

$\dfrac{3}{x}+\dfrac{4}{y}=b$ (2)

Multiply (1) by 3,

$\dfrac{3}{x}+\dfrac{6}{y}=3a$ (3)

(2) is $\dfrac{3}{x}+\dfrac{4}{y}=b$

Subtract, $\dfrac{2}{y}=3a-b$

$$\therefore y=\frac{2}{3a-b}.$$

Multiply (1) by 2,

$\dfrac{2}{x}+\dfrac{4}{y}=2a$

(2) is $\dfrac{3}{x}+\dfrac{4}{y}=b$

Subtract, $\dfrac{1}{x}=b-2a.$

$$\therefore x=\frac{1}{b-2a}.$$

3.

$$\frac{2}{x}+\frac{5}{3y}=\frac{4}{27} \qquad (1)$$

$$\frac{1}{4x}+\frac{1}{y}=\frac{11}{72} \qquad (2)$$

(1) is $$\frac{2}{x}-\frac{5}{3y}=\frac{4}{27}$$

(2) by 8, $$\frac{2}{x}+\frac{8}{y}=\frac{11}{9} \qquad (3)$$

Subtract, $$\frac{29}{3y}=\frac{29}{27}$$

$$\therefore y=9.$$

Substitute value of y in (1),

$$\frac{2}{x}-\frac{5}{27}=\frac{4}{27},$$

$$\frac{2}{x}=\frac{9}{27}.$$

$$\therefore x=6.$$

4.

$$\frac{1}{x}+\frac{2}{y}=4 \qquad (1)$$

$$\frac{3}{x}-\frac{2}{y}=4 \qquad (2)$$

Multiply (1) by 3,

$$\frac{3}{x}+\frac{6}{y}=12$$

(2) is $$\frac{3}{x}-\frac{2}{y}=4$$

Subtract, $$\frac{8}{y}=8$$

$$\therefore y=1.$$

(1) is $$\frac{1}{x}+\frac{2}{y}=4$$

(2) is $$\frac{3}{x}-\frac{2}{y}=4$$

Add, $$\frac{4}{x}=8$$

$$\therefore x=\tfrac{1}{2}.$$

5.

$$\frac{3}{x}-\frac{4}{y}=5 \qquad (1)$$

$$\frac{4}{x}-\frac{5}{y}=6 \qquad (2)$$

Multiply (1) by (4),

$$\frac{12}{x}-\frac{16}{y}=20$$

(2) by 3, $$\frac{12}{x}-\frac{15}{y}=18$$

Subtract, $$-\frac{1}{y}=2$$

$$\therefore y=-\tfrac{1}{2}.$$

Substitute value of y in (1),

$$\frac{3}{x}+8=5.$$

$$\therefore x=-1.$$

6.

$$\frac{a}{x}+\frac{b}{y}=\frac{ac}{b} \qquad (1)$$

$$\frac{b}{x}+\frac{a}{y}=\frac{bc}{a} \qquad (2)$$

Multiply (1) by b and (2) by a,

$$\frac{ab}{x}+\frac{b^2}{y}=ac$$

$$\frac{ab}{x}+\frac{a^2}{y}=bc$$

Subtract, $$\frac{b^2-a^2}{y}=ac-bc$$

$$\therefore y=\frac{b^2-a^2}{ac-bc}.$$

Multiply (1) by a and (2) by b,

$$\frac{a^2}{x}+\frac{ab}{y}=\frac{a^2c}{b}$$

$$\frac{b^2}{x}+\frac{ab}{y}=\frac{b^2c}{a}$$

Subtract, $$\frac{a^2-b^2}{x}=\frac{a^3c-b^3c}{ab}$$

$$\therefore x=\frac{a^3b-ab^3}{a^3c-b^3c}.$$

7.

$$\frac{2}{ax}+\frac{3}{by}=5 \qquad (1)$$

$$\frac{5}{ax}-\frac{2}{by}=3 \qquad (2)$$

Multiply (1) by 5, $\frac{10}{ax}+\frac{15}{by}=25$

Multiply (2) by 2, $\frac{10}{ax}-\frac{4}{by}=\ \ 6$

Subtract, $\frac{19}{by}=19$

$$\therefore y=\frac{1}{b}$$

Multiply (1) by 2, $\frac{4}{ax}+\frac{6}{by}=10$

Multiply (2) by 3, $\frac{15}{ax}-\frac{6}{by}=\ \ 9$

Subtract $\frac{19}{ax}=19.$

$$\therefore x=\frac{1}{a}$$

8.

$$\frac{m}{nx}+\frac{n}{my}=m+n \qquad (1)$$

$$\frac{n}{x}+\frac{m}{y}=m^2+n^2 \qquad (2)$$

Multiply (1) by n, $\frac{mn}{nx}+\frac{n^2}{my}=n(m+n)$

Multiply (2) by $\frac{m}{n}$, $\frac{mn}{nx}+\frac{m^2}{ny}=\frac{m(m^2+n^2)}{n}$

Subtract, $\frac{n^3-m^3}{mny}=\frac{n^2(m+n)-m(m^2+n^2)}{n}$

$$y=\frac{n^3-m^3}{m^2n^2+mn^3-m^4-m^2n^2}$$

$$\therefore y=\frac{1}{m}.$$

Substitute value of y in (2), $x=\frac{1}{n}.$

9. $$\frac{a}{x}+\frac{b}{y}=m \qquad (1)$$

$$\frac{b}{x}-\frac{a}{y}=n \qquad (2)$$

Multiply (1) by b, $$\frac{ab}{x}+\frac{b^2}{y}=bm$$

Multiply (2) by a, $$\frac{ab}{x}-\frac{a^2}{y}=an$$

Subtract, $$\frac{a^2+b^2}{y}=bm-an$$

$$\therefore y=\frac{a^2+b^2}{bm-an}.$$

Multiply (1) by a, $$\frac{a^2}{x}+\frac{ab}{y}=m$$

Multiply (2) by b, $$\frac{b^2}{x}-\frac{ab}{y}=bn$$

Add, $$\frac{a^2+b^2}{x}=am-bn$$

$$\therefore x=\frac{a^2+b^2}{am-bn}.$$

EXERCISE LXXIV.

1.
$$\begin{aligned} 5x+3y-6z&=4 \quad (1)\\ 3x-y+2z&=8 \quad (2)\\ x-2y+2z&=2 \quad (3)\end{aligned}$$

$$\begin{aligned} &\text{(1) is} & 5x+3y-6z&=\ 4 \quad (1)\\ &\text{(2)}\times 3 \text{ is} & 9x-3y+6z&=24\\ &\text{Add,} & 14x\qquad\quad &=28\\ && \therefore x&=2.\end{aligned}$$

$$\begin{aligned} &\text{(1) is} & 5x+3y-6z&=\ 4 \quad (1)\\ &\text{(3)}\times 3 \text{ is} & 3x-6y+6z&=\ 6\\ &\text{Add,} & 8x-3y\qquad &=10\end{aligned}$$

Substitute value of x in (4),

$$\begin{aligned}16-3y&=10,\\ -3y&=-6.\\ \therefore y&=2.\end{aligned}$$

Substitute values of x and y in (3),

$$\begin{aligned}2-4+2z&=2,\\ 2z&=4.\\ \therefore z&=2.\end{aligned}$$

2.
$$\begin{aligned} 4x-5y+2z&=6 \quad (1)\\ 2x+3y-z&=20 \quad (2)\\ 7x-4y+3z&=35 \quad (3)\end{aligned}$$

Multiply (1) by 3 and (3) by 2,

$$\begin{aligned} 12x-15y+6z&=\ 18 \quad (4)\\ 14x-\ 8y+6z&=\ 70\\ \text{Subt.,}\ -2x-\ 7y\qquad &=-52 \quad (5)\end{aligned}$$

Multiply (2) by 3 and (3) by 1,

$$\begin{aligned} 6x+9y-3z&=60\\ 7x-4y+3z&=35\\ \text{Add,}\ 13x+5y\qquad &=95 \quad (6)\end{aligned}$$

Multiply (5) by 5 and (6) by 7,

$$\begin{aligned} 10x+35y&=\ 260\\ 91x+35y&=\ 665\\ \text{Subt.,}\ -81x\qquad &=-405\\ \therefore x&=5.\end{aligned}$$

Substitute value of x in (6),

$$\begin{aligned}65+5y&=95.\\ \therefore y&=6.\end{aligned}$$

3. $x + y + z = 6$ (1)
$5x + 4y + 3z = 22$ (2)
$15x + 10y + 6x = 53$ (3)

(3) is $15x + 10y + 6z = 53$
(1) × 6 is $\underline{6x + 6y + 6z = 36}$
Subtract, $9x + 4y = 17$ (4)
(2) is $5x + 4y + 3z = 22$
(1) × 3 is $\underline{3x + 3y + 3z = 18}$
Subtract, $2x + y = 4$ (5)
(4) is $9x + 4y = 17$
(5) × 4 is $\underline{8x + 4y = 16}$
Subtract, $x = 1$
Substitute value of x in (7),
$2 + y = 4.$
$\therefore y = 2.$
Substitute values of x and y in (1), $1 + 2 + z = 6.$
$\therefore z = 3.$

4. $4x - 3y + z = 9$ (1)
$9x + y - 5z = 16$ (2)
$x - 4y + 3z = 2$ (3)

(1) is $4x - 3y + z = 9$
(2) × 3 is $\underline{27x + 3y - 15z = 48}$ (4)
Add, $31x - 14z = 57$ (5)
Multiply (2) by 4,
$36x + 4y - 20z = 64$ (6)
(3) is $\underline{x - 4y + 3z = 2}$
Add, $37x - 17z = 66$ (7)
Multiply (5) by 37,
$1147x - 527z = 2046$
(7) × 31 is $\underline{1147x - 518z = 2107}$
Subtract, $-9z = -63$
$\therefore z = 7.$
Substitute value of z in (7),
$37x - 119 = 66,$
$37x = 185.$
$\therefore x = 5.$
Substitute values of x and y in (1), $20 - 3y + 7 = 9,$
$-3y = -18.$
$\therefore y = 6.$

5. $8x + 4y - 3z = 6$ (1)
$x + 3y - z = 7$ (2)
$4x - 5y + 4z = 8$ (3)

(1) is $8x + 4y - 3z = 6$
(2) × 3 is $\underline{3x + 9y - 3z = 21}$
Subt., $5x - 5y = -15$ (4)
Multiply (2) by 4,
$4x + 12y - 4z = 28$
(3) is $\underline{4x - 5y + 4z = 8}$
Add, $8x + 7y = 36$ (5)
Multiply (4) by 7 and (5) by 5,
$35x - 35y = -105$
$\underline{40x + 35y = 180}$
Add, $75x = 75$
$\therefore x = 1.$
Substitute value of x in (4),
$5 - 5y = -15,$
$-5y = -20.$
$\therefore y = 4.$
Substitute values of x and y in (2), $1 + 12 - z = 7.$
$\therefore z = 6.$

6. $12x + 5y - 4z = 29$ (1)
$13x - 2y + 5y = 58$ (2)
$17x - y - z = 15$ (3)

(1) is $12x + 5y - 4z = 29$
(3) × 4 is $\underline{68x - 4y - 4z = 60}$ (4)
Subt., $56x - 9y = 31$ (5)
(2) is $13x - 2y + 5z = 58$
(3) × 5 is $\underline{85x - 5y - 5z = 75}$ (6)
Add, $98x - 7y = 133$ (7)
Multiply (7) by 9 and (5) by 7,
$882x - 63y = 1197$ (8)
$\underline{392x - 63y = 217}$ (9)
Subt., $490x = 980$
$\therefore x = 2.$
Substitute value of x in (7),
$196 - 7y = 133.$
$\therefore y = 9.$
Substitute values of x and y in (1), $24 + 45 - 4z = 29.$
$\therefore z = 10.$

7. $x-y-z=5$ (1)
$x+y-z=25$ (2)
$x+y+z=35$ (3)

(1) is $x-y-z=5$
(3) is $x+y+z=35$
Add, $2x=40$
$\therefore x=20.$

Substitute value of x in (2) and (3),
$y-z=5$
$y+z=15$
Add, $2y=20$
$\therefore y=10.$
Subtract, $-2z=-10.$
$\therefore z=5.$

8. $x+y+z=30$ (1)
$8x+4y+2z=50$ (2)
$27x+9y+3z=24$ (3)

Multiply (1) by 2,
$2x+2y+2z=60$ (4)
(2) is $8x+4y+2z=50$
Sub., $-6x-2y=10$ (5)
Multiply (1) by 3,
$3x+3y+3z=90$ (6)
(3) is $27x+9y+3z=64$
Sub., $-24x-6y=26$ (7)
Multiply (5) by 3,
$-18x-6y=30$ (8)
(7) is $-24x-6y=26$
Subtract, $6x=4$
$\therefore x=\frac{2}{3}.$
Substitute value of y in (8),
$-12-6y=30.$
$\therefore y=-7.$
Substitute values of x and y in (1), $\frac{2}{3}-7+z=30.$
$\therefore z=36\frac{1}{3}.$

9. $15y=24z-10x+41$ (1)
$15x=12y-16z+10$ (2)
$18x-(7z-13)=14y$ (3)

Multiply (1) by 2, $20x+30y-48z=82$ (4)
Multiply (2) by 3, $45x-36y+48z=30$ (5)
Add, $65x-6y=112$ (6)

Multiply (2) by 7, $105x-84y+112z=70$ (7)
Multiply (3) by 16, $288x-224y-112z=-208$ (8)
Add, $393x-308y=-138$ (9)

Multiply (6) by 154, $10{,}010x-924y=17{,}248$
Multiply (9) by 3, $1{,}179x-924y=-414$
Subtract, $8{,}831x=17{,}662$
$\therefore x=2.$

Substitute value of x in (6), $130-6y=112.$
$\therefore y=3.$

Substitute values of x and y in (1),
$20+45-24z=41.$
$\therefore z=1.$

10.
$$\begin{array}{rcll} 3x-y+z &=& 17 & (1)\\ 5x+3y-2z &=& 10 & (2)\\ 7x+4y-5z &=& 3 & (3) \end{array}$$

Multiply (1) by 2,
$$\begin{array}{lrcll} & 6x-2y+2z &=& 34 & (4)\\ \text{(2) is} & \underline{5x+3y-2z} &=& \underline{10} & \\ \text{Add,} & 11x+\quad y &=& 44 & (5) \end{array}$$

Multiply (1) by 5,
$$\begin{array}{lrcll} & 15x-5y+5z &=& 85 & (6)\\ \text{(3) is} & \underline{7x+4y-5z} &=& \underline{3} & \\ \text{Add,} & 22x-\quad y &=& 88 & (7)\\ \text{(5) is} & \underline{11x+\quad y} &=& \underline{44} & (5)\\ & 33x &=& 132 & \end{array}$$
$$\therefore x=4.$$

Substitute value of x in (5),
$$44+y=44,$$
$$\therefore y=0.$$
From (1), $z=5.$

11.
$$\begin{array}{rcll} x+y+z &=& 5 & (1)\\ 3x-5y+7z &=& 75 & (2)\\ 9x-11z+10 &=& 0 & (3) \end{array}$$

Multiply (1) by 5,
$$\begin{array}{lrcll} & 5x+5y+\ 5z &=& 25 & (4)\\ \text{(2) is} & \underline{3x-5y+\ 7z} &=& \underline{75} & \\ \text{Add,} & 8x\qquad +12z &=& 100 & (5) \end{array}$$

Multiply (5) by 9 and (3) by 8,
$$\begin{array}{lrcl} & 72x+108z &=& 900\\ & \underline{72x-\ 88z} &=& \underline{-80}\\ \text{Subtract,} & 196z &=& 980 \end{array}$$
$$\therefore z=5.$$

Substitute value of y in (3),
$$9x-55=-10,$$
$$9x=45.$$
$$\therefore x=5.$$

Substitute values of x and y in (3),
$$5+y+5=5.$$
$$\therefore y=-5.$$

12.
$$\begin{array}{rcll} x+2y+3z &=& 6 & (1)\\ 2x+4y+2z &=& 8 & (2)\\ 3x+2y+8z &=& 101 & (3) \end{array}$$

Multiply (1) by 2,
$$\begin{array}{lrcll} & 1x+4y+6z &=& 12 & (4)\\ \text{(2) is} & \underline{2x+4y+2z} &=& \underline{8} & (5)\\ \text{Subtract,} & 4z &=& 4 & \end{array}$$
$$\therefore z=1.$$

$$\begin{array}{lrcll} \text{(2) is} & 2x+4y+\ 2z &=& 8 & \\ \text{(3)×2 is} & \underline{6x+4y+16z} &=& \underline{202} & (7)\\ \text{Subt.,} & -4x\qquad -14z &=& -194 & (8) \end{array}$$

Substitute value of z in (8),
$$-4x-14=-194,$$
$$-4x=-180.$$
$$\therefore x=45.$$

Substitute values of x and y in (1),
$$45+2y+3=6,$$
$$2y=-42.$$
$$\therefore y=-21.$$

13.
$$\begin{array}{rcll} x-3y-2z &=& 1 & (1)\\ 2x-3y+5z &=& -19 & (2)\\ 5x+2y-z &=& 12 & (3) \end{array}$$

Multiply (3) by 2,
$$\begin{array}{lrcll} & 10x+4y-2z &=& 24 & (4)\\ \text{(1) is} & \underline{x-3y-2z} &=& \underline{1} & \\ \text{Subt.,} & 9x+7y &=& 23 & (5) \end{array}$$

Multiply (3) by 5,
$$\begin{array}{lrcll} & 25x+10y-5z &=& 60 & (6)\\ \text{(2) is} & \underline{2x-\ 3y+5z} &=& \underline{-19} & \\ \text{Add,} & 27x+\ 7y &=& 41 & (7)\\ \text{(5) is} & \underline{9x+\ 7y} &=& \underline{23} & \\ \text{Sub.,} & 18x &=& 18 & \end{array}$$
$$\therefore x=1.$$

Substitute value of x in (5),
$$9+7y=23.$$
$$\therefore y=2.$$

Substitute values of x and y in (1),
$$1-6-2z=1.$$
$$\therefore z=-3.$$

14.

$$\begin{aligned} 3x-2y&=5 & (1)\\ 4x-3y+2z&=11 & (2)\\ x-2y-5z&=-7 & (3)\end{aligned}$$

Multiply (2) by 5 and (3) by 2,

$$\begin{aligned} 20x-15y+10z&=55 & (4)\\ 2x-4y-10z&=-14 & (5)\end{aligned}$$

Add, $22x-19y=41$ (6)

Multiply (1) by 19 and (6) by 2,

$$\begin{aligned} 57x-38y&=95 & (7)\\ 44x-38y&=82 & (8)\end{aligned}$$

Subtract, $13x=13$

$$\therefore x=1.$$

Substitute value of x in (1),

$$\begin{aligned} 3-2y&=5,\\ -2y&=2.\\ \therefore y&=-1.\end{aligned}$$

Substitute values of x and y in (2),

$$\begin{aligned} 4+3+2z&=11,\\ 2z&=4.\\ \therefore z&=2.\end{aligned}$$

15.

$$\begin{aligned} x+y&=1 & (1)\\ y+z&=9 & (2)\\ x+z&=5 & (3)\end{aligned}$$

Add, $2x+2y+2z=15$

$$x+y+z=7\tfrac{1}{2} \quad (4)$$

Subtract (1) from (4),

$$z=6\tfrac{1}{2}.$$

Subtract (2) from (4),

$$x=-1\tfrac{1}{2}.$$

Subtract (3) from (4),

$$y=2\tfrac{1}{2}.$$

16.

$$\begin{aligned} 2x-3y&=3 & (1)\\ 3y-4z&=7 & (2)\\ -5x+4z&=2 & (3)\end{aligned}$$

(1) is $2x-3y=3$

(2) is $3y-4z=7$

Add, $2x-4z=10$

(3) is $-5x+4z=2$

Add, $-3x=12$

$$\therefore x=-4.$$

Substitute value of x in (1),

$$\begin{aligned} -8-3y&=3,\\ -3y&=11.\\ \therefore y&=-3\tfrac{2}{3}.\end{aligned}$$

Substitute value of x in (3),

$$\begin{aligned} 20+4z&=2,\\ 4z&=-18.\\ \therefore z&=-4\tfrac{1}{2}.\end{aligned}$$

17.

$$\begin{aligned} 3x-4y+6z&=1 & (1)\\ 2x+2y-z&=1 & (2)\\ 7x-6y+7z&=2 & (3)\end{aligned}$$

(1) is $3x-4y+6z=1$

(2)×6 is $12x+12y-6z=6$ (4)

Add, $15x+8y=7$ (5)

Multiply (2) by 7,

$$14x+14y-7z=7 \quad (6)$$

(3) is $7x-6y+7z=2$

Add, $21x+8y=9$ (7)

Subtract (7) from (5),

$$\begin{aligned} -6x&=-2.\\ \therefore x&=\tfrac{1}{3}.\end{aligned}$$

Substitute value of x in (7),

$$\begin{aligned} 7+8y&=9,\\ 8y&=2.\\ \therefore y&=\tfrac{1}{4}.\end{aligned}$$

Substitute values of x and y in (2),

$$\begin{aligned} \tfrac{2}{3}+\tfrac{1}{2}-z&=1,\\ -z&=1-\tfrac{2}{3}-\tfrac{1}{2}.\\ \therefore z&=\tfrac{1}{6}.\end{aligned}$$

18.

$7x - 3y = 30 \quad (1)$

$9y - 5z = 34 \quad (2)$

$x + y + z = 33 \quad (3)$

Multiply (3) by 7,

$7x + 7y + 7z = 231$

(1) is $7x - 3y \quad = \quad 30$

Subtract, $10y + 7z = 201 \quad (5)$

Multiply (2) by 10 and (5) by 9,

$90y - 50z = 340 \quad (6)$

$90y + 63z = 1809 \quad (7)$

Subtract, $-113z = -1469$

$\therefore z = 13.$

Substitute value of z in (5),

$10y + 91 = 201,$

$10y = 110.$

$\therefore y = 11.$

Substitute values of y and z in (3),

$x + 11 + 13 = 33.$

$\therefore x = 9.$

19.

$x + \frac{y}{2} + \frac{z}{3} = 6,$

$y + \frac{z}{2} + \frac{x}{3} = -1,$

$z + \frac{x}{2} + \frac{y}{3} = 17.$

Simplify,

$6x + 3y + 2z = 36 \quad (1)$

$2x + 6y + 3z = -6 \quad (2)$

$3x + 2y + 6z = 102 \quad (3)$

(1)×3 is $18x + 9y + 6z = 108$

(3) is $3x + 2y + 6z = 102$

Sub., $15x + 7y \quad = \quad 6 \quad (4)$

(2)×2 is $4x + 12y + 6z = -12$

(3) is $3x + 2y + 6z = 102$

Sub., $x + 10y \quad = -114 \quad (5)$

Subtract (5)×7 from (4)×10,

$143x = 858$

$\therefore x = 6.$

Substitute value of x in (5),

$y = -12.$

Substitute values of x and y in (1),

$z = 18.$

20.

$\frac{1}{x} + \frac{2}{y} = 5 \quad (1)$

$\frac{3}{y} - \frac{4}{z} = -6 \quad (2)$

$\frac{3}{z} - \frac{4}{x} = 5 \quad (3)$

Multiply (1) by 3 and (2) by 2,

$\frac{3}{x} + \frac{6}{y} = 15 \quad (4)$

$\frac{8}{z} + \frac{6}{y} = -12 \quad (5)$

Subtract, $\frac{3}{x} + \frac{8}{z} = \quad 27 \quad (6)$

Multiply (6) by 4 and (3) by 3,

$\frac{12}{x} + \frac{32}{z} = 108$

$-\frac{12}{x} + \frac{9}{z} = 15$

$\frac{41}{z} = 123$

$\therefore z = \frac{1}{3}.$

Substitute value of z in (3),

$9 - \frac{4}{x} = 5.$

$\therefore x = 1.$

Substitute value of x in (1),

$1 + \frac{2}{y} = 5.$

$\therefore y = \frac{1}{2}.$

21.

$$\frac{1}{x}+\frac{1}{y}-\frac{1}{z}=a \qquad (1)$$

$$\frac{1}{x}-\frac{1}{y}+\frac{1}{z}=b \qquad (2)$$

$$\frac{1}{y}+\frac{1}{z}-\frac{1}{x}=c \qquad (3)$$

Add, $\frac{1}{x}+\frac{1}{y}+\frac{1}{z}=a+b+c \quad (4)$

(1) is $\frac{1}{x}+\frac{1}{y}-\frac{1}{z}=a$

Subtract, $\frac{2}{z}=b+c$

$$\therefore z=\frac{2}{b+c}.$$

(4) is $\frac{1}{x}+\frac{1}{y}+\frac{1}{z}=a+b+c$

$\frac{1}{x}-\frac{1}{y}+\frac{1}{z}=b$

Subtract, $\frac{2}{y} = a+c$

$$\therefore y=\frac{2}{a+c}.$$

$\frac{1}{x}+\frac{1}{y}+\frac{1}{z}=a+b+c$

$-\frac{1}{x}+\frac{1}{y}+\frac{1}{z}=c$

Subt., $\frac{2}{x} = a+b$

$$\therefore x=\frac{2}{a+b}.$$

22.

$$bz+cy=a \qquad (1)$$

$$az+cx=b \qquad (2)$$

$$ay+bx=c \qquad (3)$$

Multiply (1) by a, $abz+acy=a^2 \quad (4)$

Multiply (2) by b, $abz+bcx=b^2 \quad (5)$

Multiply (3) by c $acy+bcx=c^2 \quad (6)$

Add (4), (5), and (6), $2abz+2acy+2bcx=a^2+b^2+c^2 \quad (7)$

Subtract twice (4) from (7), $2bcx=b^2+c^2-a^2 \quad (8)$

Subtract twice (5) from (7), $2acy=a^2-b^2+c^2 \quad (9)$

Subtract twice (6) from (7), $2abz=x^2+b^2-c^2 \quad (10)$

In (8), $x=\frac{b^2+c^2-a^2}{2bc}.$

In (9), $y=\frac{a^2-b^2+c^2}{2ac}.$

In (10), $z=\frac{a^2+b^2-c^2}{2ab}.$

23. $$\frac{3}{x}-\frac{4}{5y}+\frac{1}{z}=7\tfrac{3}{5} \qquad (1)$$

$$\frac{1}{3x}+\frac{1}{2y}+\frac{2}{z}=10\tfrac{1}{6} \qquad (2)$$

$$\frac{4}{5x}-\frac{1}{2y}+\frac{4}{z}=16\tfrac{1}{10} \qquad (3)$$

Multiply (1) by 60 and (2) by 30,

$$\frac{180}{x}-\frac{48}{y}+\frac{60}{z}=456 \qquad (4)$$

$$\frac{10}{x}+\frac{15}{y}+\frac{60}{z}=305 \qquad (5)$$

Sub., $$\frac{170}{x}-\frac{63}{y}=151 \qquad (6)$$

Multiply (2) by 60 and (3) by 30,

$$\frac{20}{x}+\frac{30}{y}+\frac{120}{z}=610 \qquad (7)$$

$$\frac{24}{x}-\frac{15}{y}+\frac{120}{z}=483 \qquad (8)$$

Sub., $$-\frac{4}{x}+\frac{45}{y}=127 \qquad (9)$$

Multiply (6) by 2 and (9) by 85,

$$\frac{340}{x}-\frac{126}{y}=302 \qquad (10)$$

$$-\frac{340}{x}+\frac{3825}{y}=10795 \qquad (11)$$

Add, $$\frac{3699}{y}=11097$$

$$\therefore y=\tfrac{1}{3}.$$

Substitute value of y in (9),

$$-\frac{4}{x}+135=127,$$

$$8x=4.$$

$$\therefore x=\tfrac{1}{2}.$$

Substitute values of x and y in (5),

$$20+45+\frac{60}{z}=305,$$

$$240z=60.$$

$$\therefore z=\tfrac{1}{4}.$$

24. $$\frac{2}{x}-\frac{3}{y}+\frac{4}{z}=2.9 \qquad (1)$$

$$\frac{5}{x}-\frac{6}{y}-\frac{7}{z}=-10.4 \qquad (2)$$

$$\frac{9}{y}+\frac{10}{z}-\frac{8}{x}=14.9 \qquad (3)$$

Add, $$-\frac{1}{x}+\frac{7}{z}=7.4 \qquad (4)$$

Multiply (1) by 2,

$$\frac{4}{x}-\frac{6}{y}+\frac{8}{z}=5.8 \qquad (5)$$

(2) is $$\frac{5}{x}-\frac{6}{y}-\frac{7}{z}=-10.4 \qquad (6)$$

Subt., $$-\frac{1}{x}+\frac{15}{z}=16.2 \qquad (7)$$

(4) is $$-\frac{1}{x}+\frac{7}{z}=7.4 \qquad (8)$$

Subtract, $$\frac{8}{z}=8.8$$

$$\therefore z=\tfrac{10}{11}.$$

Substitute value of z in (4),

$$-\frac{1}{x}+7.7=7.4.$$

Simplify, $$-1+7.7x=7.4x,$$

$$3x=10.$$

$$\therefore x=3\tfrac{1}{3}.$$

Substitute values of x and z in (1),

$$.6-\frac{3}{y}+4.4=2.9.$$

Simplify,

$$.6y-3+4.4y=2.9y.$$

$$\therefore y=1\tfrac{3}{7}.$$

25.

$$\frac{2}{x}+\frac{1}{y}-\frac{3}{z}=0 \qquad (1)$$

$$\frac{3}{z}-\frac{2}{y}=2 \qquad (2)$$

$$\frac{1}{x}+\frac{1}{z}=1\tfrac{1}{3} \qquad (3)$$

Multiply (1) by 2,

$$\frac{4}{x}+\frac{2}{y}-\frac{6}{z}=0 \qquad (4)$$

(2) is

$$-\frac{2}{y}+\frac{3}{z}=2 \qquad (5)$$

Add,

$$\frac{4}{x}\qquad-\frac{3}{z}=2 \qquad (5)$$

(5) is

$$\frac{4}{x}-\frac{3}{z}=2$$

Mul. (3) by 3,

$$\frac{3}{x}+\frac{3}{z}=4$$

Add,

$$\frac{7}{x}\qquad=6$$

$$\therefore x=1\tfrac{1}{6}.$$

Substitute value of x in (5),

$$\frac{24}{7}-\frac{3}{z}=2.$$

$$\therefore z=2\tfrac{1}{10}.$$

Substitute values of x and y in (1),

$$\frac{12}{7}+\frac{1}{y}-\frac{10}{7}=0.$$

$$\therefore y=3\tfrac{1}{2}.$$

26.

$$ax+by+cz=a \qquad (1)$$

$$ax-by-cz=b \qquad (2)$$

$$ax+cy+bz=c \qquad (3)$$

Add (1) and (2),

$$2ax=a+b \qquad (4)$$

$$\therefore x=\frac{a+b}{2a}.$$

Multiply (2) by b and (3) by c,

$$abx \qquad -b^2y \qquad -bcz=b^2 \qquad (5)$$

$$acx \qquad +c^2y+bcz=c^2 \qquad (6)$$

Add,

$$abx+acx-b^2y+c^2y \qquad =b^2+c^2 \qquad (7)$$

Substitute value of x in (7),

$$\frac{a^2b+a^2c+ab^2+abc}{2a}-(b^2-c^2)y=b^2+c^2.$$

$$\therefore y=\frac{ab+ac+bc-b^2-2c^2}{2(b^2-c^2)}.$$

Substitute values of x and y in (3),

$$\frac{a+b}{2}+\frac{abc+ac^2+bc^2-b^2c-2c^3}{2(b^2-c^2)}+bz=c,$$

$$bz=\frac{3b^2c-ab^2-abc-b^3}{2(b^2-c^2)}.$$

$$\therefore z=\frac{3bc-ab-ac-b^2}{2(b^2-c^2)}.$$

27.

$$\frac{2x-y}{3}=\frac{3y+2z}{4}=\frac{x-y-z}{5}=4 \qquad (1)$$

Simplify, $40x-20y=45y+30z=12x-12y-12z=240$

$$40x-20y=240 \qquad (1)$$
$$45y+30z=240 \qquad (2)$$
$$12x-12y-12z=240 \qquad (3)$$

Divide (1) by 20, $2x-y=12$ (4)

Divide (2) by 15, $3y+2z=16$ (5)

Divide (3) by 12, $x-y-z=20$ (6)

Multiply (4) by 3, $6x-3y=36$ (7)

(5) is $3y+2z=16$

Add, $6x+2z=52$ (8)

(4) is $2x-y=12$

(3) is $x-y-z=20$

Subtract, $x+z=-8$ (9)

(8) ÷ 2 is $3x+z=26$

(9) is $x+z=-8$

Subtract, $2x=34$

$\therefore x=17.$

Substitute value of x in (4), $y=22.$

Substitute value of y in (5), $z=-25.$

28.

$$\frac{x-y}{a}=\frac{x-a-b}{a+b+c} \qquad (1)$$

$$\frac{y-z}{b}=\frac{x-a-b}{a+b+c} \qquad (2)$$

$$\frac{x+z}{c}=\frac{x-a-b}{a+b+c} \qquad (3)$$

$$x(a+b+c)-y(a+b+c)=ax-a^2-ab \qquad (4)$$
$$-z(a+b+c)+y(a+b+c)=bx-b^2-ab \qquad (5)$$
$$x(a+b+c)+z(a+b+c)=cx-ac-bc \qquad (6)$$

Add, $2x(a+b+c)=x(a+b+c)-a^2-b^2-2ab-ac-bc$

$$x(a+b+c)=-(a^2+b^2+2ab+ac+bc).$$
$$\therefore x=-(a+b).$$

From (4), $-(a+b)(a+b+c)-y(a+b+c)=-2a^2-2ab,$

or, $-y(a+b+c)=-a^2+b^2+ac+bc.$

$$\therefore y=\frac{(a+b)(a-b-c)}{a+b+c}.$$

From (6), $-(a+b)(a+b+c)+z(a+b+c)=2ab-2b^2,$

$$z(a+b+c)=a^2-b^2+ac+bc.$$

$$\therefore z=\frac{(a-b+c)(a+b)}{a+b+c}.$$

EXERCISE LXXV.

1. The sum of two numbers divided by 2 gives as a quotient 24, and the difference between them divided by 2 gives as a quotient 17. What are the numbers?

Let $x =$ first number,
and $y =$ second number.

Then $\frac{x+y}{2} = 24$ (1)

and $\frac{x-y}{2} = 17$ (2)

Add (1) and (2), $x = 41$

Subtract (2) from (1), $y = 7.$

2. The number 144 is divided into three numbers. When the first is divided by the second, the quotient is 3 and the remainder 2; and when the third is divided by the sum of the other two numbers, the quotient is 2 and the remainder 6. Find the numbers.

Let $x =$ first number,
$y =$ second number,
and $z =$ third number.

Then $x + y + z = 144$ (1)

$\frac{x-2}{y} = 3$ (2)

and $\frac{z-6}{x+y} = 2$ (3)

Simplify (2), $x - 3y = 2$ (4)

Simplify (3), $z - 2y - 2x = 6$ (5)

Multiply (1) by 2, $2x + 2y + 2z = 288$ (6)

Add (5) and (6), $3z = 294$

$\therefore z = 98.$

Substitute value of z in (1), $x + y + 98 = 144,$

$x + y = 46$ (7)

(4) is $x - 3y = 2$

Subtract, $4y = 44$

$\therefore y = 11.$

Substitute value of y in (7), $x + 11 = 46.$

$\therefore x = 35.$

3. Three times the greater of two numbers exceeds twice the less by 10; and twice the greater together with three times the less is 24. Find the numbers.

Let $x =$ greater number,
and $y =$ less number.

Then $3x - 2y = 10$ (1)
and $2x + 3y = 24$ (2)

Multiply (1) by 2, $6x - 4y = 20$
Multiply (2) by 3, $6x + 9y = 72$
Subtract, $-13y = -52$
$\therefore y = 4.$
Substitute value of y in (1), $3x - 8 = 10.$
$\therefore x = 6.$

4. If the smaller of two numbers be divided by the greater, the quotient is .21 and the remainder .0057; but if the greater be divided by the smaller, the quotient is 4 and the remainder .742. What are the numbers?

Let $x =$ larger number,
and $y =$ smaller number.

Then $\frac{y}{x} =$ smaller divided by larger,
$\frac{x}{y} =$ larger divided by smaller.

Hence, $\frac{y}{x} = .21 + \frac{.0057}{x}$ (1)
and $\frac{x}{y} = 4 + \frac{.742}{y}$ (2)

Simplify (1), $y = .21x + .0057$
$y - .21x = .0057$ (3)
Simplify (2), $x = 4y + .742$
$x - 4y = .742$ (4)

Multiply (3) by 4, $4y - .84x = .0228$
(4) is $-4y + x = .742$
Add, $.16x = .7648$
$\therefore x = 4.78.$

Substitute value of x in (4),
$-4y = -4.038$
$\therefore y = 1.0095.$

5. Seven years ago the age of a father was four times that of his son; seven years hence the age of the father will be double that of the son. What are their ages?

Let $x =$ number of years in father's age.
Then $x + 7 =$ number of years in father's age 7 years hence,
$x - 7 =$ number of years in father's age 7 years ago.
Let $y =$ number of years in son's age.
Then $y + 7 =$ number of years in son's age 7 years hence,
$y - 7 =$ number of years in son's age 7 years ago.

$$x - 7 = 4(y - 7) \tag{1}$$
$$x + 7 = 2(y + 7) \tag{2}$$
$$x - 4y = -21 \tag{3}$$
$$x - 2y = 7 \tag{4}$$

Subtract, $-2y = -28$

$\therefore y = 14.$

Substitute value of y in (4),

$$x - 28 = 7.$$
$$\therefore x = 35.$$

6. The sum of the ages of a father and son is one-half what it will be in 25 years; the difference between their ages is one-third of what the sum will be in 20 years. What are their ages?

Let $x =$ number of years in father's age,
and $y =$ number of years in son's age.
Then $x + y =$ sum of ages,
$x + y + 50 =$ sum of ages in twenty-five years.

$$\therefore x + y = \frac{x + y + 50}{2} \tag{1}$$
$$x - y = \frac{x + y + 40}{3} \tag{2}$$

Simplify (1), $x + y = 50$ (3)
Simplify (2), $2x - 4y = 40$ (4)

(3) is $x + y = 50$
(4) ÷ 2 is $x - 2y = 20$
Subtract, $3y = 30$

$\therefore y = 10.$

Substitute value of y in (3),

$$x + 10 = 50.$$
$$\therefore x = 40.$$

7. If B give A \$25, they will have equal sums of money; but if A give B \$22, B's money will be double that of A's. How much has each?

Let $x =$ number of dollars B has,
and $y =$ number of dollars A has.
Then $x - 25 =$ number of dollars B has after giving \$25 to A,
$y + 25 =$ number of dollars A has after receiving \$25.
$x - 25 = y + 25$ (1)
$y - 22 =$ number of dollars A has after giving \$25 to B.
$x + 22 =$ number of dollars B has after receiving \$22.
$x + 22 = 2(y - 22)$ (2)

Transpose and combine,

$$x - y = 50 \qquad (3)$$
$$x - 2y = -66 \qquad (4)$$

Subtract, $y = 116$

Substitute value of y in (3),

$$x - 116 = 50.$$
$$\therefore x = 166.$$

8. A farmer sold to one person 30 bushels of wheat and 40 bushels of barley for \$67.50; to another person he sold 50 bushels of wheat and 30 bushels of barley for \$85. What was the price of the wheat and of the barley per bushel?

Let $x =$ number of dollars received per bushel of wheat,
and $y =$ number of dollars received per bushel of barley.

Then $30x + 40y = 67\frac{1}{2}$ (1)
$50x + 30y = 85$ (2)

Simplify (1), $60x + 80y = 135$ (3)
Multiply (2) by $\frac{6}{5}$, $60x + 36y = 102$ (4)

Subtract, $44y = 33$

$$\therefore y = \tfrac{3}{4}.$$

Substitute value of y in (3),

$$60x + 60 = 135,$$
$$60x = 75.$$
$$\therefore x = 1\tfrac{1}{4}.$$

9. If A give B \$5, he will then have \$6 less than B; but if he receive \$5 from B, three times his money will be \$20 more than four times B's. How much has each?

Let $x =$ number of dollars A has,
and $y =$ number of dollars B has.
Then $x - 5 =$ number of dollars A has after giving B \$5,
and $y + 5 =$ number of dollars B has after receiving \$5.

Hence, $x - 5 = y + 5 - 6$,
and $3(x + 5) = 4(y - 5) + 20$.

$$
\begin{array}{lrl}
\text{Transpose,} & x - y = 4 & (1) \\
 & 3x - 4y = -15 & (2) \\
\text{Multiply (1) by 3,} & 3x - 3y = 12 & (3) \\
\text{(2) is} & \underline{3x - 4y = -15} & \\
 & \therefore y = 27 &
\end{array}
$$

Substitute value of y in (1),

$$x - 27 = 4.$$
$$\therefore x = 31.$$

10. The cost of 12 horses and 14 cows is \$1900; the cost of 5 horses and 3 cows is \$650. What is the cost of a horse and a cow respectively?

Let $x =$ number of dollars a horse costs,
and $y =$ number of dollars a cow costs.

$$
\begin{array}{lrl}
\text{Then} & 12x + 14y = 1900 & (1) \\
\text{and} & 5x + 3y = 650 & (2) \\
\text{Multiply (1) by 3,} & 36x + 42y = 5700 & (3) \\
\text{Multiply (2) by 14,} & \underline{70x + 42y = 9100} & (4) \\
\text{Subtract,} & 34x \qquad = 3400 & \\
 & \therefore x = 100. &
\end{array}
$$

Substitute value of x in (2),

$$500 + 3y = 650,$$
$$3y = 150.$$
$$\therefore y = 50.$$

11. A certain fraction becomes equal to 2 when 7 is added to its numerator, and equal to 1 when 1 is subtracted from its denominator. Determine the fraction.

Let $\frac{x}{y}$ = required fraction.

By conditions, $\frac{x+7}{y}=2$ (1)

and $\frac{x}{y-1}=1$ (2)

Simplify (1), $x+7=2y$ (3)

Simplify (2), $x=y-1$ (4)

Transpose (3), $x-2y=-7$ (5)

Transpose (4), $x-\ \ y=-1$ (6)

Subtract, $y=\ \ 6$

Substitute value of y in (5),

$x-12=-7.$

$\therefore x=5.$

$\therefore$ fraction $=\frac{5}{6}$.

12. A certain fraction becomes equal to ½ when 7 is added to its denominator, and equal to 2 when 13 is added to its numerator. Determine the fraction.

Let $\frac{x}{y}$ = required fraction.

By conditions, $\frac{x}{y+7}=\frac{1}{2}$ (1)

and $\frac{x+13}{y}=2$ (2)

Simplify (1), $2x-y=7$ (3)

Simplify (2), $x-2y=-13$ (4)

Multiply (3) by 2,

$4x-2y=\ \ 14$

(4) is $x-2y=-13$

Subtract, $3x\ \ =\ \ 27$

$\therefore x=9.$

Substitute value of x in (3),

$18-y=7.$

$\therefore y=11.$

$\therefore$ fraction $=\frac{9}{11}$.

13. A certain fraction becomes equal to $\frac{7}{9}$ when the denominator is increased by 4, and equal to $\frac{20}{41}$ when the numerator is diminished by 15. Determine the fraction.

Let $\frac{x}{y} =$ fraction.

Then $$\frac{x}{y+4} = \frac{7}{9} \qquad (1)$$

$$\frac{x-15}{y} = \frac{20}{41} \qquad (2)$$

Simplify (1), $9x = 7y + 28.$
Simplify (2), $41x - 615 = 20y.$
Transpose, $9x - 7y = 28$ (3)
$41x - 20y = 615$ (4)

Multiply (3) by 20, $180x - 140y = 560$ (5)
Multiply (4) by 7, $287x - 140y = 4305$ (6)

Subtract, $-107x = -3845$
$\therefore x = 35.$

Substitute value of x in (3), $315 - 7y = 28.$
$\therefore y = 41.$

$\therefore$ fraction $= \frac{35}{41}.$

14. A certain fraction becomes equal to $\frac{2}{3}$ if 7 be added to the numerator, and equal to $\frac{3}{8}$ if 7 be subtracted from the denominator. Determine the fraction.

Let $\frac{x}{y} =$ fraction.

Then $$\frac{x+7}{y} = \frac{2}{3} \qquad (1)$$

and $$\frac{x}{y-7} = \frac{3}{8} \qquad (2)$$

Simplify (1), $3x + 21 = 2y.$
Transpose, $3x - 2y = -21$ (3)
Simplify (2), $8x = 3y - 21.$
Transpose, $8x - 3y = -21$ (4)

Multiply (3) by 3, $9x - 6y = -63$ (5)
Multiply (4) by 2, $16x - 6y = -42$ (6)

Subtract, $-7x = -21$
$\therefore x = 3.$

Substitute value of x in (3), $9 - 2y = -21.$
$\therefore y = 15.$

$\therefore$ fraction $= \frac{3}{15}.$

15. Find two fractions with numerators 2 and 5 respectively, whose sum is $1\frac{1}{2}$, and if their denominators are interchanged their sum is 2.

Let x = denominator of first fraction,
and y = denominator of second fraction.

Then
$$\frac{2}{x}+\frac{5}{y}=\frac{3}{2} \qquad (1)$$

and
$$\frac{2}{y}+\frac{5}{x}=2 \qquad (2)$$

Multiply (1) by 2,
$$\frac{4}{x}+\frac{10}{y}=3 \qquad (3)$$

Multiply (2) by 5,
$$\frac{25}{x}+\frac{10}{y}=10 \qquad (4)$$

Subtract,
$$\frac{21}{x}=7$$
$$\therefore x=3.$$

Substitute value of x in (2), $y=6$.
$\therefore$ first fraction $=\frac{2}{3}$, second fraction $=\frac{5}{6}$.

16. A fraction which is equal to $\frac{2}{3}$ is increased to $\frac{8}{11}$ when a certain number is added to both its numerator and denominator, and is diminished to $\frac{5}{9}$ when one more than the same number is subtracted from each. Determine the fraction.

Let x equal numerator, y the denominator, and z the number to be added.

Then
$$\frac{x}{y}=\frac{2}{3} \qquad (1)$$
$$\frac{x+z}{y+z}=\frac{8}{11} \qquad (2)$$

and
$$\frac{x-(z+1)}{y-(z+1)}=\frac{5}{9} \qquad (3)$$

Clear of fractions and transpose,
$$3x-2y=0 \qquad (4)$$
$$11x-8y+3z=0 \qquad (5)$$
$$9x-5y-4z=4 \qquad (6)$$

Multiply (2) by 4, $44x-32y+12z=0$
Multiply (3) by 3, $27x-15y-12z=12$
Add, $71x-47y=12 \qquad (7)$
Multiply (7) by 3, $213x-141y=36$
Multiply (4) by 71, $213x-142y=0$
Subtract, $y=36$
Substitute value of y in (1), $x=24.$
$\therefore$ fraction $=\frac{24}{36}$.

17. The sum of the two digits of a number is 10, and if 54 be added to the number the digits will be interchanged. What is the number?

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.
Then $10x + y =$ number.
By conditions, $x + y = 10$ (1)
and $10x + y + 54 = 10y + x,$
$9x - 9y = -54.$
Divide by 9, $x - y = -6$ (2)
Add (1) and (2), $2x = 4.$
$\therefore x = 2.$
Subtract (2) from (1), $2y = 16.$
$\therefore y = 8.$
number $= 10x + y.$
$\therefore$ number $= 28.$

18. The sum of the two digits of a number is 6, and if the number be divided by the sum of the digits the quotient is 4. What is the number?

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.
Then $10x + y =$ number,
and $x + y = 6$ (1)
But $\frac{10x + y}{6} = 4$ (2)

Clear of fractions,
$$\begin{aligned} 10x + y &= 24 \\ x + y &= 6 \\ \hline 9x &= 18 \end{aligned}$$
Subtract,
$\therefore x = 2.$
Substitute value of x in (1),
$2 + y = 6.$
$\therefore y = 4.$
$\therefore$ number $= 24.$

19. A certain number is expressed by two digits, of which the first is the greater. If the number be divided by the sum of its digits the quotient is 7; if the digits be interchanged, and the resulting number diminished by 12 be divided by the difference between the two digits, the quotient is 9. What is the number?

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.
Then $10x + y =$ number.

By conditions, $\frac{10x+y}{x+y} = 7$ (1)

$\frac{10y+x-12}{x-y} = 9$ (2)

Simplify (1), $3x - 6y = 0$ (3)

Simplify (2), $-8x + 19y = 12$ (4)
Multiply (3) by $\frac{8}{3}$, $8x - 16y = 0$

Add, $3y = 12.$
$\therefore y = 4.$
Substitute in (3), $x = 8.$
$\therefore$ number $= 84.$

20. If a certain number be divided by the sum of its two digits, the quotient is 6 and the remainder 3; if the digits be interchanged, and the resulting number be divided by the sum of the digits, the quotient is 4 and the remainder 9. What is the number?

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.
Then $10x + y =$ number.

By conditions, $\frac{10x+y-3}{x+y} = 6$ (1)

$\frac{10y+x-9}{x+y} = 4$ (2)

Clear (1) and (2) of fractions, transpose and combine,

$4x - 5y = 3$ (3)
$3x + 6y = 9$ (4)
Divide (4) by 3, $-x + 2y = 3$ (5)

Add $4 \times$ (5) and (3), $4x + 8y = 12$
$4x - 5y = 3$

$3y = 15$
$\therefore y = 5.$
Substitute value of y in (3), $x = 7.$
$\therefore$ number $= 75.$

21. If a certain number be divided by the sum of its two digits diminished by 2, the quotient is 5 and the remainder 1; if the digits be interchanged, and the resulting number be divided by the sum of the digits increased by 2, the quotient is 5 and the remainder 8. Find the number.

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.
Then $10x + y =$ number.

By conditions, $$\frac{10x+y}{x+y-2} = 5 + \frac{1}{x+y-2},$$

and $$\frac{10y+x}{x+y+2} = 5 + \frac{8}{x+y+2}.$$

Clear of fractions, $$\begin{aligned} 10x + y &= 5x + 5y - 10 + 1. \\ 10y + x &= 5x + 5y + 10 + 8. \end{aligned}$$

Transpose and combine, $$\begin{aligned} 5x - 4y &= -9 &(1)\\ 5y - 4x &= 18 &(2) \end{aligned}$$

Multiply (1) by 5, Multiply (2) by 4, $$\begin{aligned} 25x - 20y &= -45 \\ -16x + 20y &= 72 \end{aligned}$$

Add, $$\begin{aligned} 9x &= 27 \\ \therefore x &= 3. \end{aligned}$$

Substitute value of x in (1), $y = 6$.

$\therefore$ number $= 36$.

22. The first of the two digits of a number is, when doubled, 3 more than the second, and the number itself is less by 6 than five times the sum of the digits. What is the number?

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.
Then $10x + y =$ number.

By conditions, and $$\begin{aligned} 2x &= y + 3 &(1)\\ 10x + y + 6 &= 5x + 5y &(2) \end{aligned}$$

Transpose and combine, $$\begin{aligned} 2x - y &= 3 &(3)\\ 5x - 4y &= -6 &(4) \end{aligned}$$

Multiply (3) by 4, (4) is $$\begin{aligned} 8x - 4y &= 12 \\ 5x - 4y &= -6 \end{aligned}$$

Subtract, $$\begin{aligned} 3x &= 18 \\ \therefore x &= 6. \end{aligned}$$

Substitute value of x in (3), $y = 9$.

$\therefore$ number $= 69$.

23. A number is expressed by three digits, of which the first and last are alike. By interchanging the digits in the units' and tens' places, the number is increased by 54; but if the digits in the tens' and hundreds' places are interchanged, 9 must be added to four times the resulting number to make it equal to the original number. What is the number?

Let $x =$ digit in hundreds' and units' place,
and $y =$ digit in tens' place.
Then $101x + 10y =$ number.

By conditions, $$110x + y = 101x + 10y + 54 \quad (1)$$
$$4(11x + 100y) + 9 = 101x + 10y \quad (2)$$
Transpose and combine (1), $$9x - 9y = 54 \quad (3)$$
Divide (3) by 9, $$x - y = 6 \quad (4)$$
Transpose and combine (2),
$$-57x + 390y = -9$$
Multiply (4) by 57, $$57x - 57y = 342$$
Add, $$333y = 333$$
$$\therefore y = 1.$$
Substitute value of y in (4), $$x = 7.$$
$\therefore$ number $= 717$.

24. A number is expressed by three digits. The sum of the digits is 21; the sum of the first and second exceeds the third by 3; and if 198 be added to the number, the digits in the units' and hundreds' places will be interchanged. Find the number.

Let $x =$ digit in hundreds' place,
$y =$ digit in tens' place,
and $z =$ digit in units' place.
Then $100x + 10y + z =$ number.

By conditions, $$x + y + z = 21 \quad (1)$$
and $$x + y - z = 3 \quad (2)$$
$$100x + 10y + z + 198 = 100z + 10y + x \quad (3)$$
Subtract (2) from (1), $$2z = 18.$$
$$\therefore z = 9.$$
Divide (3) by 99, $$x - z = -2 \quad (4)$$
Substitute value of z in (3), $$x - 9 = -2.$$
$$\therefore x = 7.$$
Substitute values of x and y in (2), $y = 5$.
$\therefore$ number $= 759$.

25. A number is expressed by three digits. The sum of the digits is 9; the number is equal to forty-two times the sum of the first and second digits; and the third digit is twice the sum of the other two. Find the number.

Let $x =$ digit in hundreds' place,
$y =$ digit in tens' place,
and $z =$ digit in units' place.
Then $x + y + z = 9$ (1)
$100x + 10y + z = 42(x + y)$ (2)
$z = 2(x + y)$ (3)

From (2), $58x - 32y + z = 0$
From (3), $-2x - 2y + z = 0$
Subtract, $60x - 30y = 0$
Divide by 30, $2x - y = 0$ (4)
Subtract (3) from (1), $3x + 3y = 9$
Divide by 3, $x + y = 3$ (5)
(4) is $2x - y = 0$
Add, $3x = 3$
$\therefore x = 1.$
Substitute value of x in (5), $y = 2.$
Substitute values of x and y in (1), $z = 6,$
$\therefore$ number $= 126.$

26. A certain number, expressed by three digits, is equal to forty-eight times the sum of its digits. If 198 be subtracted from the number, the digits in the units' and hundreds' places will be interchanged; and the sum of the extreme digits is equal to twice the middle digit. Find the number.

Let $x =$ digit in hundreds' place,
$y =$ digit in tens' place,
and $z =$ digit in units' place.
Then $100x + 10y + z = 48(x + y + z)$ (1)
$100x + 10y + z - 198 = 100z + 10y + x$ (2)
and $x + z = 2y$ (3)
From (1), $52x - 38y - 47z = 0$ (4)
From (2), $99x - 99z = 198.$
Divide by 99, $x - z = 2$ (5)
From (3), $x - 2y + z = 0$ (6)
Subtract (6) from (4), $33x - 66z = 0.$
Divide by 33, $x - 2z = 0$ (7)
Subtract (7) from (5), $z = 2.$
Substitute value of z in (5), $x = 4.$
Substitute values of x and z in (6), $y = 3.$
$\therefore$ number $= 432.$

27. A waterman rows 30 miles and back in 12 hours. He finds that he can row 5 miles with the stream in the same time as 3 against it. Find the time he was rowing up and down respectively.

Let $x =$ number of hours he rowed down,
and $y =$ number of hours he rowed up.

By conditions, $x + y = 12$ (1)
and $5x = 3y$ (2)

Transpose (2), $5x - 3y = 0$
Multiply (1) by 3, $3x + 3y = 36$

Add, $8x = 36$
$\therefore x = 4\frac{1}{2}$.

Substitute value of x in (1), $4\frac{1}{2} + y = 12$.
$\therefore y = 7\frac{1}{2}$.

28. A crew, which can pull at the rate of 12 miles an hour down the stream, finds that it takes twice as long to come up the river as to go down. At what rate does the stream flow?

Let $x =$ rate of pulling,
and $y =$ rate of stream.
$x + y =$ rate down stream,
$x - y =$ rate up stream.

Then $x + y = 12$ (1)
$x - y = 6$ (2)

Subtract, $2y = 6$
$\therefore y = 3 =$ rate stream flows.

Substitute value of y in (1),
$x + 3 = 12$,
$x = 12 - 3$.
$\therefore x = 9$.

29. A man sculls down a stream, which runs at the rate of 4 miles an hour, for a certain distance in 1 hour and 40 minutes. In returning it takes him 4 hours and 15 minutes to arrive at a point 3 miles short of his starting-place. Find the distance he pulled down the stream and the rate of his pulling.

Let $x =$ rate the man sculls,

and $y =$ number of miles he goes.

Then $x + 4 =$ rate going down the stream,

and $x - 4 =$ rate going up the stream.

$(x + 4)\frac{5}{3} =$ number of miles he goes.

$$\therefore (x + 4)\tfrac{5}{3} = y \qquad (1)$$

and $$(x - 4)\tfrac{17}{4} = y - 3 \qquad (2)$$

(1) × 4 is $$20x + 80 = 12y \qquad (3)$$

(2) × 3 is $$51x - 204 = 12y - 36 \qquad (4)$$

Subtract, $$-31x + 284 = 36$$

$$\therefore x = 8, \text{ rate of pulling.}$$

Substitute value of x in (1), $y = 20$.

30. A person rows down a stream a distance of 20 miles and back again in 10 hours. He finds he can row 2 miles against the stream in the same time he can row 3 miles with it. Find the time of his rowing down and of his rowing up the stream; and also the rate of the stream.

Let $x =$ rate of rowing,

and $y =$ rate of stream.

Then $$\frac{2}{x - y} = \frac{3}{x + y} \qquad (1)$$

$$\frac{20}{x + y} + \frac{20}{x - y} = 10 \qquad (2)$$

Simplify (1), $$x = 5y \qquad (3)$$

Substitute this value of x in (2),

$$\frac{20}{6y} + \frac{20}{4y} = 10.$$

$$\therefore y = \tfrac{5}{6}.$$

From (3), $$x = 4\tfrac{1}{6}.$$

Therefore, $$\frac{20}{4\frac{1}{6} + \frac{5}{6}} = 4 \text{ (time of running down),}$$

and $$\frac{20}{4\frac{1}{6} - \frac{5}{6}} = 6 \text{ (time of rowing up).}$$

31. A grocer mixed tea that cost him 42 cents a pound with tea that cost him 54 cents a pound. He had 30 pounds of the mixture, and by selling it at the rate of 60 cents a pound, he gained as much as 10 pounds of the cheaper tea cost him. How many pounds of each did he put into the mixture?

Let x = number of pounds of tea at 42 cents,

and y = number of pounds of tea at 54 cents.

Then
$$x + y = 30 \qquad (1)$$
$$42x + 54y = 1800 - 420 \qquad (2)$$

Multiply (1) by 42,
$$\begin{array}{r} 42x + 42y = 1260 \\ 42x + 54y = 1380 \\ \hline 12y = 120 \end{array}$$
$$\therefore y = 10.$$
$$x + 10 = 30.$$
$$\therefore x = 20.$$

32. A grocer mixes tea that cost him 90 cents a pound with tea that cost him 28 cents a pound. The cost of the mixture is $61.20. He sells the mixture at 50 cents a pound, and gains $3.80. How many pounds of each did he put into the mixture?

Let x = number of pounds of tea at 90 cents,

and y = number of pounds of tea at 28 cents.

$28y$ = number of cents second kind cost.

Then $90x + 28y$ = number of cents whole cost,

$x + y$ = number of pounds in whole mixture,

and $50(x + y)$ = number of cents received.

Hence,
$$50x + 50y = 6500 \qquad (1)$$
$$90x + 28y = 6120 \qquad (2)$$

Multiply (1) by $\frac{14}{25}$,
$$28x + 28y = 3640 \qquad (3)$$

Subtract,
$$62x = 2480$$
$$\therefore x = 40.$$

Substitute value of x in (1), $y = 90.$

33. A farmer has 28 bushels of barley worth 84 cents a bushel. With his barley he wishes to mix rye worth $1.08 a bushel, and wheat worth $1.44 a bushel, so that the mixture may be 100 bushels, and be worth $1.20 a bushel. How many bushels of rye and of wheat must he take?

Let $x =$ number of bushels of wheat,
and $y =$ number of bushels of rye.
Then $2352 =$ cost in cents of barley,
$144x =$ cost in cents of wheat,
$108y =$ cost in cents of rye,
and $12{,}000 =$ cost in cents of mixture.

$$x + y + 28 = 100,$$
$$x + y = 72 \qquad (1)$$
$$144x + 108y + 2352 = 1200,$$
$$144x + 108y = 9648 \qquad (2)$$

Divide (2) by 36, $4x + 3y = 268$ (3)
Multiply (1) by 3, $\underline{3x + 3y = 216}$ (4)
Subtract, $x = 52$
Substitute value of x in (1), $y = 20.$

34. A and B together earn $40 in 6 days; A and C together earn $54 in 9 days; B and C together earn $80 in 15 days. What does each earn a day?

Let $x =$ number of dollars A earns in one day,
$y =$ number of dollars B earns in one day,
and $z =$ number of dollars C earns in one day.
Then $x + y = \frac{40}{6}$ (1)
$x + z = 6$ (2)
and $x + z = \frac{80}{15}$ (3)

Simplify (1), $3x + 3y = 20$ (4)
Simplify (3), $\underline{3y + 3z = 16}$ (5)
Subtract, $3x - 3z = 4$ (6)
Multiply (2) by 3, $\underline{3x + 3z = 18}$ (7)
Add, $6x = 22$
$\therefore x = 3\frac{2}{3}.$
Substitute value of x in (1), $y = 3.$
Substitute value of x in (2), $z = 2\frac{1}{3}.$

35. A cistern has three pipes, A, B, and C. A and B will fill it in 1 hour and 10 minutes; A and C in one hour and 24 minutes; B and C in 2 hours and 20 minutes. How long will it take each to fill it?

Let x = number of minutes it takes A to fill it,
y = number of minutes it takes B to fill it,
and z = number of minutes it takes C to fill it.
$\frac{1}{x}, \frac{1}{y}, \frac{1}{z}$, = parts A, B, C can fill in one minute.

Hence,
$$\frac{1}{x}+\frac{1}{y}=\frac{1}{70} \qquad (1)$$
$$\frac{1}{x}+\frac{1}{z}=\frac{1}{84} \qquad (2)$$
$$\frac{1}{y}+\frac{1}{z}=\frac{1}{140} \qquad (3)$$

Add, and divide by 2, $\frac{1}{x}+\frac{1}{y}+\frac{1}{z}=\frac{1}{60}$

Subtract (1), $z = 420.$
Subtract (2), $y = 210.$
Subtract (3), $x = 105.$

36. A warehouse will hold 24 boxes and 20 bales; 6 boxes and 14 bales will fill half of it. How many of each alone will it hold?

Let x = number of boxes it will hold,
and y = number of bales it will hold.
Then $\frac{1}{x}, \frac{1}{y}$ = parts one box, one bale, can fill.

Hence,
$$\frac{24}{x}+\frac{20}{y}=1 \qquad (1)$$
and
$$\frac{6}{x}+\frac{14}{y}=\frac{1}{2} \qquad (2)$$

(2) × 4 − (1) $\frac{36}{y}=1.$

$\therefore y = 36.$

Substitute value of y in (2), $x = 54.$

37. Two workmen together complete some work in 20 days; but if the first had worked twice as fast, and the second half as fast, they would have finished it in 15 days. How long would it take each alone to do the work?

Let $x =$ number of days it would take the first alone,

and $y =$ number of days it would take the second alone.

Then $\frac{1}{x}, \frac{1}{y} =$ parts they can do in one day,

$\frac{1}{x} + \frac{1}{y} =$ part both could do in one day,

and $\frac{2}{x} + \frac{1}{2y} =$ part they could do if first worked twice as fast, and second worked half as fast.

$$\therefore \frac{1}{x} + \frac{1}{y} = \frac{1}{20} \qquad (1)$$

and

$$\frac{2}{x} + \frac{1}{2y} = \frac{1}{15} \qquad (2)$$

(1) – $\frac{1}{2}$ of (2) is

$$\frac{3}{4y} = \frac{1}{60}.$$

$$\therefore y = 45.$$

Substitute value of y in (1), $x = 36.$

38. A purse holds 19 crowns and 6 guineas; 4 crowns and 5 guineas fill $\frac{17}{63}$ of it. How many of each alone will it hold?

Let $x =$ number of crowns bag holds,

$y =$ number of guineas bag holds.

Then $\frac{1}{x} =$ part of bag 1 crown occupies,

$\frac{1}{y} =$ part of bag 1 guinea occupies.

$$\therefore \frac{19}{x} + \frac{6}{y} = 1 \qquad (1)$$

and

$$\frac{4}{x} + \frac{5}{y} = \frac{17}{63} \qquad (2)$$

(1) × 5 – (2) × 6 is

$$\frac{71}{x} = \frac{213}{63}$$

$$\therefore x = 21.$$

Substitute value of x in (1), $\frac{19}{21} + \frac{6}{y} = 1.$

$$\therefore y = 63.$$

39. A piece of work can be completed by A, B, and C together in 10 days; by A and B together in 12 days; by B and C, if B work 15 days and C 30 days. How long will it take each alone to do the work?

Let x = number of days it takes A,
y = number of days it takes B,
and z = number of days it takes C.

Then $\frac{1}{x}$, $\frac{1}{y}$, and $\frac{1}{z}$, respectively, = part each can do in one day.

$$\therefore \frac{1}{x}+\frac{1}{y}+\frac{1}{z}=\frac{1}{10} \qquad (1)$$

$$\frac{1}{x}+\frac{1}{y}=\frac{1}{12} \qquad (2)$$

and

$$\frac{15}{y}+\frac{30}{z}=1 \qquad (3)$$

Subtract (2) from (1),

$$\frac{1}{z}=\frac{1}{60}.$$

$$\therefore z=60.$$

Substitute value of z in (3),

$$\frac{15}{y}+\frac{1}{2}=1.$$

$$\therefore y=30.$$

Substitute value of y in (2),

$$\frac{1}{x}+\frac{1}{30}=\frac{1}{12},$$

$$\frac{1}{x}=\frac{1}{20}.$$

$$\therefore x=20.$$

40. A cistern has three pipes, A, B, and C. A and B will fill it in a minutes; A and C in b minutes; B and C in c minutes. How long will it take each alone to fill it?

Let x = number of minutes it takes A,
y = number of minutes it takes B,
and z = number of minutes it takes C.

Then $\frac{1}{x}$, $\frac{1}{y}$, $\frac{1}{z}$, respectively, = part each fills in one minute,

and $\frac{1}{x}+\frac{1}{y}$ = part A and B fill in one minute.

But $\frac{1}{a}$ = part A and B fill in one minute.

$$\therefore \frac{1}{x}+\frac{1}{y}=\frac{1}{a} \qquad (1)$$

$$\frac{1}{x}+\frac{1}{z}=\frac{1}{b} \qquad (2)$$

$$\frac{1}{y}+\frac{1}{z}=\frac{1}{c} \qquad (3)$$

Add, and divide by 2,
$$\frac{1}{x}+\frac{1}{y}+\frac{1}{z}=\frac{bc+ac+ab}{2abc} \qquad (4)$$

Subtract (1) from (4),
$$\frac{1}{z}=\frac{ac+ab-bc}{2abc}.$$

$$\therefore z=\frac{2abc}{ac+ab-bc}.$$

Subtract (2) from (4),
$$\frac{1}{y}=\frac{ab-ac+bc}{2abc}.$$

$$\therefore y=\frac{2abc}{ab-ac+bc}.$$

Subtract (3) from (4),
$$\frac{1}{x}=\frac{ac-ab+bc}{2abc}.$$

$$\therefore x=\frac{2abc}{ac-ab+bc}.$$

41. A man has $10,000 invested. For a part of this sum he receives 5 per cent interest, and for the rest 4 per cent; the income from his 5 per cent investment is $50 more than from his 4 per cent. How much has he in each investment?

Let x = number of dollars invested at 5%,
and y = number of dollars invested at 4%.
Then $x+y$ = total number of dollars invested.

$$\therefore x+y=10{,}000 \qquad (1)$$

As he receives 5% on x dollars, $\frac{5x}{100}$ = interest at 5%.

As he receives 4% on y dollars, $\frac{4y}{100}$ = interest at 4%.

But interest at 5% is $50 more than that at 4%.

$$\therefore \frac{5x}{100}-\frac{4y}{100}=50 \qquad (2)$$

Simplify (2), $5x-4y=5000$
Multiply (1) by 5, $5x+5y=50000$
Subtract, $-9y=-45000$
$\therefore y=5000.$
Substitute value of y in (1), $x=5000.$

42. A sum of money at simple interest amounted in 6 years to $26,000, and in 10 years to $30,000. Find the sum and the rate of interest.

Let $x =$ number of dollars at interest,

and $y =$ rate of interest.

Then $\frac{xy}{100} =$ interest on x dollars for one year,

$\frac{6xy}{100} =$ interest on x dollars for six years,

and $\frac{10xy}{100} =$ interest on x dollars for ten years.

$$\therefore \frac{6xy}{100} + x = 26{,}000 \quad (1)$$

and

$$\frac{10xy}{100} + x = 30{,}000 \quad (2)$$

Multiply (1) by 5, $\frac{30xy}{100} + 5x = 130{,}000$

Multiply (2) by 3, $\frac{30xy}{100} + 3x = 90{,}000$

Subtract, $2x = 40{,}000$

$\therefore x = 20{,}000.$

Substitute value of x in (1), $y = 5.$

43. A sum of money at simple interest amounted in 10 months to $26,250, and in 18 months to $27,250. Find the sum and the rate of interest.

Let $x =$ sum,

and $y =$ rate of interest.

Then $\frac{xy}{100} =$ interest for one year.

Since 10 months equals $\frac{5}{6}$ of a year,

$\frac{5}{6}$ of $\frac{xy}{100} =$ interest for 10 months,

and $\frac{3}{2}$ of $\frac{xy}{100} =$ interest for 18 months.

But $26{,}250 - x =$ interest for 10 months,

and $27{,}250 - x =$ interest for eighteen months.

$$\therefore \frac{5xy}{600} = 26{,}250 - x \qquad (1)$$

and $$\frac{3xy}{200} = 27{,}250 - x \qquad (2)$$

Multiply (1) by $\frac{9}{5}$, $$\frac{3xy}{200} = \frac{236{,}250 - 9x}{5}$$

Subtract, $$0 = \frac{100{,}000 - 4x}{5}$$

$$4x = 100{,}000.$$
$$\therefore x = 25{,}000.$$

Substitute value of x in (2), $$y = .6.$$

44. A sum of money at simple interest amounted in *m* years to *a* dollars, and in *n* years to *b* dollars. Find the sum and the rate of interest.

Let $x =$ sum,

and $y =$ rate of interest.

Then $\frac{mxy}{100} =$ interest on sum for m years,

and $\frac{nxy}{100} =$ interest on sum for n years.

$$\therefore \frac{mxy}{100} + x = a \qquad (1)$$

and $$\frac{nxy}{100} + x = b \qquad (2)$$

Multiply (1) and (2) by 100,

$$mxy + 100x = 100a \qquad (3)$$
$$nxy + 100x = 100b \qquad (4)$$

Multiply (3) by n, $$mnxy + 100nx = 100an$$

Multiply (4) by m, $$mnxy + 100mx = 100bm$$

Subtract, $$100nx - 100mx = 100an - 100bm$$

Divide by 100, $$nx - mx = an - bm,$$

$$\therefore x = \frac{an - bm}{n - m}.$$

Substitute value of x in (3),

$$\frac{many - mb^2y}{n - m} + \frac{100an - 100bm}{n - m} = 100a.$$

Multiply by $n - m$,

$$many - mb^2y + 100an - 100bm = 100an - 100am,$$
$$many - m^2by = 100bm - 100am,$$
$$any - mby = 100b - 100a.$$
$$\therefore y = \frac{100(b - a)}{an - bm}$$

45. A sum of money at simple interest amounted in a months to c dollars, and in b months to d dollars. Find the sum and the rate of interest.

Let $x =$ sum,

and $y =$ rate of interest.

Then $\frac{xy}{100} =$ interest of \$$x$ for one year,

$x + \frac{axy}{1200} =$ amount of \$$x$ for a months,

$x + \frac{bxy}{1200} =$ amount of \$$x$ for b months.

$$\frac{axy}{1200} + x = c \qquad (1)$$

$$\frac{bxy}{1200} + x = d \qquad (2)$$

Simplify (1), $axy + 1200x = 1200c$ (3)

Simplify (2), $bxy + 1200x = 1200d$ (4)

Multiply (3) by b and (4) by a,

$$abxy + 1200bx = 1200bc \qquad (5)$$

$$abxy + 1200ax = 1200ad \qquad (6)$$

(6) – (5) is $1200x(a-b) = 1200(ad-bc)$

$$\therefore x = \frac{ad-bc}{a-b}.$$

Substitute value of x in (3),

$$ay\left(\frac{ad-bc}{a-b}\right) + 1200\left(\frac{ad-bc}{a-b}\right) = 1200c.$$

Simplify, $ay(ad-bc) + 1200(ad-bc) = 1200(ac-bc)$.

Transpose and unite, $ay(ad-bc) = 1200a(c-d)$.

$$\therefore y = \frac{1200(c-d)}{ad-bc}.$$

46. A person has a certain capital invested at a certain rate per cent. Another person has \$1000 more capital, and his capital invested at one per cent better than the first, and receives an income \$80 greater. A third person has \$1500 more capital, and his capital invested at two per cent better than the first, and receives an income \$150 greater. Find the capital of each, and the rate at which it is invested.

Let $x =$ capital,
and $y =$ rate.

Then $\frac{(x+1000)(y+1)}{100} =$ interest on capital \$1000 greater, at 1% greater,

and $\frac{(x+1500)(y+2)}{100} =$ interest on capital \$1500 greater, at 2% greater.

$\frac{xy}{100} + 80 =$ interest on first capital, increased by \$80,

$\frac{xy}{100} + 150 =$ interest on first capital, increased by \$150.

$$\frac{(x+1000)(y+1)}{100} = \frac{xy}{100} + 80 \qquad (1)$$

$$\frac{(x+1500)(y+2)}{100} = \frac{xy}{100} + 150 \qquad (2)$$

Simplify, $xy + 1000y + x + 1000 = xy + 8000,$
$xy + 1500y + 2x + 3000 = xy + 15000$

Combining, $1000y + x = 7000$ (3)
$1500y + 2x = 12000$ (4)

Multiply (3) by 2, $2000y + 2x = 14000$ (5)
(4) is $1500y + 2x = 12000$

Subtract, $500y = 2000$
$\therefore y = 4.$

Substitute value of y in (5), $x = 3000.$

$\therefore$ the capitals are \$3000, \$4000, \$4500; and the rates 4%, 5%, 6%.

47. A person has \$12,750 to invest. He can buy three per cent bonds at 81, and five per cents at 120. Find the amount of money he must invest in each in order to have the same income from each investment.

Let $x =$ number of dollars in three per cent bonds,
and $y =$ number of dollars in five per cent bonds.

Then $\frac{300x}{81} =$ interest of money invested in three per cents.

But $\frac{500y}{120} =$ interest of money invested in three per cents.

$$\therefore \frac{300x}{81} = \frac{500y}{120} \qquad (1)$$

$$x + y = 12750 \qquad (2)$$

Reduce (1), $8x - 9y = 0$
Multiply (2) by 8, $8x + 8y = 102000$

Subtract, $17y = 102000$
$\therefore y = 6000.$

Substitute value of y in (2), $x = 6750.$

48. A and B each invested $1500 in bonds; A in three per cents and B in four per cents. The bonds were bought at such prices that B received $5 interest more than A. Both classes of bonds rose ten per cent, and they sold out, A receiving $50 more than B. What price was paid for each class of bonds?

Let $x =$ amount paid for $1 three per cents,

and $y =$ amount paid for $1 four per cents.

$$\frac{1500}{x} = \text{face value of three per cents,}$$

$$\frac{1500}{y} = \text{face value of four per cents.}$$

$$\frac{1500}{x} \times \frac{3}{100} = \text{income from three per cents,}$$

$$\frac{1500}{y} \times \frac{4}{100} = \text{income from four per cents.}$$

Then $$\left(\frac{1500}{y} \times \frac{4}{100}\right) - \left(\frac{1500}{x} \times \frac{3}{100}\right) = 5,$$

$$\left(\frac{1500}{x} \times \frac{10}{100}\right) - \left(\frac{1500}{y} \times \frac{10}{100}\right) = 50.$$

Simplify, $$\frac{60}{y} - \frac{45}{x} = 5 \qquad (1)$$

$$\frac{3}{x} - \frac{3}{y} = 1 \qquad (2)$$

Multiply (2) by 20, $$-\frac{60}{y} + \frac{60}{x} = 20 \qquad (3)$$

Add (1) and (3), $$\frac{3}{x} = 5.$$

$$\therefore x = .60.$$

Substitute value of x in (3), $$\frac{12}{y} - 15 = 1.$$

$$\therefore y = .75.$$

That is, the three per cents were bought at 60 and the four per cents at 75.

49. A person invests $10,000 in three per cent bonds, $16,500 in three and one-half per cents, and has an income from both investments of $1056.25. If his investments had been $2750 more in the three per cents, and less in the three and one-half per cents, his income would have been 62½ cents greater. What price was paid for each class of bonds?

Let $x =$ amount paid on $1 three per cent bonds,

and $y =$ amount paid on $1 three and one-half per cent bonds.

Then $\frac{10000}{x} \times \frac{3}{100} =$ number of dollars income from first investment,

and $\frac{16500}{y} \times \frac{3\frac{1}{2}}{100} =$ number of dollars income from second investment.

$$\therefore \frac{30000}{100x} + \frac{115500}{200y} = 1056.25 \qquad (1)$$

$\frac{12750}{x} \times \frac{3}{100} =$ number of dollars income of 3 per cents if the stated addition in the amount invested had been made,

$\frac{13750}{y} \times \frac{3\frac{1}{2}}{100} =$ number of dollars income of 3½ per cents if the stated deduction in the amount invested had been made.

Then $\frac{38250}{100x} + \frac{96250}{200y} =$ number of dollars income on both.

$$\therefore \frac{38250}{100x} + \frac{96250}{200y} = \$1056.87\tfrac{1}{2} \qquad (2)$$

Multiply (1) by 5, $$\frac{150000}{100x} + \frac{577500}{200y} = 5281.25 \qquad (3)$$

Multiply (2) by 6, $$\frac{229500}{100x} + \frac{577500}{200y} = 6341.25 \qquad (4)$$

Subtract, $$\frac{79500}{100x} = 1060,$$

$$106000x = 79500.$$

$$\therefore x = .75.$$

That is, the 3 per cent bonds were bought at 75.

Substitute value of x in (1),

$$\frac{30000}{75} + \frac{115500}{200y} = 1056.25,$$

$$\frac{115500}{200y} = 656.25.$$

$$\therefore y = .88.$$

That is, the 3½ per cent bonds were bought at 88.

50. The sum of $2500 was divided into two unequal parts and invested, the smaller part at two per cent more than the larger. The *rate* of interest on the larger sum was afterwards increased by 1, and that of the smaller sum diminished by 1; and thus the *interest* of the whole was increased by one-fourth of its value. If the interest of the larger sum had been so increased, and no change been made in the interest of the smaller sum, the interest of the whole would have been increased one-third of its value. Find the sums invested, and the rate per cent of each.

Let $x =$ number of dollars in larger part,
and $y =$ number of dollars in smaller part.
Then $x + y = 2500$ (1)
Let $z =$ rate per cent on larger part,
and $z + 2 =$ rate per cent on smaller part.
Then $xz + y(z + 2) =$ interest on whole amount.
Changing rate per cent,
$z + 1 =$ rate per cent on larger part,
and $z + 1 =$ rate per cent on smaller part.
Then $x(z+1)+y(z+1) =$ interest on whole after change.
Then $x(z+1)+y(z+1) = \frac{5}{4}[xz+y(z+2)]$ (2)
Changing rate per cent again,
$z + 1 =$ rate of larger part,
$z + 2 =$ rate of smaller part.
Then $x(z + 1) + y(z + 2) = \frac{4}{3}[xz + y(z + 2)]$ (3)
Simplify (2), $4x - 6y - xz - yz = 0.$
Simplify (3), $3x - 2y - xz - yz = 0.$
Subtract, $x - 4y = 0$ (4)
Subtract (4) from (1), $5y = 2500.$
$\therefore y = 500.$
Substitute value of y in (1), $x = 2000.$
Substitute value of x and y in (3),

$$6000 - 1000 - 2000z - 500z = 0,$$
$$2500z = -5000.$$
$$\therefore z = 2.$$

51. If the sides of a rectangular field were each increased by 2 yards, the area would be increased by 220 square yards; if the length were increased and the breadth were diminished each by 5 yards, the area would be diminished by 185 square yards. What is its area?

Let $x =$ number of yards in length,
and $y =$ number of yards in width.
Then $xy =$ number of yards in area.

$(x+2)(y+2) = xy + 220$ (1)
$(x+5)(y-5) = xy - 185$ (2)
Simplify (1), $xy + 2x + 2y + 4 = xy + 220,$
$2x + 2y = 216,$
$x + y = 108$ (3)
Simplify (2), $xy - 5x + 5y - 25 = xy - 185,$
$5x - 5y = 160$
$x - y = 32$ (4)
Add (4) and (3), $2x = 140$
$\therefore x = 70.$
Subtract (4) from (3), $2y = 76.$
$\therefore y = 38.$
$\therefore xy = 2660$ square yards.

52. If a given rectangular floor had been 3 feet longer and 2 feet broader it would have contained 64 square feet more; but if it had been 2 feet longer and 3 feet broader it would have contained 68 square feet more. Find the length and breadth of the floor.

Let $x =$ number of feet in length,
and $y =$ number of feet in breadth.
Then $xy =$ number of feet in surface.

$(x+3)(y+2) = xy + 64$ (1)
$(x+2)(y+3) = xy + 68$ (2)
Simplify (1), $xy + 3y + 2x + 6 = xy + 64.$
$3y + 2x = 58$ (3)
Simplify (2), $xy + 2y + 3x + 6 = xy + 68.$
$2y + 3x = 62$ (4)
Multiply (3) by 2, $6y + 4x = 116$ (5)
Multiply (4) by 3, $\underline{6y + 9x = 186}$ (6)
Subtract, $-5x = -70$
$\therefore y = 14.$
Substitute value of x in (3), $3y + 28 = 58,$
$3y = 30.$
$\therefore y = 10.$

53. In a certain rectangular garden there is a strawberry-bed whose sides are one-third of the lengths of the corresponding sides of the garden. The perimeter of the garden exceeds that of the bed by 200 yards; and if the greater side of the garden be increased by 3, and the other by 5 yards, the garden will be enlarged by 645 square yards. Find the length and breadth of the garden.



Let $x =$ number of feet in length of garden,

and $y =$ number of feet in width of garden.

Then $2x + 2y =$ perimeter of garden,

and $xy =$ area of garden.

Also, $\frac{x}{3} =$ number of feet in length of bed,

and $\frac{y}{3} =$ number of feet in width of bed.

Then $\frac{2x}{3} + \frac{2y}{3} =$ perimeter of bed.

Add 3 to one side of garden, $x + 3$.

Add 5 to other side of garden, $y + 5$.

Then $(x+3)(y+5) =$ area.

$$2x + 2y - \left(\frac{2x}{3} + \frac{2y}{3}\right) = 200.$$

Simplify, $x + y = 150$ (1)

$$(x + 3)(y + 5) = xy + 645.$$

Simplify, $5x + 3y = 630$ (2)

Multiply (1) by 5, $5x + 5y = 750$

Subtract, $2y = 120$

$\therefore y = 60.$

Substitute value of y in (1), $x + 60 = 150.$

$\therefore x = 90.$

54. In a mile race A gives B a start of 100 yards, and beats him by 15 seconds. In the second trial A gives B a start of 45 seconds, and is beaten by 22 yards. Find the rate of each in miles per hour.

Let $x =$ number of yards A runs in one second,
and $y =$ number of yards B runs in one second.

Since there are 1760 yards in one mile,

$\frac{1760}{x}$ and $\frac{1738}{x} =$ number of seconds A ran in first and second trials respectively,

$\frac{1660}{y}$ and $\frac{1738}{y} =$ number of seconds B ran in first and second trials respectively.

Then
$$\frac{1660}{y} - \frac{1760}{x} = 15 \qquad (1)$$

and
$$\frac{1738}{x} - \frac{1760}{y} = -45 \qquad (2)$$

Multiply (1) by 88,
$$\frac{146080}{y} - \frac{154880}{x} = 1320$$

Multiply (2) by 83,
$$-\frac{146080}{y} + \frac{144254}{x} = -3735$$

Add,
$$-\frac{10626}{x} = -2415$$

$$\therefore x = 4\tfrac{166}{2415}.$$

Therefore, A runs $4\frac{166}{2415}$ yards, or $\frac{1}{400}$ of a mile, in one second, and in one hour (= 3600 seconds), 9 miles.

Substitute value of x in (1), $y = 4$.

Therefore, B runs 4 yards in one second, or $8\frac{2}{11}$ miles in one hour.

55. In a mile race A gives B a start of 44 yards, and beats him by 51 seconds. In the second trial A gives B a start of 1 minute and 15 seconds, and is beaten by 88 yards. Find the rate of each in miles per hour.

Let $x =$ number of yards A ran in one second,
and $y =$ number of yards B ran in one second.

$\frac{1760}{x}$, $\frac{1672}{x} =$ number of seconds A ran in first and second trials, respectively.

$\frac{1716}{y}$, $\frac{1760}{y} =$ number of seconds B ran in first and second trials, respectively.

Then $$\frac{1716}{y}-\frac{1760}{x}=51 \qquad (1)$$

and $$\frac{1672}{x}-\frac{1760}{y}=-75 \qquad (2)$$

Multiply (1) by 19, $$-\frac{33440}{x}+\frac{32604}{y}=969$$

Multiply (2) by 20, $$\frac{33440}{x}-\frac{35200}{y}=-1500$$

Add, $$-\frac{2596}{y}=-531$$

$$\therefore y=4\tfrac{8}{9}.$$

Therefore, B runs $4\frac{8}{9}$ yards per second, or 12 miles per hour.
Substitute value of y in (1), $x=5\frac{13}{15}$.
Therefore, A runs $5\frac{13}{15}$ yards per second, or 10 miles per hour.

56. The time which an express-train takes to go 120 miles is $\frac{9}{14}$ of the time taken by an accommodation-train. The slower train loses as much time in stopping at different stations as it would take to travel 20 miles without stopping; the express-train loses only half as much time by stopping as the accommodation-train, and travels 15 miles an hour faster. Find the rate of each train in miles per hour.

Let $x=$ the rate of the accommodation-train,

and $y=$ the rate of the express-train.

$\frac{120}{x}=$ number of hours accommodation-train goes 120 miles without stopping,

$\frac{120}{y}=$ number of hours it takes express-train to go 120 miles without stopping,

$\frac{20}{x}=$ number of hours accommodation-train loses in stopping,

$\frac{10}{x}=$ number of hours express-train loses in stopping,

$\frac{120}{x}+\frac{20}{x}=$ number of hours accommodation-train goes 120 miles including stops,

$\frac{120}{y}+\frac{10}{x}=$ number of hours express-train goes 120 miles including stops.

$$\therefore \frac{120}{y}+\frac{10}{x}=\frac{9}{14}\left(\frac{120}{x}+\frac{20}{x}\right) \qquad (1)$$

$$y-x=15 \qquad (2)$$

Simplify (1), $120x-80y=0$

Multiply (2) by 80, $-80x+80y=1200$

$40x \quad =1200$

$\therefore x=30.$

Substitute value of x in (2), $y=45.$

57. A train moves from P towards Q, and an hour later a second train starts from Q and moves towards P at a rate of 10 miles an hour more than the first train; the trains meet half-way between P and Q. If the train from P had started an hour after the train from Q, its rate must have been increased by 28 miles in order that the trains should meet at the half-way point. Find the distance from P to Q.

Let x = number of hours first goes half the distance.

Then $x-1$ = number of hours second goes half the distance.

Let y = rate of first.

Then $y+10$ = rate of second.

Hence, xy = one-half of the whole distance.

But $(x-1)(y+10)$ = one-half the whole distance.

$\therefore (x-1)(y+10)=xy.$

Simplify, $10x-y=10 \qquad (1)$

In second statement,

if $x-2$ = number of hours first goes half distance.

and $y+28$ = rate of first,

then $(x-2)(y+28)$ = one-half of the whole distance.

But, from (1), xy = one-half of the whole distance.

$\therefore (x-2)(y+28)=xy \qquad (2)$

Simplify (2), $28x-2y=56$

(1)×2 is $20x-2y=20$

Subtract, $8x \quad =36$

$\therefore x=4\frac{1}{2}.$

Substitute value of x in (1), $y=35.$

Therefore, one-half the distance, xy, is $157\frac{1}{2}$ miles, and the whole distance is 315 miles.

58. A passenger-train, after travelling an hour, meets with an accident which detains it one-half an hour; after which it proceeds at four-fifths of its usual rate, and arrives an hour and a quarter late. If the accident had happened 30 miles farther on, the train would have been only an hour late. Determine the usual rate of the train.

Let $x =$ number of miles train usually goes per hour,
and $y =$ number of miles train travels.
$\frac{y-x}{x} =$ number of hours usually required,
and $\frac{y-x}{\frac{4x}{5}} =$ number of hours actually required after accident.

Since the detention is $\frac{1}{2}$ hour, and the train is $1\frac{1}{4}$ hours late, the loss in running-time is $\frac{3}{4}$ of an hour.

$$\therefore \frac{y-x}{\frac{4x}{5}} - \frac{y-x}{x} = \frac{3}{4} \qquad (1)$$

If the accident had occurred 30 miles farther on, the loss in running-time would have been $\frac{1}{2}$ an hour.

$$\therefore \frac{y-x-30}{\frac{4x}{5}} - \frac{y-x-30}{x} = \frac{1}{2} \qquad (2)$$

Simplify (1), $y - 4x = 0$
Simplify (2), $y - 3x = 30$
Subtract, $x = 30$

59. A passenger-train, after travelling an hour, is detained 15 minutes; after which it proceeds at three-fourths of its former rate, and arrives 24 minutes late. If the detention had taken place 5 miles farther on, the train would have been only 21 minutes late. Determine the usual rate of the train.

Let $x =$ usual rate of train per hour,
and $y =$ number of miles train has to run.
$y - x =$ number of miles train has to run after detention,
$\frac{y-x}{x} =$ number of hours usually required to run $y-x$ miles,
and $\frac{y-x}{\frac{3x}{4}} =$ number of hours actually required to run the $y-x$ miles.

Since the detention was 15 minutes, and the train is 24 minutes late, the loss in running-time is 9 minutes $= \frac{3}{20}$ of an hour.

$$\therefore \frac{y-x}{\frac{3x}{4}} - \frac{y-x}{x} = \frac{3}{20} \qquad (1)$$

If the detention had occurred 5 miles farther on, the loss in running-time would have been 6 minutes $= \frac{1}{10}$ of an hour.

$$\therefore \frac{y-x-5}{\frac{3x}{4}} - \frac{y-x-5}{x} = \frac{1}{10} \qquad (2)$$

Simplify (1), $20y - 29x = 0$

Simplify (2), $20y - 26x = 100$

Subtract, $3x = 100$

$\therefore x = 33\frac{1}{3}$.

60. A man bought 10 oxen, 120 sheep, and 46 lambs. The cost of 3 sheep was equal to that of 5 lambs; an ox, a sheep, and a lamb together cost a number of dollars less by 57 than the whole number of animals bought; and the whole sum spent was \$2341.50. Find the price of an ox, a sheep, and a lamb, respectively.

Let $x =$ number of dollars paid for an ox,

$y =$ number of dollars paid for a sheep,

and $z =$ number of dollars paid for a lamb.

$10x + 120y + 46z =$ number of dollars paid for all.

$$\therefore 10x + 120y + 46z = 2341.50 \qquad (1)$$

$$x + y + z = 119 \qquad (2)$$

$$3y = 5z \qquad (3)$$

(1) is $10x + 120y + 46z = 2341.50$

Multiply (2) by 10, $10x + 10y + 10z = 1190$

Subtract, $110y + 36z = 1151.50 \qquad (4)$

Multiply (4) by 3, $330y + 108z = 3454.50.$

Multiply (3) by 110, $330y - 550z = 0.$

$658z = 3454.50.$

$\therefore z = 5.25.$

Substitute value of z in (3), $y = 8.75.$

Subtract value of y and z in (2), $x = 105.$

61. A farmer sold 100 head of stock, consisting of horses, oxen, and sheep, so that the whole realized $11.75 a head; while a horse, an ox, and a sheep were sold for $110, $62.50, and $7.50, respectively. Had he sold one-fourth of the number of oxen that he did, and 25 more sheep, he would have received the same sum. Find the number of horses, oxen, and sheep, respectively, which were sold.

Let x = number of horses,

y = number of oxen,

and z = number of sheep.

Then
$$x + y + z = 100 \qquad (1)$$
$$110x + 62\tfrac{1}{2}y + 7\tfrac{1}{2}z = 1175 \qquad (2)$$
and
$$110x + \left(\frac{1}{4} \times \frac{125y}{2}\right) + \frac{15z}{2} + \frac{375}{2} = 1175 \qquad (3)$$

Multiply (3) by 8, $880x + 125y + 60z = 7900$

Multiply (2) by 8, $880x + 500y + 60z = 9400$

Subtract, $-375y = -1500$

$\therefore y = 4.$

Substitute value of y in (1), $x + z = 96 \qquad (4)$

Substitute value of y in (2),
$$110x + 250 + 7\tfrac{1}{2}z = 1175.$$
$$110x + 7\tfrac{1}{2}z = 925.$$

Multiply by 2, $220x + 15z = 1850$

Multiply (4) by 15, $15x + 15z = 1440$

Subtract, $205x = 410$

$\therefore x = 2.$

Substitute values of x and y in (1), $z = 94.$

62. A, B, and C together subscribed \$100. If A's subscription had been one-tenth less, and B's one-tenth more, C's must have been increased by \$2 to make up the sum; but if A's had been one-eighth more, and B's one-eighth less, C's subscription would have been \$17.50. What did each subscribe?

Let x = number of dollars A subscribed,

y = number of dollars B subscribed,

and z = number of dollars C subscribed.

$\frac{9x}{10} = \frac{9}{10}$ of A's subscription,

$\frac{11y}{10} = \frac{11}{10}$ of B's subscription,

$z + 2 = \$2$ more than C's subscription,

$\frac{9x}{8} = \frac{9}{8}$ of A's subscription,

$\frac{7y}{8} = \frac{7}{8}$ of B's subscription,

100 = number of dollars all subscribed,

$\frac{9x}{10} + \frac{11y}{10} + z + 2$ = number of dollars all subscribed,

$\frac{9x}{8} + \frac{7y}{8} + 17.5$ = number of dollars all subscribed.

$$\therefore x + y + z = 100 \qquad (1)$$

$$\frac{9x}{10} + \frac{11y}{10} + z + 2 = 100 \qquad (2)$$

$$\frac{9x}{8} + \frac{7y}{8} + 17.5 = 100 \qquad (3)$$

Multiply (1) by 10, $10x + 10y + 10z = 1000$

Simplify (2), $9x + 11y + 10z = 980$

Subtract, $x - y = 20 \qquad (4)$

Simplify (3), $9x + 7y = 660$

Multiply (4) by 7, $7x - 7y = 140$

Add, $16x = 800$

$\therefore x = 50.$

Substitute value of x in (4), $y = 30.$

Substitute values of x and y in (1), $z = 20.$

63. **A gives to B and C as much as each of them has; B gives to A and C as much as each of them then has; and C gives to A and B as much as each of them then has. In the end each of them has $6. How much had each at first?**

Let x = number of dollars A had at first,
y = number of dollars B had at first,
and z = number of dollars C had at first.
$x - y - z$ = number of dollars A had at 1st distribution,
$2y$ = number of dollars B had at 1st distribution,
$2z$ = number of dollars C had at 1st distribution,
$2y - \{(x-y-z)+2z\}$ = number of dollars B had at 2d distribution,
or $3y - x - z$ = number of dollars B had at 2d distribution,
$2x - 2y - 2z$ = number of dollars A had at 2d distribution,
$4z$ = number of dollars C had at 2d distribution,
$4z - \{(2x-2y-2z)+(3y-x-z)\}$, or $7z - x - y$
= number of dollars C had at 3d distribution,
$4x - 4y - 4z$ = number of dollars A had at 3d distribution,
$6y - 2x - 2z$ = number of dollars B had at 3d distribution.

$$\therefore\ 7z - x - y = 6 \qquad (1)$$
$$4x - 4y - 4z = 6 \qquad (2)$$
$$6y - 2x - 2z = 6 \qquad (3)$$

Multiply (1) by 4, $28z - 4x - 4y = 24$
(2) is $-4z + 4x - 4y = 6$
Add, $24z - 8y = 30$ (4)
Multiply (1) by 2, $14z - 2x - 2y = 12$
(3) is $-2z - 2x + 6y = 6$
Subtract, $16z - 8y = 6$ (5)
(4) is $24z - 8y = 30$
Subtract, $8z = 24$
$\therefore\ z = 3.$

Substitute value of z in (5), $y = 5\frac{1}{4}$.
Substitute values of y and z in (1), $x = 9\frac{3}{4}$.

64. A pays to B and C as much as each of them has; B pays to A and C one-half as much as each of them then has; and C pays to A and B one-third of what each of them then has. In the end A finds that he has \$1.50, B \$4.16⅔, C \$.58⅓. How much had each at first?

Let $x =$ number of dollars A had at first,
$y =$ number of dollars B had at first,
and $z =$ number of dollars C had at first.
$x - y - z =$ number of dollars A has left after giving to B and C,
$2y =$ number of dollars B has after A pays him,
$2z =$ number of dollars C has after A pays him,
$\frac{3x-3y-3z}{2} =$ number of dollars A has after B pays him,
$\frac{5y-x-z}{2} =$ number of dollars B has left after paying A and C,
$3z =$ number of dollars C has after receiving B's money,
$\frac{4x-4y-4z}{2} =$ number of dollars A has after C pays him,
$\frac{10y-2x-2z}{3} =$ number of dollars B has after C pays him,
$\frac{11z-x-y}{3} =$ number of dollars C has after paying A and B.

$$\therefore \frac{4x-4y-4z}{2} = 1.50 \qquad (1)$$

$$\frac{10y-2x-2z}{3} = 4.16\tfrac{2}{3} \qquad (2)$$

$$\frac{11z-x-y}{3} = .58\tfrac{1}{3} \qquad (3)$$

$$\begin{array}{lrr}
\text{Simplify (1),} & x - y - z = .75 & (4) \\
\text{Simplify (2),} & 10y - 2x - 2z = 12.50 & (5) \\
\text{Simplify (3),} & 11z - x - y = 1.75 & (6) \\
\text{(4) is} & x - y - z = \ \ .75 & \\
\hline
\text{Add (4) and (6),} & 10z - 2y = 2.50 & (7) \\
\text{(5) is} & 10y - 2x - 2z = 12.50 & \\
\text{Multiply (4) by 2,} & -2y + 2x - 2z = \ \ 1.50 & \\
\hline
\text{Add,} & 8y \qquad - 4z = 14.00 & (8) \\
\text{Multiply (7) by 4,} & -8y + 40z = 10.00 & \\
\text{(8) is} & 8y - \ \ 4z = 14.00 & \\
\hline
\text{Add,} & 36z = 24.00 & \\
 & \therefore z = .66\tfrac{2}{3}. & \\
\text{Substitute value of } z \text{ in (8),} & y = 2.08\tfrac{1}{3}. & \\
\text{Substitute values of } y \text{ and } z \text{ in (4),} & x = 3.50. &
\end{array}$$

EXERCISE LXXVI.

1. $(a^3)^2$
$= a^{3\times 2}$
$= a^6.$

2. $(x^5)^3$
$= x^{5\times 3}$
$= x^{15}.$

3. $(x^2y^3)^2$
$= x^{2\times 2}y^{3\times 2}$
$= x^4y^6.$

4. $\left(\frac{a^3b^2}{2}\right)^4$
$= \frac{a^{3\times 4}b^{2\times 4}}{2^4}$
$= \frac{a^{12}b^8}{16}.$

5. $\left(\frac{3x^2y}{2a^3b^2}\right)^5$
$= \frac{3^5x^{2\times 5}y^5}{2^5a^{3\times 5}b^{2\times 5}}$
$= \frac{243x^{10}y^5}{32a^{15}b^{10}}.$

6. $(x+2)^3$
$= (x)^3 + 3(x)^2(2) + 3(x)(2)^2 + (2)^3$
$= x^3 + 6x^2 + 12x + 8.$

7. $(x-2)^4$
$= x^4 - 4(x)^3(2) + 6(x)^2(2)^2 - 4(x)(2)^3 + 2^4$
$= x^4 - 8x^3 + 24x^2 - 32x + 16.$

8. $(x+3)^5$
$= (x)^5 + 5(x)^4(3) + 10(x)^3(3)^2 + 10(x)^2(3)^3 + 5(x)(3)^4 + (3)^5$
$= x^5 + 15x^4 + 90x^3 + 270x^2 + 405x + 243.$

9. $(1+2x)^5$
$= 1^5 + 5(2x) + 10(2x)^2 + 10(2x)^3 + 5(2x)^4 + (2x)^5$
$= 1 + 10x + 40x^2 + 80x^3 + 80x^4 + 32x^5.$

10. $(2m-1)^3$
$= (2m)^3 - 3(2m)^2 + 3(2m) - (1)^3$
$= 8m^3 - 12m^2 + 6m - 1.$

11. $(2a^2bc^3)^4$
$= 2^4a^{2\times 4}b^4c^{3\times 4}$
$= 16a^8b^4c^{12}.$

12. $(-5ax^3y^2)^3$
$= -5^3a^3x^{3\times 3}y^{2\times 3}$
$= -125a^3x^9y^6.$

13. $(-7m^3nx^2y^4)^2$
$= -7^2m^{3\times 2}n^2x^{2\times 2}y^{4\times 2}$
$= 49m^6n^2x^4y^8.$

14. $\left(-\frac{2x^3y}{3abc}\right)^5$
$= -\frac{2^5x^{3\times 5}y^5}{3^5a^5b^5c^5}$
$= -\frac{32x^{15}y^5}{243a^5b^5c^5}.$

15. $(3x+1)^4$
$= (3x)^4 + 4(3x)^3 + 6(3x)^2 + 4(3x) + 1$
$= 81x^4 + 108x^3 + 54x^2 + 12x + 1.$

16. $(2x-a)^4$
$= (2x)^4 - 4(2x)^3(a) + 6(2x)^2(a)^2 - 4(2x)(a)^3 + (a)^4$
$= 16x^4 - 32ax^3 + 24a^2x^2 - 8a^3x + a^4.$

17. $(3x+2a)^5$
$= (3x)^5 + 5(3x)^4(2a) + 10(3x)^3(2a)^2$
$+ 10(3x)^2(2a)^3 + 5(3x)(2a)^4 + (2a)^5$
$= 243x^5 + 810ax^4 + 1080a^2x^3 + 720a^3x^2 + 240a^4x + 32a^5.$

18. $(2x-y)^4$
$= (2x)^4 - 4(2x)^3(y) + 6(2x)^2(y)^2 - 4(2x)(y)^3 + (y)^4$
$= 16x^4 - 32x^3y + 24x^2y^2 - 8xy^3 + y^4.$

19. $(x^2y-2xy^2)^6$
$= (x^2y)^6 - 6(x^2y)^5(2xy^2) + 15(x^2y)^4(2xy^2)^2 - 20(x^2y)^3(2xy^2)^3$
$+ 15(x^2y)^2(2xy^2)^4 - 6(x^2y)(2xy^2)^5 + (2xy^2)^6$
$= x^{12}y^6 - 12x^{11}y^7 + 60x^{10}y^8 - 160x^9y^9 + 240x^8y^{10}$
$- 192x^7y^{11} + 64x^6y^{12}.$

20. $(ab-3)^7$
$= (ab)^7 - 7(ab)^6(3) + 21(ab)^5(3)^2 - 35(ab)^4(3)^3$
$+ 35(ab)^3(3)^4 - 21(ab)^2(3)^5 + 7(ab)(3)^6 - (3)^7$
$= a^7b^7 - 21a^6b^6 + 189a^5b^5 - 945a^4b^4$
$+ 2835a^3b^3 - 5103a^2b^2 + 5103ab - 2187.$

21. $(-3a^2b^2c)^5$
$= -3^5a^{2\times 5}b^{2\times 5}c^5$
$= -243a^{10}b^{10}c^5.$

22. $(-3xy^3)^6$
$= -3^6x^6y^{3\times 6}$
$= 729x^6y^{18}.$

23. $(-5a^2bx^3)^5$
$= -5^5a^{2\times 5}b^5x^{3\times 5}$
$= -3125a^{10}b^5x^{15}.$

24. $\left(-\frac{3ab^2}{4c^3}\right)^4$
$= \frac{81a^4b^8}{256c^{12}}.$

25. $\left(-\frac{x^2y^3z^4}{2}\right)^7$
$= -\frac{x^{2\times 7}y^{3\times 7}z^{4\times 7}}{2^7}$
$= -\frac{x^{14}y^{21}z^{28}}{128}.$

26. $(1-a-a^2)^2$
$= \{1-(a+a^2)\}^2$
$= 1^2 - 2(a+a^2) + (a+a^2)^2$
$= 1 - 2a - 2a^2 + a^2 + 2a^3 + a^4$
$= 1 - 2a - a^2 + 2a^3 + a^4.$

27. $(2-3x+4x^2)^3$
$= [2-(3x-4x^2)]^3$
$= (2)^3 - 3(2)^2(3x-4x^2) + 3(2)(3x-4x^2)^2 - (3x-4x^2)^3$
$= 8 - 36x + 48x^2 + 54x^2 - 144x^3$
$+ 96x^4 - 27x^3 + 108x^4 - 144x^5 + 64x^6$
$= 8 - 36x + 102x^2 - 171x^3 + 204x^4 - 144x^5 + 64x^6.$

28. $(1-2x+x^2)^3$
$= \{(1-2x)+x^2\}^3$
$= (1-2x)^3 + 3(1-2x)^2x^2 + 3(1-2x)(x^2)^2 + (x^2)^3$
$= 1 - 6x + 12x^2 - 8x^3 + 3x^2 - 12x^3 + 12x^4 + 3x^4 - 6x^5 + x^6$
$= 1 - 6x + 15x^2 - 20x^3 + 15x^4 - 6x^5 + x^6.$

29. $(1-x+x^2)^3$
$= \{1-(x-x^2)\}^3$
$= 1 - 3(x-x^2) + 3(x-x^2)^2 - (x-x^2)^3$
$= 1 - 3x + 3x^2 + 3x^2 - 6x^3 + 3x^4 - x^3 + 3x^4 - 3x^5 + x^6$
$= 1 - 3x + 6x^2 - 7x^3 + 6x^4 - 3x^5 + x^6.$

30. $(1+x+x^2)^4$

$$= \{1+(x+x^2)\}^4$$
$$= 1^4 + 4(1)^3(x+x^2) + 6(1)^2(x+x^2)^2 + 4(1)(x+x^2)^3 + (x+x^2)^4$$
$$= 1 + 4x + 4x^2 + 6x^2 + 12x^3 + 6x^4 + 4x^3 + 12x^4 + 12x^5$$
$$+ 4x^6 + x^4 + 4x^5 + 6x^6 + 4x^7 + x^8$$
$$= 1 + 4x + 10x^2 + 16x^3 + 19x^4 + 16x^5 + 10x^6 + 4x^7 + x^8.$$

EXERCISE LXXVII.

1. $\sqrt{a^4} = \pm 2,$

$$\sqrt[4]{x^8} = \pm x^2,$$
$$\sqrt{4a^6b^2} = \pm 2a^3b,$$
$$\sqrt[3]{64} = 4,$$
$$\sqrt[5]{a^5x^{10}y^{15}} = ax^2y^3,$$
$$\sqrt[4]{16a^{12}b^4c^8} = \pm 2a^3bc^2,$$
$$\sqrt[5]{-32a^{15}} = -2a^3.$$

2. $\sqrt[3]{-1728c^6d^{12}x^3y^9} = -12c^2d^4xy^3,$

$$\sqrt[3]{3375b^{21}z^{15}} = 15b^7z^5,$$
$$\sqrt[4]{3111696} = \sqrt[4]{2^4 \times 3^4 \times 7^4},$$
$$\sqrt[4]{2^4 \times 3^4 \times 7^4 c^{16}z^4} = \pm 42c^4z.$$

3. $\sqrt{53361b^4c^8y^{12}z^{16}}$

$$\begin{array}{r|r} 3^2 & 53361 \\ \hline 7 & 5929 \\ \hline 7 & 847 \\ \hline 11^2 & 121 \\ \hline \end{array}$$

$$\sqrt{53361} = \sqrt{3^2 \times 7^2 \times 11^2}.$$
$$\therefore \sqrt{53361b^4c^8y^{12}z^{16}} = 231b^2c^4y^6z^8.$$
$$\sqrt[3]{-\frac{216b^3c^{15}}{343z^{24}}} = -\frac{6bc^5}{7z^8},$$
$$\sqrt[6]{\frac{64x^{18}}{729z^{30}}} = \pm\frac{2x^3}{3z^5}.$$

4. $\sqrt{25a^2b^4c^2} + \sqrt[3]{8a^3b^6c^3} - \sqrt[4]{81a^4b^8c^4} - \sqrt[5]{32a^5b^{10}c^5}$

$$= \sqrt{5^2a^2b^4c^2} + \sqrt[3]{2^3a^3b^6c^3} - \sqrt[4]{3^4a^4b^8c^4} - \sqrt[5]{2^5a^5b^{10}c^5}$$
$$= 5ab^2c + 2ab^2c - 3ab^2c - 2ab^2c$$
$$= 2ab^2c.$$

5. $\sqrt[3]{27x^3y^6} \times \sqrt[5]{243y^5z^5} \times \sqrt{16x^4z^2}$

$$= 3xy^2 \times 3yz \times 4x^2z$$
$$= 36x^3y^3z^2.$$

6. $4\sqrt{2x} - \sqrt{abxy} + 5\sqrt{a^2b^3xy}$

$$= 4\sqrt{2 \times 2} - \sqrt{1 \times 3 \times 2 \times 6} + 5\sqrt{1^2 \times 3^3 \times 2 \times 6}$$
$$= 4\sqrt{4} - \sqrt{36} + 5\sqrt{324}$$
$$= 4 \times 2 - 6 + 5 \times 18$$
$$= 92.$$

7. $2a\sqrt{8ax} + b\sqrt[3]{12by} + 4abx\sqrt{bxy}$

$$= 2 \times 1\sqrt{8 \times 1 \times 2} + 3\sqrt[3]{12 \times 3 \times 6} + 4 \times 1 \times 3 \times 2\sqrt{3 \times 2 \times 6}$$
$$= 2\sqrt{16} + 3\sqrt[3]{216} + 24\sqrt{36}$$
$$= 2 \times 4 + 3 \times 6 + 24 \times 6$$
$$= 170.$$

8. $\sqrt{a^2+2ab+b^2}\times\sqrt[3]{a^3+3a^2b+3ab^2+b^3}$
$=(a+b)\times(a+b)$
$=(1+3)\times(1+3)$
$=16.$

9. $\sqrt[3]{b^3-3b^2a+3ba^2-a^3}\div\sqrt{b^2+a^2-2ab}$
$=\sqrt[3]{(b-a)^3}\div\sqrt{(b-a)^2}$
$=(b-a)\div(b-a)$
$=1.$

Exercise LXXVIII.

1.

$$
\begin{array}{r|l}
 & a^4+4a^3+2a^2-4a+1\,\big|\,\underline{a^2+2a-1} \\
 & a^4 \\
2a^2+2a & 4a^3+2a^2 \\
 & \underline{4a^3+4a^2} \\
2a^2+4a-1 & -2a^2-4a+1 \\
 & \underline{-2a^2-4a+1}
\end{array}
$$

2.

$$
\begin{array}{r|l}
 & x^4-2x^3y+3x^2y^2-2xy^3+y^4\,\big|\,\underline{x^2-xy+y^2} \\
 & x^4 \\
2x^2-xy & -2x^3y+3x^2y^2 \\
 & \underline{-2x^3y+x^2y^2} \\
2x^2-2xy+y^2 & 2x^2y^2-2xy^3+y^4 \\
 & \underline{2x^2y^2-2xy^3+y^4}
\end{array}
$$

3.

$$
\begin{array}{r|l}
 & 4a^6-12a^5x+5a^4x^2+6a^3x^3+a^2x^4\,\big|\,\underline{2a^3-3a^2x-ax^2} \\
 & 4a^6 \\
4a^3-3a^2x & -12a^5x+5a^4x^2 \\
 & \underline{-12a^5x+9a^4x^2} \\
4a^3-6a^2x-ax^2 & -4a^4x^2+6a^3x^3+a^2x^4 \\
 & \underline{-4a^4x^2+6a^3x^3+a^2x^4}
\end{array}
$$

4.

$$
\begin{array}{r|l}
 & 9x^6-24x^4y^2-12x^3y^3+16x^2y^4+16xy^5+4y^6\,\big|\,\underline{3x^3-4xy^2-2y^3} \\
 & 9x^6 \\
6x^3-4xy^2 & -24x^4y^2-12x^3y^3+16x^2y^4 \\
 & \underline{-24x^4y^2+16x^3y^4+16x^2y^4} \\
6x^3-8xy^2-2y^3 & -12x^3y^3\qquad\qquad+16xy^5+4y^6 \\
 & \underline{-12x^3y^3\qquad\qquad+16xy^5+4y^6}
\end{array}
$$

5.

$$
\begin{array}{r|l|l}
 & 4a^8 + 16a^6c^2 - 32a^2c^6 + 16c^8 & 2a^4 + 4a^2c^2 - 4c^4 \\
 & 4a^8 & \\
\hline
4a^4 + 4a^2c^2 & 16a^6c^2 - 32a^2c^6 & \\
 & 16a^6c^2 + 16a^4c^4 & \\
\hline
4a^4 + 8a^2c^2 - 4c^4 & -16a^4c^4 - 32a^2c^6 + 16c^8 & \\
 & -16a^4c^4 - 32a^2c^6 + 16c^8 & \\
\hline
\end{array}
$$

6.

$$
\begin{array}{r|l|l}
 & 4x^4 - 20x^3 + 37x^2 - 30x + 9 & 2x^2 - 5x + 3 \\
 & 4x^4 & \\
\hline
4x^2 - 5x & -20x^3 + 37x^2 & \\
 & -20x^3 + 25x^2 & \\
\hline
4x^2 - 10x + 3 & 12x^2 - 30x + 9 & \\
 & 12x^2 - 30x + 9 & \\
\hline
\end{array}
$$

7.

$$
\begin{array}{r|l|l}
 & 16x^4 - 16abx^2 + 16b^2x^2 + 4a^2b^2 - 8ab^3 + 4b^4 & 4x^2 - 2ab + 2b^2 \\
 & 16x^4 & \\
\hline
8x^2 - 2ab & -16abx^2 + 16b^2x^2 + 4a^2b^2 & \\
 & -16abx^2 \qquad\qquad\;\; + 4a^2b^2 & \\
\hline
8x^2 - 4ab + 2b^2 & 16b^2x^2 \qquad\qquad - 8ab^3 + 4b^4 & \\
 & 16b^2x^2 \qquad\qquad - 8ab^3 + 4b^4 & \\
\hline
\end{array}
$$

8.

$$
\begin{array}{r|l|l}
 & 16 - 24x + 25x^2 - 20x^3 + 10x^4 - 4x^5 + x^6 & 4 - 3x + 2x^2 - x^3 \\
 & 16 & \\
\hline
8 - 3x & -24x + 25x^2 & \\
 & -24x + \;\;9x^2 & \\
\hline
8 - 6x + 2x^2 & 16x^2 - 20x^3 + 10x^4 & \\
 & 16x^2 - 12x^3 + \;\;4x^4 & \\
\hline
8 - 6x + 4x^2 - x^3 & -\;\;8x^3 + \;\;6x^4 - 4x^5 + x^6 & \\
 & -\;\;8x^3 + \;\;6x^4 - 4x^5 + x^6 & \\
\hline
\end{array}
$$

9.

$$
\begin{array}{r|l|l}
 & x^6 - 4x^5y + 8x^4y^2 - 10x^3y^3 + 8x^2y^4 - 4xy^5 + y^6 & x^3 - 2x^2y + 2xy^2 - y^3 \\
 & x^6 & \\
\hline
2x^3 - 2x^2y & -4x^5y + 8x^4y^2 & \\
 & -4x^5y + 4x^4y^2 & \\
\hline
2x^3 - 4x^2y + 2xy^2 & 4x^4y^2 - 10x^3y^3 + 8x^2y^4 & \\
 & 4x^4y^2 - \;\;8x^3y^3 + 4x^2y^4 & \\
\hline
2x^3 - 4x^2y + 4xy^2 - y^3 & -\;\;2x^3y^3 + 4x^2y^4 - 4xy^5 + y^6 & \\
 & -\;\;2x^3y^3 + 4x^2y^4 - 4xy^5 + y^6 & \\
\hline
\end{array}
$$

10.

$$\begin{array}{r|l}
 & 4a^6-4a^5-11a^4+14a^3+5a^2-12a+4 \;\underline{|\,2a^3-a^2-3a+2} \\
 & 4a^6 \\
4a^3-a^2 & -4a^5-11a^4 \\
 & \underline{-4a^5+a^4} \\
4a^3-2a^2-3a & -12a^4+14a^3+5a^2 \\
 & \underline{-12a^4+6a^3+9a^2} \\
4a^3-2a^2-6a+2 & 8a^3-4a^2-12a+4 \\
 & \underline{8a^3-4a^2-12a+4}
\end{array}$$

11.

$$\begin{array}{r|l}
 & \qquad\qquad\qquad\qquad\qquad\qquad\underline{|\,3a-b+5c+d} \\
 & 9a^2-6ab+b^2+30ac-10bc+25c^2+6ad-2bd+10cd+d^2 \\
 & 9a^2 \\
6a-b & -6ab+b^2 \\
 & \underline{-6ab+b^2} \\
6a-2b+5c & 30ac-10bc+25c^2 \\
 & \underline{30ac-10bc+25c^2} \\
6a-2b+10c+d & 6ad-2bd+10cd+d^2 \\
 & \underline{6ad-2bd+10cd+d^2}
\end{array}$$

12.

$$\begin{array}{r|l}
 & \qquad\qquad\qquad\qquad\qquad\underline{|\,5x^3-3x^2y-4xy^2+y^3} \\
 & 25x^6-30x^5y-31x^4y^2+34x^3y^3+10x^2y^4-8xy^5+y^6 \\
 & 25x^6 \\
10x^3-3x^2y & -30x^5y-31x^4y^2 \\
 & \underline{-30x^5y+9x^4y^2} \\
10x^3-6x^2y-4xy^2 & -40x^4y^2+34x^3y^3+10x^2y^4 \\
 & \underline{-40x^4y^2+24x^3y^3+16x^2y^4} \\
10x^3-6x^2y-8xy^2+y^3 & 10x^3y^3-6x^2y^4-8xy^5+y^6 \\
 & \underline{10x^3y^3-6x^2y^4-8xy^5+y^6}
\end{array}$$

13.

$$\begin{array}{r|l}
 & \qquad\qquad\qquad\qquad\qquad\underline{|\,m^4-2m^3+3m^2-4m+5} \\
 & m^8-4m^7+10m^6-20m^5+35m^4-44m^3+46m^2-40m+25 \\
 & m^8 \\
2m^4-2m^3 & -4m^7+10m^6 \\
 & \underline{-4m^7+4m^6} \\
2m^4-4m^3+3m^2 & 6m^6-20m^5+35m^4 \\
 & \underline{6m^6-12m^5+9m^4} \\
2m^4-4m^3+6m^2-4m & -8m^5+26m^4-44m^3+46m^2 \\
 & \underline{-8m^5+16m^4-24m^3+16m^2} \\
2m^4-4m^3+6m^2-8m+5 & 10m^4-20m^3+30m^2-40m+25 \\
 & \underline{10m^4-20m^3+30m^2-40m+25}
\end{array}$$

14.

$$\begin{array}{r|l}
 & x^4 - x^3y - \frac{7}{4}x^2y^2 + xy^3 + y^4 \;\underline{\left|\, x^2 - \frac{1}{2}xy - y^2 \right.} \\
 & x^4 \\
2x^2 - \frac{1}{2}xy & -x^3y - \frac{7}{4}x^2y^2 \\
 & \underline{-x^3y + \frac{1}{4}x^2y^2} \\
2x^2 - xy - y^2 & -2x^2y^2 + xy^3 + y^4 \\
 & \underline{-2x^2y^2 + xy^3 + y^4}
\end{array}$$

15.

$$\begin{array}{r|l}
 & x^4 - 4x^3y + 6x^2y^2 - 6xy^3 + 5y^4 - \frac{2y^5}{x} + \frac{y^6}{x^2} \;\underline{\left|\, x^2 - 2xy + y^2 - \frac{y^3}{x} \right.} \\
 & x^4 \\
2x^2 - 2xy & -4x^3y + 6x^2y^2 \\
 & \underline{-4x^3y + 4x^2y^2} \\
2x^2 - 4xy + y^2 & 2x^2y^2 - 6xy^3 + 5y^4 \\
 & \underline{2x^2y^2 - 4xy^3 + y^4} \\
2x^2 - 4xy + 2y^3 - \frac{y^3}{x} & -2xy^3 + 4y^4 - \frac{2y^5}{x} + \frac{y^6}{x^2} \\
 & \underline{-2xy^3 + 4y^4 - \frac{2y^5}{x} + \frac{y^6}{x^2}}
\end{array}$$

16.

$$\begin{array}{r|l}
 & \frac{a^4}{9} - \frac{a^3x}{2} + \frac{43a^2x^2}{48} - \frac{3ax^3}{4} + \frac{x^4}{4} \;\underline{\left|\, \frac{a^2}{3} - \frac{3ax}{4} + \frac{x^2}{2} \right.} \\
 & \frac{a^4}{9} \\
\frac{2a^2}{3} - \frac{3ax}{4} & -\frac{a^3x}{2} + \frac{43a^2x^2}{48} \\
 & \underline{-\frac{a^3x}{2} + \frac{27a^2x^2}{48}} \\
2\left(\frac{a^2}{3} - \frac{3ax}{4}\right) + \frac{x^2}{2} & \frac{a^2x^2}{3} - \frac{3ax^3}{4} + \frac{x^4}{4} \\
 & \underline{\frac{a^2x^2}{3} - \frac{3ax^3}{4} + \frac{x^4}{4}}
\end{array}$$

17.

$$1+\frac{4}{x}+\frac{10}{x^2}+\frac{20}{x^3}+\frac{25}{x^4}+\frac{24}{x^5}+\frac{16}{x^6}\;\Big|\;1+\frac{2}{x}+\frac{3}{x^2}+\frac{4}{x^3}$$

$$1$$

$$2+\frac{2}{x}\;\Big|\;\frac{4}{x}+\frac{10}{x^2}$$

$$\frac{4}{x}+\frac{4}{x^2}$$

$$2+\frac{4}{x}+\frac{3}{x^2}\;\Big|\;\frac{6}{x^2}+\frac{20}{x^3}+\frac{25}{x^4}$$

$$\frac{6}{x^2}+\frac{12}{x^3}+\frac{9}{x^4}$$

$$2+\frac{4}{x}+\frac{6}{x^2}+\frac{4}{x^3}\;\Big|\;\frac{8}{x^3}+\frac{16}{x^4}+\frac{24}{x^5}+\frac{16}{x^6}$$

$$\frac{8}{x^3}+\frac{16}{x^4}+\frac{24}{x^5}+\frac{16}{x^6}$$

18.

$$\frac{a^2}{b^2}-\frac{2a}{b}+3-\frac{2b}{a}+\frac{b^2}{a^2}\;\Big|\;\frac{a}{b}-1+\frac{b}{a}$$

$$\frac{a^2}{b^2}$$

$$\frac{2a}{b}-1\;\Big|\;-\frac{2a}{b}+3$$

$$-\frac{2a}{b}+1$$

$$\frac{2a}{b}-2+\frac{b}{a}\;\Big|\;2-\frac{2b}{a}+\frac{b^2}{a^2}$$

$$2-\frac{2b}{a}+\frac{b^2}{a^2}$$

19.

$$x^4-x^3-\frac{5x^2}{12}-\frac{x}{3}+\frac{1}{9}\;\Big|\;x^2+\frac{x}{2}-\frac{1}{3}$$

$$x^4$$

$$2x^2+\frac{x}{2}\;\Big|\;x^3-\frac{5x^2}{12}$$

$$x^3+\frac{x^2}{4}$$

$$2x^2+x-\frac{1}{3}\;\Big|\;-\frac{2x^2}{3}-\frac{x}{3}+\frac{1}{9}$$

$$-\frac{2x^2}{3}-\frac{x}{3}+\frac{1}{9}$$

EXERCISE LXXIX.

1.

(1)

$$\begin{array}{rl}
 & 1\dot{2}04\dot{0}9\,(347 \\
 & 9 \\
64) & \overline{304} \\
 & 256 \\
687) & \overline{4809} \\
 & \underline{4809}
\end{array}$$

(2)

$$\begin{array}{rl}
 & 4\dot{8}1\dot{6}.3\dot{6}\,(69.4 \\
 & 36 \\
129) & \overline{1216} \\
 & 1161 \\
1384) & \overline{\ 5536} \\
 & \underline{5536}
\end{array}$$

(3)

$$\begin{array}{rl}
 & 1\dot{8}6\dot{7}1\dot{0}4\dot{1}\,(43.21 \\
 & 16 \\
83) & \overline{267} \\
 & 249 \\
862) & \overline{1810} \\
 & 1724 \\
8641) & \overline{\ 8641} \\
 & \underline{8641}
\end{array}$$

(4)

$$\begin{array}{rl}
 & 1\dot{4}3\dot{5}.6\dot{5}2\dot{1}\,(37.89 \\
 & 9 \\
67) & \overline{535} \\
 & 469 \\
748) & \overline{6665} \\
 & 5984 \\
7569) & \overline{68121} \\
 & \underline{68121}
\end{array}$$

(5)

$$\begin{array}{rl}
 & 6\dot{4}.1\dot{2}8\dot{0}6\dot{4}\,(8.008 \\
 & 64 \\
16008) & \overline{128064} \\
 & \underline{128064}
\end{array}$$

2.

(1)

$$\begin{array}{rl}
 & \dot{1}6\dot{8}0\dot{3}.9\dot{3}6\dot{9}\,(129.63 \\
 & 1 \\
22) & \overline{68} \\
 & 44 \\
249) & \overline{2403} \\
 & 2241 \\
2586) & \overline{16293} \\
 & 15516 \\
25923) & \overline{77769} \\
 & \underline{77769}
\end{array}$$

(2)

$$\begin{array}{rl}
 & \dot{4}.5\dot{4}4\dot{9}9\dot{7}6\dot{1}\,(2.1319 \\
 & 4 \\
41) & \overline{\ 54} \\
 & 41 \\
423) & \overline{1349} \\
 & 1269 \\
4261) & \overline{8097} \\
 & 4261 \\
42629) & \overline{383661} \\
 & \underline{383661}
\end{array}$$

(3)

$$\begin{array}{rl}
 & .2\dot{4}3\dot{7}3\dot{9}6\dot{9}\,(.4937 \\
 & 16 \\
89) & \overline{837} \\
 & 801 \\
983) & \overline{3639} \\
 & 2949 \\
9867) & \overline{69069} \\
 & \underline{69069}
\end{array}$$

(4)

$$\begin{array}{rl}
 & .5\dot{6}8\dot{7}5\dot{7}3\dot{0}5\dot{6}\,(.75416 \\
 & 49 \\
145) & \overline{787} \\
 & 725 \\
1504) & \overline{6257} \\
 & 6016 \\
15081) & \overline{24130} \\
 & 15081 \\
150826) & \overline{904956} \\
 & \underline{904956}
\end{array}$$

3.

```
(1)          90̇00̇00̇00̇00̇(.94868
             81
        184)900
             736
       1888)16400
             15104
      18966)129600
             113796
     189728)1580400
             1517824
```

```
(2)          6̇.21̇(2.4919
             4
         44)221
             176
        489)4500
             4401
       4981)9900
             4981
      49829)491900
             448461
```

```
(3)          .43̇(.6557
             36
        125)700
             625
       1305)7500
             6525
      13107)97500
             91747
```

```
(4)          .00̇85̇20̇(.0923
             81
        182)420
             364
       1843)5600
             5529
```

```
(5)          17̇.00̇(4.1231
             16
         81)100
             81
        822)1900
             1644
       8243)25600
             24729
      82461)87100
             82461
```

```
(6)          1̇29̇.00̇00̇00̇00̇(11.3578
             1
         21)29
             21
        223)800
             669
       2265)13100
             11325
      22707)177500
             158949
     227148)1855100
             1817184
```

```
(7)          3̇47̇.25̇90̇(18.6348
             1
         28)247
             224
        366)2325
             2196
       3723)12990
             11169
      37264)182100
             149056
     372688)3304400
             2981504
```

4.

(1) $\dot{1}4\dot{2}9\dot{5}.3\dot{8}7\dot{0}$(119.5633
1
21)42
21
229)2195
2061
2385)13438
11925
23906)151370
143436
239123)793400
717369
2391263)7603100
7173789

(2) $2.\dot{5}0\dot{0}0\dot{0}$(1.5811
1
25)150
125
308)2500
2464
3161)3600
3161
31621)43900
31621

(3) $2\dot{0}0\dot{0}$(44.721
16
84)400
336
887)6400
6209
8942)19100
17884
89441)121600
89441

(4) $.3\dot{0}0\dot{0}0\dot{0}0\dot{0}$(.5477
25
104)500
416
1087)8400
7609
10947)79100
76629

(5) $.0\dot{3}0\dot{0}0\dot{0}0\dot{0}$(.1732
1
27)200
189
343)1100
1029
3462)7100
6924

(6) $\dot{1}1\dot{1}$(10.5356
1
205)1100
1025
2103)7500
6309
21065)119100
105325
210706)1377500
1264236

5.

(1) $.0\dot{0}1\dot{1}1$(.0333
9
63)210
189
663)2100
1989

(2) $.0\dot{0}4\dot{0}0\dot{0}0\dot{0}$(.0632
36
123)400
369
1262)3100
2524

(3) $.0\dot{0}5\dot{0}$(.07071
49
1407)10000
9849
14141)15100
14141

(4) $\dot{2}.0\dot{0}0\dot{0}0\dot{0}0\dot{0}$(1.4142
1
24) 100
96
281) 400
281
2824) 11900
11296
28282) 60400
56564

(5) $\dot{5}.0\dot{0}$(2.236
4
42) 100
84
443) 1600
1329
4466) 27100
26796

(6) $\dot{3}.2\dot{5}$(1.8027
1
28) 225
224
3602) 10000
7204
36047) 279600
252329

(7) $\dot{8}.6\dot{0}0\dot{0}0\dot{0}$(2.932
4
49) 460
441
583) 1900
1749
5862) 15100
11724

6.

(1) $\sqrt{\frac{1}{4}} = \frac{1}{2}$.
(2) $\sqrt{\frac{16}{49}} = \frac{4}{7}$.
(3) $\sqrt{\frac{100}{144}} = \frac{10}{12}$.
(4) $\sqrt{\frac{169}{225}} = \frac{13}{15}$.
$\sqrt{\frac{289}{324}} = \frac{17}{18}$.
$\sqrt{\frac{400}{625}} = \frac{20}{25}$.

7.

(1) $\frac{1}{2} = .5$.
$.5\dot{0}$(.7071
49
1407) 10000
9849
14141) 15100
14141

(2) $\frac{2}{3} = .666666$.
$.\dot{6}6\dot{6}6\dot{6}6$(.816
64
161) 266
161
1626) 10566
9756

(3) $\frac{3}{4} = .75$.
$.7\dot{5}0\dot{0}0\dot{0}$(.8660
64
166) 1100
996
1726) 10400
10356
1732) 4400

(4) $\frac{1}{32} = .03125$.
$.0\dot{3}1\dot{2}5\dot{0}$(.1767
1
27) 212
189
346) 2350
2076
3527) 27400
24689

(5) $\frac{7}{128} = .0546875.$

$$\begin{array}{rl}
 & .0\dot{5}4\dot{6}8\dot{7}5\dot{0}\,(.2338 \\
 & 4 \\
43) & \overline{146} \\
 & 129 \\
463) & \overline{1787} \\
 & 1389 \\
4668) & \overline{39850} \\
 & \underline{37344}
\end{array}$$

(6) $\frac{6}{125} = .048.$

$$\begin{array}{rl}
 & .0\dot{4}8\dot{0}\,(.2190 \\
 & 4 \\
41) & \overline{80} \\
 & 41 \\
429) & \overline{3900} \\
 & \underline{3861}
\end{array}$$

(7) $\frac{6}{7} = .857142.$

$$\begin{array}{rl}
 & .8\dot{5}7\dot{1}4\dot{2}\,(.9258 \\
 & 81 \\
182) & \overline{471} \\
 & 364 \\
1845) & \overline{10742} \\
 & 9225 \\
18508) & \overline{151700} \\
 & \underline{148064}
\end{array}$$

(8) $\frac{1}{12} = .08333333.$

$$\begin{array}{rl}
 & .0\dot{8}3\dot{3}3\dot{3}3\dot{3}\,(.2886 \\
 & 4 \\
48) & \overline{433} \\
 & 384 \\
568) & \overline{4933} \\
 & 4544 \\
5766) & \overline{38933} \\
 & \underline{34596}
\end{array}$$

EXERCISE LXXX.

1.

$$\begin{array}{rr|l}
 & & x^3 + 6x^2y + 12xy^2 + 8y^3 \,\underline{|\, x + 2y} \\
 & & x^3 \\
\cline{3-3}
 & 3x^2 & 6x^2y + 12xy^2 + 8y^3 \\
(3x+2y)2y = & 6xy + 4y^2 & \underline{6x^2y + 12xy^2 + 8y^3} \\
\cline{2-2}
 & 3x^2 + 6xy + 4y^2 &
\end{array}$$

2.

$$\begin{array}{rr|l}
 & & a^3 - 9a^2 + 27a - 27 \,\underline{|\, a - 3} \\
 & & a^3 \\
\cline{3-3}
 & 3a^2 & -9a^2 + 27a - 27 \\
-3(a-3) = & -9a + 9 & \underline{-9a^2 + 27a - 27} \\
\cline{2-2}
 & 3a^2 - 9a + 9 &
\end{array}$$

3.

$$\begin{array}{rr|l}
 & & x^3 + 12x^2 + 48x + 64 \,\underline{|\, x + 4} \\
 & & x^3 \\
\cline{3-3}
 & 3x^2 & 12x^2 + 48x + 64 \\
(3x+4)4 = & 12x + 16 & \underline{12x^2 + 48x + 64} \\
\cline{2-2}
 & 3x^2 + 12x + 16 &
\end{array}$$

4.

$$\begin{array}{rr|l}
 & & x^6-3ax^5+5a^3x^3-3a^5x-a^6\ \underline{|x^2-ax-a^2} \\
 & & x \\
 & 3x^4 & -3ax^5+5a^3x^3-3a^5x \\
(3x^2-ax)(-ax)= & \underline{-3ax^3+a^2x^2} & \\
 & 3x^4-3ax^3+a^2x^2 & \underline{-3ax^5+3a^2x^4-a^3x^3} \\
3(x^2-ax)^2= & 3x^4-6ax^3+3a^2x^2 & -3a^2x^4+6a^3x^3-3a^5x-a^6 \\
(3a^2-3ax-a)(-a)= & \underline{-3a^2x^2+3a^3x-a^4} & \\
 & 3x^4-6ax^3\qquad+3a^3x-a^4 & \underline{-3a^2x^4+6a^3x^3-3a^5x-a^6}
\end{array}$$

5.

$$\begin{array}{rr|l}
 & & x^6+3x^5+6x^4+7x^3+6x^2+3x+1\ \underline{|x^2+x+1} \\
 & & x^6 \\
 & 3x^4 & 3x^5+6x^4+7x^3 \\
(3x^2+x)x= & \underline{+3x^3+x^2} & \\
 & 3x^4+3x^3+x^2 & \underline{3x^5+3x^4+x^3} \\
 & 3x^4+6x^3+3x^2 & 3x^4+6x^3+6x^2+3x+1 \\
(3x^2+3x+1)(1)= & \underline{3x^2+3x+1} & \underline{3x^4+6x^3+6x^2+3x+1} \\
 & 3x^4+6x^3+6x^2+3x+1 &
\end{array}$$

6.

$$\begin{array}{r|l}
 & \underline{|1-3x+4x^2} \\
 & 1-9x+39x^2-99x^3+156x^4-144x^5+64x^6 \\
 & 1 \\
3 & -9x+39x^2-99x^3 \\
\underline{-9x+9x^2} & \\
3-9x+9x^3 & \underline{-9x+27x^2-27x^3} \\
3-18x+27x^2 & 12x^2-72x^3+156x^4-144x^5+64x^6 \\
\underline{12x^2-36x^3+16x^4} & \\
3-18x+39x^2-36x^3+16x^4 & \underline{12x^2-72x^3+156x^4-144x^5+64x^6}
\end{array}$$

7.

$$\begin{array}{rr|l}
 & & \underline{|a^2-2a-1} \\
 & & a^6-6a^5+9a^4+4a^3-9a^2-6a-1 \\
 & & a^6 \\
 & 3a^4 & -6a^5+9a^4+4a^3 \\
(3a^2-2a)(-2a)= & \underline{6a^3+4a^2} & \\
 & 3a^4+6a^3+4a^2 & \underline{-6a^5+12a^4-8a^3} \\
3(a^2-2a)^2= & 3a^4-12a^3+12a^2 & -3a^4+12a^3-9a^2-6a-1 \\
(3a^2-6a-1)(-1)= & \underline{-3a^2+6a+1} & \underline{-3a^4+12a^3-9a^2-6a-1} \\
 & 3a^4-12a^3+9a^2+6a+1 &
\end{array}$$

8.

$$\begin{array}{rr|l}
 & & \underline{|4x^2+4x-1} \\
 & & 64x^6+192x^5+144x^4-32x^3-36x^2+12x-1 \\
 & & 64x^6 \\
\hline
 & 48x^4 & 192x^5+144x^4-32x^3 \\
(12x^2+4x)4x= & 48x^3+16x^2 & \\
\cline{2-2}
 & 48x^4+48x^3+16x^2 & 192x^5+192x^4+64x^3 \\
\cline{3-3}
3(4x^2+4x)^2= & 48x^4+96x^3+48x^2 & -48x^4-96x^3-36x^2+12x-1 \\
(12x^2+12x-1)(-1)= & -12x^2-12x+1 & \\
\cline{2-2}
 & 48x^4+96x^3+36x^2-12x+1 & -48x^4-96x^3-36x^2+12x-1 \\
\cline{3-3}
\end{array}$$

9.

$$\begin{array}{r|l}
 & \underline{|1-x+x^2-x^3} \\
 & 1-3x+6x^2-10x^3+12x^4-12x^5+10x^6-6x^7+3x^8-x^9 \\
 & 1 \\
\hline
3 & -3x+6x^2-10x^3 \\
-3x+x^2 & \\
\hline
3-3x+x^2 & -3x+3x^2-\ \ x^3 \\
\hline
3-6x+3x^2 & 3x^2-\ 9x^3+12x^4-12x^5+10x^6 \\
3x^2-3x^3+x^4 & 3x^2-\ 6x^3+\ 6x^4-\ 3x^5+\ \ x^6 \\
\hline
3-6x+6x^2-3x^3+x^4 & -\ 3x^3+\ 6x^4-\ 9x^5+\ 9x^6-6x^7+3x^8-x^9 \\
3-6x+9x^2-6x^3+3x^4 & \\
-3x^3+3x^4-3x^5+x^6 & \\
\hline
3-6x+9x^2-9x^3+6x^4-3x^5+x^6 & -\ 3x^3+\ 6x^4-\ 9x^5+\ 9x^6-6x^7+3x^8-x^9 \\
\hline
\end{array}$$

10.

$$\begin{array}{r|l}
 & \underline{|a^2+3ab+9b^2} \\
 & a^6+9a^5b-135a^3b^3+729ab^5-729b^6 \\
 & a^6 \\
\hline
3a^4 & 9a^5b-135a^3b^3+729ab^5 \\
9a^3b+9a^2b^2 & \\
\hline
3a^4+9a^3b+9a^2b^2 & 9a^5b+27a^4b^2+27a^3b^3 \\
\hline
3a^4+18a^3b+27a^2b^2 & -27a^4b^2-162a^3b^3+729ab^5-729b^6 \\
27a^2b^2-81ab^3-81b^4 & \\
\hline
3a^4+18a^3b\qquad\qquad -81ab^3-81b^4 & -27a^4b^2-162a^3b^3+729ab^5-729b^6 \\
\hline
\end{array}$$

11.

$$\begin{array}{r|l}
 & \underline{|c^2-4bc+4b^2} \\
 & c^6-12bc^5+60b^2c^4-160b^3c^3+240b^4c^2-192b^5c+64b^6 \\
 & c^6 \\
\hline
3c^4 & -12bc^5+60b^2c^4-160b^3c^3 \\
-12bc^3+16b^2c^2 & -12bc^5+48b^2c^4-\ 64b^3c^3 \\
\hline
3c^4-12bc^3+16b^2c^2 & 12b^2c^4-\ 96b^3c^3+240b^4c^2-192b^5c+64b^6 \\
3c^4-24bc^3+48b^2c^2 & \\
12b^2c^2-48b^3c-16b^4 & \\
\hline
3c^4-24bc^3+60b^2c^2-48b^3c+16b^4 & 12b^2c^4-\ 96b^3c^3+240b^4c^2-192b^5c+64b^6 \\
\hline
\end{array}$$

12.

$$\begin{array}{r|l}
 & \qquad\qquad\qquad\qquad\qquad\qquad \underline{|2a^2+4ab-3b^2} \\
 & 8a^6+48a^5b+60a^4b^2-80a^3b^3-90a^2b^4+108ab^5-27b^6 \\
 & 8a^6 \\
\hline
12a^4 & 48a^5b+60a^4b^2-80a^3b^3 \\
24a^3b+16a^2b^2 & \\
\hline
12a^4+24a^3b+16a^2b^2 & \underline{48a^5b+96a^4b^2+64a^3b^3} \\
12a^4+48a^3b+48a^2b^2 & -36a^4b^2-144a^3b^3-90a^2b^4+108ab^5-27b^6 \\
-18a^2b^2-36ab^3+9b^4 & \\
\hline
12a^4+48a^3b+30a^2b^2-36ab^3+9b^4 & \underline{-36a^4b^2-144a^3b^3-90a^2b^4+108ab^5-27b^6}
\end{array}$$

Exercise LXXXI.

1.

$$\begin{array}{rr|l}
 & & 27\dot{4}62\dot{5}\,\underline{|65} \\
6^3 = & & 216 \\
\hline
3(60)^2 = & 10800 & 58625 \\
3(60\times 5) = & 900 & \\
5^2 = & \underline{25} & \\
 & 11725 & \underline{58625}
\end{array}$$

3.

$$\begin{array}{rr|l}
 & & 26\dot{2}14\dot{4}\,\underline{|64} \\
6^3 = & & 216 \\
\hline
3(60)^2 = & 10800 & 46144 \\
3(60\times 5) = & 720 & \\
4^2 = & \underline{16} & \\
 & 11536 & \underline{46144}
\end{array}$$

2.

$$\begin{array}{rr|l}
 & & 11\dot{0}59\dot{2}\,\underline{|48} \\
4^3 = & & 64 \\
\hline
3(40)^2 = & 4800 & 46592 \\
3(40\times 8) = & 960 & \\
8^2 = & \underline{64} & \\
 & 5824 & \underline{46592}
\end{array}$$

4.

$$\begin{array}{rr|l}
 & & 88\dot{4}.73\dot{6}\,\underline{|9.6} \\
9^3 = & & 729 \\
\hline
3(90)^2 = & 24300 & 155736 \\
3(90\times 6) = & 1620 & \\
6^2 = & \underline{36} & \\
 & 25956 & \underline{155736}
\end{array}$$

5.

$$\begin{array}{rr|l}
 & & 10\dot{9}21\dot{5}35\dot{2}\,\underline{|478} \\
4^3 = & & 64 \\
\hline
3(40)^2 = & 4800 & 45215 \\
3(40\times 7) = & 840 & \\
7^2 = & \underline{49} & \\
 & 5689 & \underline{39823} \\
\hline
 & & 5392352 \\
3(470)^2 = & 662700 & \\
3(470\times 8) = & 11280 & \\
5^2 = & \underline{25} & \\
 & 674044 & \underline{5392352}
\end{array}$$

6.

$$\begin{array}{rr|l}
\multicolumn{2}{r}{} & \multicolumn{1}{l}{\dot{1}48\dot{1}54\dot{4}\,\lfloor\underline{114}} \\
\multicolumn{2}{r}{1^3 =} & \multicolumn{1}{l}{1} \\
3(10)^2 = & 300 & 481 \\
3(10 \times 1) = & 30 & \\
1^2 = & \underline{1} & \\
 & \underline{331} & \underline{331} \\
 & & 150544 \\
3(110)^2 = & 36300 & \\
3(110 \times 4) = & 1320 & \\
4^2 = & \underline{16} & \\
 & 37636 & \underline{150544}
\end{array}$$

7.

$$\begin{array}{rr|l}
\multicolumn{2}{r}{} & \multicolumn{1}{l}{\dot{1}60\dot{1}.61\dot{3}\,\lfloor\underline{11.7}} \\
\multicolumn{2}{r}{1^3 =} & \multicolumn{1}{l}{1} \\
3(10)^2 = & 300 & 601 \\
3(10 \times 1) = & 30 & \\
1^2 = & \underline{1} & \\
 & \underline{331} & \underline{331} \\
 & & 270613 \\
3(110)^2 = & 36300 & \\
3(110 \times 7) = & 2310 & \\
(7)^2 = & \underline{49} & \\
 & 38659 & \underline{270613}
\end{array}$$

8.

$$\begin{array}{rr|l}
\multicolumn{2}{r}{} & \multicolumn{1}{l}{\dot{1}25\dot{9}71\dot{2}\,\lfloor\underline{108}} \\
\multicolumn{2}{r}{1^3 =} & \multicolumn{1}{l}{1} \\
3(10)^2 = & 300 & 259712 \\
 & & \\
3(100)^2 = & 30000 & \\
3(100 \times 8) = & 2400 & \\
8^2 = & \underline{64} & \\
 & 32464 & \underline{259712}
\end{array}$$

9.

$$\begin{array}{rr|l}
\multicolumn{2}{r}{} & \multicolumn{1}{l}{\dot{2}.80\dot{3}22\dot{1}\,\lfloor\underline{1.41}} \\
\multicolumn{2}{r}{1^3 =} & \multicolumn{1}{l}{1} \\
3(10)^2 = & 300 & 1803 \\
3(10 \times 4) = & 120 & \\
4^2 = & \underline{16} & \\
 & \underline{436} & \underline{1744} \\
 & & 59221 \\
3(140)^2 = & 58800 & \\
3(140 \times 1) = & 420 & \\
1^2 = & \underline{1} & \\
 & 59221 & \underline{59221}
\end{array}$$

10.

$$\begin{array}{rr|l}
\multicolumn{2}{r}{} & \multicolumn{1}{l}{\dot{7}07\dot{7}88\dot{8}\,\lfloor\underline{192}} \\
\multicolumn{2}{r}{1^3 =} & \multicolumn{1}{l}{1} \\
3(10)^2 = & 300 & 6077 \\
3(10 \times 9) = & 270 & \\
9^2 = & \underline{81} & \\
 & 651 & \underline{5859} \\
 & & 218888 \\
3(190)^2 = & 108300 & \\
3(190 \times 2) = & 1140 & \\
2^2 = & \underline{4} & \\
 & 109444 & \underline{218888}
\end{array}$$

11.

$$\begin{array}{rr|l}
\multicolumn{2}{r}{} & \multicolumn{1}{l}{1\dot{2}.81\dot{2}90\dot{4}\,\lfloor\underline{2.34}} \\
\multicolumn{2}{r}{2^3 =} & \multicolumn{1}{l}{8} \\
3(20)^2 = & 1200 & 4812 \\
3(20 \times 3) = & 180 & \\
3^2 = & \underline{9} & \\
 & 1389 & \underline{4167} \\
 & & 645904 \\
3(20 \times 3) = & 180 & \\
2(3)^2 = & \underline{18} & \\
3(230)^2 = & 158700 & \\
3(230 \times 4) = & 2760 & \\
4^2 = & \underline{16} & \\
 & 161476 & \underline{645904}
\end{array}$$

12.

$$
\begin{array}{rr|ll}
 & & 5\dot{6}.62\dot{3}10\dot{4} & \underline{|\,3.84} \\
3^3 = & & \underline{27} & \\
3(30)^2 = & 2700 & 29623 & \\
3(30 \times 8) = & 720 & & \\
8^2 = & \underline{64} & & \\
 & 3484 & \underline{27872} & \\
 & & 1751104 & \\
3(380)^2 = & 433200 & & \\
3(380 \times 4) = & 4560 & & \\
4^2 = & \underline{16} & & \\
 & 437776 & \underline{1751104} &
\end{array}
$$

13.

$$
\begin{array}{rr|ll}
 & & 3\dot{3}07\dot{6}.16\dot{1} & \underline{|\,32.1} \\
3^3 = & & \underline{27} & \\
3(30)^2 = & 2700 & 6076 & \\
3(30 \times 2) = & 180 & & \\
(2)^2 = & \underline{4} & & \\
 & 2884 & \underline{5768} & \\
 & & 308161 & \\
3(30 \times 2) = & 180 & & \\
2(2)^2 = & \underline{8} & & \\
3(320)^2 = & 307200 & & \\
3(320 \times 1) = & 960 & & \\
1^2 = & \underline{1} & & \\
 & 308161 & \underline{308161} &
\end{array}
$$

14.

$$
\begin{array}{rr|ll}
 & & 10\dot{2}50\dot{3}.23\dot{2} & \underline{|\,46.8} \\
4^3 = & & \underline{64} & \\
3(40)^2 = & 4800 & 38503 & \\
3(40 \times 6) = & 720 & & \\
6^2 = & \underline{36} & & \\
 & 5556 & \underline{33336} & \\
 & & 5167232 & \\
3(460)^2 = & 634800 & & \\
3(460 \times 8) = & 11040 & & \\
8^2 = & \underline{64} & & \\
 & 645004 & \underline{5167232} &
\end{array}
$$

15.

		$82\dot{0}.02\dot{5}85\dot{6}$ | 9.36
$9^3 =$		729
$3(90)^2 =$	24300	91025
$3(90 \times 3) =$	810	
$3^2 =$	9	
	25119	75357
		15668856
	810	
	18	
$3(930)^2 =$	2594700	
$3(930 \times 6) =$	16740	
$6^2 =$	36	
	2611476	15668856

16.

		$\dot{8}65\dot{3}.00\dot{2}87\dot{7}$ | 20.53
$2^3 =$		8
$3(200)^2 =$	120000	653002
$5(200 \times 5) =$	3000	
$(5)^2 =$	25	
	123025	615125
		37877877
$3(2050)^2 =$	12607500	
$3(2050 \times 5) =$	18450	
$(3)^2 =$	9	
	12625959	37877877

17.

		$\dot{1}37\dot{1}33\dot{0}63\dot{1}$ | 1.111
$1^3 =$		1
$3(10)^2 =$	300	371
$3(10 \times 1) =$	30	
$1^3 =$	1	
	331	331
		40330
$3(110)^2 =$	36300	
$3(110 \times 1) =$	330	
$(1)^2 =$	1	
	36631	36631
		3699631
$3(1110)^2 =$	3696300	
$3(1110 \times 1) =$	3330	
$1^2 =$	1	
	3699631	3699631

18.

		$2\dot{0}91\dot{0}.51\dot{8}87\dot{5}$	27.55
$2^3 =$		8	
$3(20)^2 =$	1200	12910	
$3(20 \times 7) =$	420		
$7^2 =$	49		
	1669	11683	
		1227518	
	420		
	98		
$3(270)^2 =$	218700		
$3(270 \times 5) =$	4050		
$5^2 =$	25		
	222775	1113875	
		113643875	
	4050		
	50		
$3(2750)^2 =$	22687500		
$3(2750 \times 5) =$	41250		
$5^2 =$	25		
	22728775	113643875	

19.

		$9\dot{1}.39\dot{8}64\dot{8}46\dot{6}12\dot{5}$	4.5045
$4^3 =$		64	
$3(40)^2 =$	4800	27398	
$3(40 \times 5) =$	600		
$(5)^2 =$	25		
	5425	27125	
	600	273648466	
	50		
	60750000		
$3(4500 \times 4) =$	54000		
$4^2 =$	16	243216064	
	60804016	30432402125	
	54000		
	32		
	6085804800		
$3(45040 \times 5) =$	675600		
$5^2 =$	25		
	6086480425	30432402125	

20.

		$\dot{5}.34\dot{0}10\dot{4}39\dot{3}23\dot{9}$ | 1.7479
$1^3 =$		1
$3(10)^2 =$	300	4340
$3(10 \times 7) =$	210	
$(7)^2 =$	49	
	559	3913
	210	427104
	98	
$3(170)^2 =$	86700	
$3(170 \times 4) =$	2040	
$(4)^2 =$	16	
	88756	355024
	2040	72080393
	32	
$3(1740)^2 =$	9082800	
$3(1740 \times 7) =$	36540	
$7^2 =$	49	
	9119389	63835723
	36540	8244670239
	98	
$3(17470)^2 =$	915602700	
$3(17470 \times 9) =$	471690	
$9^2 =$	81	
	916074471	8244670239

21.

(1)

		$\dot{2}.50\dot{0}$ | 1.3572
$1^3 =$		1
$3(10)^2 =$	300	1500
$3(10 \times 3) =$	90	
$3^2 =$	9	1197
	399	303000
	90	
	18	
	50700	
$3(130 \times 5) =$	1950	
$5^2 =$	25	263375
	52675	39625000
	1950	
	50	
	5467500	
$3(1350 \times 7) =$	28350	
$7^2 =$	49	39471293
	5495899	153707000

(2)

		.200000000000	.5848
$5^3=$		125	
$3(50)^2=$	7500	75000	
$3(50\times 8)=$	1200		
$8^2=$	64		
	8764	70112	
	1200	4888000	
	128		
$3(580)^2=$	1009200		
$3(580\times 4)=$	6960		
$4^2=$	16		
	1016176	4064704	
	6960	823296000	
	32		
$3(5840)^2=$	102316800		
$3(5840\times 8)=$	140160		
$8^2=$	64		
	102457024	819656192	

(3)

		.010000000000	.2154
$2^3=$		8	
$3(20)^2=$	1200	2000	
$3(20\times 1)=$	60		
$1^2=$	1		
	1261	1261	
	60	739000	
	2		
$3(210)^2=$	132300		
$3(210\times 5)=$	3150		
$5^2=$	25		
	135475	677375	
	3150	61625000	
	50		
$3(2150)^2=$	13867500		
$3(2150\times 4)=$	25800		
$4^2=$	16		
	13893316	55573264	

(4)

		$\dot{4}.00\dot{0}00\dot{0}00\dot{0}00\dot{0}$	1.5874
$1^3 =$		1	
$3(10)^2 =$	300	3000	
$3(10 \times 5) =$	150		
$5^2 =$	25		
	475	2375	
	150	625000	
	50		
$3(150)^2 =$	67500		
$3(150 \times 8) =$	3600		
$8^2 =$	64		
	71164	569312	
	3600	55688000	
	128		
$3(1580)^2 =$	7489200		
$3(1580 \times 7) =$	33180		
$7^2 =$	49		
	7522429	52657003	
	33180	3030997000	
	98		
$3(15870)^2 =$	755570700		
$3(15870 \times 4) =$	190440		
$4^2 =$	16		
	755761156	3023044624	

(5)

		$.4\dot{0}0\dot{0}00\dot{0}00\dot{0}$	.7368
$7^3 =$		343	
$3(70)^2 =$	14700	57000	
$3(70 \times 3) =$	630		
$3^2 =$	9		
	15339	46017	
	630	10983000	
	18		
$3(730)^2 =$	1598700		
$3(730 \times 6) =$	13140		
$6^2 =$	36		
	1611876	9671256	
	13140	1611744000	
	72		
$3(7360)^3 =$	162508800		
$3(7360 \times 8) =$	196640		
$8^2 =$	64		
	162705504	1301644032	

EXERCISE LXXXII.

1.

$$\begin{array}{r|l}
 & 81a^4-540a^3b+1350a^2b^2-1500ab^3+625b^4 \;\underline{|\,9a^2-30ab+25b^2} \\
 & 81a^4 \\
18a^2-30ab & -540a^3b+1350a^2b^2 \\
 & -540a^3b+\;900a^2b^2 \\
18a^2-60ab+25b^2 & 450a^2b^2-1500ab^3+625b^4 \\
 & 450a^2b^2-1500ab^3+625b^4
\end{array}$$

$$\begin{array}{r|l}
 & 9a^2-30ab+25b^2 \;\underline{|\,3a-5b} \\
 & 9a^2 \\
6a-5b & -30ab+25b^2 \\
 & -30ab+25b^2
\end{array}$$

2.

$$\begin{array}{r|l}
 & x^8-4x^7+10x^6-16x^5+19x^4-16x^3+10x^2-4x+1 \;\underline{|\,x^4-2x^3+3x^2-2x+1} \\
 & x^8 \\
2x^4-2x^3 & -4x^7+10x^6 \\
 & -4x^7+\;4x^6 \\
2x^4-4x^3+3x^2 & 6x^6-16x^5+19x^4 \\
 & 6x^6-12x^5+\;9x^4 \\
2x^4-4x^3+6x^2-2x & -4x^5+10x^4-16x^3+10x^2 \\
 & -4x^5+\;8x^4-12x^3+\;4x^2 \\
2x^4-4x^3+6x^2-4x+1 & 2x^4-\;4x^3+\;6x^2-4x+1 \\
 & 2x^4-\;4x^3+\;6x^2-4x+1
\end{array}$$

$$\begin{array}{r|l}
 & x^4-2x^3+3x^2-2x+1 \;\underline{|\,x^2-x+1} \\
 & x^4 \\
2x^2-x & -2x^3+3x^2 \\
 & -2x^3+\;x^2 \\
2x^2-2x+1 & 2x^2-2x+1 \\
 & 2x^2-2x+1
\end{array}$$

3.

$$\begin{array}{r|l}
 & 64-192x+240x^2-160x^3+60x^4-12x^5+x^6 \;\underline{|\,8-12x+6x^2-x^3} \\
 & 64 \\
16-12x & -192x+240x^2 \\
 & -192x+144x^2 \\
16-24x+6x^2 & 96x^2-160x^3+60x^4 \\
 & 96x^2-144x^3+36x^4 \\
16-24x+12x^2-x^3 & -\;16x^3+24x^4-12x^5+x^6 \\
 & -\;16x^3+24x^4-12x^5+x^6
\end{array}$$

$$\begin{array}{rr|l}
 & & 8-12x+6x^2-x^3\ \underline{|2-x} \\
2^3= & & 8 \\
3(2)^2= & 12 & -12x+6x^2-x^3 \\
(6-x)(-x)= & \underline{\quad -6x+x^2} & \\
 & 12-6x+x^2 & \underline{-12x+6x^2-x^3}
\end{array}$$

4.

$$\begin{array}{rl}
 & 729x^6-1458x^5+1215x^4-540x^3+135x^2-18x+1\ \underline{|9x^2-6x+1} \\
(9x^2)^3= & \underline{729x^6} \\
243x^4 & \\
-162x^3 & -1458x^5+1215x^4-540x^3 \\
\underline{+36x^2} & \\
243x^4-162x^3+36x^2 & \underline{-1458x^5+\ 972x^4-216x^3} \\
 & 243x^4-324x^3+135x^2-18x+1 \\
243x^4-324x^3+108x^2 & \\
27x^2-18x & \\
\underline{+1} & \\
243x^4-324x^3+135x^2-18x+1 & \underline{243x^4-324x^3+135x^2-18x+1}
\end{array}$$

$$\begin{array}{r|l}
 & 9x^2-6x+1\ \underline{|3x-1} \\
 & 9x^2 \\
\underline{6x-1} & -6x+1 \\
 & \underline{-6x+1}
\end{array}$$

5.

$$\begin{array}{r|l}
 & 1-8y+28y^2-56y^3+70y^4-56y^5+28y^6-8y^7+y^8\ \underline{|1-4y+6y^2-4y^3+y^4} \\
 & 1 \\
2-4y & -8y+28y^2 \\
 & \underline{-8y+16y^2} \\
2-8y+6y^2 & 12y^2-56y^3+70y^4 \\
 & \underline{12x^2-48y^3+36y^4} \\
2-8y+12y^2-4y^3 & -\ 8y^3+34y^4-56y^5+28y^6 \\
 & \underline{-\ 8y^3+32y^4-48y^5+16y^6} \\
2-8y+12y^2-8y^3+y^4 & 2y^4-\ 8y^5+12y^6-8y^7+y^8 \\
 & \underline{2y^4-\ 8y^5+12y^6-8y^7+y^8}
\end{array}$$

$$\begin{array}{r|l}
 & 1-4y+6y^2-4y^3+y^4\ \underline{|1-2y+y^2} \\
 & 1 \\
2-2y & -4y+6y^2 \\
 & \underline{-4y+4y^2} \\
2-4y+x^2 & 2y^2-4y^3+y^4 \\
 & \underline{2y^2-4y^3+y^4}
\end{array}$$

$$\begin{array}{r|l}
 & 1-2y+y^2\ \underline{|1-y} \\
 & 1 \\
2-y & -2y+y^2 \\
 & \underline{-2y+y^2}
\end{array}$$

EXERCISE LXXXIII.

1.

$$x^2-3=46,$$
$$x^2=49.$$
$$\therefore x=\pm 7.$$

2. $2(x^2-1)-3(x^2+1)+14=0.$

Simplify,

$$2x^2-2-3x^2-3+14=0,$$
$$x^2=9.$$
$$\therefore x=\pm 3.$$

3. $\dfrac{x^2-5}{3}+\dfrac{2x^2+1}{6}=\dfrac{1}{2}.$

Simplify,

$$2x^2-10+2x^2+1=3,$$
$$4x^2=12,$$
$$x^2=3.$$
$$\therefore x=\pm\sqrt{3}.$$

4. $\dfrac{3}{1+x}+\dfrac{3}{1-x}=8.$

Simplify,

$$3-3x+3+3x=8-8x^2,$$
$$8x^2=2,$$
$$x^2=\tfrac{1}{4}.$$
$$\therefore x=\pm\tfrac{1}{2}.$$

5. $\dfrac{3}{4x^2}-\dfrac{1}{6x^2}=\dfrac{7}{3}.$

Simplify, $9-2=28x^2,$

$$-28x^2=-7,$$
$$x^2=\tfrac{1}{4}.$$
$$\therefore x=\pm\tfrac{1}{2}.$$

6.

$$5x^2-9=2x^2+24,$$
$$3x^2=33,$$
$$x^2=11.$$
$$\therefore x=\pm\sqrt{11}.$$

7. $(x+2)^2=4x+5.$

Simplify,

$$x^2+4x+4=4x+5.$$

Transpose and combine,

$$x^2=1.$$
$$\therefore x=\pm 1.$$

8. $\dfrac{x^2}{5}-\dfrac{x^2-10}{5}=7-\dfrac{50+x^2}{25}.$

Simplify,

$$15x^2-5x^2+50=525-150-3x^2.$$

Transpose and combine,

$$13x^2=325,$$
$$x^2=25.$$
$$\therefore x=\pm 5.$$

9. $\dfrac{3x^2-27}{x^2+3}+\dfrac{90+4x^2}{x^2+9}=7.$

Simplify, $(3x^2-27)(x^2+9)+(90+4x^2)(x^2+3)=7(x^2+3)(x^2+9).$

$$3x^4-243+4x^4+102x^2+270=7x^4+84x^2+89,$$
$$18x^2=162,$$
$$x^2=9.$$
$$\therefore x=\pm 3.$$

10. $8x+\dfrac{7}{x}=\dfrac{65x}{7}.$

Simplify, $56x^2+49=65x^2.$

Transpose and combine,

$$-9x^2=-49,$$
$$x^2=\tfrac{49}{9}.$$
$$\therefore x=\pm\tfrac{7}{3}$$
$$=2\tfrac{1}{3}.$$

11. $\dfrac{4x^2+5}{10}-\dfrac{2x^2-5}{15}=\dfrac{7x^2-25}{20}.$

Simplify,

$$24x^2+30-8x^2+20=21x^2-75,$$
$$24x^2-8x^2-21x^2=-75-30-20,$$
$$-5x^2=-125,$$
$$x^2=25.$$
$$\therefore x=\pm 5.$$

12.

$$\frac{10x^2+17}{8}-\frac{12x^2+2}{11x^2-8}=\frac{5x^2-4}{9}.$$

Simplify, $110x^4+107x^2-136-216x^2-36=110x^4-168x^2+64.$

Transpose and combine, $59x^2=236,$

$$x^2=4.$$

$$\therefore x=\pm 2.$$

13.

$$\frac{14x^2+16}{21}-\frac{2x^2+8}{8x^2-11}=\frac{2x^2}{3}.$$

Simplify, $112x^4-26x^2-176-42x^2-168=112x^4-154x^2.$

Transpose and combine, $86x^2=344,$

$$x^2=4.$$

$$\therefore x=\pm 2.$$

14. $x^2+bx+a=bx(1-bx),$

$$x^2+bx+a=bx-b^2x^2,$$

$$x^2+b^2x^2=-a,$$

$$x^2=-\frac{a}{1+b^2}.$$

$$\therefore x=\pm\sqrt{-\frac{a}{1+b^2}}.$$

15. $mx^2+n=9,$

$$mx^2=9-n.$$

$$\therefore x=\pm\sqrt{\frac{9-n}{m}}.$$

16. $x^2-ax+b=ax(x-1),$

$$x^2-ax+b=ax^2-ax,$$

$$x^2-ax^2=-b,$$

$$x^2(1-a)=-b,$$

$$x^2=\frac{b}{a-1}.$$

$$\therefore x=\pm\sqrt{\frac{b}{a-1}}.$$

EXERCISE LXXXIV.

1. $x^2+4x=12,$

Complete the square,

$$x^2+4x+4=16.$$

Extract the root,

$$x+2=\pm 4.$$

$$\therefore x=2 \text{ or } -6.$$

2. $x^2-6x=16.$

Complete the square,

$$x^2-6x+9=25.$$

Extract the root,

$$x-3=\pm 5.$$

$$\therefore x=8 \text{ or } -2.$$

3. $$x^2-12x+6=\tfrac{1}{4}.$$
$$x^2-12x=-\tfrac{23}{4}.$$

Complete the square,
$$x^2-12x+36=\tfrac{121}{4}.$$

Extract the root,
$$x-6=\pm\tfrac{11}{2}.$$
$$\therefore x=11\tfrac{1}{2} \text{ or } \tfrac{1}{2}.$$

4. $$x^2-7x=8.$$

Multiply by 4,
$$4x^2-28x=32.$$

Complete the square,
$$4x^2-(\;)+49=81.$$

Extract the root,
$$2x-7=\pm 9,$$
$$2x=7\pm 9.$$
$$\therefore x=8 \text{ or } -1.$$

5. $$3x^2-4x=7.$$

Multiply by 3,
$$9x^2-12x=21.$$

Complete the square,
$$9x^2-12x+4=25.$$

Extract the root,
$$3x-2=\pm 5,$$
$$3x=7 \text{ or } -3.$$
$$\therefore x=2\tfrac{1}{3} \text{ or } -1.$$

6. $$12x^2+x-1=0.$$
$$12x^2+x=1.$$

Multiply by 3,
$$36x^2+3x=3.$$

Complete the square,
$$36x^2+(\;)+\frac{1}{16}=\frac{49}{16}.$$

Extract the root,
$$6x+\tfrac{1}{4}=\pm\tfrac{7}{4},$$
$$6x=\tfrac{6}{4} \text{ or } -2.$$
$$\therefore x=\tfrac{1}{4} \text{ or } -\tfrac{1}{3}.$$

7. $$x^2-x=6.$$

Complete the square,
$$x^2-x+\frac{1}{4}=\frac{25}{4}.$$

Extract the root,
$$x-\frac{1}{2}=\pm\frac{5}{2},$$
$$x=\frac{1\pm 5}{2}.$$
$$\therefore x=3 \text{ or } -2.$$

8. $$5x^2-3x=2.$$

Multiply by 5,
$$25x^2-15x=10.$$

Complete the square,
$$25x^2-(\;)+\frac{9}{4}=\frac{49}{4}.$$

Extract the root,
$$5x-\frac{3}{2}=\pm\frac{7}{2},$$
$$5x=\frac{3\pm 7}{2}.$$
$$\therefore x=1 \text{ or } -\tfrac{2}{5}.$$

9. $$2x^2-27x=14.$$

Multiply by 8,
$$16x^2-216x=112.$$

Complete the square,
$$16x^2-(\;)+729=841.$$

Extract the root,
$$4x-27=\pm 29,$$
$$4x=56 \text{ or } -2.$$
$$\therefore x=14 \text{ or } -\tfrac{1}{2}.$$

10. $x^2 - \frac{2x}{3} + \frac{1}{12} = 0.$

$$x^2 - \frac{2x}{3} = -\frac{1}{12}.$$

Complete the square,

$$x^2 - \frac{2x}{3} + \frac{1}{9} = \frac{1}{36}.$$

Extract the root,

$$x - \frac{1}{3} = \pm\frac{1}{6},$$

$$x = \frac{1}{3} \pm \frac{1}{6}.$$

$$\therefore\ x = \frac{1}{2} \text{ or } \frac{1}{6}.$$

11. $\frac{x^2}{2} - \frac{x}{3} = 2(x+2).$

Simplify, $3x^2 - 2x = 12x + 24,$

$$3x^2 - 14x = 24.$$

Multiply by 3,

$$9x^2 - 42x = 72.$$

Complete the square,

$$9x^2 - (\ ) + 49 = 121.$$

Extract the root,

$$3x - 7 = \pm 11,$$

$$3x = 18 \text{ or } -4.$$

$$\therefore\ x = 6 \text{ or } -1\tfrac{1}{3}.$$

12. $\frac{3x}{4} + \frac{4}{3x} = \frac{13}{6}.$

Simplify,

$$9x^2 - 26x = -16.$$

Complete the square,

$$9x^2 - 26x + \frac{169}{9} = \frac{25}{9}.$$

Extract the root,

$$3x - \frac{13}{3} = \pm\frac{5}{3},$$

$$3x = 6 \text{ or } \frac{8}{3}.$$

$$\therefore\ x = 2 \text{ or } \frac{8}{9}.$$

13. $\frac{x+1}{x+4} = \frac{2x-1}{x+6}.$

Simplify,

$$(x+1)(x+6) = (2x-1)(x+4),$$

$$x^2 + 7x + 6 = 2x^2 + 7x - 4,$$

$$x^2 - 2x^2 + 7x - 7x = -4,$$

$$-x^2 = -4,$$

$$x^2 = 4.$$

$$\therefore\ x = \pm 2.$$

14. $\frac{x}{x+1} - \frac{x+3}{2(x+4)} = -\frac{1}{18}.$

Simplify, $18x^2 + 72x - 9x^2 - 36x - 27 = -x^2 - 5x - 4.$

Transpose and combine, $10x^2 + 41x = 23.$

Multiply by 10, $100x^2 + 410x = 230.$

Complete the square, $100x^2 + (\ ) + \frac{1681}{4} = \frac{2601}{4}.$

Extract the root, $10x + \frac{41}{2} = \pm\frac{51}{2},$

$$10x = -\frac{41}{2} \pm \frac{51}{2}.$$

$$\therefore\ x = \tfrac{1}{2} \text{ or } -4\tfrac{3}{5}.$$

15. $\dfrac{2}{x-1}=\dfrac{3}{x-2}+\dfrac{2}{x-4}.$

Simplify, $2x^2-12x+16=3x^2-15x+12+2x^2-6x+4.$

Transpose and combine, $-3x^2+9x=0.$

Divide by -3, $x^2-3x=0,$

or $x(x-3)=0.$

$\therefore x=3 \text{ or } 0.$

16.

$5x(x-3)-2(x^2-6)=(x+3)(x+4).$

Simplify, $5x^2-15x-2x^2+12=x^2+7x+12.$

Transpose and combine, $2x^2-22x=0,$

$x^2-11x=0,$

or $x(x-11)=0.$

$\therefore x=11 \text{ or } 0.$

17.

$\dfrac{3x}{2(x+1)}-\dfrac{5}{8}=\dfrac{3x^2}{x^2-1}-\dfrac{23}{4(x-1)}.$

Simplify, $12x^2-12x-5x^2+5=24x^2-46x-46.$

Divide by 17, $17x^2-34x=51,$

$x^2-2x=3.$

Complete the square, $x^2-(\ )+1=4.$

Extract the root, $x-1=\pm 2.$

$\therefore x=3 \text{ or } -1.$

18.

$(x-2)(x-4)-2(x-1)(x-3)=0.$

Simplify, $x^2-6x+8-2x^2+8x-6=0.$

Transpose and combine, $x^2-2x=2.$

Complete the square, $x^2-2x+1=3.$

Extract the root, $x-1=\pm\sqrt{3}.$

$\therefore x=1\pm\sqrt{3}.$

19.

$\dfrac{1}{7}(x-4)-\dfrac{2}{5}(x-2)=\dfrac{1}{x}(2x+3).$

Simplify, $5x^2-20x-14x^2+28x=70x+105.$

Transpose and combine, $9x^2+62x=-105.$

Complete the square, $324x^2+(\ )+(62)^2=64.$

Extract the root, $18x+62=\pm 8,$

$18x=-54 \text{ or } -70.$

$\therefore x=-3 \text{ or } -3\tfrac{8}{9}.$

20.

$$\frac{2}{5}(3x^2-x-5)-\frac{1}{3}(x^2-1)=2(x-2)^2.$$

Simplify, $18x^2-6x-30-5x^2+5=30x^2-120x+120,$

$17x^2-114x=-145.$

Multiply by 17, $289x^2-1938x=-2465.$

Complete the square, $289x^2-(\ )+3249=784.$

Extract the root, $17x-57=\pm 28.$

$\therefore x=5 \text{ or } 1\frac{12}{17}.$

21.

$$\frac{2x}{15}+\frac{3x-50}{3(10+x)}=\frac{12x+70}{190}.$$

Simplify, $760x+78x^2+510x-9500=38x^2+510x+2100,$

$40x^2+760x=11600.$

Divide by 10, $4x^2+76x=1160.$

Complete the square, $4x^2+(\ )+361=1521.$

Extract the root, $2x+19=\pm 39.$

$\therefore x=10 \text{ or } -29.$

22.

$$\frac{x}{x^2-1}=\frac{15-7x}{8(1-x)},$$

or $$\frac{x}{(x+1)(x-1)}=\frac{7x-15}{8(x-1)}.$$

Simplify, $8x=7x^2-8x-15,$

$7x^2-16x=15.$

Multiply by 7, $49x^2-112x=105.$

Complete the square, $49x^2-(\ )+64=169.$

Extract the root, $7x-8=\pm 13.$

$\therefore x=3 \text{ or } -\frac{5}{7}.$

23.

$$\frac{2x-1}{x-1}+\frac{1}{6}=\frac{2x-3}{x-2}.$$

Simplify, $12x^2-30x+12+x^2-3x+2=12x-30x+18.$

Transpose and combine, $x^2-3x=4.$

Complete the square, $4x^2-(\ )+9=25.$

Extract the root, $2x-3=\pm 5.$

$\therefore x=4 \text{ or } -1.$

24.

$$\frac{x+2}{x-1}-\frac{4-x}{2x}=\frac{7}{3}.$$

Simplify, $6x^2+12x+3x^2-15x+12=14x^2-14x.$

Transpose and combine, $5x^2-11x=12.$

Multiply by 5, $25x^2-55x=60.$

Complete the square, $25x^2-(\ )+\frac{121}{4}=\frac{361}{4}.$

Extract the root, $5x-\frac{11}{2}=\pm\frac{19}{2},$

$$5x=15 \text{ or } -4.$$

$$\therefore x=3 \text{ or } -\tfrac{4}{5}.$$

25.

$$x-\frac{14x-9}{8x-3}=\frac{x^2-3}{x+1}.$$

Simplify, $8x^3+5x^2-3x-14x^2-5x+9=8x^3-24x-3x^2+9.$

Transpose and combine, $-6x^2+16x=0.$

Divide by -2, $3x^2-8x=0,$

$$x(3x-8)=0.$$

$$\therefore x=0 \text{ or } 2\tfrac{2}{3}.$$

26.

$$1-\frac{x+5}{2x+1}=\frac{x-6}{x-2}.$$

Simplify, $2x^2-3x-2-x^2-3x+10=2x^2-11x-6.$

Transpose and combine, $x^2-5x=14.$

Complete the square, $x^2-(\ )+\frac{25}{4}=\frac{81}{4}.$

Extract the root, $x-\frac{5}{2}=\pm\frac{9}{2}.$

$$\therefore x=7 \text{ or } -2.$$

27.

$$\frac{x}{7-x}+\frac{7-x}{x}=2\tfrac{9}{10}.$$

Simplify, $10x^2+490-140x+10x^2=203x-29x^2.$

Transpose and combine, $49x^2-343x=-490.$

Divide by 49, $x^2-7x=-10.$

Complete the square, $x^2-(\ )+\frac{49}{4}=\frac{9}{4}.$

Extract the root, $x-\frac{7}{2}=\pm\frac{3}{2}.$

$$\therefore x=5 \text{ or } 2.$$

28.

$$\frac{2x+3}{2(2x-1)}-\frac{7-x}{2(x+1)}=\frac{7-3x}{4-3x}.$$

Simplify, $-14x^2-12x^3+22x+24-12x^3+106x^2-162x+56$
$= 44x^2-40x-24x^3-28.$

Transpose and combine, $48x^2-180x=-108.$

Divide by 12, $4x^2-15x=-9.$

Multiply by 16 and complete the square,

$$64x^2-(\ )+225=81.$$

Extract the root, $8x-15=\pm 9,$

$$8x=24 \text{ or } 6.$$

$$\therefore x=3 \text{ or } \tfrac{3}{4}.$$

29.

$$\frac{12x^3-11x^2+10x-78}{8x^2-7x+6}=-1\tfrac{1}{2}\,x-\frac{1}{2}.$$

Simplify, $24x^3-22x^2+20x-156=24x^3-21x^2+18x-8x^2+7x-6.$

Transpose and combine, $7x^2-5x=150.$

Multiply by 28, $196x^2-140x=4200.$

Complete the square, $196x^2-(\ )+25=4225.$

Extract the root, $14x-5=\pm 65.$

$$\therefore x=5 \text{ or } -4\tfrac{2}{7}.$$

30.

$$\frac{6}{x-1}-\frac{18}{x+5}=\frac{7}{x+1}-\frac{8}{x-5},$$

$$\text{or } \frac{6}{x-1}-\frac{7}{x+1}=\frac{18}{x+5}-\frac{8}{x-5}.$$

Combine,

$$\frac{13-x}{x^2-1}=\frac{10x-130}{x^2-25},$$

$$\text{or } \frac{13-x}{x^2-1}=-\frac{10(13-x)}{x^2-25}.$$

$$\therefore x=13.$$

Hence, if $13-x=0$, the equation is satisfied.
Otherwise we may divide by $13-x$.

$$\frac{1}{x^2-1}=\frac{-10}{x^2-25}.$$

Simplify, $x^2-25=10-10x^2,$

$$11x^2=35,$$

$$x^2=\frac{35}{11}.$$

$$\therefore x=\pm\sqrt{\frac{35}{11}}.$$

EXERCISE LXXXV.

1. $$x^2 + 2ax = a^2.$$

Complete the square,

$$x^2 + 2ax + a^2 = 2a^2.$$

Extract the root,

$$x + a = \pm a\sqrt{2}.$$

$$\therefore x = -a \pm a\sqrt{2}.$$

2. $$x^2 = 4ax + 7a^2.$$

Transpose,

$$x^2 - 4ax = 7a^2.$$

Complete the square,

$$x^2 - 4ax + 4a^2 = 11a^2.$$

Extract the root,

$$x - 2a = \pm a\sqrt{11}.$$

$$\therefore x = 2a \pm a\sqrt{11}.$$

3. $$x^2 = \frac{7m^2}{4} - 3mx.$$

$$4x^2 = 7m^2 - 12mx,$$

$$4x^2 + 12mx = 7m^2,$$

$$4x^2 + (\ ) + (3m)^2 = 16m^2,$$

$$2x + 3m = \pm 4m,$$

$$2x = \pm 4m - 3m.$$

$$\therefore x = -\frac{7m}{2} \text{ or } \frac{m}{2}.$$

4. $$x^2 - \frac{5nx}{2} - \frac{3n^2}{2} = 0.$$

$$2x^2 - 5nx - 3n^2 = 0,$$

$$4x^2 - 10nx = 6n^2,$$

$$4x^2 - (\ ) + \frac{25n^2}{4} = \frac{49n^2}{4},$$

$$2x - \frac{5n}{2} = \pm\frac{7n}{2},$$

$$2x = 6n \text{ or } -n.$$

$$\therefore x = 3n \text{ or } -\frac{n}{2}.$$

5. $$\frac{a^2}{(x+a)^2} = \frac{b^2}{(x-a)^2}.$$

$$a^2(x-a)^2 = b^2(x+a)^2,$$

$$a(x-a) = \pm b(x+a),$$

$$ax - a^2 = bx + ab,$$

$$x(a-b) = a^2 + ab.$$

$$\therefore x = \frac{a(a+b)}{a-b};$$

$$\text{or } ax - a^2 = -bx - ab,$$

$$x(a+b) = a^2 - ab.$$

$$\therefore x = \frac{a(a-b)}{a+b}.$$

6. $$cx = ax^2 + bx^2 - \frac{ac}{a+b}.$$

$$acx + bcx = a^2x^2 + 2abx^2 + b^2x^2 - ac,$$

$$a^2x^2 + 2abx^2 + b^2x^2 - acx - bcx = ac,$$

$$x^2(a^2 + 2ab + b^2) - x(ac + bc) = ac,$$

$$x^2(a^2 + 2ab + b^2) - (\ ) + \frac{c^2}{4} = \frac{4ac + c^2}{4},$$

$$x(a+b) - \frac{c}{2} = \pm\frac{\sqrt{4ac + c^2}}{2},$$

$$x(a+b) = \frac{c \pm \sqrt{4ac + c^2}}{2}.$$

$$\therefore x = \frac{c \pm \sqrt{4ac + c^2}}{2(a+b)}.$$

7.

$$\frac{a^2x^2}{b^2}+\frac{b^2}{c^2}=\frac{2ax}{c}.$$

$$a^2c^2x^2+b^4=2ab^2cx,$$

$$a^2c^2x^2-2ab^2cx=-b^4,$$

$$a^2c^2x^2-(\ )+b^4=0,$$

$$acx-b^2=0,$$

$$acx=b^2,$$

$$\therefore x=\frac{b^2}{ac}.$$

8

$$(a^2+1)x=ax^2+a.$$

$$a^2x+x=ax^2+a,$$

$$ax^2-(a^2+1)x=-a,$$

$$4a^2x^2-(\ )+(a^2+1)^2=a^4-2a^2+1,$$

$$2ax-(a^2+1)=\pm(a^2-1),$$

$$2ax=(a^2+1)\pm(a^2-1).$$

$$\therefore x=a \text{ or } \frac{1}{a}.$$

9.

$$\frac{a}{x-a}+\frac{b}{x-b}=\frac{2c}{x-c}.$$

$$a(x-b)(x-c)+b(x-a)(x-c)=2c(x-a)(x-b),$$

$$ax^2-abx-acx+abc+bx^2-abx-bcx+abc=2cx^2-2acx-2bcx+2abc,$$

$$x^2(a+b-2c)+x(ac+bc-2ab)=0.$$

$$\therefore x=0 \text{ or } \frac{2ab-ac-bc}{a+b-2c}.$$

10.

$$\frac{1}{a+b+x}=\frac{1}{a}+\frac{1}{b}+\frac{1}{x}.$$

$$abx=abx+b^2x+bx^2+a^2x+abx+ax^2+a^2b+ab^2+abx,$$

$$x^2(a+b)+x(a+b)^2=-ab(a+b).$$

Divide by $(a+b)$, $x^2+(a+b)x=-ab,$

$$4x^2+(\ )+(a+b)^2=a^2-2ab+b^2,$$

$$2x+(a+b)=\pm(a-b),$$

$$2x=-2b \text{ or } -2a.$$

$$\therefore x=-b \text{ or } -a.$$

11.

$$\frac{1}{a-x}-\frac{1}{a+x}=\frac{3+x^2}{a^2-x^2}.$$

$$a+x-a+x=3+x^2,$$

$$x^2-2x=-3,$$

$$x^2-2x+1=-2,$$

$$x-1=\pm\sqrt{-2}.$$

$$\therefore x=1\pm\sqrt{-2}.$$

12.

$$\frac{x^2+2ab(a^2+b^2)}{a^2+b^2}=2x.$$

$$x^2+2ab(a^2+b^2)=2x(a^2+b^2),$$

$$x^2-2x(a^2+b^2)=-2a^3b-2ab^3,$$

$$x^2-(\ )+(a^2+b^2)^2=a^4-2a^3b+2a^2b^2-2ab^3+b^4,$$

$$x^2-(\ )+(a^2+b^2)^2=(a^2+b^2)(a-b)^2,$$

$$x-(a^2+b^2)=\pm(a-b)\sqrt{a^2+b^2}.$$

$$\therefore x=a^2+b^2\pm(a-b)\sqrt{a^2+b^2}.$$

13. $$\frac{(2x-a)^2}{2x-a+2b}=b.$$
$$4x^2-4ax+a^2=2bx-ab+2b^2,$$
$$4x^2-2x(2a+b)=-a^2-ab+2b^2,$$
$$16x^2-(\ )+(2a+b)^2=9b^2,$$
$$4x-(2a+b)=\pm 3b,$$
$$4x=2a-2b,$$
$$\text{or } 2a+4b.$$
$$\therefore x=\frac{a-b}{2}\text{ or }\frac{a+2b}{2}.$$

14. $$x^2+ax=a+x.$$
$$x^2+ax-x=a,$$
$$x^2+(a-1)x=a,$$
$$4x^2+(\ )+(a-1)^2=a^2+2a+1,$$
$$2x+(a-1)=\pm(a+1),$$
$$2x=-(a-1)\pm(a+1).$$
$$\therefore x=1\text{ or }-a.$$

15. $$x^2+ax=bx+ab.$$
$$x^2+(a-b)x=ab,$$
$$4x^2+(\ )+(a-b)^2=(a+b)^2,$$
$$2x+(a-b)=\pm(a+b),$$
$$2x=-2a\text{ or }2b.$$
$$\therefore x=-a\text{ or }b.$$

16. $$\frac{x}{a}+\frac{a}{x}=\frac{x}{b}+\frac{b}{x}.$$
$$x^2b+a^2b=ax^2+ab^2,$$
$$x^2b-x^2a=ab^2-a^2b,$$
$$x^2(b-a)=ab(b-a).$$
Divide by $(b-a)$,
$$x^2=ab.$$
$$\therefore x=\pm\sqrt{ab}.$$

17.
$$\frac{1}{x}+\frac{1}{x+b}=\frac{1}{a}+\frac{1}{a+b}.$$
$$a^2x+a^2b+abx+ab^2+a^2x+abx=ax^2+abx+bx^2+b^2x+ax^2+abx,$$
$$2ax^2+bx^2-2a^2x+b^2x=a^2b+ab^2,$$
$$(2a+b)x^2-(2a^2-b^2)x=a^2b+ab^2,$$
$$4x^2(2a+b)^2-(\ )+(2a^2-b^2)^2=4a^4+8a^3b+8a^2b^2+4ab^3+b^4,$$
$$2x(2a+b)-(2a^2-b^2)=\pm(2a^2+2ab+b^2),$$
$$2x(2a+b)=(4a^2+2ab)\text{ or }-(2ab+2b^2).$$
$$\therefore x=a\text{ or }-\frac{b(a+b)}{2a+b}.$$

18. $$\frac{a}{3}+\frac{5x}{4}-\frac{x^2}{3a}=0.$$
$$4a^2+15ax-4x^2=0,$$
$$4x^2-15ax=4a^2,$$
$$64x^2-(\ )+225a^2=289a^2,$$
$$8x-15a=\pm 17a,$$
$$8x=32a\text{ or }-2a.$$
$$\therefore x=4a\text{ or }-\frac{a}{4}.$$

19. $$\frac{x+3}{x-3}=a+\frac{x-3}{x+3}.$$
$$\frac{x+3}{x-3}-\frac{x-3}{x+3}=a,$$
$$x^2+6x+9-x^2$$
$$+6x-9=ax^2-9a,$$
$$ax^2-12x=9a,$$
$$a^2x^2-12ax=9a^2,$$
$$a^2x^2-(\ )+36=9a^2+36,$$
$$ax-6=\pm\sqrt{9(a^2+4)},$$
$$ax=6\pm 3\sqrt{a^2+4}.$$
$$\therefore x=\frac{6\pm 3\sqrt{a^2+4}}{a}.$$

20.

$$mx^2 - 1 = \frac{x(m^3 - n^2)}{mn}.$$
$$m^2nx^2 - mn = x(m^3 - n^2),$$
$$m^2nx^2 - (m^3 - n^2)x = mn,$$
$$4m^4n^2x^2 - (\ ) + (m^3 - n^2)^2 = m^6 + 2m^3n^2 + n^4,$$
$$2m^2nx - (m^3 - n^2) = \pm (m^3 + n^2),$$
$$2m^2nx = 2m^3 \text{ or } -2n^2.$$
$$\therefore x = \frac{m}{n} \text{ or } -\frac{n}{m^2}.$$

21.

$$(ax - b)(bx - a) = c^2,$$
$$abx^2 - b^2x - a^2x + ab = c^2,$$
$$abx^2 - (a^2 + b^2)x = c^2 - ab,$$
$$4a^2b^2x^2 - 4ab(a^2 + b^2)x = 4abc^2 - 4a^2b^2,$$
$$4a^2b^2x^2 - (\ ) + (a^2 + b^2)^2 = (a^2 - b^2)^2 + 4abc^2,$$
$$2abx - (a^2 + b^2) = \pm\sqrt{(a^2 - b^2)^2 + 4abc^2},$$
$$\therefore x = \frac{a^2 + b^2 \pm \sqrt{(a^2 - b^2)^2 + 4abc^2}}{2ab}.$$

22. $$\frac{ax + b}{bx + a} = \frac{mx + n}{nx + m}.$$
$$anx^2 + bnx + amx + bm$$
$$= bmx^2 + bnx + amx + an,$$
$$anx^2 - bmx^2 = an - bm,$$
$$x^2(an - bm) = an - bm,$$
$$x^2 = 1.$$
$$\therefore x = \pm 1.$$

23. $$\frac{m}{m + x} + \frac{m}{m - x} = c.$$
$$m^2 - mx + m^2 + mx = cm^2 - cx^2,$$
$$cx^2 = cm^2 - 2m^2,$$
$$x\sqrt{c} = \pm m\sqrt{c - 2}.$$
$$\therefore x = \pm m\sqrt{\frac{c - 2}{c}}.$$

24.

$$\frac{(a - 1)^2x^2 + 2(3a - 1)x}{4a - 1} = 1.$$
$$(a - 1)^2x^2 + 2(3a - 1)x = 4a - 1,$$
$$4(a - 1)^4x^2 + (\ ) + (6a - 2)^2 = 16a^3,$$
$$2(a - 1)^2x + (6a - 2) = \pm 4a\sqrt{a},$$
$$2(a - 1)^2x = 2 - 6a \pm 4a\sqrt{a}.$$
$$\therefore x = \frac{1 - 3a \pm 2a\sqrt{a}}{(a - 1)^2}.$$

25.

$$\frac{(a^2-b^2)(x^2+1)}{a^2+b^2}=2x.$$

$$\begin{aligned}
a^2x^2-b^2x^2+a^2-b^2 &= 2a^2x+2b^2x,\\
a^2x^2-b^2x^2-2a^2x-2b^2x &= b^2-a^2,\\
x^2(a^2-b^2)-2x(a^2+b^2) &= b^2-a^2,\\
x^2(a^2-b^2)^2-2x(a^4-b^4) &= -a^4+2a^2b^2-b^4,\\
x^2(a^2-b^2)^2-(\ )+(a^2+b^2)^2 &= 4a^2b^2,\\
x(a^2-b^2)-(a^2+b^2) &= \pm 2ab,\\
x(a^2-b^2) &= a^2+b^2\pm 2ab\\
&= (a\pm b)^2.\\
\therefore\ x &= \frac{a+b}{a-b}\text{ or }\frac{a-b}{a+b}.
\end{aligned}$$

26.

$$\frac{x^2-4mnx}{(m+n)^2}=(m-n)^2.$$

$$\begin{aligned}
x^2-4mnx &= m^4-2m^2n^2+n^4,\\
x^2-(\ )+4m^2n^2 &= m^4+2m^2n^2+n^4,\\
x-2mn &= \pm(m^2+n^2),\\
x &= 2mn\pm(m^2+n^2)\\
&= (m+n)^2\text{ or }-(m-n)^2.
\end{aligned}$$

27.

$$x^2+\frac{a-b}{ab^2}=\frac{14a^2-5ab-10b^2}{18a^2b^2}+\frac{(2a-3b)x}{2ab}.$$

$$\begin{aligned}
18a^2b^2x^2-(18a^2b-27ab^2)x &= -4a^2+13ab-10b^2,\\
144a^2b^2x^2-(144a^2b-216ab^2)x &= -32a^2+104ab-80b^2,\\
144a^2b^2x^2-(\ )+(6a-9b)^2 &= 4a^2-4ab+b^2,\\
12abx-(6a-9b) &= \pm(2a-b),\\
12abx &= 8a-10b\text{ or }4a-8b.\\
\therefore\ x &= \frac{4a-5b}{6ab}\text{ or }\frac{a-2b}{3ab}.
\end{aligned}$$

28.

$$abx^2+\frac{b^2x}{c}=\frac{6a^2+ab-2b^2}{c^2}-\frac{3a^2x}{c}.$$

$$\begin{aligned}
abc^2x^2+b^2cx &= 6a^2+ab-2b^2-3a^2cx,\\
abc^2x^2+(3a^2c+b^2c)x &= 6a^2+ab-2b^2,\\
4a^2b^2c^2x^2+4abcx(3a^2+b^2) &= 24a^3b+4a^2b^2-8ab^3,\\
4a^2b^2c^2x^2+(\ )+(3a^2+b^2)^2 &= 9a^4+24a^3b+10a^2b^2-8ab^2+b^4,\\
2abcx+3a^2+b^2 &= \pm(3a^2+4ab-b^2).\\
\therefore\ x &= \frac{2a-b}{ac}\text{ or }-\frac{3a+2b}{bc}.
\end{aligned}$$

29.

$$\begin{aligned}\frac{x^2}{3m-2a}-\frac{m^2-4a^2}{4a-6m}&=\frac{x}{2}.\\ \frac{2x^2}{3m-2a}-\frac{4a^2-m^2}{3m-2a}&=x,\\ 2x^2-4a^2+m^2&=3mx-2ax,\\ 2x^2+(2a-3m)x&=4a^2-m^2,\\ 16x^2+(\;)+(2a-3m)^2&=(36a^2-12am+m^2),\\ 4x+(2a-3m)&=\pm(6a-m),\\ 4x&=-8a+4m \text{ or } 4a+2m.\\ \therefore x&=m-2a \text{ or } a+\frac{m}{2}.\end{aligned}$$

30.

$$\begin{aligned}6x+\frac{(a+b)^2}{x}&=5(a-b)+\frac{25ab}{6x}.\\ 36x^2+6(a+b)^2&=30x(a-b)+25ab,\\ 36x^2-30x(a-b)&=25ab-6(a+b)^2,\\ 36x^2-(\;)+\frac{25}{4}(a-b)^2&=\frac{a^2+2ab+b^2}{4},\\ 6x-\frac{5}{2}(a-b)&=\pm\frac{a+b}{2},\\ 6x&=\frac{6a-4b}{2} \text{ or } \frac{4a-6b}{2}.\\ \therefore x&=\frac{3a-2b}{6} \text{ and } \frac{2a-3b}{6}.\end{aligned}$$

31.

$$\begin{aligned}\tfrac{8}{9}(x^2+a^2+ab)&=\tfrac{1}{9}x(20a+4b).\\ 8x^2+8a^2+8ab&=20ax+4bx,\\ 8x^2-(20a+4b)x&=-8a^2-8ab,\\ 16x^2-2(20a+4b)x&=-16a^2-16ab,\\ 16x^2-(\;)+(5a+b)^2&=9a^2-6ab+b^2,\\ 4x-(5a+b)&=\pm(3a-b),\\ 4x&=(5a+b)\pm(3a-b).\\ \therefore x&=2a \text{ or } \frac{a+b}{2}.\end{aligned}$$

32.

$$\begin{aligned}x^2-(b-a)c&=ax-bx+cx.\\ x^2+bx-ax-cx&=(b-a)c,\\ x^2+(b-a-c)x&=(b-a)c,\\ 4x^2+(\;)+(b-a-c)^2&=a^2+b^2+c^2-2ab-2ac+2bc,\\ 2x+(b-a-c)&=\pm(a-b-c),\\ 2x&=2a-2b \text{ or } 2c.\\ \therefore x&=a-b \text{ or } c.\end{aligned}$$

33.

$$\begin{aligned}
x^2 - 2mx &= (n-p+m)(n-p-m).\\
x^2 - 2mx &= n^2 - 2np + p^2 - m^2,\\
x^2 - (\ ) + m^2 &= n^2 - 2np + p^2,\\
x - m &= \pm (n-p).\\
\therefore\ x &= m \pm (n-p).
\end{aligned}$$

34.

$$\begin{aligned}
x^2 - (m+n)x &= \tfrac{1}{4}(p+q+m+n)(p+q-m-n).\\
4x^2 - 4(m+n)x &= (p+q+m+n)(p+q-m-n),\\
4x^2 - (\ ) + (m+n)^2 &= p^2 + 2pq + q^2,\\
2x - (m+n) &= \pm (p+q),\\
2x &= m + n \pm (p+q).\\
\therefore\ x &= \frac{m+n\pm(p+q)}{2}.
\end{aligned}$$

35.

$$\begin{aligned}
mnx^2 - (m+n)(mn+1)x + (m+n)^2 &= 0.\\
mnx^2 - (m^2n + mn^2 + m + n)x &= -m^2 - 2mn - n^2,\\
4m^2n^2x^2 - 4mn(m^2n + mn^2 + m + n)x &= -4m^3n - 8m^2n^2 - 4mn^3,\\
4m^2n^2x^2 - (\ ) + (m^2n + mn^2 + m + n)^2 &= m^4n^2 + 2m^3n^3 - 2m^3n - 4m^2n^2\\
&\quad + m^2n^4 - 2mn^3 + m^2 + 2mn + n^2,\\
2mnx - (m^2n + mn^2 + m + n) &= \pm (m^2n + mn^2 - m - n),\\
2mnx &= 2m^2n + 2mn^2 \text{ or } 2m + 2n.\\
\therefore\ x &= m + n \text{ or } \frac{m+n}{mn}.
\end{aligned}$$

36.

$$\begin{aligned}
\frac{2b-x-2a}{bx} + \frac{4b-7a}{ax-bx} &= \frac{x-4a}{ab-b^2}.\\
4ab - ax - 2a^2 - 2b^2 + bx + 4b^2 - 7ab &= x^2 - 4ax,\\
x^2 - 3ax - bx &= 2b^2 - 3ab - 2a^2,\\
x^2 - (3a+b)x &= 2b^2 - 3ab - 2a^2,\\
4x^2 - 4(3a+b)x &= 8b^2 - 12ab - 8a^2,\\
4x^2 - (\ ) + (3a+b)^2 &= a^2 - 6ab + 9b^2,\\
2x - (3a+b) &= \pm (a - 3b),\\
2x &= 4a - 2b \text{ or } 2a + 4b.\\
\therefore\ x &= 2a - b \text{ or } a + 2b.
\end{aligned}$$

37.

$$2x^2(a^2-b^2)-(3a^2+b^2)(x-1)=(3b^2+a^2)(x+1).$$

$$2x^2(a^2-b^2)-3a^2x-b^2x+3a^2+b^2=3b^2x+a^2x+3b^2+a^2,$$

$$2x^2(a^2-b^2)-4a^2x-4b^2x=2b^2-2a^2.$$

Divide by 2, $x^2(a^2-b^2)-2(a^2+b^2)x=b^2-a^2,$

$$x^2(a^2-b^2)^2-2(a^4-b^4)x=(b^2-a^2)(a^2-b^2),$$

$$x^2(a^2-b^2)^2-(\ )+(a^2+b^2)^2=4a^2b^2,$$

$$x(a^2-b^2)-(a^2+b^2)=\pm 2ab,$$

$$x(a^2-b^2)=(a+b)^2 \text{ or } (a-b)^2.$$

$$\therefore x=\frac{a+b}{a-b} \text{ or } \frac{a-b}{a+b}.$$

38.

$$\frac{a-2b-x}{a^2-4b^2}-\frac{5b-x}{ax+2bx}+\frac{2a-x-19b}{2bx-ax}=0.$$

$$\frac{a-2b-x}{(a-2b)(a+2b)}-\frac{5b-x}{(a+2b)x}-\frac{2a-x-19b}{(a-2b)x}=0,$$

$$ax-2bx-x^2-5ab+ax+10b^2-2bx-2a^2$$
$$+ax+15ab+2bx+38b^2=0,$$

$$3ax-2bx-x^2+10ab+48b^2-2a^2=0.$$

$$x^2-(3a-2b)x=-2a^2+10ab+48b^2,$$

$$4x^2-(\ )+(3a-2b)^2=a^2+28ab+196b^2,$$

$$2x-(3a-2b)=\pm(a+14b),$$

$$2x=4a+12b \text{ or } 2a-16b.$$

$$\therefore x=2a+6b \text{ or } a-8b.$$

39.

$$\frac{x+13a+3b}{5a-3b-x}-1=\frac{a-2b}{x+2b}$$

$$x^2+13ax+5bx+26ab+6b^2$$
$$-5ax+5bx+x^2+6b^2-10ab=5a^2-13ab-ax+6b^2+2bx,$$

$$2x^2+(9a+8b)x=5a^2-29ab-6b^2,$$

$$16x^2+8(9a+8b)x=40a^2-232ab-48b^2,$$

$$16x^2+(\ )+(9a+8b)^2=121a^2-88ab+16b^2,$$

$$4x+(9a+8b)=\pm(11a-4b),$$

$$4x=2a-12b \text{ or } -(20a+4b).$$

$$\therefore x=\frac{a}{2}-3b \text{ or } -(5a+b).$$

40.

$$\frac{x+3b}{8a^2-12ab}-\frac{3b}{9b^2-4a^2}-\frac{a+3b}{(2a+3b)(x-3b)}=0.$$

$$\frac{x+3b}{4a(2a-3b)}+\frac{3b}{(2a-3b)(2a+3b)}-\frac{a+3b}{(2a+3b)(x-3b)}=0,$$

$$(x^2-9b^2)(2a+3b)+12abx-36ab^2-4a(2a^2+3ab-9b^2)=0.$$

$$(2a+3b)^2x^2+12abx=8a^3+12a^2b+18ab^2+27b^3,$$

$$4(2a+3b)^2x^2+(\ )+(12ab)^2=64a^4+192a^3b+432a^2b^2+432ab^3+324b^4,$$

$$2(2a+3b)x+12ab=\pm(8a^2+12ab+18b^2),$$

$$(2a+3b)x=4a^2+9b^2 \text{ or } -(4a^2+12ab+9b^2).$$

$$\therefore x=\frac{4a^2+9b^2}{2a+3b} \text{ or } -(2a+3b).$$

41.

$$nx^2+px-px^2-mx+m-n=0.$$

$$nx^2-px^2+px-mx=n-m,$$

$$x^2(n-p)+x(p-m)=n-m,$$

$$4x^2(n-p)^2+(\ )+(p-m)^2=4n^2-4mn-4pn+4pm+p^2-2pm+m^2,$$

$$2x(n-p)+(p-m)=\pm(2n-p-m),$$

$$2x(n-p)=m-p+2n-p-m,$$

$$\text{or } m-p-2n+p+m.$$

$$\therefore x=1 \text{ or } \frac{m-n}{n-p}.$$

42.

$$(a+b+c)x^2-(2a+b+c)x+a=0.$$

$$(a+b+c)x^2-(2a+b+c)x=-a,$$

$$4x^2(a+b+c)^2-(\ )+(2a+b+c)^2=b^2+2bc+c^2,$$

$$2x(a+b+c)-(2a+b+c)=\pm(b+c),$$

$$2x(a+b+c)=(2a+b+c)\pm(b+c),$$

$$2x(a+b+c)=2a+2b+2c \text{ or } 2a.$$

$$\therefore x=1 \text{ or } \frac{a}{a+b+c}.$$

43.

$$(ax-b)(c-d)=(a-b)(cx-d).$$

$$acx-bc-adx+bd=acx^2-adx-bcx^2+bdx,$$

$$bcx^2-acx^2+acx-bdx=bc-bd,$$

$$(bc-ac)x^2+(ac-bd)x=bc-bd,$$

$$4(bc-ac)^2x^2+(\;)+(ac-bd)^2=4b^2c^2-4abc^2-4b^2cd$$
$$+2abcd+a^2c^2+b^2d^2,$$

$$2(bc-ac)x+(ac-bd)=\pm(2bc-ac-bd),$$

$$2(bc-ac)x=-(ac-bd)\pm(2bc-ac-bd),$$

$$x=\frac{-ac+bd+2bc-ac-bd}{2(bc-ac)}$$

$$\text{or }\frac{-ac+bd-2bc+ac+bd}{2(bc-ac)}.$$

$$\therefore x=1\text{ or }\frac{b(c-d)}{c(a-b)}.$$

44.

$$\frac{2x+1}{b}-\frac{1}{x}\left(\frac{1}{b}-\frac{2}{a}\right)=\frac{3x+1}{a}.$$

$$\frac{2x+1}{b}-\frac{a-2b}{abx}=\frac{3x-1}{a},$$

$$2ax^2+ax-a+2b=3bx^2+bx,$$

$$2ax^2-3bx^2+ax-bx=a-2b,$$

$$x^2(2a-3b)+x(a-b)=a-2b,$$

$$4x^2(2a-3b)^2+4x(a-b)(2a+3b)=(4a-8b)(2a-3b),$$

$$4x^2(2a-3b)^2+(\;)+(a-b)^2=9a^2-30ab+25b^2,$$

$$2x(2a-3b)+(a-b)=\pm(3a-5b),$$

$$2x(2a-3b)=-a+b\pm(3a-5b),$$

$$2x(2a-3b)=2a-4b\text{ or }-4a+6b.$$

$$\therefore x=\frac{a-2b}{2a-3b}\text{ or }-1.$$

45.

$$\frac{1}{2x^2+x+1}+\frac{1}{2x^2-3x+1}=\frac{a}{2bx-b}-\frac{2bx+b}{ax^2-a}.$$

$$\frac{1}{(2x-1)(x+1)}+\frac{1}{(2x-1)(x-1)}=\frac{a}{b(2x-1)}-\frac{2bx+b}{a(x-1)(x+1)}.$$

$$\text{L.C.D.}=ab(x-1)(x+1)(2x-1).$$

Simplify,
$$\begin{aligned}
abx-ab+abx+ab &= a^2x^2-a^2-4b^2x^2+b^2,\\
2abx &= a^2x^2-a^2-4b^2x^2+b^2,\\
4b^2x^2-a^2x^2+2abx &= b^2-a^2,\\
x^2(4b^2-a^2)+x(2ab) &= b^2-a^2,\\
4x^2(4b^2-a^2)^2+4x(2ab)(4b^2-a^2) &= 16b^4-20b^2a^2+4a^4,\\
4x^2(4b^2-a^2)^2+(\ )+(2ab)^2 &= 16b^4-16b^2a^2+4a^4,\\
2x(4b^2-a^2)+2ab &= \pm(4b^2-2a^2),\\
2x(4b^2-a^2) &= 4b^2-2ab-2a^2\\
&\quad\text{or } 2a^2-2ab-4b^2,\\
x &= \frac{2b^2-ab-a^2}{4b^2-a^2}\text{ or }\frac{a^2-ab-2b^2}{4b^2-a^2}.\\
\therefore\ x &= \frac{b-a}{2b-a}\text{ or }-\frac{b+a}{2b+a}.
\end{aligned}$$

Exercise LXXXVI.

1.
$$\begin{aligned}
(x+1)(x-2)(x^2+x-2)&=0.\\
(x+1)(x-2)(x-1)(x+2)&=0.\\
\therefore\ x&=-1,\ 2,\ 1,\ -2.
\end{aligned}$$

2.
$$\begin{aligned}
(x^2-3x+2)(x^2-x-12)&=0.\\
(x-2)(x-1)(x-4)(x+3)&=0.\\
\therefore\ x&=2,\ 1,\ 4,\ -3.
\end{aligned}$$

3.
$$\begin{aligned}
(x+1)(x-2)(x+3)&=-6.\\
x^3+2x^2-5x-6&=-6,\\
x^3+2x^2-5x&=0.\\
x(x^2+2x-5)&=0;
\end{aligned}$$
which is satisfied if $x=0$,
or if $x^2+2x-5=0$.
By solving $x^2+2x-5=0$,
$$x=-1\pm\sqrt{6}.$$
$$\therefore\ x=0,\ -1\pm\sqrt{6}.$$

4.
$$\begin{aligned}
2x^3+4x^2-70x&=0.\\
2x(x^2+2x-35)x&=0,\\
2x(x+7)(x-5)&=0;
\end{aligned}$$
which is satisfied if $x=0$,
$x+7=0$,
or if $x-5=0$.
$\therefore\ x=0,\ -7,\ 5.$

5.
$$\begin{aligned}
(x^2-x-6)(x^2-x-20)&=0.\\
(x-3)(x+2)(x-5)(x+4)&=0.\\
\therefore\ x&=3,\ -2,\ 5,\ -4.
\end{aligned}$$

6.

$$x(x+1)(x+2)=a(a+1)(a+2).$$
$$x^3+3x^2+2x=a^3+3a^2+2a,$$
$$x^3+3x^2+2x-a^3-3a^2-2a=0,$$
$$(x^3-a^3)+(3x^2-3a^2)+(2x-2a)=0,$$
$$(x^2+ax+a^2)(x-a)+(3x+3a)(x-a)+2(x-a)=0,$$
$$(x^2+ax+a^2+3x+3a+2)(x-a)=0.$$
$$\therefore\ x-a=0,$$

and $x=a$.

Or, $x^2+ax+a^2+3x+3a+2=0.$

$$x^2+ax+3x=-a^2-3a-2,$$
$$x^2+x(a+3)=-a^2-3a-2,$$
$$4x^2+(\ )+(a+3)^2=1-6a-3a^2,$$
$$2x+(a+3)=\pm\sqrt{1-6a-3a^2}.$$
$$\therefore\ x=-\frac{a+3}{2}\pm\tfrac{1}{2}\sqrt{1-6a-3a^2}.$$
$$\therefore\ x=-\tfrac{1}{2}(a+3\mp\sqrt{1-6a-3a^2}).$$

7. $x^3-x^2-x+1=0.$

$$(x^2-1)(x-1)=0,$$
$$(x+1)(x-1)(x-1)=0.$$
$$\therefore\ x=1,\ 1,\ -1.$$

8. $8x^3-1=0.$

$$(2x-1)(4x^2+2x+1)=0.$$

From the first factor,

$$x=\tfrac{1}{2},$$

or $4x^2+2x=-1.$

$$16x^2+(\ )+1=-3,$$
$$4x+1=\pm\sqrt{-3}.$$
$$\therefore\ x=\tfrac{1}{4}(-1\pm\sqrt{-3}).$$

9. $8x^3+1=0.$

$$(2x+1)(4x^2-2x+1)=0.$$

From the first factor,

$$x=-\tfrac{1}{2},$$

or $4x^2-2x=-1.$

$$4x^2-2x=-1,$$
$$16x^2-(\ )+1=-3,$$
$$4x-1=\pm\sqrt{-3}.$$
$$\therefore\ x=\tfrac{1}{4}(1\pm\sqrt{-3}).$$

10. $x^6-1=0.$

$$(x^3+1)(x^3-1)=0,$$
$$(x+1)(x^2-x+1)$$
$$(x-1)(x^2+x+1)=0,$$

and $x=-1,\ 1.$

From $x^2-x+1=0,$

$$x^2-x=-1,$$
$$4x^2-(\ )+1=-3,$$
$$2x-1=\pm\sqrt{-3},$$

and $x=\dfrac{1\pm\sqrt{-3}}{2}.$

From $x^2+x+1=0,$

$$x^2+x=-1,$$
$$4x^2+(\ )+1=-3,$$
$$2x+1=\pm\sqrt{-3},$$

and $x=\dfrac{-1\pm\sqrt{-3}}{2}.$

$\therefore\ x=1,\ -1,\ \dfrac{1\pm\sqrt{-3}}{2},$

and $\dfrac{-1\pm\sqrt{-3}}{2}.$

11. $$x(x-a)(x^2-b^2)=0.$$
$$x(x-a)(x+b)(x-b)=0.$$
$$\therefore\ x=0,\ a,\ \pm b.$$

12. $$n(x^3+1)+(x+1)=0.$$
$$(x+1)(nx^2-nx+n+1)=0.$$
$$(n+1)(x+1)(x^2-x+1)=0.$$
If $x+1=0,$
$$x=-1;$$
or if $nx^2-nx+n+1=0.$

By solving, $x=\frac{1}{2}\pm\frac{1}{2n}\sqrt{-3n^3-4n}.$

EXERCISE LXXXVII.

1. $(x-2)(x-1)=0.$
$$x^2-3x+2=0.$$

2. $(x-7)(x+3)=0.$
$$x^2-4x-21=0.$$

3. $\left(x-\frac{1}{2}\right)\left(x-\frac{1}{3}\right)=0.$
$$(2x-1)(3x-1)=0,$$
$$6x^2-5x+1=0.$$

4. $\left(x-\frac{2}{3}\right)\left(x+\frac{3}{2}\right)=0.$
$$x^2+\frac{5x}{6}-1=0,$$
$$6x^2+5x-6=0.$$

5 $\left(x+5\right)\left(x+\frac{1}{2}\right)=0,$

or $x^2+\frac{11x}{2}+\frac{5}{2}=0,$

or $2x^2+11x+5=0.$

6. $\left(x+\frac{7}{9}\right)\left(x-\frac{9}{7}\right)=0.$
$$(9x+7)(7x-9)=0,$$
$$63x^2-32x-63=0.$$

7. $\left(x-3\right)\left(x+3\right)\left(x-\frac{3}{4}\right)\left(x+\frac{3}{4}\right)=0.$
$$x^4-\frac{153x^2}{16}+\frac{81}{16}=0,$$
$$16x^4-153x^2+81=0.$$

8. $(x-0)(x-1)(x-2)(x-3)=0.$
$$x^4-6x^3+11x^2-6x=0.$$

9. $\left(x-0\right)\left(x+\frac{1}{2}\right)\left(x-\frac{3}{2}\right)\left(x+1\right)=0.$
$$4x^4-7x^2-3x=0.$$

10. $\{x-(a-2b)\}\{x-(3a+2b)\}=0.$
$(x-a+2b)(x-3a-2b)=0,$
$x^2-4ax+3a^2-4ab-4b^2=0.$

11. $\{x-(2a-b)\}\{x-(b-3a)\}=0.$
$(x-2a+b)(x-b+3a)=0,$
$x^2+ax-6a^2+5ab-b^2=0.$

12. $\{x-(a^2+a)\}\{x-(1-a)=0.$
$(x-a^2-a)(x-1+a)=0,$
$x^2-a^2x-x-a^3+a=0.$

13. $x^2-7x+12=0.$

In this equation p is 7 and q is 12.

$\therefore\ \sqrt{p^2-4q}=\sqrt{49-48}$
$=\sqrt{1}.$

$\therefore$ roots are rational, and both positive.

14. $x^2-7x-30=0.$

In this equation p is -7 and q is -30.

$\therefore\ \sqrt{p^2-4q}=\sqrt{49+120}$
$=13.$

$\therefore$ roots are rational, and of opposite signs.

15. $x^2+4x-5=0.$

In this equation p is 4 and q is -5.

$\therefore\ \sqrt{p^2-4q}=\sqrt{16+20}=6.$

$\therefore$ roots are rational, and of opposite signs.

16. $5x^2+8=0.$

In this equation p is 0 and q is 8.

$\therefore\ \sqrt{p^2-4q}=\sqrt{0-32}$
$=\sqrt{-32}.$

$\therefore$ roots are imaginary.

17. $x^2+4x+1=0.$

In this equation p is 4 and q is 1.

$\therefore\ \sqrt{p^2-4q}=\sqrt{16-4}$
$=\sqrt{12}.$

$\therefore$ roots are surds, and negative.

18. $x^2-2x+9=0.$

In this equation p is -2 and q is 9.

$\therefore\ \sqrt{p^2-4q}=\sqrt{4-36}$
$=\sqrt{-32}.$

$\therefore$ roots are imaginary.

19. $4x^2-4x-4=0.$

$x^2-\frac{4}{3}x-\frac{4}{3}=0.$

Here $p=-\frac{4}{3}$, $q=-\frac{4}{3}$.

$\therefore\ \sqrt{p^2-4q}=\sqrt{\frac{16}{9}+\frac{16}{3}}$
$=\sqrt{\frac{64}{9}}=\frac{8}{3}$

$\therefore$ roots are rational, and of opposite signs.

20. $x^2+4x+4=0.$

In this equation p is 4 and q is 4.

$\therefore\ \sqrt{p^2-4q}=\sqrt{16-16}$
$=\sqrt{0}=0.$

$\therefore$ roots are rational, equal in value, and both negative.

EXERCISE LXXXVIII.

1.

Let $4 + 6x - x^2 = m.$

$$x^2 - 6x - 4 = -m,$$
$$x^2 - 6x = 4 - m,$$
$$x^2 - (\ ) + 9 = 13 - m,$$
$$x - 3 = \pm\sqrt{13 - m}.$$
$$\therefore x = 3 \pm \sqrt{13 - m}.$$

Since $\sqrt{13 - m}$ cannot be negative, m cannot be greater than 13; that is, the maximum value is 13.

2.

Let $\frac{(x + a)^2}{x} = m.$

Then $x^2 + 2ax + a^2 = mx,$

and $4x^2 + 4x(2a - m) = -4a^2.$

$$4x^2 + (\ ) + (2a - m)^2 = m^2 - 4am,$$
$$2x + (2a - m) = \pm\sqrt{m(m - 4a)},$$
$$2x = -(2a - m) \pm \sqrt{m(m - 4a)}.$$
$$\therefore x = -\frac{2a - m}{2} \pm \tfrac{1}{2}\sqrt{m(m - 4a)},$$
$$x = -\tfrac{1}{2}(2a - m) \mp \sqrt{m(m - 4a)}.$$

$4a$ cannot be greater than m, or else we should have a negative number under the radical, and the value of x would be impossible. Hence, $4a$ is the minimum value.

3.

Let $\frac{x^2 + 1}{x} = m.$

$$x^2 + 1 = mx,$$
$$x^2 - mx = -1,$$
$$4x^2 - (\ ) + (m)^2 = m^2 - 4,$$
$$2x - m = \pm\sqrt{m^2 - 4}.$$

Since $\sqrt{m^2 - 4}$ cannot be negative, m^2 cannot be less than 4, and therefore m cannot be less than 2; that is, 2 is the minimum value.

4.

Let $$(a-x)(x-b)=m.$$

Then $$ax-ab-x^2+bx=m,$$

or $$x^2-x(a+b)=-ab-m,$$

$$4x^2-(\ )+(a+b)^2=(a-b)^2-4m,$$

$$2x-(a+b)=\pm\sqrt{(a-b)^2-4m}.$$

$$\therefore x=\tfrac{1}{2}(a+b)\pm\sqrt{(a-b)^2-4m}.$$

Now, for all possible values of x, $(a-b)^2-4m$ cannot be negative; that is, m cannot be greater than $\left(\frac{a-b}{4}\right)^2$; hence this is the maximum value.

5.

Let $$\frac{x}{1+x^2}=m.$$

$$x=m+mx^2,$$

$$mx^2-x=-m,$$

$$4m^2x^2-(\ )+1=1-m,$$

$$2mx-1=\pm\sqrt{1-m}.$$

$$\therefore x=\frac{1}{2m}(1\pm\sqrt{1-m}).$$

For all possible values of x, $1-m$ cannot be negative; that is, m cannot be greater than 1, and for this value $x=\frac{1}{2}$.

$\therefore$ 1 is the maximum value.

6.

Let $$x^2+8x+20=m.$$

$$x^2+8x=m-20,$$

$$x^2+(\ )+16=m-4,$$

$$x+4=\pm\sqrt{m-4}.$$

$$\therefore x=-4\pm\sqrt{m-4}.$$

For all possible values of x, m cannot be negative; that is, m cannot be less than 4.

$\therefore$ 4 is the minimum value.

7.

Let
$$x^2 - 2x + 9 = m.$$
$$x^2 - 2x = m - 9,$$
$$x^2 - (\ ) + 1 = m - 8,$$
$$x - 1 = \pm\sqrt{m - 8}.$$
$$\therefore x = 1 \pm \sqrt{m - 8}.$$

For all possible values of x, $m - 8$ cannot be negative; that is, m cannot be less than 8, and for this value $x = 1$.

$\therefore$ 8 is the minimum value.

8.

Let
$$\frac{x^2}{(x + a)(x - b)} = m.$$
$$x^2 = mx^2 + amx - bmx - abm,$$
$$x^2 - mx^2 - amx + bmx = - abm,$$
$$x^2(1 - m) - x(am - bm) = - abm,$$
$$4(1 - m)^2x^2 - (\ ) + (am - bm)^2 = a^2m^2 + 2abm^2 + b^2m^2 - 4abm,$$
$$4(1 - m)^2x^2 - (\ ) + (am - bm)^2 = (am + bm)^2 - 4abm,$$
$$2x(1 - m) - (am + bm) = \pm\sqrt{(am + bm)^2 - 4abm},$$
$$2x(1 - m) - (am - bm) = \pm\sqrt{m^2(a + b)^2 - 4abm}.$$
$$\therefore x = \tfrac{1}{2}\left\{\frac{am - bm}{1 - m} \pm \frac{1}{1 - m}\sqrt{m^2(a + b^2) - 4abm}\right\}.$$

For all possible values of x, $m^2(a + b)^2 - 4abm$ cannot be negative; that is, $m^2(a + b)^2$ cannot be less than $-4abm$, and for this value $x = \dfrac{am - bm}{2(1 - m)}$.

$\therefore \dfrac{4ab}{(a + b)^2}$ is the minimum value.

9.

Let
$$\frac{x}{a + x^2} = m.$$
$$x = am + mx^2,$$
$$mx^2 - x = - am,$$
$$4m^2x^2 - (\ ) + 1 = 1 - 4am^2,$$
$$2mx - 1 = \pm\sqrt{1 - 4am^2}.$$
$$\therefore x = \frac{1}{2m}(1 \pm \sqrt{1 - 4am^2}).$$

For all possible values of x, $1 - 4am^2$ cannot be negative; that is, m cannot be greater than $\pm \tfrac{1}{2}\sqrt{\dfrac{1}{a}}$, and for this value $x = \dfrac{1}{2m}$.

$\therefore \pm \tfrac{1}{2}\sqrt{\dfrac{1}{a}}$ is the maximum value.

10. Divide a line 20 in. long into two parts so that the sum of the squares on these two parts may be the least possible.

Let $x =$ number of inches in first part,
and $20 - x =$ number of inches in second part.

$$\begin{aligned} x^2 + (20 - x)^2 &= m, \\ x^2 + 400 - 40x + x^2 &= m, \\ 2x^2 - 40x &= m - 400, \\ 4x^2 - (\ ) + 400 &= 2m - 400, \\ 2x - 20 &= \pm\sqrt{2m - 400}. \end{aligned}$$

Then, as $\sqrt{2m - 400}$ cannot be a negative expression, $2m$ cannot be less than 400.

∴ 200 is the minimum value.

For this value,

$$\begin{aligned} 2x^2 - 40x &= -200, \\ x^2 - 20x &= -100, \\ x^2 - (\ ) + 100 &= 0, \\ x - 10 &= 0. \\ \therefore x &= 10, \\ 20 - x &= 10. \end{aligned}$$

11. Divide a line 20 in. long into two parts so that the rectangle contained by the parts may be the greatest possible.

Let $x =$ one part,
then $20 - x =$ the other part.

$$\begin{aligned} 20x - x^2 &= m, \\ x^2 - 20x &= -m, \\ x^2 - (\ ) + 100 &= 100 - m, \\ x - 10 &= \pm\sqrt{100 - m}. \\ \therefore x &= 10 \pm\sqrt{100 - m}. \end{aligned}$$

For all possible values of x, $100 - m$ cannot be negative; that is, m cannot be greater than 100, and for this value $x = 10$.

∴ 100 is the maximum value.

Substitute value of m,

$$\begin{aligned} x &= 10 \pm\sqrt{100 - 100}, \\ x &= 10, \\ 20 - x &= 10. \end{aligned}$$

12. Find the fraction which has the greatest excess over its square.

Let $x =$ the fraction,
then $x^2 =$ the square of the fraction.

$$\begin{aligned} x - x^2 &= m,\\ x^2 - x &= -m,\\ 4x^2 - (\ ) + 1 &= 1 - 4m,\\ 2x - 1 &= \pm\sqrt{1-4m}.\\ \therefore x &= \tfrac{1}{2}(1 \pm \sqrt{1-4m}). \end{aligned}$$

For all possible values of x, $1 - 4m$ cannot be negative; that is, m cannot be greater than $\frac{1}{4}$.

$\therefore \frac{1}{4}$ is the maximum value.

For this value, $x = \frac{1}{2}$.

EXERCISE LXXXIX.

1.

$$\begin{aligned} x^6 + 7x^3 &= 8.\\ 4x^6 + (\ ) + 49 &= 81,\\ 2x^3 + 7 &= \pm 9,\\ 2x^3 &= -7 \pm 9,\\ x^3 &= -8 \text{ or } 1.\\ \text{Since}\quad x^3 &= -8,\\ x^3 + 8 &= 0,\\ \text{or}\quad (x+2)(x^2-2x+4) &= 0.\\ \text{Whence}\quad x + 2 &= 0,\\ \text{and}\quad x &= -2,\\ \text{or}\quad x^2 - 2x + 4 &= 0.\\ x^2 - 2x &= -4,\\ x^2 - (\ ) + 1 &= -3,\\ x - 1 &= \pm\sqrt{-3}.\\ \therefore x &= 1 \pm \sqrt{-3}.\\ \text{Since}\quad x^3 &= 1,\\ x^3 - 1 &= 0,\\ \text{or}\quad (x-1)(x^2+x+1) &= 0.\\ \text{Whence}\quad x - 1 &= 0,\\ \text{and}\quad x &= 1,\\ \text{or}\quad x^2 + x + 1 &= 0,\\ x^2 + x &= -1,\\ 4x^2 + (\ ) + 1 &= -3,\\ 2x + 1 &= \pm\sqrt{-3}.\\ \therefore x &= \tfrac{1}{2}(-1 \pm \sqrt{-3}). \end{aligned}$$

$$\therefore x = -2,\ 1,\ 1 \pm \sqrt{-3}, \text{ and } \tfrac{1}{2}(-1 \pm \sqrt{-3}).$$

2.

$$\begin{aligned} x^4 - 5x^2 + 4 &= 0.\\ x^4 - 5x^2 &= -4,\\ 4x^4 - (\ ) + 25 &= 9,\\ 2x^2 - 5 &= \pm 3,\\ 2x^2 &= 5 \pm 3,\\ x^2 &= 4 \text{ or } 1.\\ \therefore x &= \pm 2, \pm 1. \end{aligned}$$

3.

$$\begin{aligned} 37x^2 - 9 &= 4x^4.\\ 4x^4 - 37x^2 &= -9,\\ 64x^4 - (\ ) + (37)^2 &= 1225,\\ 8x^2 - 37 &= \pm 35,\\ 8x^2 &= 72 \text{ or } 2,\\ x^2 &= 9 \text{ or } \tfrac{1}{4}.\\ \therefore x &= \pm 3 \text{ or } \pm \tfrac{1}{2}. \end{aligned}$$

4.

$$\begin{aligned} 16x^8 &= 17x^4 - 1.\\ 16x^8 - 17x^4 &= 1,\\ 1024x^8 - (\ ) + (17)^2 &= 225,\\ 32x^4 - 17 &= \pm 15,\\ 32x^4 &= 32 \text{ or } 2,\\ x^4 &= 1 \text{ or } \tfrac{1}{16}.\\ \text{Since}\quad x^4 &= 1,\\ x^4 - 1 &= 0,\\ \text{or}\quad (x^2+1)(x+1)(x-1) &= 0.\\ \therefore x &= \pm\sqrt{-1}, -1, \text{ or } 1.\\ \text{Since}\quad x^4 &= \tfrac{1}{16},\\ x^4 - \tfrac{1}{16} &= 0,\\ \text{or}\quad (x^2+\tfrac{1}{4})(x+\tfrac{1}{2})(x-\tfrac{1}{2}) &= 0.\\ \therefore x &= \pm\sqrt{-\tfrac{1}{2}}, -\tfrac{1}{2}, \text{ or } \tfrac{1}{2}. \end{aligned}$$

$\therefore$ the roots are

$$\pm 1, \pm\sqrt{-1}, \pm\tfrac{1}{2}, \pm\sqrt{-\tfrac{1}{2}}.$$

5. $32x^{10}-33x^5+1=0.$

$$\begin{aligned}32x^{10}-33x^5&=-1,\\4096x^{10}-(\ )+(33)^2&=961,\\64x^5-33&=\pm 31,\\64x^5&=64 \text{ or } 2,\\x^5&=1 \text{ or } \tfrac{1}{32}.\\\therefore x&=1 \text{ or } \tfrac{1}{2}.\end{aligned}$$

Other roots may be found by methods given later.

6. $(x^2-2)^2=\frac{1}{4}(x^2+12).$

$$\begin{aligned}x^4-4x^2+4&=\frac{x^2+12}{4},\\4x^4-16x^2+16&=x^2+12,\\4x^4-17x^2&=-4,\\64x^4-(\ )+(17)^2&=225,\\8x^2-17&=\pm 15,\\8x^2&=2 \text{ or } 32,\\x^2&=\tfrac{1}{4} \text{ or } 4.\\\therefore x&=\pm\tfrac{1}{2} \text{ or } \pm 2.\end{aligned}$$

7. $x^{4n}-\frac{5x^{2n}}{3}-\frac{25}{12}=0.$

$$\begin{aligned}12x^{4n}-20x^{2n}-25&=0,\\12x^{4n}-20x^{2n}&=25,\\36x^{4n}-(\ )+25&=100,\\6x^{2n}-5&=\pm 10,\\6x^{2n}&=15 \text{ or } -5,\\x^{2n}&=\tfrac{5}{2} \text{ or } -\tfrac{5}{6}.\\\therefore x&=\sqrt[2n]{\tfrac{5}{2}} \text{ or } \sqrt[2n]{-\tfrac{5}{6}}.\end{aligned}$$

8. $(x^2-9)^2=3+11(x^2-2).$

$$\begin{aligned}x^4-18x^2+81&=11x^2-19,\\x^4-29x^2&=-100,\\4x^4-(\ )+(29)^2&=441,\\2x^2-29&=\pm 21,\\x^2&=25 \text{ or } 4.\\\therefore x&=\pm 5 \text{ or } \pm 2.\end{aligned}$$

9. $x^6+14x^3+24=0.$

$$\begin{aligned}x^6+14x^3&=-24,\\x^6+(\ )+49&=25,\\x^3+7&=\pm 5,\\x^3&=-2 \text{ or } -12.\\\therefore x&=\sqrt[3]{-2} \text{ or } \sqrt[3]{-12}.\end{aligned}$$

10. $19x^4+216x^7=x.$

$$\begin{aligned}216x^7+19x^4-x&=0,\\x(216x^6+19x^3-1)&=0,\\x(27x^3-1)(8x^3+1)&=0,\\x(3x-1)(9x^2+3x+1)&\\(2x+1)(4x^2-2x+1)&=0.\\\therefore x&=0,\ \tfrac{1}{3},\ -\tfrac{1}{2}.\end{aligned}$$

From

$$\begin{aligned}9x^2+3x+1&=0,\\9x^2+3x&=-1,\\9x^2+(\ )+\tfrac{1}{4}&=-\tfrac{3}{4},\\3x+\tfrac{1}{2}&=\pm\tfrac{1}{2}\sqrt{-3},\\3x&=-\tfrac{1}{2}\pm\tfrac{1}{2}\sqrt{-3}.\\\therefore x&=\tfrac{1}{6}(-1\pm\sqrt{-3}).\end{aligned}$$

From

$$\begin{aligned}4x^2-2x+1&=0,\\4x^2-2x&=-1,\\4x^2-2x+\tfrac{1}{4}&=-\tfrac{3}{4},\\2x-\tfrac{1}{2}&=\pm\tfrac{1}{2}\sqrt{-3},\\2x&=\tfrac{1}{2}\pm\tfrac{1}{2}\sqrt{-3}.\\\therefore x&=\tfrac{1}{4}(1\pm\sqrt{-3}).\end{aligned}$$

$\therefore$ roots are $0,\ \frac{1}{3},\ -\frac{1}{2},$

$\frac{1}{6}(-1\pm\sqrt{-3}),\ \frac{1}{4}(1\pm\sqrt{-3}).$

11. $x^8+22x^4+21=0.$

$$\begin{aligned}x^8+22x^4&=-21,\\x^8+(\ )+121&=100,\\x^4+11&=\pm 10,\\x^4&=-1 \text{ or } -21.\\\therefore x&=\pm\sqrt[4]{-1}\\&\text{or } \pm\sqrt[4]{-21}.\end{aligned}$$

That is, the roots are imaginary.

12. $x^{2m}+3x^m-4=0.$

$$\begin{aligned}4x^{2m}+12x^m-16&=0,\\4x^{2m}+(\ )+(3)^2&=25,\\2x^m+3&=\pm 5,\\2x^m&=2 \text{ or } -8.\\\therefore x&=1 \text{ or } \sqrt[m]{-4}.\end{aligned}$$

13.

$$4x^4 - 20x^3 + 23x^2 + 5x = 6.$$
$$4x^4 - 20x^3 + 23x^2 + 5x - 6 = 0.$$
$$\begin{array}{r|l} & 4x^4 - 20x^3 + 23x^2 + 5x - 6 \;\underline{|\,2x^2 - 5x - \frac{1}{2}} \\ & 4x^4 \\ \hline 4x^2 - 5x & -20x^3 + 23x^2 \\ & -20x^3 + 25x^2 \\ \hline 4x^2 - 10x - \frac{1}{2} & -2x^2 + 5x - 6 \\ & -2x^2 + 5x + \frac{1}{4} \\ \hline & \qquad\qquad -\frac{25}{4} \end{array}$$

If $\frac{25}{4}$ were added to both members the square would be complete, and the equation would read

$$4x^4 - 20x^3 + 23x^3 + 5x + \tfrac{1}{4} = \tfrac{25}{4}.$$

Extract the root, $2x^2 - 5x - \frac{1}{2} = \pm \frac{5}{2}$,

$$2x^2 - 5x = 3 \text{ or } -2,$$
$$16x^2 - (\;) + 25 = 49 \text{ or } 9,$$
$$4x - 5 = \pm 7 \text{ or } \pm 3,$$
$$4x = 12, \text{ or } -2, \text{ or } 8, \text{ or } 2.$$
$$\therefore x = 3, -\tfrac{1}{2}, 2, \tfrac{1}{2}.$$

14.

$$\frac{1}{x^{2n}} + \frac{3}{x^n} - 20 = 0.$$
$$1 + 3x^n - 20x^{2n} = 0,$$
$$20x^{2n} - 3x^n = 1,$$
$$1600x^{2n} - (\;) + 9 = 89,$$
$$40x^n - 3 = \pm\sqrt{89}.$$
$$\therefore x = \sqrt[n]{\tfrac{3}{40} \pm \tfrac{1}{40}\sqrt{89}}.$$

15.

$$x^4 - 4x^3 - 10x^2 + 28x - 15 = 0.$$

Extract root of left side,

$$\begin{array}{r|l} & x^4 - 4x^3 - 10x^2 + 28x - 15 \;\underline{|\,x^2 - 2x - 7} \\ & x^4 \\ \hline 2x^2 - 2x & -4x^3 - 10x^2 \\ & -4x^3 + 10x^2 \\ \hline 2x^2 - 4x - 7 & -14x^2 + 28x - 15 \\ & -14x^2 + 28x + 49 \\ \hline & \qquad\qquad\quad -64 \end{array}$$

Add 64 to both sides to complete the square,

$$x^4 - 4x^3 - 10x^2 + 28x + 49 = 64.$$

Extract the root, $x^2 - 2x - 7 = \pm 8$,

$$x^2 - 2x = 15 \text{ or } -1,$$
$$4x^2 - (\;) + 4 = 64 \text{ or } 0,$$
$$2x - 2 = \pm 8 \text{ or } \pm 0,$$
$$2x = 10, -6, 2, 2.$$
$$\therefore x = 5, -3, 1, 1.$$

16.

$$x^4-2x^3-13x^2+14x=-24.$$

Extract root of left side,

$$\begin{array}{r|l}
 & x^4-2x^3-13x^2+14x+24\,\underline{|\,x^2-x-7} \\
 & x^4 \\
\hline
2x^2-4 & -2x^3-13x^2 \\
 & \underline{-2x^3+x^2} \\
 & \qquad -14x^2+14x+24 \\
 & \qquad \underline{-14x^2+14x+49} \\
 & \qquad\qquad\qquad\qquad -25
\end{array}$$

Add 25 to both sides to complete the square,

$$x^4-2x^3-13x^2+14x+49=25.$$

Extract the root, $x^2-x-7=\pm 5,$

$$\begin{aligned}
x^2-x&=12 \text{ or } 2,\\
4x^2-(\ )+1&=49 \text{ or } 9,\\
2x-1&=\pm 7 \text{ or } \pm 3.\\
\therefore x&=4,\ -3,\ 2,\ -1.
\end{aligned}$$

17.

$$108x^4=20x(9x^2-1)-51x^2+7.$$

$$108x^4-108x^3+51x^2+20x=7.$$

Multiply by 12, and add 16 to both sides,

$$1296x^4-2160x^3+612x^2+240x+16=100.$$

$$\begin{array}{r|l}
 & 1296x^4-2160x^3+612x^2+240x+16\,\underline{|\,36x^2-30x-4} \\
 & 1296x^4 \\
\hline
72x^2-30x & -2160x^3+612x^2 \\
 & \underline{-2160x^3+900x^2} \\
72x^2-60x-4 & -288x^2+240x+16 \\
 & \underline{-288x^2+240x+16}
\end{array}$$

$$\begin{aligned}
36x^2-30x-4&=\pm 10,\\
36x^2-30x&=14 \text{ or } -6,\\
144x^2-(\ )+25&=81 \text{ or } 1,\\
12x-5&=\pm 9 \text{ or } \pm 1,\\
12x&=14,\ -4,\ 6,\ 4.\\
\therefore x&=1\tfrac{1}{6},\ -\tfrac{1}{3},\ \tfrac{1}{2},\ \tfrac{1}{3}.
\end{aligned}$$

18.

$$(x^2-1)(x^2-2)+(x^2-3)(x^2-4)=x^4+5.$$

Simplify, $x^4-3x^2+2+x^4-7x^2+12=x^4+5.$

Transpose and combine, $x^4-10x^2=-9.$

Complete the square, $x^4-(\ )+25=16.$

Extract the root, $x^2-5=\pm 4,$

$$\begin{aligned}
x^2&=9 \text{ or } 1.\\
\therefore x&=\pm 3 \text{ or } \pm 1.
\end{aligned}$$

EXERCISE XC.

1. The sum of the squares of three consecutive numbers is 365. Find the numbers.

Let $x =$ first number,
$x + 1 =$ second number,
and $x + 2 =$ third number.

$$\begin{aligned}
\therefore x^2 + x^2 + 2x + 1 + x^2 + 4x + 4 &= 365,\\
3x^2 + 6x &= 360,\\
x^2 + 2x &= 120,\\
x^2 + (\ ) + 1 &= 121,\\
x + 1 &= \pm 11.\\
\therefore x &= 10 \text{ or } -12.
\end{aligned}$$

Hence, the numbers are 10, 11, 12.

2. Three times the product of two consecutive numbers exceeds four times their sum by 8. Find the numbers.

Let $x =$ first number,
and $x + 1 =$ second number.
$3x^2 + 3x =$ three times product,
$8x + 4 =$ four times sum.

$$\begin{aligned}
\therefore 3x^2 + 3x - (8x + 4) &= 8,\\
3x^2 - 5x &= 12,\\
36x^2 - (\ ) + 25 &= 169,\\
6x - 5 &= \pm 13,\\
6x &= 18 \text{ or } -8.\\
\therefore x &= 3 \text{ or } -\tfrac{4}{3}.
\end{aligned}$$

Hence, the numbers are 3, 4.

3. The product of three consecutive numbers is equal to three times the middle number. Find the numbers.

Let $x =$ first number.
Then $x + 1 =$ second number,
and $x + 2 =$ third number.

$$\begin{aligned}
\therefore x(x + 1)(x + 2) &= 3(x + 1),\\
x^3 + 3x^2 + 2x &= 3x + 3,\\
x^3 + 3x^2 - x - 3 &= 0,\\
(x + 1)(x - 1)(x + 3) &= 0.\\
\therefore x &= 1, -1, -3.
\end{aligned}$$

Hence, the numbers are 1, 2, 3.

4. A boy bought a number of apples for 16 cents. Had he bought 4 more for the same money he would have paid $\frac{1}{3}$ of a cent less for each apple. How many did he buy?

Let x = number of apples bought.

Then $\frac{16}{x}$ = number of cents one apple costs,

and $\frac{16}{x+4}$ = number of cents one apple costs when he gets four more.

$$\therefore \frac{16}{x} - \frac{16}{x+4} = \frac{1}{3},$$

$$48x + 192 - 48x = x^2 + 4x,$$

$$x^2 + 4x = 192,$$

$$x^2 + (\ ) + 4 = 196,$$

$$x + 2 = \pm 14.$$

$$\therefore x = 12 \text{ or } -16.$$

Hence, 12 = number of apples bought.

5. For building 108 rods of stone-wall, 6 days less would have been required if 3 rods more a day had been built. How many rods a day were built?

Let x = number of rods built in a day,

$\frac{108}{x}$ = number of days in which the whole wall was built,

$\frac{108}{x+3}$ = number of days it would have taken to build the whole wall if 3 rods more a day had been built.

Then $$\frac{108}{x} - \frac{108}{x+3} = 6.$$

$$108x + 324 - 108x = 6x^2 + 18x,$$

$$6x^2 + 18x = 324,$$

$$x^2 + 3x = 54,$$

$$4x^2 + (\ ) + 9 = 225,$$

$$2x + 3 = \pm 15,$$

$$2x = 12 \text{ or } -18.$$

$$\therefore x = 6 \text{ or } -9.$$

Hence, 6 = number of rods built in a day.

6. A merchant bought some pieces of silk for $900. Had he bought three pieces more for the same money, he would have paid $15 less for each piece. How many did he buy?

Let $x =$ number of pieces bought.

Then $\frac{900}{x} =$ number of dollars each piece cost,

and $\frac{900}{x+3} =$ number of dollars each piece would have cost if he had received three more for $900.

Then
$$\frac{900}{x} - \frac{900}{x+3} = 15,$$
$$900x + 2700 - 900x = 15x^2 + 45x,$$
$$15x^2 + 45x = 2700,$$
$$x^2 + 3x = 180,$$
$$4x^2 + (\ ) + 9 = 729,$$
$$2x + 3 = \pm 27.$$
$$\therefore x = 12 \text{ or } -15.$$

Hence, 12 = number of pieces bought.

7. A merchant bought some pieces of cloth for $168.75. He sold the cloth for $12 a piece, and gained as much as 1 piece cost him. How much did he pay for each piece?

Let $x =$ number of pieces,

$12x =$ number of dollars received for all,

$\frac{168.75}{x} =$ number of dollars paid for one piece.

Then $12x - 168.75 =$ number of dollars gained.

$$\therefore 12x - 168.75 = \frac{168.75}{x},$$
$$12x^2 - 168.75x = 168.75.$$

Multiply by $\frac{4}{3}$, $16x^2 - 225x = 225,$
$$1024x^2 - (\ ) + (225)^2 = 65025,$$
$$32x - 225 = \pm 255,$$
$$32x = 480 \text{ or } -30.$$
$$\therefore x = 15 \text{ or } -\frac{15}{16},$$

and
$$\frac{168.75}{15} = 11.25.$$

Hence, one piece cost $11.25.

8. **Find the price of eggs per score when 10 more in 62½ cents' worth lowers the price 31¼ cents per hundred.**

Let $x =$ number of eggs at 62½ cents.

Then $\frac{62.5}{x} =$ cost of one egg in cents,

and $\frac{62.5}{x+10} =$ cost of one egg in cents, if he had received ten more.

$$\therefore \frac{6250}{x} - \frac{6250}{x+10} = \text{difference in price per hundred.}$$

$$\therefore \frac{6250}{x} - \frac{6250}{x+10} = \frac{125}{4}.$$

Divide by 125, $\frac{50}{x} - \frac{50}{x+10} = \frac{1}{4},$

$$\begin{aligned} 200x + 2000 - 200x &= x^2 + 10x, \\ x^2 + 10x &= 2000, \\ x^2 + (\ ) + 25 &= 2025, \\ x + 5 &= \pm 45. \\ \therefore x &= 40. \end{aligned}$$

Hence, one egg cost $\frac{62.5}{40}$ cents, and 20 eggs cost $\frac{62.5}{40} \times 20 = 31\frac{1}{4}$ cents.

9. **The area of a square may be doubled by increasing its length by 6 inches and its breadth by 4 inches. Determine its side.**

Let $x =$ the side of the square.

$$\begin{aligned} (x+4)(x+6) &= 2x^2, \\ x^2 + 10x + 24 &= 2x^2, \\ x^2 - 10x &= 24, \\ x^2 - (\ ) + 25 &= 49, \\ x - 5 &= \pm 7. \\ \therefore x &= 12 \text{ or } -2. \end{aligned}$$

Hence, the side of the square is 12 inches.

10. **The length of a rectangular field exceeds the breadth by 1 yard, and the area is 3 acres. Determine its dimensions.**

Let $x =$ number of yards in breadth,

$x + 1 =$ number of yards in length,

and $x(x+1) =$ number of square yards in area.

But area is $3A$, or 14,520 square yards.

$$\begin{aligned} \therefore x^2 + x &= 14{,}520. \\ 4x^2 + (\ ) + 1 &= 58{,}081, \\ 2x + 1 &= \pm 241. \\ \therefore x &= 120 \text{ or } -121. \end{aligned}$$

Hence, the field is 121 yards long by 120 broad.

11. There are three lines of which two are each $\frac{4}{7}$ of the third, and the sum of the squares described on them is equal to a square yard. Determine the lengths of the lines in inches.

Let $x =$ number of inches in third line,

and $\frac{4x}{7} =$ number of inches in each of the others.

Then $x^2 + \frac{16x^2}{49} + \frac{16x^2}{49} =$ the sum of the squares.

1 square yard = 1296 square inches.

$$\therefore x^2 + \frac{16x^2}{49} + \frac{16x^2}{49} = 1296,$$

$$\frac{81x^2}{49} = 1296,$$

$$\frac{9x}{7} = \pm 36.$$

$$\therefore x = \pm 28.$$

Hence, the lengths are 16, 16, and 28 inches.

12. A grass plot 9 yards long and 6 yards broad has a path round it. The area of the path is equal to that of the plot. Determine the width of the path.



Let $x =$ number of yards in width of path.

Then $(9 + 2x)2 + 6 \times 2 =$ entire length of path in yards.

Also, $[(9+2x)2+6\times 2]x$

or $(30 + 4x)x =$ area of path in square yards,

and $9 \times 6 =$ area of grass plot in square yards.

But area of path equals area of grass plot.

$$\therefore (30 + 4x)x = 54.$$

$$4x^2 + 30x = 54,$$

$$16x^2 + (\ ) + 225 = 441,$$

$$4x + 15 = \pm 21.$$

$$\therefore x = 1\tfrac{1}{2} \text{ or } -9.$$

Hence, the width of the path is $1\frac{1}{2}$ yards.

13. Find the radius of a circle the area of which would be doubled by increasing its radius by 1 inch.

Let $x =$ radius of circle,
and $x + 1 =$ radius increased.

The ratio of the circles is the same as the ratio of the squares on the radii.

$$\begin{aligned} \therefore 2x^2 &= x^2 + 2x + 1, \\ x^2 - 2x &= 1, \\ x^2 - (\;) + 1 &= 2, \\ x - 1 &= \pm\sqrt{2}, \\ x &= 1 \pm \sqrt{2}, \\ x &= 2.4142. \end{aligned}$$

14. Divide a line 20 inches long into two parts so that the rectangle contained by the whole and one part may be equal to the square on the other part.

Let $x =$ one part.
Then $20 - x =$ the other part.

$$\begin{aligned} \therefore 20(20-x) &= x^2, \\ 400 - 20x &= x^2, \\ x^2 + 20x &= 400, \\ x^2 + (\;) + (10)^2 &= 500, \\ x + 10 &= \pm\sqrt{500}, \\ x &= -10 \pm 22.36, \\ x &= 12.36. \end{aligned}$$

Hence, one part is 12.36 inches, and the other is 7.64 inches.

15. A can do some work in 9 hours less time than B can do it, and together they can do it in 20 hours. How long will it take each alone to do it?

Let $x =$ number of hours it takes B.
Then $x - 9 =$ number of hours it takes A,
and $\frac{1}{x} =$ part B could do in 1 hour.
$\frac{1}{x-9} =$ part A could do in 1 hour.

$$\begin{aligned} \therefore \frac{1}{x} + \frac{1}{x-9} &= \frac{1}{20}. \\ 20x - 180 + 20x &= x^2 - 9x, \\ x^2 - 49x &= -180, \\ 4x^2 - (\;) + (49)^2 &= 1681, \\ 2x - 49 &= \pm 41, \\ 2x &= 90 \text{ or } 8. \\ \therefore x &= 45 \text{ or } 4. \end{aligned}$$

Hence, B can do the work in 45 hours and A in 36 hours.

16. A vessel which has two pipes can be filled in 2 hours less time by one than by the other, and by both together in 2 hours 55 minutes. How long will it take each pipe alone to fill the vessel?

Let $x =$ number of hours it takes first pipe,
$x - 2 =$ number of hours it takes second pipe.
2 hours 55 minutes equals $\frac{35}{12}$ hours.

$$\therefore \frac{1}{x} + \frac{1}{x-2} = \frac{12}{35}.$$

$$35x - 70 + 35x = 12x^2 - 24x,$$
$$12x^2 - 94x = -70,$$
$$144x^2 - (\ ) + (47)^2 = 1369.$$

Extract the root, $12x - 47 = \pm 37,$

$$12x = 84 \text{ or } 10.$$
$$\therefore x = 7 \text{ or } \tfrac{5}{6}.$$

Hence, one pipe will fill it in 7 hours, the other in 5 hours.

17. A vessel which has two pipes can be filled in 2 hours less time by one than by the other, and by both together in 1 hour 52 minutes 30 seconds. How long will it take each pipe alone to fill the vessel?

Let $x =$ number of hours it takes first pipe.
Then $x + 2 =$ number of hours it takes second pipe.
$\frac{1}{x} =$ part first pipe fills in 1 hour,
and $\frac{1}{x+2} =$ part second pipe fills in 1 hour.
1 hour 52 minutes 30 seconds equals $\frac{15}{8}$ hours.

$$\therefore \frac{1}{x} + \frac{1}{x+2} = \frac{8}{15}.$$

$$15x + 30 + 15x = 8x^2 + 16x,$$
$$8x^2 - 14x = 30,$$
$$64x^2 - 112x = 240,$$
$$64x^2 - (\ ) + 49 = 289,$$
$$8x - 7 = \pm 17,$$
$$8x = 24 \text{ or } -10.$$
$$\therefore x = 3 \text{ or } -1\tfrac{1}{4}.$$

Hence, one pipe will fill it in 3 hours, the other in 5 hours.

18. An iron bar weighs 36 pounds. If it had been 1 foot longer, each foot would have weighed $\frac{1}{2}$ a pound less. Find the length and the weight per foot.

Let $x =$ number of feet in length.

Then $\frac{36}{x} =$ weight in pounds per foot,

and $\frac{36}{x} - \frac{1}{2} =$ weight per foot if it had been 1 foot longer.

But $\frac{36}{x+1} =$ weight per foot if it had been 1 foot longer.

$$\begin{aligned} \therefore \frac{36}{x} - \frac{1}{2} &= \frac{36}{x+1}, \\ 72x + 72 - x^2 - x &= 72x, \\ x^2 + x &= 72, \\ 4x^2 + (\;) + 1 &= 289, \\ 2x + 1 &= \pm 17. \\ \therefore x &= 8 \text{ or } -9, \\ \frac{36}{x} &= 4\tfrac{1}{2}. \end{aligned}$$

Hence, the bar is 8 feet long, and weighs $4\frac{1}{2}$ pounds per foot.

19. A number is expressed by two digits, one of which is the square of the other, and when 54 is added its digits are interchanged. Find the number.

Let $x =$ number in tens' place.

Then $x^2 =$ number in units' place,

$10x + x^2 =$ number,

and $10x^2 + x =$ number with digits reversed.

$$\begin{aligned} \therefore 10x + x^2 + 54 &= 10x^2 + x, \\ -9x^2 + 9x &= -54, \\ x^2 - x &= 6, \\ 4x^2 - (\;) + 1 &= 25, \\ 2x - 1 &= \pm 5. \\ \therefore x &= 3. \end{aligned}$$

Hence, the number is 39.

20. Divide 35 into two parts so that the sum of the two fractions formed by dividing each part by the other may be $2\frac{1}{12}$.

Let $x =$ one part.

Then $35 - x =$ the other part.

$$\begin{aligned} \therefore \frac{x}{35-x} + \frac{35-x}{x} &= \frac{25}{12}, \\ 12x^2 + 14700 - 840x + 12x^2 &= 875x - 25x^2. \\ 49x^2 - 1715x &= -14700, \\ x^2 - 35x &= -300, \\ 4x^2 - (\;) + (35)^2 &= 25, \\ 2x - 35 &= \pm 5. \\ \therefore x &= 20 \text{ or } 15. \end{aligned}$$

Hence, the parts are 20 and 15.

21. A boat's crew row $3\frac{1}{2}$ miles down a river and back again in 1 hour 40 minutes. If the current of the river is 2 miles per hour, determine their rate of rowing in still water.

Let $x =$ rate in still water,

$x + 2 =$ rate down stream.

1 hour 40 minutes equals $\frac{5}{3}$ hours.

$\frac{3\frac{1}{2}}{x+2} =$ number of hours going down stream,

$\frac{3\frac{1}{2}}{x-2} =$ number of hours going up stream.

$$\therefore \frac{7}{2(x+2)} + \frac{7}{2(x-2)} = \frac{5}{3},$$

$$21x - 42 + 21x + 42 = 10x^2 - 40,$$

$$10x^2 - 42x = 40,$$

$$400x^2 - (\ ) + (42)^2 = 3364,$$

$$20x - 42 = \pm 58,$$

$$20x = 100 \text{ or } -16.$$

$$\therefore x = 5 \text{ or } -\tfrac{4}{5}.$$

Hence, the rate of rowing in still water is 5 miles an hour.

22. A detachment from an army was marching in regular column with 5 men more in depth than in front. On approaching the enemy the front was increased by 845 men, and the whole was thus drawn up in 5 lines. Find the number of men.

Let $x =$ number of men in front,

and $x + 5 =$ number of men in depth.

Then $x^2 + 5x =$ number of men in all.

But $x + 845 =$ number of men in front,

and $5 =$ number of men in depth.

Then $5x + 4225 =$ number of men in all.

$$\therefore x^2 + 5x = 5x + 4225,$$

$$x^2 = 4225.$$

$$\therefore x = \pm 65.$$

Hence, the whole number of men is 4550.

23. A jockey sold a horse for $144, and gained as much per cent as the horse cost. What did the horse cost?

Let $x =$ number of dollars the horse cost.

Then $\frac{x}{100} =$ gain per cent,

$\frac{x}{100}$ of $x =$ whole gain,

and $x + \frac{x^2}{100} =$ amount received.

$$\therefore x + \frac{x^2}{100} = 144,$$

$$x^2 + 100x = 14400,$$

$$x^2 + (\ ) + 2500 = 16900,$$

$$x + 50 = \pm 130.$$

$$\therefore x = 80 \text{ or } -180.$$

Hence, the horse cost \$80.

24. **A merchant expended a certain sum of money in goods, which he sold again for \$24, and lost as much per cent as the goods cost him. How much did he pay for the goods?**

Let $x =$ number of dollars paid for goods.

Then $\frac{x}{100} =$ per cent lost,

and $\frac{x}{100}$ of $x =$ whole loss.

$$\therefore x - \frac{x^2}{100} = 24,$$

$$100x - x^2 = 2400,$$

$$x^2 - 100x = -2400,$$

$$x^2 - (\ ) + (50)^2 = 100,$$

$$x - 50 = \pm 10,$$

$$x = 60 \text{ or } 40.$$

Hence, the goods cost either \$60 or \$40.

25. **A broker bought a number of bank shares (\$100 each), when they were at a certain rate per cent *discount*, for \$7500; and afterwards when they were at the same rate per cent *premium*, sold all but 60 for \$5000. How many shares did he buy, and at what price?**

Let $x =$ number of shares bought,

$\dfrac{7500}{x} =$ number of dollars each share cost,

and $100 - \dfrac{7500}{x} =$ number of dollars discount on each share.

Then

$$\frac{100 - \dfrac{7500}{x}}{100} \text{ or } \frac{100x - 7500}{100x} = \text{rate of discount.}$$

Also, $x - 60 =$ number of shares sold.

Then $\dfrac{5000}{x - 60} =$ number of dollars received for each share,

and $\dfrac{5000}{x - 60} - 100 =$ number of dollars premium on each share.

$$\frac{\dfrac{5000}{x-60} - 100}{100} \text{ or } \frac{11000 - 100x}{100x - 6000} = \text{rate per cent of premium.}$$

But rate per cent discount was equal to rate per cent premium.

$$\therefore \frac{100x - 7500}{100x} = \frac{11000 - 100x}{100x - 6000},$$

$$x^2 - 135x + 4500 = 110x - x^2,$$

$$2x^2 - 245x = -4500,$$

$$16x^2 - (\ ) + (245)^2 = 24025.$$

Extract the root, $4x - 245 = \pm 155,$

$$4x = 400 \text{ or } 90.$$

$$\therefore x = 100 \text{ or } 22\tfrac{1}{2}.$$

Hence, the broker bought 100 shares at 75.

26. **The thickness of a rectangular solid is $\frac{2}{3}$ of its width, and its length is equal to the sum of its width and thickness; also, the number of cubic yards in its volume added to the number of linear yards in its edges is $\frac{5}{3}$ of the number of square yards in its surface. Determine its dimensions.**

Let $3x =$ number of yards in width,

$2x =$ number of yards in thickness,

and $5x =$ number of yards in length.

$$30x^3 + 40x = \tfrac{5}{3}(62x^2),$$

$$90x^3 - 310x^2 = -120x.$$

Divide by $10x$, $9x^2 - 31x = -12,$

$$9x^2 - (\ ) + (\tfrac{31}{6})^2 = \tfrac{529}{36},$$

$$3x - \tfrac{31}{6} = \pm \tfrac{23}{6},$$

$$3x = 9 \text{ or } \tfrac{4}{3}.$$

$$\therefore x = 3 \text{ or } \tfrac{4}{9}.$$

Hence, the dimensions are 15 × 9 × 6 yards.

27. If a carriage-wheel $16\frac{1}{2}$ feet round took 1 second more to revolve, the rate of the carriage per hour would be $1\frac{7}{8}$ miles less. At what rate is the carriage travelling?

Let $x =$ number of seconds it takes the wheel to revolve,

$\frac{3600}{x} =$ number of revolutions it makes per hour,

$\frac{59400}{x}$ or $16\frac{1}{2}x \times \frac{3600}{x} =$ number of feet it goes per hour,

$\frac{59400}{x+1} =$ number of feet it would go, if it took one second more to revolve,

Then $\frac{59400}{x} - \frac{59400}{x+1} = 9900$, number of feet in $1\frac{7}{8}$ miles.

$$59400x + 59400 - 59400x = 9900x^2 + 9900,$$
$$9900x^2 + 9900x = 59400,$$
$$x^2 + x = 6,$$
$$x^2 + (\ ) + \tfrac{1}{4} = \tfrac{25}{4},$$
$$x + \tfrac{1}{2} = \pm\tfrac{5}{2}.$$
$$\therefore x = 2 \text{ or } -3.$$
$$\tfrac{59400}{2} = 29700.$$

Since 29700 feet equal $5\frac{5}{8}$ miles, the carriage is travelling at the rate of $5\frac{5}{8}$ miles per hour.

EXERCISE XCI.

1.

$x + y = 13$ (1)

$xy = 36$ (2)

Square (1),

$x^2 + 2xy + y^2 = 169$ (3)

(2) × 4 is $4xy = 144$ (4)

Subt., $x^2 - 2xy + y^2 = 25$

Extract root, $x - y = \pm 5$ (5)

Add (1) and (5), $2x = 18$ or 8.

$\therefore x = 9$ or 4.

Subtract (5) from (1),

$2y = 8$ or 18.

$\therefore y = 4$ or 9.

2.

$x + y = 29$ (1)

$xy = 100$ (2)

Square (1),

$x^2 + 2xy + y^2 = 841$ (2)

(2) × 4 is $4xy = 400$ (4)

Subt., $x^2 - 2xy + y^2 = 441$

Extract root, $x - y = \pm 21$ (5)

Add (1) and (5), $2x = 50$ or 8.

$\therefore x = 25$ or 4.

Subtract (5) from (1),

$2y = 8$ or 50.

$\therefore y = 4$ or 25.

3. $x - y = 19 \qquad (1)$

$xy = 66 \qquad (2)$

Square (1),

$x^2 - 2xy + y^2 = 361 \qquad (3)$

(2)×4 is $4xy = 264 \qquad (4)$

Add, $x^2 + 2xy + y^2 = 625$

Extract root, $x + y = \pm 25 \qquad (5)$

Add (5) and (1), $2x = 44$ or -6.

$\therefore x = 22$ or -3.

Subtract (1) from (5),

$2y = -44$ or 6.

$\therefore y = -22$ or 3.

4. $x - y = 45 \qquad (1)$

$xy = 250 \qquad (2)$

Square (1),

$x^2 - 2xy + y^2 = 2025 \qquad (3)$

(2)×4 is $4xy = 1000 \qquad (4)$

Add, $x^2 + 2xy + y^2 = 3025$

Extract root, $x + y = \pm 55 \qquad (5)$

Add (5) and (1), $2x = 100$ or -10.

$\therefore x = 50$ or -5.

Subtract (1) from (5),

$2y = 10$ or -100.

$\therefore y = 5$ or -50.

5. $x - y = 10 \qquad (1)$

$x^2 + y^2 = 178 \qquad (2)$

Square (1),

$x^2 - 2xy + y^2 = 100 \qquad (3)$

(2) is $x^2 + y^2 = 178$

Subt., $2xy = 78 \qquad (4)$

(2) is $x^2 + y^2 = 178$

Add, $x^2 + 2xy + y^2 = 256$

Extract root, $x + y = \pm 16 \qquad (5)$

Add (5) and (1), $2x = 26$ or -6.

$\therefore x = 13$ or -3.

Subtract (1) from (5),

$2y = 6$ or -26.

$\therefore y = 3$ or -13.

6. $x - y = 14 \qquad (1)$

$x^2 + y^2 = 436 \qquad (2)$

Square (1),

$x^2 - 2xy + y^2 = 196 \qquad (3)$

Subtract (2) from (3),

$-2xy = -240 \qquad (4)$

Subtract (4) from (2),

$x^2 + 2xy + y^2 = 676$.

Extract root, $x + y = \pm 26 \qquad (5)$

Add (1) and (5), $2x = 40$ or -12.

$\therefore x = 20$ or -6.

Subtract (1) from (5),

$2y = 12$ or -40.

$\therefore y = 6$ or -20.

7.

$x + y = 12 \qquad (1)$

$x^2 + y^2 = 104 \qquad (2)$

Square (1), $x^2 + 2xy + y^2 = 144 \qquad (3)$

Subtract (2) from (3), $2xy = 40 \qquad (4)$

Subtract (4) from (2), $x^2 - 2xy + y^2 = 64$.

Extract root, $x - y = \pm 8 \qquad (5)$

Add (1) and (5), $2x = 20$ or 4.

$\therefore x = 10$ or 2.

Subtract (5) from (1), $2y = 4$ or 20.

$\therefore y = 2$ or 10.

8.

$$\frac{1}{x}+\frac{1}{y}=\frac{3}{4} \qquad (1)$$

$$\frac{1}{x^2}+\frac{1}{y^2}=\frac{5}{16} \qquad (2)$$

Square (1),

$$\frac{1}{x^2}+\frac{2}{xy}+\frac{1}{y^2}=\frac{9}{16} \qquad (3)$$

Subtract (2) from (3),

$$\frac{2}{xy}=\frac{4}{16} \qquad (4)$$

Subtract (4) from (2),

$$\frac{1}{x^2}-\frac{2}{xy}+\frac{1}{y^2}=\frac{1}{16}.$$

Extract root, $\frac{1}{x}-\frac{1}{y}=\pm\frac{1}{4}$ (5)

Add (1) and (5), $\frac{2}{x}=1$ or $\frac{1}{2}$.

$$\therefore x=2 \text{ or } 4.$$

Subtract (5) from (1),

$$\frac{2}{y}=\tfrac{1}{2} \text{ or } 1.$$

$$\therefore y=4 \text{ or } 2.$$

9.

$$\frac{1}{x}+\frac{1}{y}=5 \qquad (1)$$

$$\frac{1}{x^2}+\frac{1}{y^2}=13 \qquad (2)$$

Square (1),

$$\frac{1}{x^2}+\frac{2}{xy}+\frac{1}{y^2}=25 \qquad (3)$$

Subtract (2) from (3),

$$\frac{2}{xy}=12 \qquad (4)$$

Subtract (4) from (2),

$$\frac{1}{x^2}-\frac{2}{xy}+\frac{1}{y^2}=1.$$

Extract root, $\frac{1}{x}-\frac{1}{y}=\pm 1$ (5)

Add (1) and (5), $\frac{2}{x}=6$ or 4.

$$\therefore x=\tfrac{1}{3} \text{ or } \tfrac{1}{2}.$$

Subtract (5) from (1),

$$\frac{2}{y}=4 \text{ or } 6.$$

$$\therefore y=\tfrac{1}{2} \text{ or } \tfrac{1}{3}.$$

10.

$$7x^2-8xy=159 \qquad (1)$$

$$5x+2y=7 \qquad (2)$$

$$2y=7-5x.$$

$$\therefore y=\frac{7-5x}{2}.$$

Substitute in (1),

$$7x^2-8x\left(\frac{7-5x}{2}\right)=159,$$

$$14x^2-56x+40x^2=318,$$

$$54x^2-56x=318.$$

Divide by 6,

$$9x^2-\tfrac{28}{3}x=53.$$

Complete the square,

$$9x^2-(\;)+(\tfrac{14}{9})^2=\tfrac{4489}{81}.$$

Extract root,

$$3x-\tfrac{14}{9}=\pm\tfrac{67}{9},$$

$$3x=\tfrac{81}{9} \text{ or } -\tfrac{53}{9}.$$

$$\therefore x=3 \text{ or } -1\tfrac{26}{27}.$$

Substitute value of x in (2).

$$\therefore y=-4 \text{ or } 8\tfrac{11}{27}.$$

11.

$$x+y=49 \qquad (1)$$

$$x^2+y^2=1681 \qquad (2)$$

Square (1),

$$x^2+2xy+y^2=2401 \qquad (3)$$

Subtract (2) from (3),

$$2xy=720 \qquad (4)$$

Subtract (4) from (2),

$$x^2-2xy+y^2=961.$$

Extract root, $x-y=\pm 31$ (5)

Add (5) and (1), $2x=80$ or 18.

$$\therefore x=40 \text{ or } 9.$$

Substitute value of x in (1).

$$\therefore y=9 \text{ or } 40.$$

12.
$$\begin{aligned} x^3+y^3&=341 \quad (1)\\ x+y&=11 \quad (2)\end{aligned}$$
Divide (1) by (2),
$$x^2-xy+y^2=31 \quad (3)$$
Sq. (2), $x^2+2xy+y^2=121$ (4)

Subt., $-3xy=-90$

$\therefore -xy=-30$ (5)

Add (3) and (5),
$$x^2-2xy+y^2=1.$$
Extract root, $x-y=\pm 1$ (6)

Add (2) and (6), $2x=12$ or 10.

$\therefore x=6$ or 5.

Subtract (6) from (2),
$$2y=10 \text{ or } 12.$$
$$\therefore y=5 \text{ or } 6.$$

13.
$$\begin{aligned} x^3+y^3&=1008 \quad (1)\\ x+y&=12 \quad (2)\end{aligned}$$
Divide (1) by (2),
$$x^2-xy+y^2=84 \quad (3)$$
Sq. (2), $x^2+2xy+y^2=144$ (4)

Subt., $-3xy=-60$

$\therefore -xy=-20$ (5)

Add (3) and (5),
$$x^2-2xy+y^2=64.$$
Extract root, $x-y=\pm 8$ (6)

Add (2) and (6), $2x=20$ or 4.

$\therefore x=10$ or 2.

Subtract (6) from (2),
$$2y=4 \text{ or } 20.$$
$$\therefore y=2 \text{ or } 10.$$

14.
$$\begin{aligned} x^3-y^3&=98 \quad (1)\\ x-y&=2 \quad (2)\end{aligned}$$
Divide (1) by (2),
$$x^2+xy+y^2=49 \quad (3)$$
Sq. (2), $x^2-2xy+y^2=4$ (4)

Subt., $3xy=45$

$\therefore xy=15$ (5)

Add (3) and (5),
$$x^2+2xy+y^2=64.$$
Extract root, $x+y=\pm 8$ (6)

Add (2) and (6), $2x=10$ or -6.

$\therefore x=5$ or -3.

Subtract (2) from (6),
$$2y=6 \text{ or } -10.$$
$$\therefore y=3 \text{ or } -5.$$

15.
$$\begin{aligned} x^3-y^3&=279 \quad (1)\\ x-y&=3 \quad (2)\end{aligned}$$
Divide (1) by (2),
$$x^2+xy+y^2=93 \quad (3)$$
Sq. (2), $x^2-2xy+y^2=9$ (4)

Subt., $3xy=84$

$\therefore xy=28$ (5)

Add (5) and (3),
$$x^2+2xy+y^2=121.$$
Extract root, $x+y=\pm 11$ (6)

Add (6) and (2), $2x=14$ or -8.

$\therefore x=7$ or -4.

Subtract (2) from (6),
$$2y=8 \text{ or } -14.$$
$$\therefore y=4 \text{ or } -7.$$

16.
$$\begin{aligned} x-3y&=1 \quad (1)\\ xy+y^2&=5 \quad (2)\end{aligned}$$
Transpose (1), $x=1+3y$.

Substitute in (2),
$$\begin{aligned} y(1+3y)+y^2&=5,\\ y+3y^2+y^2&=5,\\ 4y^2+y&=5,\\ 4y^2+(\ )+\tfrac{1}{16}&=\tfrac{81}{16},\\ 2y+\tfrac{1}{4}&=\pm\tfrac{9}{4}.\\ \therefore y&=1 \text{ or } -1\tfrac{1}{4}.\end{aligned}$$
Substitute value of y in (1),
$$x=4 \text{ or } -2\tfrac{3}{4}.$$

17.
$$\begin{aligned} 4y&=5x+1 \quad (1)\\ 2xy&=33-x^2 \quad (2)\\ y&=\frac{5x+1}{4}.\end{aligned}$$
Substitute value of y in (2),
$$\begin{aligned} \frac{10x^2+2x}{4}&=33-x^2,\\ 14x^2+2x&=132.\end{aligned}$$
Divide by 2,
$$\begin{aligned} 7x^2+x&=66,\\ 196x^2+(\ )+1&=1849.\end{aligned}$$
Extract root,
$$\begin{aligned} 14x+1&=\pm 43,\\ 14x&=42 \text{ or } -44.\\ \therefore x&=3 \text{ or } -3\tfrac{1}{7}.\end{aligned}$$
Substitute value of x in (1).
$$\therefore y=4 \text{ or } -3\tfrac{19}{28}.$$

18.

$$\frac{1}{x}-\frac{1}{y}=3 \qquad (1)$$

$$\frac{1}{x^2}-\frac{1}{y^2}=21 \qquad (2)$$

Divide (2) by 1,

$$\frac{1}{x}+\frac{1}{y}=7 \qquad (3)$$

Add (3) and (1), $\frac{2}{x}=10.$

$$\therefore x=\tfrac{1}{5}.$$

Subtract (1) from (3),

$$\frac{2}{y}=4.$$

$$\therefore y=\tfrac{1}{2}.$$

19.

$$\frac{1}{x}-\frac{1}{y}=2\tfrac{1}{2} \qquad (1)$$

$$\frac{1}{x^2}-\frac{1}{y^2}=8\tfrac{3}{4} \qquad (2)$$

Divide (2) by (1),

$$\frac{1}{x}+\frac{1}{y}=\frac{7}{2} \qquad (3)$$

Add (1) and (3), $\frac{2}{x}=\frac{12}{2}.$

$$\therefore x=\tfrac{1}{3}.$$

Subtract (1) from (3),

$$\frac{2}{y}=1.$$

$$\therefore y=2.$$

20.

$$x^2-2xy-y^2=1 \qquad (1)$$

$$x+y=2 \qquad (2)$$

Square (2), $x^2+2xy+y^2=4 \qquad (3)$

Add (3) and (1), $2x^2=5,$

$$x^2=2\tfrac{1}{2}.$$

$$\therefore x=\pm\sqrt{2\tfrac{1}{2}}.$$

Substitute value of x in (2), $y=2\mp\sqrt{2\tfrac{1}{2}}.$

EXERCISE XCII.

$$x^2+xy+2y^2=74 \qquad (1)$$

$$2x^2+2xy+y^2=73 \qquad (2)$$

Add, $3x^2+3xy+3y^2=147$

Divide by 3, $x^2+xy+y^2=49 \qquad (3)$

Subtract (3) from (1), $y^2=25.$

$$\therefore y=\pm 5.$$

Substitute value of y in (3), $x^2\pm 5x+25=49,$

$$x^2\pm 5x=24,$$

$$4x^2\pm 20x+25=121.$$

Extract the root, $2x\pm 5=\pm 11,$

$$2x=\pm 6 \text{ or } \pm 16.$$

$$\therefore x=\pm 3 \text{ or } \pm 8.$$

2.

$$x^2 + xy + 4y^2 = 6 \qquad (1)$$
$$3x^2 + 8y^2 = 14 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $x^2 + vx^2 + 4v^2x^2 = 6.$

$$\therefore x^2 = \frac{6}{1 + v + 4v^2} \qquad (3)$$

From (2), $3x^2 + 8v^2x^2 = 14.$

$$\therefore x^2 = \frac{14}{3 + 8v^2} \qquad (4)$$

Equate values of x^2,

$$\begin{aligned} \frac{6}{1 + v + 4v^2} &= \frac{14}{3 + 8v^2}, \\ 18 + 48v^2 &= 14 + 14v + 56v^2, \\ 8v^2 + 14v &= 4 \qquad (5) \\ 64v^2 + (\ ) + 49 &= 81, \\ 8v + 7 &= \pm 9, \\ 8v &= 2 \text{ or } -16. \\ \therefore v &= \tfrac{1}{4} \text{ or } -2. \end{aligned}$$

Substitute values of v in (4), $x^2 = \dfrac{14}{3 + \frac{1}{2}}$ or $\dfrac{14}{3 + 32}.$

Then $x^2 = 4$ or $\frac{2}{5}.$

$$\therefore x = \pm 2, \pm\sqrt{\tfrac{2}{5}}.$$

From (2), $y = \pm \frac{1}{2}, \pm 2\sqrt{\frac{2}{5}}.$

3.

$$x^2 - xy + y^2 = 21 \qquad (1)$$
$$y^2 - 2xy = -15 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $x^2 - vx^2 + v^2x^2 = 21.$

$$\therefore x^2 = \frac{21}{1 - v + v^2} \qquad (3)$$

From (2), $v^2x^2 - 2vx^2 = -15.$

$$\therefore x^2 = \frac{-15}{v^2 - 2v} \qquad (4)$$

Equate values of x^2, $\dfrac{21}{1 - v + v^2} = \dfrac{-15}{v^2 - 2v}$ (5)

$$\begin{aligned} 21v^2 - 42v &= -15 + 15v - 15v^2, \\ 36v^2 - 57v &= -15, \\ 5184v^2 - (\ ) + (57)^2 &= 1089, \\ 72v - 57 &= \pm 33. \\ \therefore v &= \tfrac{5}{4} \text{ or } \tfrac{1}{3}. \end{aligned}$$

Substitute values of v in (4), $x^2 = 16$ or $27.$

$$\therefore x = \pm 4 \text{ or } \pm 3\sqrt{3}.$$
$$\therefore y = \pm 5 \text{ or } \pm \sqrt{3}.$$

4.

$$x^2-4y^2-9=0.$$
$$xy+2y^2-3=0.$$
$$x^2-4y^2=9 \qquad (1)$$
Transpose, $$xy+2y^2=3 \qquad (2)$$
Substitute vx for y in both equations.

From (1), $$x^2-4v^2x^2=9.$$
$$\therefore x^2=\frac{9}{1-4v^2} \qquad (3)$$
From (2), $$x^2v+2x^2v^2=3.$$
$$\therefore x^2=\frac{3}{v+2v^2} \qquad (4)$$
Equate values of x^2, $$\frac{9}{1-4v^2}=\frac{3}{v+2v^2},$$
$$30v^2+9v=3,$$
$$10v^2+3v=1,$$
$$400v^2+(\ )+9=49,$$
$$20v+3=\pm 7,$$
$$20v=4 \text{ or } -10.$$
$$\therefore v=\tfrac{1}{5} \text{ or } -\tfrac{1}{2}.$$
Substitue values of v in (3), $$x^2=\tfrac{75}{7} \text{ or } \infty.$$
$$\therefore x=\pm 5\sqrt{\tfrac{3}{7}}.$$
$$\therefore y=\pm\sqrt{\tfrac{3}{7}}.$$

5.

$$x^2-xy=35 \qquad (1)$$
$$xy+y^2=18 \qquad (2)$$
Substitute vx for y in both equations.

From (1), $$x^2-vx^2=35.$$
$$\therefore x^2=\frac{35}{1-v} \qquad (3)$$
From (2), $$vx^2+v^2x^2=18.$$
$$\therefore x^2=\frac{18}{v+v^2} \qquad (4)$$
Equate values of x^2, $$\frac{35}{1-v}=\frac{18}{v+v^2},$$
$$35v^2+53v=18,$$
$$4900v^2+(\ )+(53)^2=5329,$$
$$70v+53=\pm 73,$$
$$70v=20 \text{ or } -126.$$
$$\therefore v=\tfrac{2}{7} \text{ or } -\tfrac{9}{5}.$$
Substitute values of v in (3), $$x^2=49 \text{ or } \tfrac{25}{2}.$$
$$\therefore x=\pm 7 \text{ or } \pm 5\sqrt{\tfrac{1}{2}}.$$
$$\therefore y=\pm 2 \text{ or } \mp 9\sqrt{\tfrac{1}{2}}.$$

6.

$$x^2 + xy + 2y^2 = 44 \qquad (1)$$
$$2x^2 - xy + y^2 = 16 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $x^2 + vx^2 + 2v^2x^2 = 44.$

$$\therefore x^2 = \frac{44}{1 + v + 2v^2} \qquad (3)$$

From (2), $2x^2 - vx^2 + v^2x^2 = 16.$

$$\therefore x^2 = \frac{16}{2 - v + v^2}.$$

Equate values of x^2, $\dfrac{44}{1 + v + 2v^2} = \dfrac{16}{2 - v + v^2},$

$$88 - 44v + 44v^2 = 16 + 16v + 32v^2,$$
$$12v^2 - 60v = -72,$$
$$v^2 - 5v = -6,$$
$$4v^2 - (\ ) + 25 = 1,$$
$$2v - 5 = \pm 1.$$
$$\therefore v = 3 \text{ or } 2.$$

Substitute values of v in (3), $x^2 = 2$ or $4.$

From (3). $\therefore x = \pm\sqrt{2}$ or $\pm 2.$

$$\therefore y = \pm 3\sqrt{2} \text{ or } \pm 4.$$

7.

$$x^2 + xy = 15 \qquad (1)$$
$$xy - y^2 = 2 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $x^2 + vx^2 = 15.$

$$\therefore x^2 = \frac{15}{1 + v} \qquad (3)$$

From (2), $vx^2 - v^2x^2 = 2.$

$$\therefore x^2 = \frac{2}{v - v^2} \qquad (4)$$

Equate values of x^2, $\dfrac{15}{1 + v} = \dfrac{2}{v - v^2},$

$$15v - 15v^2 = 2 + 2v,$$
$$15v^2 - 13v = -2,$$
$$900v^2 - (\ ) + 169 = 49.$$

Extract the root, $30v - 13 = \pm 7,$

$$30v = 20 \text{ or } 6.$$
$$\therefore v = \tfrac{2}{3} \text{ or } \tfrac{1}{5}.$$

Substitute values of v in (3), $x^2 = 9$ or $\frac{25}{2}.$

$$\therefore x = \pm 3 \text{ or } \pm 5\sqrt{\tfrac{1}{2}}.$$
$$\therefore y = \pm 2 \text{ or } \pm\sqrt{\tfrac{1}{2}}.$$

8.

$$x^2 - xy + y^2 = 7 \qquad (1)$$

$$3x^2 + 13xy + 8y^2 = 162 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $x^2 - vx + v^2x^2 = 7.$

$$\therefore x^2 = \frac{7}{1 - v + v^2} \qquad (3)$$

From (2), $3x^2 + 13v + 8v^2x^2 = 162.$

$$\therefore x^2 = \frac{162}{3 + 13v + 8v^2}.$$

Equate values of x^2, $\dfrac{7}{1 - v + v^2} = \dfrac{162}{3 + 13v + 8v^2}$ (4)

$$\therefore 106v^2 - 253v = -141,$$

$$44944v^2 - (\ ) + (253)^2 = 4225.$$

Extract the root, $212v - 253 = \pm 65.$

$$\therefore v = \tfrac{3}{2} \text{ or } \tfrac{47}{53}.$$

Substitute values of v in (3), $x^2 = 4 \text{ or } \tfrac{2809}{361}.$

$$\therefore x = \pm 2 \text{ or } \pm 2\tfrac{15}{19}.$$

$$\therefore y = \pm 3 \text{ or } \pm 2\tfrac{9}{19}.$$

9.

$$2x^2 + 3xy + y^2 = 70 \qquad (1)$$

$$6x^2 + xy - y^2 = 50 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $2x^2 + 3vx^2 + v^2x^2 = 70.$

$$\therefore x^2 = \frac{70}{2 + 3v + v^2} \qquad (3)$$

From (2), $6x^2 + vx^2 - v^2x^2 = 50.$

$$\therefore x^2 = \frac{50}{6 + v - v^2} \qquad (4)$$

Equate values of x^2, $\dfrac{70}{2 + 3v + v^2} = \dfrac{50}{6 + v - v^2},$

$$420 + 70v - 70v^2 = 100 + 150v + 50v^2;$$

$$12v^2 + 8v = 32,$$

$$36v^2 + (\ ) + (2)^2 = 100,$$

$$6v + 2 = \pm 10.$$

$$\therefore v = 1\tfrac{1}{3} \text{ or } -2.$$

Substitute value of v in (3), $x^2 = 9 \text{ or } \infty.$

$$\therefore x = \pm 3.$$

$$\therefore y = \pm 4.$$

10.

$$x^2 - xy - y^2 = 5 \qquad (1)$$

$$2x^2 + 3xy + y^2 = 28 \qquad (2)$$

Substitute vx for y in both equations.

From (1), $x^2 - vx^2 - v^2x^2 = 5.$

$$\therefore x^2 = \frac{5}{1 - v - v^2} \qquad (3)$$

From (2), $2x^2 + 3vx^2 + v^2x^2 = 28.$

$$\therefore x^2 = \frac{28}{2 + 3v + v^2}.$$

Equate values of x^2, $\frac{5}{1 - v - v^2} = \frac{28}{2 + 3v + v^2}$ (4)

$$10 + 15v + 5v^2 = 28 - 28v - 28v^2,$$

$$33v^2 + 43v = 18,$$

$$4356v^2 + (\ ) + (43)^2 = 4225,$$

$$66v + 43 = \pm 65.$$

$$\therefore v = \tfrac{1}{3} \text{ or } -\tfrac{18}{11}.$$

Substitute values of v in (3), $x^2 = 9$ or $-121.$

$$\therefore x = \pm 3 \text{ or } \pm 11\sqrt{-1}.$$

$$\therefore y = \pm 1 \text{ or } \mp 18\sqrt{-1}.$$

EXERCISE XCIII.

1.

$$4xy = 96 - x^2y^2 \qquad (1)$$

$$x + y = 6 \qquad (2)$$

Let $x = (u + v),$

and $y = (u - v).$

From (2), $u + v + u - v = 6,$

$$2u = 6,$$

$$u = 3.$$

From (1), $4(u^2 - v^2) = 96 - u^4 + u^2v^2 - v^4,$

$$4u^2 - 4v^2 = 96 - u^4 + u^2v^2 - v^4.$$

Substitute value of u, $v^4 - 22v^2 = -21,$

$$4v^2 - (\ ) + (22)^2 = 400,$$

$$2v^2 - 22 = \pm 20,$$

$$2v^2 = 22 \pm 20,$$

$$v^2 = 21 \text{ or } 1.$$

$$\therefore v = \pm\sqrt{21} \text{ or } \pm 1.$$

$$\therefore x = u + v = 3 \pm \sqrt{21},\ 4,\ 2,$$

and $y = u - v = 3 \mp \sqrt{21},\ 2,\ 4.$

2.

$$x^2+y^2=18-x-y \tag{1}$$
$$xy=6 \tag{2}$$

Put $u+v$ for x, and $u-v$ for y.

(1) becomes $(u+v)^2+(u-v)^2=18-2u,$

$$2u^2+2v^2+2u=18,$$
$$u^2+v^2+u=9 \tag{3}$$

(2) becomes $(u+v)(u-v)=6,$

or
$$u^2-v^2=6 \tag{4}$$

Add (3) and (4), $2u^2+u=15.$

Complete the square, $16u^2+(\ )+1=121,$

$$4u+1=\pm 11.$$
$$\therefore u=2\tfrac{1}{2} \text{ or } -3.$$

Substitute value of u in (4), $-v^2=6-\frac{25}{4} \text{ or } 6-9.$

$$\therefore v=\pm\tfrac{1}{2} \text{ or } \pm\sqrt{3}.$$
$$\therefore x=u+v=3,\ 2,\text{ or } -3\pm\sqrt{3},$$
$$\text{and } y=u-v=2,\ 3,\text{ or } -3\mp\sqrt{3}.$$

3.

$$2(x^2+y^2)=5xy \tag{1}$$
$$4(x-y)=xy \tag{2}$$

Put $u+v$ for x, and $u-v$ for y,

$$2(2u^2+2v^2)=5(u^2-v^2) \tag{3}$$
$$4(2v)=u^2-v^2 \tag{4}$$

Transpose and combine,
$$9v^2-u^2=0 \tag{5}$$
$$+u^2-v^2=8v \tag{6}$$

Add (5) and (6), $8v^2=8v$

$$8v^2-8v=0.$$
$$\therefore v=0 \text{ or } 1.$$

Substitute value of v in (6), $u^2=8v+v^2,$

$$u^2=0 \text{ or } 9,$$
$$u=0 \text{ or } \pm 3.$$
$$\therefore x=u+v=0,\ 4,\ -2.$$
$$\text{and } y=u-v=0,\ 2,\ -4.$$

4.

$$4(x+y)=3xy \qquad (1)$$
$$x+y+x^2+y^2=26 \qquad (2)$$

Put $u+v$ for x, and $u-v$ for y.

(1) becomes $$8u=3u^2-3v^2.$$

$$\therefore\ 8u-3u^2+3v^2=0 \qquad (3)$$

(2) becomes $$2u+2v^2+2u^2=26 \qquad (4)$$

Multiply (4) by 3, $$6u+6u^2+6v^2=78$$

Multiply (3) by 2, $$16u-6u^2+6v^2=\ \ 0$$

Subtract, $$12u^2-10u=78$$

Complete the square, $$144u^2-(\ )+25=961,$$
$$12u-5=\pm 31,$$
$$12u=36 \text{ or } -26.$$
$$\therefore\ u=3 \text{ or } -2\tfrac{1}{6}.$$

Substitute value of u in (3), $$3v^2=3.$$
$$\therefore\ v=\pm 1.$$

Substitute $-2\frac{1}{6}$ for u in (3), $$3v^2=\tfrac{1131}{36}.$$
$$\therefore\ v=\pm\tfrac{1}{6}\sqrt{377}.$$
$$\therefore\ x=u+v=4,\ 2, \text{ or } \tfrac{1}{6}(-13\pm\sqrt{377}),$$
$$\text{and}\quad y=u-v=2,\ 4, \text{ or } \tfrac{1}{6}(-13\mp\sqrt{377}).$$

5.

$$4x^2+xy+4y^2=58 \qquad (1)$$
$$5x^2+5y^2=65 \qquad (2)$$

Multiply (1) by 5, $$20x^2+5xy+20y^2=290 \qquad (3)$$

Multiply (2) by 4, $$20x^2\qquad +20y^2=260 \qquad (4)$$

Subtract, $$5xy\qquad =\ 30$$
$$\therefore\ xy=6 \qquad (5)$$

Divide (2) by 5, $$x^2+y^2=13 \qquad (6)$$

Substitute $u+v$ for x, and $u-v$ for y in (5) and (6),
$$u^2-v^2=6 \qquad (7)$$
$$2u^2+2v^2=13 \qquad (8)$$

Multiply (7) by 2, $$2u^2-2v^2=12 \qquad (9)$$

Add, $$4u^2\qquad =25$$
$$\therefore\ u=\pm\tfrac{5}{2}.$$

Subtract (9) from (8), $$4v^2=1,$$
$$v^2=\tfrac{1}{4}.$$
$$\therefore\ v=\pm\tfrac{1}{2}.$$
$$\therefore\ x=u+v=\pm\tfrac{5}{2}\pm\tfrac{1}{2}=\pm 3 \text{ or } \pm 2,$$
$$\text{and}\quad y=u-v=\pm\tfrac{5}{2}\mp\tfrac{1}{2}=\pm 2 \text{ or } \pm 3.$$

6.

$$xy(x+y) = 30 \qquad (1)$$

$$x^3 + y^3 = 35 \qquad (2)$$

Substitute $u+v$ for x, and $u-v$ for y.

(1) becomes $(u+v)(u-v)\{(u+v)+(u-v)\} = 30,$

or $2u^3 - 2uv^2 = 30 \qquad (3)$

(2) becomes $(u+v)^3 + (u-v)^3 = 35,$

or $2u^3 + 6uv^2 = 35 \qquad (4)$

Multiply (3) by 3, $6u^3 - 6uv^2 = 90$

(4) is $2u^3 + 6uv^2 = 35$

Add, $8u^3 = 125$

$$2u = 5,$$

$$u = \tfrac{5}{2}.$$

Substitute value of u in (3), $\dfrac{250}{8} - \dfrac{10v^2}{2} = 30,$

$$250 - 40v^2 = 240,$$

$$40v^2 = 10.$$

$$\therefore v = \pm \tfrac{1}{2}.$$

$$\therefore x = u + v = 3 \text{ or } 2,$$

and $y = u - v = 2$ or 3.

EXERCISE XCIV.

1. $x - y = 7 \qquad (1)$

$$x^2 + xy + y^2 = 13 \qquad (2)$$

Square (1),

$$x^2 - 2xy + y^2 = 49 \qquad (3)$$

Subtract (2) from (3),

$$-3xy = 36.$$

Divide by -3, $xy = -12 \qquad (4)$

Add (4) and (2),

$$x^2 + 2xy + y^2 = 1.$$

Extract root, $x + y = \pm 1 \qquad (5)$

Add (5) and (1), $2x = 8$ or 6.

$$\therefore x = 4 \text{ or } 3.$$

Substitute value of x in (1),

$$y = -3 \text{ or } -4.$$

2. $x^2 + xy = 35 \qquad (1)$

$$xy - y^2 = 6 \qquad (2)$$

Substitute vx for y.

From (1), $x^2 = \dfrac{35}{1+v} \qquad (3)$

From (2), $x^2 = \dfrac{6}{v - v^2} \qquad (4)$

$$\therefore \frac{35}{1+v} = \frac{6}{v-v^2},$$

$$35v^2 - 29v = -6,$$

$$4900v^2 - (\ ) + (29)^2 = 1,$$

$$70v - 29 = \pm 1,$$

$$70v = 30 \text{ or } 28,$$

$$\therefore v = \tfrac{3}{7} \text{ or } \tfrac{2}{5}.$$

Substitute value of v in (3),

$$x^2 = \tfrac{49}{2} \text{ or } 25.$$

$$x = \pm 7\sqrt{\tfrac{1}{2}} \text{ or } \pm 5.$$

$$y = vx = \pm 3\sqrt{\tfrac{1}{2}} \text{ or } \pm 2.$$

3.

$$xy - 12 = 0 \qquad (1)$$
$$x - 2y = 5 \qquad (2)$$

Transpose in (1), $xy = 12,$

$$y = \frac{12}{x}.$$

Substitute value of y in (2),

$$x - \frac{24}{x} = 5.$$

Simplify, $x^2 - 24 = 5x.$

Transpose, $x^2 - 5x = 24.$

Complete the square,

$$4x^2 - (\ ) + 25 = 121,$$
$$2x - 5 = \pm 11,$$
$$2x = 16 \text{ or } -6.$$
$$\therefore x = 8 \text{ or } -3.$$

Substitute value of x in (2),

$$y = 1\tfrac{1}{2} \text{ or } -4.$$

4.

$$xy - 7 = 0 \qquad (1)$$
$$x^2 + y^2 = 50 \qquad (2)$$

Transpose in (1); $xy = 7$ (3)

Multiply (3) by 2,

$$2xy = 14 \qquad (4)$$

Add (4) and (2),

$$x^2 + 2xy + y^2 = 64.$$
$$\therefore x + y = \pm 8 \qquad (5)$$

Subtract (4) from (2),

$$x^2 - 2xy + y^2 = 36.$$
$$\therefore x - y = \pm 6 \qquad (6)$$

Add (5) and (6), $2x = \pm 14 \text{ or } \pm 2.$

$$\therefore x = \pm 7 \text{ or } \pm 1.$$

Subtract (6) from (5),

$$2y = \pm 2 \text{ or } \pm 14.$$
$$\therefore y = \pm 1 \text{ or } \pm 7.$$

5.

$$2x - 5y = 9 \qquad (1)$$
$$x^2 - xy + y^2 = 7 \qquad (2)$$

From (1), $x = \dfrac{9 + 5y}{2}$ (3)

Substitute value of x in (2),

$$\left(\frac{9 + 5y}{2}\right)^2 - y\left(\frac{9 + 5y}{2}\right) + y^2 = 7.$$

Simplify, $19y^2 + 72y = -53.$

Complete the square,

$$1444y^2 + (\ ) + (72)^2 = 1156,$$
$$38y + 72 = \pm 34,$$
$$38y = -38 \text{ or } -106.$$
$$\therefore y = -1 \text{ or } -2\tfrac{15}{19}.$$

Substitute value of y in (1), $2x = 9 + (-5) \text{ or } 9 + (-13\tfrac{18}{19}).$

$$\therefore x = 2 \text{ or } -2\tfrac{9}{19}.$$

6.

$$x - y = 9 \qquad (1)$$
$$xy + 8 = 0 \qquad (2)$$

Transpose (2), $xy = -8$ (3)

Square (1), $x^2 - 2xy + y^2 = 81$

Multiply (3) by 4, $4xy = -32$

Add, $x^2 + 2xy + y^2 = 49$

Extract root, $x + y = \pm 7$ (4)

Add (1) and (4), $2x = 16 \text{ or } 2.$

$$\therefore x = 8 \text{ or } 1.$$

Subtract (1) from (4), $2y = -2 \text{ or } -16.$

$$\therefore y = -1 \text{ or } -8.$$

7.

$$5x - 7y = 0 \qquad (1)$$

$$5x^2 - \frac{13xy}{4} = 4 - 7y^2 \qquad (2)$$

From (1), $x = \frac{7y}{5} \qquad (3)$

Simplify (2),

$$20x^2 - 13xy + 28y^2 = 16 \qquad (4)$$

Substitute value of x in (4),

$$\frac{980y^2}{25} - \frac{91y^2}{5} + 28y^2 = 16,$$

$$1225y^2 = 400,$$

$$35y = \pm 20.$$

$$\therefore y = \pm \tfrac{4}{7}.$$

Substitute value of y in (1),

$$5x \pm \tfrac{28}{7} = 0.$$

$$\therefore x = \mp \tfrac{4}{5}.$$

8.

$$x - y = 1 \qquad (1)$$

$$x^2 + y^2 = 8\tfrac{1}{2} \qquad (2)$$

Square (1),

$$x^2 - 2xy + y^2 = 1 \qquad (3)$$

(2) is $x^2 + y^2 = 8\tfrac{1}{2}$

Subt., $-2xy = -7\tfrac{1}{2} \qquad (4)$

Subtract (4) from (2),

$$x^2 + 2xy + y^2 = 16.$$

Extract root, $x + y = \pm 4 \qquad (5)$

Add (5) and (1), $2x = 5 \text{ or } -3.$

$$\therefore x = 2\tfrac{1}{2} \text{ or } -1\tfrac{1}{2}.$$

Subtract (5) from (1),

$$-2y = -3 \text{ or } 5.$$

$$\therefore y = 1\tfrac{1}{2} \text{ or } -2\tfrac{1}{2}.$$

9.

$$x^2 + 4xy = 3 \qquad (1)$$

$$4xy + y^2 = 2\tfrac{1}{4} \qquad (2)$$

Substitute vx for y,

$$x^2 + 4vx^2 = 3 \qquad (3)$$

$$4vx^2 + v^2x^2 = 2\tfrac{1}{4} \qquad (4)$$

From (3) and (4),

$$x^2 = \frac{3}{1+4v} \qquad (5)$$

$$x^2 = \frac{9}{16v + 4v^2} \qquad (6)$$

$$\therefore \frac{3}{1+4v} = \frac{9}{16v + 4v^2}.$$

$$48v + 12v^2 = 9 + 36v,$$

$$12v^2 + 12v = 9,$$

$$4v^2 + 4v = 3,$$

$$4v^2 + (\;) + 1 = 4,$$

$$2v + 1 = \pm 2.$$

$$\therefore v = \tfrac{1}{2} \text{ or } -1\tfrac{1}{2}.$$

Substitute values of v in (5),

$$x = \pm 1 \text{ or } \pm\sqrt{-\tfrac{3}{5}},$$

$$\text{and } y = \pm\tfrac{1}{2} \text{ or } \mp\tfrac{3}{2}\sqrt{-\tfrac{3}{5}}.$$

10.

$$x^2 - xy + y^2 = 48 \qquad (1)$$

$$x - y - 8 = 0 \qquad (2)$$

$$\begin{array}{ll} \text{(1) is} & x^2 - xy + y^2 = 48 \\ \text{Sq.(2),} & \underline{x^2 - 2xy + y^2 = 64} \\ \text{Subt.,} & xy = -16 \end{array}$$

Multiply by 3,

$$3xy = -48 \qquad (3)$$

Add (3) and (1),

$$x^2 + 2xy + y^2 = 0.$$

Extract root,

$$x + y = 0 \qquad (4)$$

Add (4) and (2),

$$2x = 8.$$

$$\therefore x = 4.$$

Subtract (2) from (4),

$$2y = -8.$$

$$\therefore y = -4.$$

11.

$x^2 + 3xy + y^2 = 1$ (1)

$3x^2 + xy + 3y^2 = 13$ (2)

Subtract (1) from (2), $2x^2 - 2xy + 2y^2 = 12.$

Divide by 2, $x^2 - xy + y^2 = 6$ (3)

(1) is $\underline{x^2 + 3xy + y^2 = 1}$

Subtract, $-4xy = 5$ (4)

Add 4 × (1) to (4), $4x^2 + 8xy + 4y^2 = 9$ (5)

Extract the root, $2x + 2y = \pm 3.$

Divide by 2, $x + y = \pm \frac{3}{2}$ (6)

Add $\frac{1}{4}$ of (4) to (3), $x^2 - 2xy + y^2 = \frac{29}{4},$

$x - y = \pm \frac{1}{2}\sqrt{29}$ (7)

Add (6) and (7), $2x = \pm \frac{3}{2} \pm \frac{1}{2}\sqrt{29}.$

$\therefore x = \frac{1}{4}(\pm 3 \pm \sqrt{29}).$

Subtract (7) from (6), $2y = \pm \frac{3}{2} \mp \frac{1}{2}\sqrt{29}.$

$\therefore y = \frac{1}{4}(\pm 3 \mp \sqrt{29}.)$

12.

$x^2 - 2xy + 3y^2 = 1\frac{2}{9}$ (1)

$x^2 + xy - y^2 = \frac{1}{9}$ (2)

Substitute vx for y.

From (1), $x^2 - 2vx^2 + 3v^2x^2 = \frac{11}{9}.$

From (2), $x^2 + vx^2 - v^2x^2 = \frac{1}{9}.$

Whence $x^2 = \dfrac{11}{9 - 18v + 27v^2}$ (3)

and $x^2 = \dfrac{1}{9 + 9v - 9v^2}$ (4)

$$\therefore \frac{11}{9 - 18v + 27v^2} = \frac{1}{9 + 9v - 9v^2}.$$

$99 + 99v - 99v^2 = 9 - 18v + 27v^2,$

$-126v^2 + 117v = -90.$

Divide by −9, $14v^2 - 13v = 10.$

Complete the square, $784v^2 - (\ ) + 169 = 729.$

Extract the root, $28v - 13 = \pm 27,$

$28v = 40 \text{ or } -14.$

$\therefore v = \frac{10}{7} \text{ or } -\frac{1}{2}.$

Substitute value of v in (4), $x^2 = \frac{49}{171} \text{ or } \frac{4}{9}.$

$\therefore x = \pm \frac{7}{3}\sqrt{\frac{1}{19}} \text{ or } \pm \frac{2}{3},$

and $y = \pm \frac{10}{3}\sqrt{\frac{1}{19}} \text{ or } \mp \frac{1}{3}.$

13.

$$x + y = a \qquad (1)$$

$$4xy = a^2 - 4b^2 \qquad (2)$$

Square (1),

$$x^2 + 2xy + y^2 = a^2 \qquad (3)$$

(1) is $\underline{\quad 4xy \qquad = a^2 - 4b^2}$

Subt., $x^2 - 2xy + y^2 = \qquad 4b^2 \quad (4)$

Extract root, $x - y = \pm 2b \quad (5)$

Add (5) and (1), $2x = a \pm 2b.$

$$\therefore x = \frac{a}{2} \pm b.$$

Subtract (5) from (1),

$$2y = a \mp 2b.$$

$$\therefore y = \frac{a}{2} \mp b.$$

14.

$$x - y = 1 \qquad (1)$$

$$\frac{x}{y} + \frac{y}{x} = 2\tfrac{1}{6}. \qquad (2)$$

In (1), $x = y + 1.$

Substitute in (2),

$$\frac{y+1}{y} + \frac{y}{y+1} = \frac{13}{6},$$

$$6y^2 + 12y + 6 + 6y^2 = 13y^2 + 13y,$$

$$y^2 + y = 6.$$

Complete the square,

$$4y^2 + (\ ) + 1 = 25,$$

$$2y + 1 = \pm 5.$$

$$\therefore y = 2 \text{ or } -3.$$

$$\therefore x = 3 \text{ or } -2.$$

15.

$$x^2 + 9xy = 340 \qquad (1)$$

$$7xy - y^2 = 171 \qquad (2)$$

Subtract (2) from (1), $x^2 + 2xy + y^2 = 169,$

$$x + y = \pm 13 \qquad (3)$$

$$\therefore x = 13 - y \text{ or } -(13 + y).$$

Substitute in (1) the first value of x,

$$(13 - y)^2 + 9(13 - y)y = 340,$$

$$169 - 26y + y^2 + 117y - 9y^2 = 340,$$

$$8y^2 - 91y = 171.$$

Complete the square,

$$256y^2 - (\ ) + (91)^2 = 2809,$$

$$16y - 91 = \pm 53.$$

$$\therefore y = 9 \text{ or } 2\tfrac{3}{8} \qquad (4)$$

Substitute in (1) the second value of x,

$$(13 + y)^2 - 9(13 + y)y = 340,$$

$$169 + 26y + y^2 - 117y - 9y^2 = 340,$$

$$8y^2 + 91y = -171.$$

Whence, $y = -9 \text{ or } -2\tfrac{3}{8}.$

Substitute values of y in (3), $x = \pm 4 \text{ or } \pm 10\tfrac{5}{8}.$

16. $x+y=6$ (1)

$x^3+y^3=72$ (2)

Divide (2) by (1),

$x^2-xy+y^2=12$ (3)

Sq. (2), $x^2+2xy+y^2=36$ (4)

Subtract, $-3xy=-24$

$\therefore xy=8$ (5)

Subtract (5) from (3),

$x^2-2xy+y^2=4.$

Extract root, $x-y=\pm 2$ (6)

Add (6) and (1), $2x=8$ or $4.$

$\therefore x=4$ or $2.$

Subtract (6) from (1),

$2y=4$ or $8.$

$\therefore y=2$ or $4.$

17. $3xy+2x+y=485$ (1)

$3x-2y=0$ (2)

In (2), $x=\dfrac{2y}{3}$ (3)

Substitute value of x in (1),

$\dfrac{6y^2}{3}+\dfrac{4y}{3}+y=485,$

$6y^2+7y=1455.$

Complete the square,

$144y^2+(\ )+49=34969,$

$12y+7=\pm 181.$

$12y=180$ or $-194.$

$\therefore y=15$ or $-16\frac{1}{6}.$

Substitute value of y in (3),

$x=10$ or $-10\frac{7}{9}.$

18. $x-y=1$ (1)

$x^3-y^3=19$ (2)

Divide (2) by (1),

$x^2+xy+y^2=19$ (3)

Sq. (1), $x^2-2xy+y^2=1$

Subt., $3xy=18$

$\therefore xy=6$ (4)

Add (4) and (3),

$x^2+2xy+y^2=25.$

Extract root, $x+y=\pm 5$ (5)

Add (5) and (1), $2x=6$ or $-4.$

$\therefore x=3$ or $-2.$

Subtract (1) from (5),

$2y=4$ or $-6.$

$\therefore y=2$ or $-3.$

19. $x^3+y^3=2728$ (1)

$x^2-xy+y^2=124$ (2)

Divide (1) by (2),

$x+y=22$ (3)

Square (3),

$x^2+2xy+y^2=484$ (4)

Subtract (4) from (2),

$-3xy=-360.$

Divide by 3, $-xy=-120$ (5)

Add (5) and (2),

$x^2-2xy+y^2=4.$

Extract root, $x-y=\pm 2$ (6)

Add (3) and (6), $2x=24$ or $20.$

$\therefore x=12$ or $10.$

Subtract (6) from (3),

$2y=20$ or $24.$

$\therefore y=10$ or $12.$

20.

$x+y=a$ (1)

$x^2+y^2=b^2$ (2)

Square (1), $x^2+2xy+y^2=a^2$ (3)

Subtract (2), $x^2+y^2=b^2$

$2xy=a^2-b^2$ (4)

Subtract (4) from (2), $x^2-2xy+y^2=a^2+2b^2$ (5)

Extract root, $x-y=\pm\sqrt{a^2+2b^2}$ (6)

From (1) and (6), $2x=a\pm\sqrt{a^2+2b^2}.$

$\therefore x=\frac{1}{2}(a\pm\sqrt{a^2+2b^2}).$

$2y=a\mp\sqrt{a^2+2b^2}.$

$\therefore y=\frac{1}{2}(a\mp\sqrt{a^2+2b^2}).$

21.

$$x^2 - y^2 = 0 \qquad (1)$$

$$3x^2 - 4xy + 5y^2 = 9 \qquad (2)$$

From (1), $x^2 = y^2$.

$\therefore y = \pm x$.

Hence, in (2), $3x^2 \pm 4x^2 + 5x^2 = 9$,

$12x^2 \text{ or } 4x^2 = 9$.

$\therefore x = \pm \frac{1}{2}\sqrt{3} \text{ or } \pm \frac{3}{2}$,

and $y = \pm \frac{1}{2}\sqrt{3} \text{ or } \pm \frac{3}{2}$.

22.

$$\frac{x+y}{x-y} + \frac{x-y}{x+y} = \frac{10}{3} \qquad (1)$$

$$x^2 + y^2 = 45 \qquad (2)$$

From (1), $3(x^2+2xy+y^2)+3(x^2-2xy+y^2) = 10x^2 - 10y^2$,

$3x^2 + 6xy + 3y^2 + 3x^2 - 6xy + 3y^2 = 10x^2 - 10y^2$,

$-4x^2 + 16y^2 = 0$,

$-x^2 + 4y^2 = 0 \qquad (3)$

Add (2) and (3), $5y^2 = 45$.

$\therefore y = \pm 3$.

Substitute values of y in (2), $x^2 + 9 = 45$.

$\therefore x = \pm 6$.

23.

$$\frac{1}{x} + \frac{1}{y} = 5$$

$$\frac{1}{x+1} + \frac{1}{y+1} = \frac{17}{12}$$

Clear of fractions and unite, $x + y = 5xy \qquad (1)$

$5x + 5y = 7 - 17xy \qquad (2)$

Divide (2) by (1), $5 = \frac{7 - 17xy}{5xy} \qquad (3)$

$25xy = 7 - 17xy \qquad (4)$

$42xy = 7$,

$xy = \frac{1}{6} \qquad (5)$

From (1), $x + y = \frac{5}{6} \qquad (6)$

Square (6), $x^2 + 2xy + y^2 = \frac{25}{36}$

Multiply (5) by 4, $4xy = \frac{24}{36}$

Subtract, $x^2 - 2xy + y^2 = \frac{1}{36}$

$x - y = \pm \frac{1}{6} \qquad (7)$

Add (7) and (6), $2x = 1 \text{ or } \frac{2}{3}$.

$\therefore x = \frac{1}{2} \text{ or } \frac{1}{3}$.

Subtract (7) from (6). $2y = \frac{2}{3} \text{ or } 1$.

$\therefore y = \frac{1}{3} \text{ or } \frac{1}{2}$.

24.

$x^2 - xy + y^2 = 7$ (1)

$x^4 + x^2y^2 + y^4 = 133$ (2)

Divide (2) by (1), $x^2 + xy + y^2 = 19$ (3)

Subtract (1) from (3), $2xy = 12.$

$\therefore xy = 6$ (4)

Add (4) to (3), and subtract (4) from (1),

$x^2 + 2xy + y^2 = 25,$

$x^2 - 2xy + y^2 = 1.$

Whence $x + y = \pm 5,$

$x - y = \pm 1.$

$\therefore x = \pm 3 \text{ or } \pm 2,$

and $y = \pm 2 \text{ or } \pm 3.$

25.

$x + y = 4$ (1)

$x^4 + y^4 = 82$ (2)

Put $u + v$ for x, and $u - v$ for y.

(1) becomes $2u = 4.$

$\therefore u = 2.$

(2) becomes $u^4 + 6u^2v^2 + v^4 = 41$ (3)

Substitute 2 for u in (3), $16 + 24v^2 + v^4 = 41,$

$v^4 + 24v^2 = 25.$

Complete the square, $v^4 + (\ ) + 144 = 169,$

$v^2 + 12 = \pm 13,$

$v^2 = 1 \text{ or } -25.$

$\therefore v = \pm 1 \text{ or } \pm\sqrt{-25}.$

$\therefore x = 3, 1, \text{ or } 2 \pm \sqrt{-25},$

and $y = 1, 3, \text{ or } 2 \mp \sqrt{-25}.$

26.

$x^3 - y^3 = a^3$ (1)

$x - y = a$ (2)

Divide (1) by (2), $x^2 + xy + y^2 = a^2$ (3)

Square (2), $x^2 - 2xy + y^2 = a^2$

Subtract, $3xy = 0$

$xy = 0$ (4)

Add (3) and (4), $x^2 + 2xy + y^2 = a^2.$

Extract the root, $x + y = \pm a$ (5)

Subtract (2) from (5), $2y = 0 \text{ or } -2a.$

$\therefore y = 0 \text{ or } a.$

Add (2) and (5), $2x = 2a \text{ or } 0.$

$\therefore x = a \text{ or } 0.$

27.

$$x^2 - xy = a^2 + b^2 \tag{1}$$
$$xy - y^2 = 2ab \tag{2}$$

Subtract (2) from (1), $x^2 - 2xy + y^2 = a^2 - 2ab + b^2.$

Extract root, $x - y = \pm(a - b).$

(1) is $x(x - y) = a^2 + b^2.$

Substitute value of $x - y$ in (1), $\pm x(a - b) = a^2 + b^2.$

$$\therefore x = \pm\frac{a^2 + b^2}{a - b}.$$

(2) is $y(x - y) = 2ab.$

Substitute value of $(x - y)$ in (2),

$$\pm y(a - b) = 2ab.$$
$$\therefore y = \pm\frac{2ab}{a - b}.$$

28.

$$x^2 - y^2 = 4ab \tag{1}$$
$$xy = a^2 - b^2 \tag{2}$$

In (2), $y = \frac{a^2 - b^2}{x}.$

Substitute value of y in (1), $x^2 - \frac{(a^2 - b^2)^2}{x^2} = 4ab,$

$$x^4 - a^4 + 2a^2b^2 - b^4 = 4abx^2,$$
$$x^4 - 4abx^2 = a^4 - 2a^2b^2 + b^4.$$

Complete the square, $x^4 - (\ ) + 4a^2b^2 = a^4 + 2a^2b^2 + b^4.$

Extract root, $x^2 - 2ab = \pm(a^2 + b^2),$

$$x^2 = \pm(a^2 + 2ab + b^2).$$
$$\therefore x = \pm(a + b).$$

Substitute value of x in (1), $(a + b)^2 - y^2 = 4ab,$

$$y^2 = a^2 - 2ab + b^2.$$
$$\therefore y = \pm(a - b).$$

29. $xy = 0$ (1)

$x^2 + y^2 = 16$ (2)

Multiply (1) by 2, $2xy = 0$ (3)

Add (3) and (2),

$x^2 + 2xy + y^2 = 16$ (4)

Extract root, $x + y = \pm 4$ (5)

Multiply (1) by 4, $4xy = 0$ (6)

Subtract (6) from (4),

$x^2 - 2xy + y^2 = 16$

Extract root, $x - y = \pm 4$ (7)

Add (5) and (7), $2x = \pm 8$ or $0.$

$\therefore x = \pm 4$ or $0.$

Subtract (7) from (5),

$2y = 0$ or $\pm 8.$

$\therefore y = 0$ or $\pm 4.$

30. $x^2 + xy + y^2 = 37$ (1)

$x^4 + x^2y^2 + y^4 = 481$ (2)

Divide (2) by (1),

$x^2 - xy + y^2 = 13$ (3)

(1) is $x^2 + xy + y^2 = 37$

Subt., $-2xy = -24$

$\therefore -xy = -12$ (4)

Add (3) and (4),

$x^2 - 2xy + y^2 = 1.$

Extract root, $x - y = \pm 1$ (5)

Subtract (4) from (1),

$x^2 + 2xy + y^2 = 49.$

Extract root, $x + y = \pm 7$ (6)

Add (5) and (6), $2x = \pm 8$ or $\pm 6.$

$\therefore x = \pm 4$ or $\pm 3.$

Subt. (5) fr. (6), $2y = \pm 6$ or $\pm 8.$

$\therefore y = \pm 3$ or $\pm 4.$

31.

$$x^2 = ax + by \qquad (1)$$
$$y^2 = ay + bx \qquad (2)$$

If $x = 0$, y must equal 0.

If $x = y$, and does not equal 0, then $x = a + b$, and $y = a + b$.

If x does not equal y, subtract (2) from (1), and divide by $x - y$.

$$x + y = a - b \qquad (3)$$

Add (1) and (2), $x^2 + y^2 = a(x + y) + b(x + y)$.

Substitute $a - b$ for $x + y$, $\quad = a(a - b) + b(a - b)$.

That is, $x^2 + y^2 = a^2 - b^2 \qquad (4)$

Square (3), $x^2 + 2xy + y^2 = a^2 - 2ab + b^2 \qquad (5)$

Subtract (4) from (5), $2xy = -2ab + 2b^2 \qquad (6)$

Subtract (6) from (4), $x^2 - 2xy + y^2 = a^2 + 2ab - 3b^2$.

Extract root, $x - y = \pm\sqrt{a^2 + 2ab - 3b^2} \qquad (7)$

Add (7) and (3), $2x = a - b \pm \sqrt{a^2 + 2ab - 3b^2}$.

$$\therefore x = \tfrac{1}{2}(a - b \pm \sqrt{a^2 + 2ab - 3b^2}).$$

Subtract (7) from (3), $2y = a - b \mp \sqrt{a^2 + 2ab - 3b^2}$.

$$\therefore y = \tfrac{1}{2}(a - b \mp \sqrt{a^2 + 2ab - 3b^2}).$$

32.

$$x - y - 2 = 0 \qquad (1)$$
$$15(x^2 - y^2) = 16xy \qquad (2)$$

Transpose (1), $x - y = 2 \qquad (3)$

Divide (2) by (3), $15(x + y) = 8xy$,

$$15x + 15y - 8xy = 0 \qquad (4)$$

From (1), $x = y + 2$.

Substitute value of x in (4),

$$15y + 30 + 15y - 8y^2 - 16y = 0,$$
$$8y^2 - 14y = 30.$$

Complete the square, $64y^2 - (\ ) + (7)^2 = 289$,

$$8y - 7 = \pm 17,$$
$$8y = 24 \text{ or } -10.$$
$$\therefore y = 3 \text{ or } -1\tfrac{1}{4}.$$

Substitute value of y in (1). $\therefore x = 5 \text{ or } \tfrac{3}{4}$.

33.

$$\frac{x+y}{x-y} + \frac{x-y}{x+y} = \frac{89}{40} \qquad (1)$$

$$6x = 20y + 9 \qquad (2)$$

Simplify (1), $9x^2 - 169y^2 = 0,$

$$9x^2 = 169y^2 \qquad (3)$$

Extract the root, $3x = \pm 13y,$

$$3x \mp 13y = 0.$$

Multiply by 2, $6x \mp 26y = 0 \qquad (4)$

Transpose in (2), $6x - 20y = 9 \qquad (5)$

Subtract (4) from (5), $6y = 9,$

or $-46y = 9.$

$$\therefore y = 1\tfrac{1}{2} \text{ or } -\tfrac{9}{46}.$$

Substitute values of y in (2), $x = 6\tfrac{1}{2} \text{ or } -2\tfrac{7}{46}.$

34.

$$\frac{x}{a} + \frac{y}{b} = 1 \qquad (1)$$

$$\frac{a}{x} + \frac{b}{y} = 4 \qquad (2)$$

Simplify (1), $bx + ay = ab \qquad (3)$

Simplify (2), $bx + ay = 4xy \qquad (4)$

$$\therefore 4xy = ab,$$

and $y = \frac{ab}{4x}.$

Substitute value of y in (3), $bx + \frac{a^2b}{4x} = ab.$

Simplify, $4x^2 + a^2 = 4ax.$

Transpose, $4x^2 - 4ax = -a^2.$

Complete the square, $4x^2 - (\ ) + a^2 = 0.$

Extract the root, $2x - a = 0.$

$$\therefore x = \frac{a}{2}.$$

Substitute value of x in (3), $y = \frac{b}{2}.$

35.

$$x^2 + y^2 = 7 + xy \qquad (1)$$

$$x^3 + y^3 = 6xy - 1 \qquad (2)$$

Transpose xy in (1), $\quad x^2 - xy + y^2 = 7 \qquad (3)$

Divide (2) by (3), $\quad x + y = \frac{6xy - 1}{7}.$

Simplify, $\quad 7x + 7y = 6xy - 1 \qquad (4)$

Put $u + v$ for x, and $u - v$ for y, in (4),

$$7(u + v) + 7(u - v) = 6(u^2 - v^2) - 1,$$

$$6u^2 - 6v^2 - 14u = 1 \qquad (5)$$

Put $u + v$ for x, and $u - v$ for y, in (3),

$$(u + v)^2 - (u^2 - v^2) + (u - v)^2 = 7,$$

$$u^2 + 3v^2 = 7 \qquad (6)$$

Multiply (6) by 2, $\quad 2u^2 + 6v^2 = 14 \qquad (7)$

Add (5) and (7), $\quad 8u^2 - 14u = 15.$

Complete the square, $\quad 256u^2 - (\ ) + (14)^2 = 676.$

Extract the root, $\quad 16u - 14 = \pm 26,$

$$16u = 40 \text{ or } -12,$$

$$u = \tfrac{5}{2} \text{ or } -\tfrac{3}{4}.$$

Substitute $\frac{5}{2}$ for u in (6), $\quad \frac{25}{4} + 3v^2 = 7,$

$$3v^2 = \tfrac{3}{4},$$

$$v^2 = \tfrac{1}{4}.$$

Extract the root, $\quad v = \pm \frac{1}{2}.$

Substitute $-\frac{3}{4}$ for u in (6), $\quad \frac{9}{16} + 3v^2 = 7,$

$$3v^2 = \tfrac{103}{16},$$

$$v^2 = \tfrac{103}{48}.$$

Extract the root, $\quad v = \pm \frac{1}{4}\sqrt{\frac{103}{3}}.$

Since $x = u + v$, substitute $\frac{5}{2}$ for u and $\pm \frac{1}{2}$ for v,

$$x = \tfrac{5}{2} + (\pm \tfrac{1}{2}),$$

$$x = 3 \text{ or } 2.$$

Substitute value of $-\frac{3}{4}$ for u, and $\pm \frac{1}{4}\sqrt{\frac{103}{3}}$ for v,

$$x = -\tfrac{3}{4} \pm \tfrac{1}{4}\sqrt{\tfrac{103}{3}},$$

$$x = \tfrac{1}{4}\left(-3 \pm \sqrt{\tfrac{103}{3}}\right).$$

Since $y = u - v$, substitute $\frac{5}{2}$ for u, and $\pm \frac{1}{2}$ for v,

$$y = \tfrac{5}{2} - (\pm \tfrac{1}{2}),$$

$$y = 2 \text{ or } 3.$$

Substitute $-\frac{3}{4}$ for u, and $\pm \frac{1}{4}\sqrt{\frac{103}{3}}$ for v,

$$y = -\tfrac{3}{4} - \left(\pm \sqrt{\tfrac{103}{3}}\right),$$

$$y = \tfrac{1}{4}\left(-3 \mp \sqrt{\tfrac{103}{3}}\right).$$

36.

$$x^5 - y^5 = 3093 \qquad (1)$$

$$x - y = 3 \qquad (2)$$

Let $x = u + v$, and $y = u - v$.

From (2), $u + v - u + v = 3,$

$$2v = 3.$$

$$\therefore v = \tfrac{3}{2}.$$

From (1), $u^5+5u^4v+10u^3v^2+10u^2v^3+5uv^4+v^5$
$-(u^5-5u^4v+10u^3v^2-10u^2v^3+5uv^4-v^5) = 3093.$

Transpose and combine, $10u^4v+20u^2v^3+2v^5 = 3093.$

Substitute value of v, $\dfrac{30u^4}{2} + \dfrac{540u^2}{8} + \dfrac{243}{16} = 3093.$

Simplify, $240u^4 + 1080u^2 = 49245.$

Divide by 15, $16u^4 + 72u^2 = 3283.$

Complete the square, $16u^4 + (\ ) + 81 = 3364.$

Extract the root, $4u^2 + 9 = \pm 58,$

$$u^2 = \tfrac{49}{4} \text{ or } -\tfrac{67}{4}.$$

$$\therefore u = \pm \tfrac{7}{2} \text{ or } \pm \tfrac{1}{2}\sqrt{-67},$$

$$x = u + v = 5, -2, \text{ or } \tfrac{1}{2}(3 \pm \sqrt{-67}),$$

$$y = u - v = 2, -5, \text{ or } \tfrac{1}{2}(-3 \pm \sqrt{-67}).$$

37.

$$\tfrac{3}{5}(x-1) - \tfrac{2}{3}(x+1)(y-1) = -11 \qquad (1)$$

$$\tfrac{1}{3}(y+2) = \tfrac{1}{4}(x+2) \qquad (2)$$

From (1), $9x - 9 - 10xy - 10y + 10x + 10 = -165,$

$$\text{or } 19x - 10xy - 10y = -166 \qquad (3)$$

From (2), $4y + 8 = 3x + 6.$

$$\therefore y = \frac{3x-2}{4} \qquad (4)$$

Substitute value of y in (3),

$$19x - 10x\left(\frac{3x-2}{4}\right) - 10\left(\frac{3x-2}{4}\right) = -166,$$

$$76x - 30x^2 + 20x - 30x + 20 = -664,$$

$$-30x^2 + 66x = -684,$$

$$5x^2 - 11x = 144.$$

Complete the square, $100x^2 - (\ ) + (11)^2 = 2401,$

$$10x - 11 = \pm 49,$$

$$10x = 60 \text{ or } -38.$$

$$\therefore x = 6 \text{ or } -3\tfrac{4}{5}.$$

Substitute values of x in (4), $y = 4 \text{ or } -3\tfrac{7}{20}.$

38.

$$10x^2 + 15xy = 3ab - 2a^2 \qquad (1)$$

$$10y^2 + 15xy = 3ab - 2b^2 \qquad (2)$$

Let $$ux = y.$$

(1) becomes $$10x^2 + 15x^2u = 3ab - 2a^3,$$

$$x^2 = \frac{3ab - 2a^2}{10 + 15u} \qquad (3)$$

(2) becomes $$10x^2u^2 + 15x^2u = 3ab - 2b^2,$$

$$x^2 = \frac{3ab - 2b^2}{10u^2 + 15u} \qquad (4)$$

Equate values of x^2, $$\frac{3ab - 2a^2}{10 + 15v} = \frac{3ab - 2b^2}{10u^2 + 15u}.$$

Simplify,

$$30abu^2 - 20a^2u^2 - 30a^2u + 30b^2u = 30ab - 20b^2.$$

Divide by 10,

$$3abu^2 - 2a^2u^2 - 3a^2u + 3b^2u = 3ab - 2b^2,$$

$$\text{or } u^2(3ab - 2a^2) - 3u(a^2 - b^2) = 3ab - 2b^2.$$

Complete the square,

$$4u^2(3ab - 2a^2)^2 - (\ ) + 9(a^2 - b^2)^2 = 9a^4 - 24a^3b + 34a^2b^2 - 24ab^3 + 9b^4.$$

Extract the root,

$$2u(3ab - 2a^2) - 3(a^2 - b^2) = \pm(3a^2 - 4ab + 3b^2),$$

$$2u(3ab - 2a^2) = 6a^2 - 4ab \text{ or } 4ab - 6b^2.$$

$$\therefore u = \frac{3a - 2b}{3b - 2a} \text{ or } -\frac{b}{a}.$$

Substitute value of $\frac{3a - 2b}{3b - 2a}$ for u in (3),

$$x^2 = \frac{(3b - 2a)^2}{25}.$$

Extract the root, $$x = \pm\left(\frac{3b - 2a}{5}\right).$$

Substitute $-\frac{b}{a}$ for u in (3), $$x^2 = -\frac{a^2}{5}.$$

$$\therefore x = \pm a\sqrt{-\tfrac{1}{5}}.$$

Since $ux = y$, $$y = \frac{3a - 2b}{3b - 2a} \times \pm\left(\frac{3b - 2a}{5}\right).$$

$$\therefore y = \pm\frac{3a - 2b}{5},$$

$$\text{or } y = -\frac{b}{a} \times \left(\pm a\sqrt{-\tfrac{1}{5}}\right).$$

$$\therefore y = \mp b\sqrt{-\tfrac{1}{5}}.$$

EXERCISE XCV.

1. If the length and breadth of a rectangle were each increased by 1, the area would be 48; if they were each diminished by 1, the area would be 24. Find the length and breadth.

Let $x =$ length of rectangle,
and $y =$ width of rectangle.

$$\begin{array}{lrr}
\text{Then} & (x+1)(y+1) = 48 & (1) \\
\text{and} & (x-1)(y-1) = 24 & (2) \\
\text{Simplify (1),} & xy + x + y + 1 = 48 & (3) \\
\text{Simplify (2),} & xy - x - y + 1 = 24 & \\
\hline
\text{Add,} & 2xy \qquad + 2 = 72 & \\
 & xy = 35 & (4)
\end{array}$$

Substitute value of xy in (3),

$$\begin{array}{lrr}
 & 35 + x + y + 1 = 48, & \\
 & x + y = 12 & (5) \\
\text{Square (5),} & x^2 + 2xy + y^2 = 144 & \\
\text{Subtract } 4 \times (4), & 4xy \qquad = 140 & \\
\hline
 & x^2 - 2xy + y^2 = \quad 4 & \\
\text{Extract the root,} & x - y = \pm 2 & (6) \\
\text{From (5) and (6),} & x = 7 \text{ or } 5, & \\
 & y = 5 \text{ or } 7. &
\end{array}$$

2. The sum of the squares of the two digits of a number is 25, and the product of the digits is 12. Find the number.

Let $x =$ digit in tens' place,
and $y =$ digit in units' place.

$$\begin{array}{lrr}
 & x^2 + y^2 = 25 & (1) \\
 & xy = 12 & (2) \\
\text{Multiply (2) by 2,} & 2xy = 24 & (3) \\
\text{Add (3) and (1),} & x^2 + 2xy + y^2 = 49. & \\
\text{Extract the root,} & x + y = \pm 7 & (4) \\
\text{Subtract (3) from (1),} & x^2 - 2xy + y^2 = 1. & \\
\text{Extract the root,} & x - y = \pm 1 & (5) \\
\text{From (4) and (5),} & 2x = \pm 8 \text{ or } \pm 6. & \\
 & \therefore x = \pm 4 \text{ or } \pm 3, & \\
 & y = \pm 3 \text{ or } \pm 4. &
\end{array}$$

Hence, the required number is 43 or 34.

3. **The sum, the product, and the difference of the squares of two numbers are all equal. Find the numbers.**

Let $x + y =$ one number,
and $x - y =$ the other number.
Then $2x =$ the sum of the numbers,
$x^2 - y^2 =$ the product of the numbers,
and $4xy =$ the difference of the squares.

$$2x = x^2 - y^2 \qquad (1)$$
$$x^2 - y^2 = 4xy \qquad (2)$$

Transpose in (1), $x^2 - 2x \quad - y^2 = 0$ (3)
Transpose in (2), $x^2 \quad - 4xy - y^2 = 0$ (4)
Subtract, $2x - 4xy \quad = 0$

$$1 - 2y = 0,$$
$$2y = 1.$$
$$\therefore y = \tfrac{1}{2}.$$

Substitute value of y in (1), $2x = x^2 - \frac{1}{4}$,
$x^2 - 2x = \frac{1}{4}$.
Complete the square, $x^2 - 2x + 1 = \frac{5}{4}$.
Extract the root, $x - 1 = \pm \frac{1}{2}\sqrt{5}$.
$\therefore x = 1 \pm \frac{1}{2}\sqrt{5}$,
$x + y = \frac{3}{2} \pm \frac{1}{2}\sqrt{5}$ or $\frac{1}{2}(3 \pm \sqrt{5})$,
$x - y = \frac{1}{2} \pm \frac{1}{2}\sqrt{5}$ or $\frac{1}{2}(1 \pm \sqrt{5})$.

4. **The difference of two numbers is $\frac{3}{8}$ of the greater, and the sum of their squares is 356. What are the numbers?**

Let $x =$ greater number,
$y =$ lesser number,
and $x - y =$ difference of the numbers.

Then $x - y = \dfrac{3x}{8}$ (1)
and $x^2 + y^2 = 356$ (2)
Simplify (1), $8x - 8y = 3x$.
$\therefore x = \dfrac{8y}{5}$.
Substitute value of x in (2), $\dfrac{64y^2}{25} + y^2 = 356$.
Simplify, $64y^2 + 25y^2 = 8900$,
$89y^2 = 8900$,
$y^2 = 100$.
Extract the root, $y = \pm 10$.
Substitute value of y in (3), $5x = \pm 80$.
$\therefore x = \pm 16$.

5. **The numerator and denominator of one fraction are each greater by 1 than those of another, and the sum of the two fractions is $1\frac{5}{12}$; if the numerators were interchanged the sum of the fractions would be $1\frac{1}{2}$. Find the fractions.**

Let $\frac{x}{y}$ = one fraction,

and $\frac{x+1}{y+1}$ = the other fraction.

Then
$$\frac{x}{y}+\frac{x+1}{y+1}=\frac{17}{12} \qquad (1)$$

and
$$\frac{x+1}{y}+\frac{x}{y+1}=\frac{3}{2} \qquad (2)$$

Simplify (1), $12xy+12x+12xy+12y=17y^2+17y$.

Simplify (2), $2xy+2y+2x+2+2xy=3y^2+3y$.

Transpose and combine,
$$17y^2-5y+24xy+12x=0 \qquad (3)$$
$$-3y^2-y+4xy+2x=-2 \qquad (4)$$

Multiply (4) by 6,
$$-18y^2-6y+24xy+12x=-12 \qquad (5)$$

Subtract (5) from (3),
$$y^2+y=12 \qquad (6)$$
$$4y^2+(\ )+1=49,$$
$$2y+1=\pm 7,$$
$$2y=6 \text{ or } -8.$$
$$\therefore y=3 \text{ or } -4.$$

Substitute 3 for y in (1), $\frac{x}{3}+\frac{x+1}{4}=\frac{17}{12}$.

Simplify,
$$4x+3x+3=17,$$
$$7x=14.$$
$$\therefore x=2.$$

Hence, the fractions are $\frac{2}{3}$ and $\frac{3}{4}$.

6. **A man starts from the foot of a mountain to walk to its summit. His rate of walking during the second half of the distance is $\frac{1}{2}$ mile per hour less than his rate during the first half, and he reaches the summit in $5\frac{1}{2}$ hours. He descends in $3\frac{3}{4}$ hours, by walking 1 mile more per hour than during the first half of the ascent. Find the distance to the top and the rates of walking.**

Let $2x =$ distance,
and $y =$ rate at first.

Then $\frac{x}{y} =$ number of hours he was walking 1st half,

and $\frac{x}{y-\frac{1}{2}} =$ number of hours he was walking 2d half.

Hence, $$\frac{x}{y} + \frac{x}{y-\frac{1}{2}} = 5\tfrac{1}{2}. \qquad (1)$$

Also, $$\frac{2x}{y+1} = 3\tfrac{3}{4} \qquad (2)$$

Clear (1) of fractions, $4xy - 2x + 4xy = 22y^2 - 11y,$
$$22y^2 - 8xy - 2x + 11y = 0 \qquad (3)$$

Clear (2) of fractions, $8x = 15y + 15.$
$$\therefore x = \frac{15y + 15}{8} \qquad (4)$$

Substitute value of x in (3),
$$22y^2 - 8y\left(\frac{15y+15}{8}\right) + 2\left(\frac{15y-15}{8}\right) - 11y = 0,$$
$$176y^2 - 120y^2 - 120y + 30y + 30 - 88y = 0,$$
$$56y^2 - 178y = -30.$$

Complete the square, $3136y^2 - (\ ) + (89)^2 = 6241.$

Extract the root, $56y - 89 = \pm 79.$
$$\therefore y = 3.$$

Substitute value of y in (2), $$\frac{2x}{4} = \frac{15}{4},$$
$$2x = 15.$$

Hence, the distance is 15 miles; and the rates of walking, 3, $2\frac{1}{2}$, and 4 miles.

7. The sum of two numbers which are formed by the same two digits in reverse order is $\frac{55}{18}$ of their difference; and the difference of the squares of the numbers is 3960. Determine the numbers.

Let $x =$ digit in ten's place,
and $y =$ digit in unit's place.
Then $10x + y =$ first number,
$10y + x =$ second number,
$11x + 11y =$ sum of the numbers,
$9x - 9y =$ difference of the numbers,
$(10x + y)^2 - (x + 10y)^2 =$ difference of the squares.
$$\therefore 11x + 11y = \tfrac{55}{18}(9x - 9y) \qquad (1)$$

and $(10x + y)^2 - (x + 10y)^2 = 3960$ (2)

Simplify (1), $x + y = \frac{5x - 5y}{2},$

$7y - 3x = 0$ (3)

$\therefore x = \frac{7y}{3}.$

Substitute value of x in (2),

$$\left(\frac{73y}{3}\right) - \left(\frac{37y}{3}\right)^2 = 3960,$$

$$\frac{3960y^2}{9} = 3960,$$

$$y^2 = 9.$$

$$\therefore y = \pm 3.$$

From (3), $3x = 7y.$

$$\therefore x = \pm 7.$$

Hence, the number is 73

8. The hypotenuse of a right triangle is 20, and the area of the triangle is 96. Determine the sides.

Let $x =$ longer side,
and $y =$ shorter side.

Since sum of squares on sides equals square on hypotenuse,

$x^2 + y^2 = 400$ (1)

Since area of triangle equals one-half product of sides,

$\frac{xy}{2} = 96$ (2)

$xy = 192.$

Multiply (2) by 2, $2xy = 384$ (3)

Add (1) and (3), $x^2 + 2xy + y^2 = 784.$

Extract the root, $x + y = \pm 28$ (4)

Subtract (3) from (1), $x^2 - 2xy + y^2 = 16.$

Extract the root, $x - y = \pm 4$ (5)

From (5) and (4), $2x = \pm 32$ or $\pm 24.$

$\therefore x = \pm 16$ or $\pm 12.$

$2y = \pm 24$ or $\pm 32.$

$\therefore y = \pm 12$ or $\pm 16.$

Hence, the sides are 16 and 12.

9. Two boys run in opposite directions round a rectangular field the area of which is an acre; they start from one corner and meet 13 yards from the opposite corner; and the rate of one is $\frac{5}{6}$ of the rate of the other. Determine the dimensions of the field.

Let $x =$ length of first side,
and $y =$ length of second side.

$x + y + 13 =$ number of yards one boy runs,
$x + y - 13 =$ number of yards the other boy runs.

$$x + y - 13 = \tfrac{5}{6}(x + y + 13).$$

$$\therefore 6x + 6y - 78 = 5x + 5y + 65,$$

and
$$x + y = 143 \qquad (1)$$

$xy =$ area of field of one acre.

(Since 4840 sq. yds. = 1 acre),

$$xy = 4840 \qquad (2)$$

Square (1), (2) × 4 is

$$\begin{array}{rl} x^2 + 2xy + y^2 &= 20449 \\ 4xy &= 19360 \\ \hline x^2 - 2xy + y^2 &= 1089 \end{array}$$

$$x - y = \pm 33 \qquad (3)$$

From (1) and (3),

$$2x = 176 \text{ or } 110.$$
$$\therefore x = 88 \text{ or } 55.$$
$$2y = 110 \text{ or } 176.$$
$$\therefore y = 55 \text{ or } 88.$$

Hence, the dimensions are 88 yds. by 55 yds.

10. A, in running a race with B, to a post and back, met him 10 yards from the post. To make it a dead heat, B must have increased his rate from this point $41\frac{3}{7}$ yards per minute; and if, without changing his pace, he had turned back on meeting A, he would have come 4 seconds after him. How far was it to the post?

Let $x =$ number of yards to the post.
Then $2x =$ number of yards to the post and back.
Let $y =$ number of yards A runs per minute.
Then $\frac{2x}{y} =$ number of minutes A is running the race.

B runs $(x - 10)$ yards while A is running $(x + 10)$ yards.

Hence, B runs $\frac{x - 10}{x + 10}$ of y yards $= \frac{xy - 10y}{x + 10}$ yards per minute.

A has $(x-10)$ yards to run when B meets him; and, as he runs y yards per minute, it will take him $\frac{x-10}{y}$ minutes to finish the race.

B has $(x+10)$ yards to run; and, if he increases his pace $41\frac{3}{7}$ yds. per min., he will be running at the rate of $\left(\frac{xy-10y}{x+10}+41\frac{3}{7}\right)$ yards per minute; and, as he has $(x+10)$ yards to run, it will take him $(x+10)\div\left(\frac{xy-10y}{x+10}+41\frac{3}{7}\right)$ minutes to finish the race. But this change of rate will make it a dead heat; therefore,

$$(x+10)\div\left(\frac{xy-10y}{x+10}+41\tfrac{3}{7}\right)=\frac{x-10}{y} \qquad (1)$$

Since 4 seconds $=\frac{1}{15}$ minute, B, without changing his rate, will be $\frac{1}{15}$ of a minute longer than A in running the $(x-10)$ yards which A has to run when he meets B; therefore,

$$(x-10)\div\left(\frac{xy-10y}{x+10}\right)-\frac{x-10}{y}=\frac{1}{15} \qquad (2)$$

Simplify (2),

$$\frac{x+10}{y}-\frac{x-10}{y}=\frac{1}{15} \qquad (3)$$

$$\therefore y=300.$$

Simplify (1),

$$(x+10)\div\left(\frac{7y(x-10)+290x+2900}{7(x+10)}\right)=\frac{x-10}{y},$$

$$\frac{7(x+10)^2}{7y(x-10)+290x+2900}=\frac{x-10}{y}.$$

Substitute 300 for y,

$$\frac{7(x+10)^2}{2390x-18100}=\frac{x-10}{300},$$

$$210x^2+4200x+21000=239x^2-4200x+18100,$$

$$29x^2-8400x=2900,$$

$$x^2-\frac{8400x}{29}=100,$$

$$x^2-(\ )+\left(\tfrac{4200}{29}\right)^2=\left(\tfrac{4210}{29}\right)^2,$$

$$x-\tfrac{4200}{29}=\pm\tfrac{4210}{29}.$$

$$\therefore x=290 \text{ or } -\tfrac{10}{29}.$$

Hence, the distance to the post was 290 yards.

11. The fore wheel of a carriage turns in a mile 132 times more than the hind wheel; but if the circumferences were each increased by 2 feet it would turn only 88 times more. Find the circumference of each.

Let $x =$ circumference in feet of the fore wheel,

and $y =$ circumference in feet of the hind wheel.

Then $$\frac{5280}{x} - \frac{5280}{y} = 132 \qquad (1)$$

$$\frac{5280}{x+2} - \frac{5280}{y+2} = 88 \qquad (2)$$

Simplify (1), $5280y - 5280x = 132xy.$

Divide by 132, $40y - 40x = xy \qquad (3)$

Simplify (2), $5280y+10560-5280x-10560 = 88xy+176x+176y+352.$

Divide by 88, $60y - 60x = xy + 2x + 2y + 4.$

Transpose and combine, $58y - 62x = xy + 4 \qquad (4)$

(3) is $40y - 40x = xy$

Subtract, $18y - 22x = 4$

$$\therefore y = \frac{2+11x}{9}.$$

Substitute value of y in (3),

$$40\left(\frac{2+11x}{9}\right) - 40x = \left(\frac{2+11x}{9}\right)x.$$

Simplify, $80 + 440x - 360x = 2x + 11x^2,$

$11x^2 - 78x = 80.$

Multiply by 11, $121x^2 - 858x = 880.$

Complete the square, $121x^2 - (\ ) + (39)^2 = 2401.$

Extract the root, $11x - 39 = \pm 49,$

$11x = 88 \text{ or } -10.$

$\therefore x = 8 \text{ or } -\frac{10}{11}.$

Substitute 8 for x in (3). $\therefore y = 10.$

12. A person has $6500, which he divides into two parts and loans at *different rates* of interest, so that the two parts produce *equal* returns. If the first part had been loaned at the second rate of interest, it would have produced $180; and if the second part had been loaned at the first rate of interest, it would have produced $245. Find the rates of interest.

Let x = number of dollars in one part of the capital,

$6500 - x$ = number of dollars in the other part,

and y = return from each part.

Then $\frac{y}{x}$ = rate of interest on first part.

Also, $\frac{y}{6500 - x}$ = rate of interest on second part,

$x\left(\frac{y}{6500 - x}\right)$ = return of first part when loaned at second rate.

$$\therefore x\left(\frac{y}{6500 - x}\right) = 180 \qquad (1)$$

$(6500 - x)\frac{y}{x}$ = return of second part when loaned at first rate.

$$\therefore (6500 - x)\frac{y}{x} = 245 \qquad (2)$$

Simplify both equations and add,

$$\begin{array}{rlr} xy = & 1170000 - 180x & (3) \\ -xy = & \qquad\quad + 245x - 6500y & (4) \\ \hline 0 = & 1170000 + \;\; 65x - 6500y & \end{array}$$

Transpose and divide by 65,

$$100y - x = 18000 \qquad (5)$$

From (3) $y = \frac{1170000 - 180x}{x}$.

Substitute value of y in (5),

$$100\left(\frac{1170000 - 180x}{x}\right) - x = 18000.$$

Simplify, $x^2 + 36000x = 117000000$,

$$x^2 + (\;) + (18000)^2 = 441000000.$$

Extract the root, $x + 18000 = \pm 21000$.

$$\therefore x = 3000,$$

and $6500 - x = 3500$.

From (5), $y = 210$.

$$\therefore \frac{y}{x} = .07,$$

and $\frac{y}{6500 - x} = .06$.

Hence, the rates of interest are 7% and 6%.

EXERCISE XCVI.

1. $2x + 11y = 49.$

Transpose, $2x = 49 - 11y.$

$\therefore x = 24 - 5y + \frac{1-y}{2}.$

Let $\frac{1-y}{2} = m,$

$1 - y = 2m.$

$\therefore y = 1 - 2m.$

Substitute value of y in original equation,

$2x + 11 - 22m = 49.$

$\therefore x = 19 + 11m.$

If $m = 0,\quad x = 19, y = 1.$

If $m = -1, x = 8,\quad y = 3.$

2. $7x + 3y = 40.$

Transpose, $3y = 40 - 7x.$

$\therefore y = 13 - 2x + \frac{1-x}{3}.$

Let $\frac{1-x}{3} = m,$

$1 - x = 3m.$

$\therefore x = 1 - 3m.$

Substitute value of y in original equation,

$7 - 21m + 3y = 40,$

$3y = 21m + 33.$

$\therefore y = 7m + 11.$

If $m = 0,\quad y = 11, x = 1.$

If $m = -1, y = 4,\quad x = 4.$

3. $5x + 7y = 53.$

Transpose, $5x = 53 - 7y.$

$\therefore x = 10 - y + \frac{3-2y}{5}.$

$x - 10 + y = \frac{3-2y}{5}.$

Multiply by 3,

$3x - 30 + 3y = \frac{9-6y}{5}$

$= 1 - y + \frac{4-y}{5}.$

Let $\frac{4-y}{5} = m,$

$4 - y = 5m.$

$\therefore y = 4 - 5m.$

From given equation,

$x = 5 - 7m.$

If $m = 0,\quad x = 5,\quad y = 4.$

If $m = -1, x = 12, y = 9.$

If $m = -2, x = 19, y = 14;$

and so on.

4. $x + 10y = 29.$

Transpose, $x = 29 - 10y.$

If $y = 1, x = 19.$

If $y = 2, x = 9.$

If $y = 3, x = -1.$

$\therefore y$ can only $= 1$ or $2,$

x can only $= 19$ or $9.$

5. $3x + 8y = 61.$

$$3x = 61 - 8y.$$

$$\therefore x = 20 - 2y + \frac{1-2y}{3}.$$

$$x - 20 + 2y = \frac{1-2y}{3}.$$

Multiply by 2,

$$2x - 40 + 4y = \frac{2-4y}{3}$$

$$= -y + \frac{2-y}{3}.$$

Let $\frac{2-y}{3} = m,$

$$2 - y = 3m.$$

$$\therefore y = 2 - 3m.$$

Substitute in original equation,

$$3x + 16 - 24m = 61,$$

$$3x = 45 + 24m.$$

$$\therefore x = 15 + 8m.$$

If $m = 0, \quad x = 15, \ y = 2.$
If $m = -1, \ x = 7, \quad y = 5.$

6. $8x + 5y = 97.$

$$5y = 97 - 8x.$$

$$\therefore y = 19 - x + \frac{2-3x}{5}.$$

$$y - 19 + x = \frac{2-2x}{5}.$$

Multiply by 2,

$$2y - 38 + 2x = \frac{4-6x}{5}$$

$$= -x + \frac{4-x}{5}.$$

Let $\frac{4-x}{5} = m.$

$$\therefore x = 4 - 5m.$$

Substitute in original equation,

$$32 - 40m + 5y = 97,$$

$$5y = 65 + 40m.$$

$$\therefore y = 13 + 8m.$$

If $m = 0, \quad x = 4, \ y = 13.$
If $m = -1, \ x = 9, \ y = 5.$

7. $16x + 7y = 110.$

$$7y = 110 - 16x.$$

$$\therefore y = 15 - 2x + \frac{5-2x}{7}.$$

Transpose,

$$y + 2x - 15 = \frac{5-2x}{7}.$$

Multiply by 4,

$$4y + 8x - 60 = \frac{20-8x}{7}$$

$$= 2 - x + \frac{6-x}{7}.$$

Let $\frac{6-x}{7} = m,$

$$6 - x = 7m.$$

$$\therefore x = 6 - 7m.$$

Substitute in original equation,

$$96 - 112m + 7y = 110,$$

$$7y = 14 + 112m.$$

$$\therefore y = 2 + 16m.$$

If $m = 0, \ x = 6, \ y = 2.$

8. $7x + 10y = 206.$

$$7x = 206 - 10y.$$

$$\therefore x = 29 - y + \frac{3-3y}{7}.$$

$$x - 29 + y = \frac{3(1-y)}{7}.$$

Let $\frac{1-y}{7} = m.$

$$\therefore y = 1 - 7m.$$

Substitute in original equation,

$$7x + 10 - 70m = 206,$$

$$7x = 196 + 70m.$$

$$\therefore x = 28 + 10m.$$

If $m = 0, \quad x = 28, \ y = 1.$
If $m = -1, \ x = 18, \ y = 8.$
If $m = -2, \ x = 8, \quad y = 15.$

9. $12x - 7y = 1.$

Transpose, $7y = 12x - 1.$

$$\therefore y - x = \frac{5x - 1}{7}.$$

Multiply by 3,

$$3y - 3x = 2x + \frac{x - 3}{7}.$$

Let $\frac{x - 3}{7} = m.$

$$\therefore x = 7m + 3.$$

Substitute this value of x in original equation,

$$84m + 36 - 7y = 1,$$

$$7y = 35 + 84m.$$

$$\therefore y = 5 + 12m.$$

If $m = 0,\ x = 3,\ y = 5.$

10. $5x - 17y = 23.$

$$5x = 23 + 17y.$$

$$\therefore x = 4 + 3y + \frac{3 + 2y}{5}.$$

$$x - 4 - 3y = \frac{3 + 2y}{5}.$$

Multiply by 3,

$$3x - 12 - 9y = 1 + y + \frac{4 + y}{5}.$$

Let $\frac{4 + y}{5} = m.$

Then $y = 5m - 4.$

Substitute this value of y in original equation,

$$5x - 17(5m - 4) = 23,$$

$$5x - 85m + 68 = 23,$$

$$5x = 85m - 45.$$

$$\therefore x = 17m - 9.$$

If $m = 1,\ x = 8,\ y = 1.$

11. $23y - 13x = 3.$

Transpose, $13x = 23y - 3.$

$$\therefore x - y = \frac{10y - 3}{13}.$$

Multiply by 4,

$$4x - 4y = 3y + \frac{y - 12}{13}.$$

Let $\frac{y - 12}{13} = m.$

$$\therefore y = 13m + 12.$$

Substitute this value of y in original equation,

$$23(13m + 12) - 13x = 3,$$

$$13x = 299m + 273.$$

$$\therefore x = 23m + 21.$$

If $m = 0,\ x = 21,\ y = 12.$

12. $23x - 9y = 929.$

$$9y = 23x - 929.$$

$$\therefore y = 2x - 103 + \frac{5x - 2}{9}.$$

$$y - 2x + 103 = \frac{5x - 2}{9}.$$

Multiply by 2,

$$2y - 4x + 206 = x + \frac{x - 4}{9}.$$

Let $\frac{x - 4}{9} = m.$

Then $x - 4 = 9m.$

$$\therefore x = 9m + 4.$$

Substitute this value of y in original equation,

$$207m + 92 - 9y = 929,$$

$$9y = 207m - 837.$$

$$\therefore y = 23m - 93.$$

If $m = 5,\ x = 49,\ y = 22.$

13.

$$23x - 33y = 43.$$

$$23x = 33y + 43.$$

$$\therefore x = 1 + y + \frac{10(y+2)}{23}.$$

Let $\frac{y+2}{23} = m.$

Then $y = 23m - 2.$

Substitute this value of y in original equation,

$$23x - 33(23m - 2) = 43,$$

$$23x - 759m + 66 = 43,$$

$$23x = 759m - 23.$$

$$\therefore x = 33m - 1.$$

If $m = -1,\ x = 32,\ y = 21.$

14.

$$555x - 22y = 73.$$

$$22y = 555x - 73.$$

$$\therefore y = 25x - 3 + \frac{5x-7}{22}$$

Transpose, $y - 25x + 3 = \frac{5x-7}{22}$

Multiply by 9, $9y - 225x + 27 = 2x + 2 + \frac{x-19}{22}.$

Let $\frac{x-19}{22} = m.$

Then $x - 19 = 22m.$

$$\therefore x = 19 + 22m.$$

Substitute value of x in original equation,

$$555(19 + 22m) - 22y = 73,$$

$$10545 + 12210m - 22y = 73,$$

$$22y = 10472 + 12210m.$$

$$\therefore y = 476 + 555m.$$

If $m = 0,\ x = 19,\ y = 476.$

15. How many fractions are there with denominators 12 and 18 whose sum is $\frac{25}{36}$?

Let $$\frac{x}{12}+\frac{y}{18}=\frac{25}{36}.$$

Simplify, $$3x+2y=25,$$
$$2y=25-3x.$$
$$\therefore\ y=12-x+\frac{1-x}{2}.$$

Let $$\frac{1-x}{2}=m.$$

Then $$1-x=2m.$$
$$\therefore\ x=1-2m.$$

Substitute value of x in original equation,
$$3-6m+2y=25.$$
$$\therefore\ y=11+3m.$$

If $m=0,\quad x=1,\ y=11.$
If $m=-1,\ x=3,\ y=8.$
If $m=-2,\ x=5,\ y=5.$
If $m=-3,\ x=7,\ y=2.$

Hence, the pairs of fractions are
$$\tfrac{1}{12},\ \tfrac{11}{18};\ \tfrac{3}{12},\ \tfrac{8}{18};\ \tfrac{5}{12},\ \tfrac{5}{18};\ \tfrac{7}{12},\ \tfrac{2}{18}.$$

16. What is the least number which, when divided by 3 and 5, leaves remainders 2 and 3 respectively?

Let $$n=\text{number},$$
$$\frac{n-2}{3}=x \qquad (1)$$
$$\frac{n-3}{5}=y \qquad (2)$$

From (1) and (2), $$n=3x+2 \text{ and } 5y+3.$$
$$\therefore\ 3x+2=5y+3,$$
$$3x=5y+1 \qquad (3)$$
$$\therefore\ x=1+\frac{2y+1}{3}.$$

Transpose, $$x-1=\frac{2y+1}{3}.$$

Multiply by 2, $$2x-2=y+\frac{y+2}{3}.$$

Let $$\frac{y+2}{3}=m.$$

Then $$y=3m-2.$$
From (3), $$3x=15m-9.$$
$$\therefore\ x=5m-3.$$

If $m=1,\ x=2,\ y=3.$
But $$n=3x+2.$$
$$\therefore\ n=8.$$

17. A person counting a basket of eggs, which he knows are between 50 and 60, finds that when he counts them 3 at a time there are 2 over; but when he counts them 5 at a time there are 4 over. How many are there in all?

Let $\frac{n-2}{3}=x,$

and $\frac{n-4}{5}=y.$

Then $n=2+3x \text{ or } 4+5y.$

$$\therefore 2+3x=4+5y,$$
$$3x=2+5y \qquad (1)$$
$$x=y+\frac{2(1+y)}{3}.$$

Let $\frac{1+y}{3}=m.$

Then $y=3m-1.$

Substitute value of y in (1), $3x=2+5(3m-1),$
$$3x=15m-3.$$
$$\therefore x=5m-1.$$

If $m=4,\ x=19,\ y=11.$

Hence, the number of eggs is 59.

18. A person bought 40 animals, consisting of pigs, geese, and chickens, for $40. The pigs cost $5 apiece, the geese $1, and the chickens 25 cents each. Find the number he bought of each.

Let x = number of pigs,

and y = number of geese.

Then $40-x-y$ = number of chickens.

$$5x+y+10-\frac{x}{4}-\frac{y}{4}=40 \qquad (1)$$
$$\text{or } 20x+4y+40-x-y=160,$$
$$\text{or } 19x+3y=120,$$
$$3y=120-19x \qquad (2)$$
$$y=40-6x-\frac{x}{3}.$$

Let $\frac{x}{3}=m.$
$$\therefore x=3m.$$

Substitute value of x in (2), $3y=120-57m.$
$$\therefore y=40-19m.$$

If $m=1,\ x=3,\ y=21.$

If $m=2,\ x=6,\ y=2.$

Hence, he bought 3 pigs, 21 geese, and 16 chickens; or 6 pigs, 2 geese, and 32 chickens.

19. Find the least multiple of 7 which, when divided by 2, 3, 4, 5, 6, leaves in each case 1 for a remainder.

Let $7x =$ least multiple of 7,

and $y =$ sum of quotients.

Then

$$\frac{7x-1}{2}+\frac{7x-1}{3}+\frac{7x-1}{4}+\frac{7x-1}{5}+\frac{7x-1}{6}=y.$$

Simplify,

$$210x-30+140x-20+105x-15$$

$$84x-12+70x-10=60y,$$

$$609x-60y=87.$$

Divide by 3,

$$203x-20y=29 \qquad (1)$$

$$-20y=-203x+29.$$

$$\therefore y=10x-1+\frac{3x-9}{20}.$$

Transpose,

$$y-10x+1=\frac{3(x-3)}{20}.$$

Let

$$\frac{x-3}{20}=m.$$

Then

$$x-3=20m.$$

$$\therefore x=20m+3.$$

Substitute value of x in (1),

$$4060m+609-20y=29,$$

$$20y=-4060m-580 \qquad (2)$$

$$\therefore y=203m+29 \qquad (3)$$

If $m=2,\ x=43,\ y=435.$

Hence, the number is 301.

20. In how many ways may 100 be divided into two parts, one of which shall be a multiple of 7 and the other of 9?

Let $7x =$ one part,

and $9y =$ the other part.

$$\therefore 7x+9y=100.$$

$$7x=100-9y.$$

$$\therefore x=14-y+\frac{2(1-y)}{7}.$$

Let

$$\frac{1-y}{7}=m.$$

Then

$$1-y=7m.$$

$$\therefore y=1-7m.$$

Substitute value of y in the original equation,

$$7x+9(1-7m)=100,$$

$$7x=100-9(1-7m),$$

$$7x=91+63m.$$

$$\therefore x=13+9m.$$

If $m=0,\quad x=13,\ y=1.$

If $m=-1,\ x=4,\quad y=8.$

Hence, the parts are 91 and 9, or 28 and 72.

21. Solve $18x - 5y = 70$ so that y may be a multiple of x, and both positive.

$$18x - 5y = 70.$$

Let $y = mx.$

Substitute value of y in this equation,

$$18x - 5mx = 70.$$
$$x(18 - 5m) = 70.$$
$$\therefore x = \frac{70}{18 - 5m},$$

and $y = \dfrac{70m}{18 - 5m}.$

Now, if $m = 2$, $x = \frac{70}{8}$ or $8\frac{3}{4}$,

and $y = \frac{140}{8}$ or $17\frac{1}{2}$.

And, if $m = 3$, $x = \frac{70}{3}$ or $23\frac{1}{3}$,

and $y = \frac{210}{3}$ or 70.

22. Solve $8x + 12y = 23$ so that x and y may be positive, and their sum an integer.

$$8x + 12y = 23 \qquad (1)$$

Let $x + y = m.$

Transpose, $x = m - y \qquad (2)$

Substitute value of x in (1),

$$8m - 8y + 12y = 23,$$
$$4y = 23 - 8m.$$
$$\therefore y = \frac{23 - 8m}{4}.$$

Substitute value of y in (1),

$$8x + 69 - 24m = 23,$$
$$8x = 24m - 46.$$
$$\therefore x = \frac{24m - 46}{8}.$$

Let $m = 2.$

Then $x = \dfrac{48 - 46}{8} = \dfrac{1}{4},$

and $y = \dfrac{23 - 16}{4} = \dfrac{7}{4}.$

23. Divide 70 into three parts which shall give integral quotients when divided by 6, 7, 8, respectively, and the sum of the quotients shall be 10.

Let $x =$ first part,
$y =$ second part,
and $70 - x - y =$ third part.

$$\frac{x}{6} + \frac{y}{7} + \frac{70 - x - y}{8} = 10 \qquad (1)$$

Simplify,

$$24x + 24y + 1470 - 21x - 21y = 1680,$$
$$7x + 3y = 210 \qquad (2)$$
$$3y = 210 - 7x.$$
$$\therefore y = 70 - 2x + \frac{x}{3}.$$

Let $\frac{x}{3} = m.$

$$\therefore x = 3m.$$

Substitute value of m in (2),

$$21m + 3y = 210,$$
$$3y = 210 - 21m.$$
$$\therefore y = 70 - 7m.$$

If $m = 2,\ 4,\ 6,\ 8,$

(the lowest values that will produce multiples of the numbers),

$x = \ 6,\ 12,\ 18,\ 24,$
$y = 50,\ 42,\ 28,\ 14,$
$70 - x - y = \ 8,\ 16,\ 24,\ 32.$

24. Divide 200 into three parts which shall give integral quotients when divided by 5, 7, 11, respectively, and the sum of the quotients shall be 20.

Let $x =$ first part,
and $y =$ second part.
Then $200 - x - y =$ third part,

$$\frac{x}{5} + \frac{y}{7} + \frac{200 - x - y}{11} = 20.$$

Simplify,

$$77x + 55y + 7000 - 35x - 35y = 7700,$$
$$42x + 20y = 700,$$
$$21x + 10y = 350 \qquad (1)$$
$$\therefore y = 35 - 2x - \frac{x}{10}.$$

Let $\frac{x}{10} = m,$

$$x = 10m.$$

Substitute value of x in (1), $y = 35 - 21m.$

If $m = 1,\ x = 10,\ y = 14.$

$$200 - x - y = 176.$$

25. **A number consisting of three digits, of which the middle one is 4, has the digits in the units' and hundreds' places interchanged by adding 792. Find the number.**

Let $x =$ digit in hundreds' place,
and $y =$ digit in units' place.

$$\therefore\ 100x + 40 + y = \text{the number.}$$

$$100y + 40 + x = 792 + 100x + 40 + y.$$

Transpose and combine,

$$99y - 99x = 792.$$

Divide by 99, $$y - x = 8 \qquad (1)$$

$$y = x + 8.$$

Let $$x + 8 = m,$$

$$x = m - 8 \qquad (2)$$

and $$y = m.$$

From (2), m must be equal to 9, in order to make x positive.

Then $$x = 1,$$

$$y = 9.$$

Hence, the number is 149.

26. **Some men earning each $2.50 a day, and some women earning each $1.75 a day, receive altogether for their daily wages $44.75. Determine the number of men and the number of women.**

Let $x =$ number of men,
and $y =$ number of women.

Then $$\frac{5x}{2} + \frac{7y}{4} = \frac{179}{4},$$

$$10x + 7y = 179,$$

$$y = 25 - x + \frac{4 - 3x}{7}.$$

Transpose, $$y - 25 + x = \frac{4 - 3x}{7}.$$

Multiply by 5, $$5y - 125 + 5x = 2 - 2x + \frac{6 - x}{7}.$$

Let $$\frac{6 - x}{7} = m,$$

$$x = 6 - 7m.$$

Substitute $6 - 7m$ for x in the original equation,

$$60 - 70m + 7y = 179,$$

$$7y = 119 + 70m.$$

$$\therefore\ y = 17 + 10m.$$

If $m = 0,\quad x = 6,\quad y = 17.$

If $m = -1,\quad x = 13,\quad y = 7.$

27. A wishes to pay B a debt of £1 12*s.*, but has only half-crowns in his pocket, while B has only four-penny pieces. How may they settle the matter most simply?

Let $x =$ number of half-crowns,

and $y =$ number of four-penny pieces.

Then half-crowns $= 30x$ pence,

and four-penny pieces $= 4y$ pence.

$$£1 + 12s. = 384 \text{ pence}.$$

But $£1 + 12s. = 30x - 4y.$

$$\therefore 30x - 4y = 384 \qquad (1)$$

$$4y = 30x - 384.$$

$$\therefore y = \frac{30x - 384}{4},$$

$$\text{or } y = 7x - 96 + \frac{x}{2}.$$

Let $\frac{x}{2} = m.$

Then $x = 2m.$

Substitute value of x in (1),

$$60m - 4y = 384.$$

$$\therefore y = 15m - 96.$$

If $m = 7,\ x = 14,\ y = 9.$

Hence, A can give B 14 half-crowns, and receive from B 9 four-penny pieces.

29. A farmer buys oxen, sheep, and hens. The whole number bought is 100, and the whole price £100. If the oxen cost £5, the sheep £1, and the hens 1 *s.* each, how many of each did he buy?

Let $x =$ number of oxen,

and $y =$ number of sheep.

Then $100 - x - y =$ number of hens.

$$5x + y + \frac{100 - x - y}{20} = 100 \qquad (1)$$

$$100x + 20y + 100 - x - y = 2000,$$

$$99x + 19y = 1900 \qquad (2)$$

Transpose, $19y = 1900 - 99x.$

Divide by 19, $y = 100 - 5x - \frac{4x}{19}.$

Transpose, $100 - 5x - y = \frac{4x}{19}.$

Multiply by (5),

$$500 - 25x - 5y = x + \frac{x}{19}.$$

Let $\frac{x}{19} = m.$

Then $x = 19m.$

Substitute value of x in (2),

$$1881m + 19y = 1900.$$

Transpose, $19y = 1900 - 1881m,$

$$y = 100 - 99m.$$

If $m = 1,\ x = 19,\ y = 1,$

and $100 - x - y = 80.$

Hence, he buys 19 oxen, 1 sheep, and 80 hens.

30. A number of lengths 3 feet, 5 feet, and 8 feet are cut; how may 48 of them be taken so as to measure 175 feet all together?

Let $x =$ number 8 feet long,

$y =$ number 5 feet long,

and $48 - x - y =$ number 3 feet long.

$$8x + 5y + 3(48 - x - y) = 175 \quad (1)$$

Simplify, $5x + 2y = 31.$

Transpose, $2y = 31 - 5x \quad (2)$

$$\therefore y = 15 - 2x + \frac{1-x}{2}.$$

Let $\frac{1-x}{2} = m.$

Then $1 - x = 2m.$

$$\therefore x = 1 - 2m.$$

Substitute value of x in (2), $2y = 31 - 5 + 10m,$

$$y = 13 + 5m \quad (3)$$

If $m = 0,\ -1,\ -2,$

$x = 1,\ 3,\ 5 =$ number of 8-ft. lengths,

$y = 13,\ 8,\ 3 =$ number of 5-ft. lengths,

$48 - x - y = 34,\ 37,\ 40 =$ number of 3-ft. lengths.

31. A field containing an integral number of acres less than 10 is divided into 8 lots of one size, and 7 of 4 times that size; and has also a road passing through it containing 1300 square yards. Find the size of the lots in square yards.

Let $x =$ number of acres.

$\therefore 4840x =$ number of square yards.

$y =$ number of square yards in 1 lot,

$8y =$ number of square yards in 8 lots,

$28y =$ number of square yards in 7 lots of second kind.

$$8y + 28y + 1300 = 4840x \tag{1}$$

$$9y + 325 = 1210x,$$

$$9y = 1210x - 325 \tag{2}$$

$$y = 134x - 36 + \frac{4x-1}{9},$$

$$y - 134x + 36 = \frac{4x-1}{9}.$$

Multiply by 7,

$$7y - 938x + 252 = 3x + \frac{x-7}{9}.$$

Let $\frac{x-7}{9} = m.$

Then $x - 7 = 9m.$

$\therefore x = 9m + 7.$

Substitute value of x in (2),

$$9y = 10890m + 8470 - 325,$$

$$9y = 10890m + 8145.$$

$$\therefore y = 1210m + 905.$$

If $m = 0,$

$x = 7 =$ number of acres.

$y = 905 =$ number of sq. yds. in 1st lot.

$4y = 3620 =$ number of sq. yds. in 2d lot.

32. Two wheels are to be made, the circumference of one of which is to be a multiple of the other. What circumferences may be taken so that when the first has gone round three times and the other five, the difference in the length of rope coiled on them may be 17 feet?

Let $x =$ circumference of the first wheel,
and $y =$ circumference of the second wheel.
$3x - 5y = 17$, difference of length of rope coiled on them when first wheel goes round three times, and second five times.

Let
$$x = my,$$
$$3x - 5y = 17,$$
$$3my - 5y = 17,$$
$$y(3m - 5) = 17.$$
$$\therefore y = \frac{17}{3m - 5}$$
If $m = 2,\ y = 17,\ x = 34.$

33. In how many ways can a person pay a sum of £15 in half-crowns, shillings, and sixpences, so that the number of shillings and sixpences together shall be equal to the number of half-crowns?

Let $x =$ number of shillings,
and $y =$ number of sixpences.
Then $x + y =$ number of half-crowns.
y sixpences $= \frac{1}{2}y$ shillings.
$(x + y)$ half-crowns $= \frac{5}{2}(x + y)$ shillings.
Then $x + \frac{1}{2}y + \frac{5}{2}(x + y) =$ whole number of shillings.
But $300 =$ whole number of shillings.
$$\therefore x + \tfrac{1}{2}y + \tfrac{5}{2}(x + y) = 300.$$
$$2x + y + 5x + 5y = 600,$$
$$7x + 6y = 600.$$
$$x = 85 + \frac{5 - 6y}{7}.$$
Transpose, and multiply by 6,
$$6x - 510 = 4 - 5y + \frac{2 - y}{7}.$$
Let
$$\frac{2 - y}{7} = m.$$
$$\therefore y = 2 - 7m.$$
Substitute value of y,
$$7x + 22 - 42m = 600.$$
$$\therefore x = 6m + 84.$$
If $m = 0, -2, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13$, then x and y would each have 14 positive values.
Hence, there are 14 ways.

8. Which is the greater,

$$(a^2+b^2)(c^2+d^2) \text{ or } (ac+bd)^2?$$

Simplify, $a^2c^2+b^2c^2+a^2d^2+b^2d^2$ is $> a^2c^2+2abcd+b^2d^2$.
If $b^2c^2+a^2d^2$ is $> 2abcd$.
But $b^2c^2+a^2d^2$ is $> 2abcd$, § 249.
$\therefore (a^2+b^2)(c^2+d^2)$ is $> (ac+bd)^2$.

9. Which is the greater,

$$m^2+m \text{ or } m^3+1?$$

m^2+m is $>$ or $< m^3+1$,
as $m(m+1)$ is $>$ or $< (m^2-m+1)(m+1)$,
as $m >$ or $< m^2-m+1$,
as $2m$ is $>$ or $< m^2+1$.
But m^2+1 is $> 2m$, § 249.
$\therefore m^3+1$ is $> m^2+m$.

10. Which is the greater,

$$a^4-b^4 \text{ or } 4a^3(a-b), \text{ when } a \text{ is } > b?$$

$4a^3(a-b)$ is $>$ or $< a^4-b^4$,
as (dividing by $a-b$), $4a^3$ is $>$ or $< a^3+a^2b+ab^2+b^3$,
as (subtracting a^3 from both sides),
$3a^2$ is $>$ or $< a^2b+ab^2+b^3$,
as (transposing a^2b), $3a^3-a^2b$ is $>$ or $< ab^2+b^3$,
as $a^2(3a-b)$ is $>$ or $< b^2(a+b)$,

if the factor a^2 be taken out from the left side, and the factor b^2 from the right side, since a is $> b$, the left side will have been divided by a greater number than the right; so that, if the left is greater than the right, after both factors have been taken out, it must have been greater before.

If, therefore, $3a-b$ is $> a+b$,
if (by adding $b-a$ to both sides),
$2a$ is $> 2b$.
But $2a$ is $> 2b$.
$\therefore 4a^3(a-b)$ is $> a^4-b^4$.

11. Which is the greater,

$$\sqrt{\frac{a^2}{b}}+\sqrt{\frac{b^2}{a}} \text{ or } \sqrt{a}+\sqrt{b}?$$

$$\sqrt{\frac{a^2}{b}}+\sqrt{\frac{b^2}{a}} \text{ is} > \text{or} < \sqrt{a}+\sqrt{b},$$

as (squaring), $$\frac{a^2}{b}+\sqrt{2ab}+\frac{b^2}{a} \text{ is} > \text{or} < a+\sqrt{2ab}+b,$$

as (transposing), $$\frac{a^2}{b}+\frac{b^2}{a} \text{ is} > \text{or} < a+b,$$

as (multiplying by ab), $$a^3+b^3 \text{ is} > \text{or} < a^2b+ab^2,$$

as $$(a+b)(a^2-ab+b^2) \text{ is} > \text{or} < ab\,(a+b),$$

as $$(a^2+b^2) \text{ is} > \text{or} < 2ab.$$

But $$(a^2+b^2) \text{ is} > 2ab, \qquad \S\ 249.$$

$$\therefore \sqrt{\frac{a^2}{b}}+\sqrt{\frac{b^2}{a}} \text{ is} > \sqrt{a}+\sqrt{b}.$$

12. Which is the greater,

$$\frac{a+b}{2} \text{ or } \frac{2ab}{a+b}?$$

$$\frac{a+b}{2} \text{ is} > \text{or} < \frac{2ab}{a+b},$$

as $$a^2+2ab+b^2 \text{ is} > \text{or} < 4ab,$$

as $$a^2+b^2 \text{ is} > \text{or} < 2ab.$$

But $$a^2+b^2 \text{ is} > 2ab, \qquad \S\ 249.$$

$$\therefore \frac{a+b}{2} \text{ is} > \frac{2ab}{a+b}.$$

13. Which is the greater,

$$\frac{a}{b^2}+\frac{b}{a^2} \text{ or } \frac{1}{b}+\frac{1}{a}?$$

$$\frac{a}{b^2}+\frac{b}{a^2} \text{ is} > \text{or} < \frac{1}{b}+\frac{1}{a},$$

as $$a^3+b^3 \text{ is} > \text{or} < a^2b+ab^2,$$

as $$(a+b)(a^2-ab+b^2) \text{ is} > \text{or} < (a+b)ab,$$

as $$a^2+b^2 \text{ is} > \text{or} < 2ab.$$

But $$a^2+b^2 \text{ is} > 2ab, \qquad \S\ 249.$$

$$\therefore \frac{a}{b^2}+\frac{b}{a^2} \text{ is} > \frac{1}{b}+\frac{1}{a}.$$

EXERCISE XCVIII.

$\sqrt{x^3} = x^{\frac{3}{2}}.$
$\sqrt[3]{x^2} = x^{\frac{2}{3}}.$
$(\sqrt{x})^5 = x^{\frac{5}{2}}.$
$\sqrt[3]{a^4} = a^{\frac{4}{3}}.$
$\sqrt[7]{a^6} = a^{\frac{6}{7}}.$
$(\sqrt[3]{a})^7 = a^{\frac{7}{3}}.$
$\sqrt[6]{a^3b^2} = a^{\frac{1}{2}}b^{\frac{1}{3}}.$

2. $\sqrt[3]{xy^2z^3} = x^{\frac{1}{3}}y^{\frac{2}{3}}z.$
$\sqrt[5]{x^3y^2z^4} = x^{\frac{3}{5}}y^{\frac{2}{5}}z^{\frac{4}{5}}.$
$\sqrt[7]{a^5b^6c^7} = a^{\frac{5}{7}}b^{\frac{6}{7}}c.$
$5\sqrt{a^2bc^3x^4} = 5ab^{\frac{1}{2}}c^{\frac{3}{2}}x^2.$

3. $a^{\frac{2}{3}} = \sqrt[3]{a^2}.$
$a^{\frac{1}{2}}b^{\frac{1}{6}} = \sqrt[6]{a^3b}.$
$4x^{\frac{1}{6}}y^{-\frac{5}{6}} = 4\sqrt[6]{xy^{-5}}.$
$3x^{\frac{1}{3}}y^{-\frac{2}{3}} = 3\sqrt[3]{xy^{-2}}.$

4. $a^{-2} = \frac{1}{a^2}.$
$3x^{-1}y^{-3} = \frac{3}{xy^3}.$
$6x^{-3}y = \frac{6y}{x^3}.$
$x^4y^{-5} = \frac{x^4}{y^5}.$
$\frac{2a^{-1}x}{3^{-1}b^2y^{-3}} = \frac{6xy^3}{ab^2}.$

5. $\frac{3xy}{z^2} = 3xyz^{-2}.$
$\frac{z}{x^3y^4} = x^{-3}y^{-4}z.$
$\frac{a}{bc} = ab^{-1}c^{-1}.$
$\frac{c^2}{a^3b^{-2}} = a^{-3}b^2c^2.$
$\frac{x^{-\frac{1}{3}}}{y^{-\frac{2}{3}}} = x^{-\frac{1}{3}}y^{\frac{2}{3}}.$
$\frac{x^{-2}}{y^{\frac{1}{3}}} = x^{-2}y^{-\frac{1}{3}}.$

6. $a^{\frac{1}{2}} \times a^{\frac{1}{3}} = a^{\frac{5}{6}}.$
$b^{\frac{1}{3}} \times b^{\frac{1}{6}} = b^{\frac{1}{2}}.$
$c^{\frac{2}{3}} \times c^{\frac{1}{12}} = c^{\frac{3}{4}}.$
$d^{\frac{3}{5}} \times d^{\frac{1}{15}} = d^{\frac{2}{3}}.$

7. $m^{\frac{1}{2}} \times m^{-\frac{1}{6}} = m^{\frac{1}{3}}.$
$n^{\frac{3}{4}} \times n^{-\frac{1}{12}} = n^{\frac{2}{3}}.$
$a^0 \times a^{\frac{1}{2}} = a^{\frac{1}{2}}.$
$a^0 \times a^{-\frac{1}{2}} = \frac{1}{a^{\frac{1}{2}}}.$

8. $a^{\frac{1}{2}} \times \sqrt{a} = a^{\frac{1}{2}} \times a^{\frac{1}{2}} = a.$
$c^{-\frac{1}{2}} \times \sqrt{c} = \frac{1}{c^{\frac{1}{2}}} \times c^{\frac{1}{2}} = 1.$
$y^{\frac{1}{4}} \times \sqrt[4]{y} = y^{\frac{1}{4}} \times y^{\frac{1}{4}} = y^{\frac{1}{2}}.$
$x^{\frac{5}{6}} \times \sqrt{x^{-1}} = x^{\frac{5}{6}} \times x^{-\frac{1}{2}} = x^{\frac{1}{3}}.$

9. $ab^{\frac{1}{2}}c \times a^{-\frac{1}{2}}bc^{\frac{1}{3}} = a^{\frac{1}{2}}b^{\frac{3}{2}}c^{\frac{4}{3}}.$

$a^{\frac{2}{3}}b^{\frac{1}{2}}c^{-\frac{1}{4}} \times a^{\frac{1}{3}}b^{-\frac{1}{2}}c^{\frac{1}{2}}d = ac^{\frac{1}{4}}d.$

10. $x^{\frac{1}{3}}y^{\frac{2}{3}}z^{\frac{1}{6}} \times x^{-\frac{2}{3}}y^{\frac{1}{2}}z^{-\frac{1}{2}} = x^{-\frac{1}{3}}y^{\frac{7}{6}}z^{-\frac{1}{3}}.$

$x^{\frac{5}{6}}y^{\frac{1}{4}}z^{\frac{1}{2}} \times x^{-\frac{1}{3}}y^{-\frac{1}{2}}z^{-\frac{1}{2}} = x^{\frac{1}{2}}y^{-\frac{1}{4}}.$

11. $a^{\frac{1}{2}} \times a^{-\frac{1}{3}} \times a^{-\frac{1}{4}} \times a^{-\frac{1}{3}} = a^{-\frac{5}{12}}.$

$$\left(\frac{ay}{x}\right)^{\frac{1}{2}} \times \left(\frac{bx}{y^2}\right)^{\frac{1}{3}} \times \left(\frac{y^2}{a^2b^2}\right)^{\frac{1}{4}}$$

$$= \frac{a^{\frac{1}{2}}y^{\frac{1}{2}}}{x^{\frac{1}{2}}} \times \frac{b^{\frac{1}{3}}x^{\frac{1}{3}}}{y^{\frac{2}{3}}} \times \frac{y^{\frac{1}{2}}}{a^{\frac{1}{2}}b^{\frac{1}{2}}}$$

$$= \frac{y^{\frac{1}{3}}}{b^{\frac{1}{6}}x^{\frac{1}{6}}}$$

12. $a^{\frac{1}{2}} \div a^{\frac{1}{3}} = a^{\frac{1}{6}}.$

$c^{\frac{5}{8}} \div c^{\frac{1}{2}} = c^{\frac{1}{8}}.$

$n^{\frac{7}{12}} \div n^{\frac{3}{4}} = n^{-\frac{1}{6}}.$

$a^{\frac{5}{6}} \div \sqrt[3]{a^2} = a^{\frac{5}{6}} \div a^{\frac{2}{3}} = a^{\frac{1}{6}}.$

13. $(a^6)^{\frac{1}{2}} \div (a^6)^{\frac{2}{3}} = (a^6)^{-\frac{1}{6}} = a^{-1}$

$$= \frac{1}{a}.$$

$(c^{-\frac{1}{2}})^{\frac{2}{5}} = c^{-\frac{1}{5}} = \frac{1}{c^5}.$

$(m^{-\frac{1}{2}})^4 = m^{-2} = \frac{1}{m^2}.$

$(n^{\frac{1}{3}})^{-3} = n^{-1} = \frac{1}{n}.$

$(x^{\frac{3}{4}})^{\frac{4}{3}} = x^{\frac{12}{12}} = x.$

14. $(p^{-\frac{3}{4}})^{-\frac{2}{3}} = p^{\frac{1}{2}}.$

$(q^{\frac{2}{5}})^{-\frac{1}{2}} = q^{-\frac{1}{5}}.$

$(x^{-\frac{3}{8}}y^{\frac{3}{4}})^{-\frac{4}{3}} = x^{\frac{1}{2}}y^{-1}.$

$(a^{\frac{2}{3}} \times a^{\frac{4}{7}})^{-\frac{14}{13}} = (a^{\frac{26}{21}})^{-\frac{14}{13}} = a^{-\frac{4}{3}}.$

15. $(4a^{-\frac{2}{3}})^{-\frac{3}{2}} = 4^{-\frac{3}{2}}a = \frac{a}{8}.$

$(27b^{-3})^{-\frac{2}{3}} = 27^{-\frac{2}{3}}b^2 = \frac{b^2}{9}.$

$(64c^{16})^{-\frac{5}{6}} = 64^{-\frac{5}{6}}c^{-\frac{40}{3}}$

$$= \frac{1}{32c^{\frac{40}{3}}}.$$

$(32c^{-10})^{\frac{2}{5}} = 32^{\frac{2}{5}}c^{-4} = \frac{4}{c^4}.$

16. $$\left(\frac{16a^{-4}}{81b^3}\right)^{-\frac{3}{4}} = \frac{16^{-\frac{3}{4}}a^3}{81^{-\frac{3}{4}}b^{-\frac{9}{4}}}$$

$$= \frac{81^{\frac{3}{4}}a^3b^{\frac{9}{4}}}{16^{\frac{3}{4}}}$$

$$= \frac{27a^3b^{\frac{9}{4}}}{8}.$$

$$\left(\frac{9a^4}{16b^{-3}}\right)^{-\frac{3}{2}} = \frac{9^{-\frac{3}{2}}a^{-6}}{16^{-\frac{3}{2}}b^{\frac{9}{2}}}$$

$$= \frac{16^{\frac{3}{2}}}{9^{\frac{3}{2}}a^6b^{\frac{9}{2}}}$$

$$= \frac{64}{27a^6b^{\frac{9}{2}}}.$$

$(3^{\frac{3}{8}}a^{-3})^{-\frac{2}{3}} = 3^{-\frac{1}{4}}a^2 = \frac{a^2}{3^{\frac{1}{4}}}.$

$$\left(\frac{256}{625}\right)^{-\frac{3}{4}} = \frac{256^{-\frac{3}{4}}}{625^{-\frac{3}{4}}} = \frac{625^{\frac{3}{4}}}{256^{\frac{3}{4}}}$$

$$= \frac{125}{64}$$

EXERCISE XCIX.

1.

$$\begin{array}{l}
x^{2p}+x^py^p+y^{2p} \\
x^{2p}-x^py^p+y^{2p} \\
\hline
x^{4p}+x^{3p}y^p+x^{2p}y^{2p} \\
\quad -x^{3p}y-x^{2p}y^{2p}-x^py^{3p} \\
\qquad\qquad x^{2p}y^{2p}+x^py^{3p}+y^{4p} \\
\hline
x^{4p} \qquad +x^{2p}y^{2p} \qquad +y^{4p}
\end{array}$$

2.

$$\begin{array}{l}
x^{mn-n}-y^n \\
x^n+y^{mn-n} \\
\hline
x^{mn}-x^ny^n \\
\qquad +x^{mn-n}y^{mn-n}-y^{mn} \\
\hline
x^{mn}-x^ny^n+x^{mn-n}y^{mn-n}-y^{mn}
\end{array}$$

3.

$$\begin{array}{l}
x^{\frac{2}{3}}-2x^{\frac{1}{3}}+1 \\
x^{\frac{1}{3}}-1 \\
\hline
x-2x^{\frac{2}{3}}+x^{\frac{1}{3}} \\
\quad -x^{\frac{2}{3}}+2x^{\frac{1}{3}}-1 \\
\hline
x-3x^{\frac{2}{3}}+3x^{\frac{1}{3}}-1
\end{array}$$

4.

$$\begin{array}{l}
8a^{\frac{3}{4}}+4a^{\frac{2}{4}}b^{\frac{1}{4}}+5a^{\frac{1}{4}}b^{\frac{2}{4}}+9b^{\frac{3}{4}} \\
2a^{\frac{1}{4}}-b^{\frac{1}{4}} \\
\hline
16a+8a^{\frac{3}{4}}b^{\frac{1}{4}}+10a^{\frac{2}{4}}b^{\frac{2}{4}}+18a^{\frac{1}{4}}b^{\frac{3}{4}} \\
\quad -8a^{\frac{3}{4}}b^{\frac{1}{4}}-4a^{\frac{2}{4}}b^{\frac{2}{4}}-5a^{\frac{1}{4}}b^{\frac{3}{4}}-9b
\end{array}$$

5.

$$\begin{array}{l}
1+ab^{-1}+a^2b^{-5} \\
1-ab^{-1}+a^2b^{-2} \\
\hline
1+ab^{-1}+a^2b^{-2} \\
\quad -ab^{-1}-a^2b^{-2}-a^3b^{-3} \\
\qquad +a^2b^{-2}+a^3b^{-3}+a^4b^{-4} \\
\hline
1 \qquad +a^2b^{-2} \qquad +a^4b^{-4}
\end{array}$$

6.

$$\begin{array}{l}
a^2b^{-2}+2+a^{-2}b^2 \\
a^2b^{-2}-2-a^{-2}b^2 \\
\hline
a^4b^{-4}+2a^2b^{-2}+1 \\
\quad -2a^2b^{-2}-4-2a^{-2}b^2 \\
\qquad -1-2a^{-2}b^2-a^{-4}b^4 \\
\hline
a^4b^{-4} \qquad -4-4a^{-2}b^2-a^{-4}b^4
\end{array}$$

7.

$$\begin{array}{l}
4x^{-3}+3x^{-2}+2x^{-1}+1 \\
x^{-2}-x^{-1}+1 \\
\hline
4x^{-5}+3x^{-4}+2x^{-3}+x^{-2} \\
\quad -4x^{-4}-3x^{-3}-2x^{-2}-x^{-1} \\
\qquad +4x^{-3}+3x^{-2}+2x^{-1}+1 \\
\hline
4x^{-5}-x^{-4}+3x^{-3}+2x^{-2}+x^{-1}+1
\end{array}$$

8.

$$\begin{array}{l|l}
x^{4n}-y^{4n} & x^{n}-y^{n} \\ \cline{2-2}
\underline{x^{4n}-x^{3n}y^{n}} & x^{3n}+x^{2n}y^{n}+x^{n}y^{2n}+y^{3n} \\
\qquad x^{3n}y^{n}-y^{4n} & \\
\qquad \underline{x^{3n}y^{n}-x^{2n}y^{2n}} & \\
\qquad\qquad x^{2n}y^{2n}-y^{4n} & \\
\qquad\qquad \underline{x^{2n}y^{2n}-x^{n}y^{3n}} & \\
\qquad\qquad\qquad x^{n}y^{3n}-y^{4n} & \\
\qquad\qquad\qquad x^{n}y^{3n}-y^{4n} &
\end{array}$$

9.

$$\begin{array}{l|l}
x+y+z-3x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}} & x^{\frac{1}{3}}+y^{\frac{1}{3}}+z^{\frac{1}{3}} \\ \cline{2-2}
\underline{x+x^{\frac{2}{3}}y^{\frac{1}{3}}+x^{\frac{2}{3}}z^{\frac{1}{3}}} & x^{\frac{2}{3}}-x^{\frac{1}{3}}y^{\frac{1}{3}}-x^{\frac{1}{3}}z^{\frac{1}{3}}+y^{\frac{2}{3}}-y^{\frac{1}{3}}z^{\frac{1}{3}}+z^{\frac{2}{3}} \\
\quad -x^{\frac{2}{3}}y^{\frac{1}{3}}-x^{\frac{2}{3}}z^{\frac{1}{3}}\qquad -3x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}+y+z & \\
\quad \underline{-x^{\frac{2}{3}}y^{\frac{1}{3}}\qquad -x^{\frac{1}{3}}y^{\frac{2}{3}}-\ x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}} & \\
\qquad -x^{\frac{2}{3}}z^{\frac{1}{3}}+x^{\frac{1}{3}}y^{\frac{2}{3}}-2x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}+y+z & \\
\qquad \underline{-x^{\frac{2}{3}}z^{\frac{1}{3}}-x^{\frac{1}{3}}z^{\frac{2}{3}}-\ x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}} & \\
\qquad\quad x^{\frac{1}{3}}y^{\frac{2}{3}}+x^{\frac{1}{3}}z^{\frac{2}{3}}-x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}+y+z & \\
\qquad\quad \underline{x^{\frac{1}{3}}y^{\frac{2}{3}}+y^{\frac{2}{3}}z^{\frac{1}{3}}\qquad\qquad +y} & \\
\qquad\qquad -x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}+x^{\frac{1}{3}}z^{\frac{2}{3}}-y^{\frac{2}{3}}z^{\frac{1}{3}}+z & \\
\qquad\qquad \underline{-x^{\frac{1}{3}}y^{\frac{1}{3}}z^{\frac{1}{3}}\qquad -y^{\frac{2}{3}}z^{\frac{1}{3}}-y^{\frac{1}{3}}z^{\frac{2}{3}}} & \\
\qquad\qquad\qquad x^{\frac{1}{3}}z^{\frac{2}{3}}\qquad +y^{\frac{1}{3}}z^{\frac{2}{3}}+z & \\
\qquad\qquad\qquad \underline{x^{\frac{1}{3}}z^{\frac{2}{3}}\qquad +y^{\frac{1}{3}}z^{\frac{2}{3}}+z} &
\end{array}$$

10.

$$\begin{array}{l|l}
x+y & x^{\frac{4}{5}}-x^{\frac{3}{5}}y^{\frac{1}{5}}+x^{\frac{2}{5}}y^{\frac{2}{5}}-x^{\frac{1}{5}}y^{\frac{3}{5}}+y^{\frac{4}{5}} \\ \cline{2-2}
\underline{x-x^{\frac{4}{5}}y^{\frac{1}{5}}+x^{\frac{3}{5}}y^{\frac{2}{5}}+x^{\frac{2}{5}}y^{\frac{3}{5}}+x^{\frac{1}{5}}y^{\frac{4}{5}}} & x^{\frac{1}{5}}+y^{\frac{1}{5}} \\
\quad x^{\frac{4}{5}}y^{\frac{1}{5}}-x^{\frac{3}{5}}y^{\frac{2}{5}}+x^{\frac{2}{5}}y^{\frac{3}{5}}-x^{\frac{1}{5}}y^{\frac{4}{5}}+y & \\
\quad \underline{x^{\frac{4}{5}}y^{\frac{1}{5}}-x^{\frac{3}{5}}y^{\frac{2}{5}}+x^{\frac{2}{5}}y^{\frac{3}{5}}-x^{\frac{1}{5}}y^{\frac{4}{5}}+y} &
\end{array}$$

11.
$$\begin{array}{l|l}
x^2y^{-2}+2+x^{-2}y^2 & \underline{xy^{-1}+x^{-1}y} \\
\underline{x^2y^{-2}+1} & xy^{-1}+x^{-1}y \\
\qquad\qquad 1+x^{-2}y^2 & \\
\qquad\qquad \underline{1+x^{-2}y^2} &
\end{array}$$

12.
$$\begin{array}{l|l}
a^{-4}+a^{-2}b^{-2}+b^{-4} & \underline{a^{-2}-a^{-1}b^{-1}+b^{-2}} \\
\underline{a^{-4}+a^{-2}b^{-2}-a^{-3}b^{-1}} & a^{-2}+a^{-1}b^{-1}+b^{-2} \\
\qquad\qquad a^{-3}b^{-1}+b^{-4} & \\
\qquad\qquad \underline{a^{-3}b^{-1}-a^{-2}b^{-2}+a^{-1}b^{-3}} & \\
\qquad\qquad\qquad\qquad a^{-2}b^{-2}-a^{-1}b^{-3}+b^{-4} & \\
\qquad\qquad\qquad\qquad \underline{a^{-2}b^{-2}-a^{-1}b^{-3}+b^{-4}} &
\end{array}$$

13.
$$\begin{aligned}
(4ab^{-1})^2 &= 16a^2b^{-2}.\\
(a^{\frac{1}{2}}-b^{\frac{1}{2}})^2 &= a-2a^{\frac{1}{2}}b^{\frac{1}{2}}+b.\\
(a+a^{-1})^2 &= a^2+2+a^{-2}.\\
(2a^{\frac{1}{2}}b^{\frac{1}{3}}-a^{-\frac{1}{2}}b^{\frac{2}{3}})^2 &= 4ab^{\frac{2}{3}}-4b+a^{-1}b^{\frac{4}{3}}.
\end{aligned}$$

14.
$$\begin{aligned}
a^{\frac{1}{2}}b &= 4^{\frac{1}{2}}\times 2 = 4.\\
5ab^{-1} &= 5\times 4\times \tfrac{1}{2} = 10.\\
2(ab)^{\frac{1}{3}} &= 2\sqrt[3]{8} = 4.\\
a^{-\frac{1}{2}}b^{-1}c^{\frac{2}{3}} &= \tfrac{1}{2}\times\tfrac{1}{2}\times 1 = \tfrac{1}{4}.\\
12a^{-2}b^{-3} &= 12\times\tfrac{1}{16}\times\tfrac{1}{8} = \tfrac{3}{32}.
\end{aligned}$$

15.
$$\begin{aligned}
(a^{\frac{1}{2}}-b^{\frac{1}{3}})^3 &= a^{\frac{3}{2}}-3ab^{\frac{1}{3}}+3a^{\frac{1}{2}}b^{\frac{2}{3}}-b.\\
(2x^{-1}+x)^4 &= (2x^{-1})^4+4(2x^{-1})^3(x)+6(2x^{-1})^2(x)^2\\
&\qquad +4(2x^{-1})(x)^3+x^4\\
&= 16x^{-4}+32x^{-2}+24+8x^2+x^4.\\
(ab^{-1}-by^{-1})^6 &= a^6b^{-6}-6(a^5b^{-5}\times by^{-1})+15(a^4b^{-4}\times b^2y^{-2})\\
&\qquad -20(a^3b^{-3}\times b^3y^{-3})+15(a^2b^{-2}\times b^4y^{-4})\\
&\qquad -6(ab^{-1}\times b^5y^{-5})+b^6y^{-6}\\
&= a^6b^{-6}-6a^5b^{-4}y^{-1}+15a^4b^{-2}y^{-2}-20a^3y^{-3}\\
&\qquad +15a^2b^2y^{-4}-6ab^4y^{-5}+b^6y^{-6}.
\end{aligned}$$

16.

$$\begin{array}{lll}
 & 9x^{-4} - 18x^{-3}y^{\frac{1}{2}} + 15x^{-2}y - 6x^{-1}y^{\frac{3}{2}} + y^{2} & \underline{|\,3x^{-2} - 3x^{-1}y^{\frac{1}{2}} + y} \\
 & \underline{9x^{-4}} & \\
6x^{-2} - 3x^{-1}y^{\frac{1}{2}} & |\,-18x^{-3}y^{\frac{1}{2}} + 15x^{-2}y & \\
 & |\,\underline{-18x^{-3}y^{\frac{1}{2}} + 9x^{-2}y} & \\
6x^{-2} - 6x^{-1}y^{\frac{1}{2}} + y & |\,6x^{-2}y - 6x^{-1}y^{\frac{3}{2}} + y^{2} & \\
 & |\,\underline{6x^{-2}y - 6x^{-1}y^{\frac{3}{2}} + y^{2}} &
\end{array}$$

17.

$$\begin{array}{rl}
 & \qquad\qquad\qquad\qquad\qquad\qquad \underline{|\,2x + 1 - 3x^{-1}} \\
 & 8x^{3} + 12x^{2} - 30x - 35 + 45x^{-1} + 27x^{-2} - 27x^{-3} \\
 & \underline{8x^{3}} \\
3(2x)^{2} = 12x^{2} \qquad & |\,12x^{2} - 30x - 35 \\
(6x+1)(1) = \underline{\qquad +6x+1} & \\
12x^{2}+6x+1 & |\,\underline{12x^{2} + 6x + 1} \\
12x^{2}+12x+3 \qquad\qquad & |\,-36x - 36 + 45x^{-1} + 27x^{-2} - 27x^{-3} \\
\underline{-18+9x^{-1}+9x^{-2}} & |\,\underline{-36x - 36 + 45x^{-1} + 27x^{-2} - 27x^{-3}} \\
12x^{2}+12x-15+9x^{-1}+9x^{-2} & |
\end{array}$$

18. $\sqrt[3]{12} = \sqrt[3]{3 \times 2 \times 2} = 3^{\frac{1}{3}} \times 2^{\frac{2}{3}}.$

$\sqrt[4]{72} = \sqrt[4]{3^{2} \times 2^{3}} = 3^{\frac{1}{2}} \times 2^{\frac{3}{4}}.$

$\sqrt[6]{96} = \sqrt[6]{3 \times 2^{5}} = 3^{\frac{1}{6}} \times 2^{\frac{5}{6}}.$

$\sqrt[8]{64} = \sqrt[8]{2^{6}} = 2^{\frac{3}{4}}$

$= 2^{3} \times 3 = 24.$

19. $[(x^{5ab})^{3} \times (x^{5b})^{-2}]^{\frac{1}{3a-2}}$

$= [(x^{15ab}) \times (x^{-10b})]^{\frac{1}{3a-2}}$

$= (x^{15ab-10b})^{\frac{1}{3a-2}}$

$= x^{5b}.$

20. $(x^{18a} \times x^{-12})^{\frac{1}{3a-2}}$

$= (x^{18a-12})^{\frac{1}{3a-2}}$

$= x^{6}.$

21. $3(a^{\frac{1}{2}} + b^{\frac{1}{2}})^{2} - 4(a^{\frac{1}{2}} + b^{\frac{1}{2}})(a^{\frac{1}{2}} - b^{\frac{1}{2}}) + (a^{\frac{1}{2}} - 2b^{\frac{1}{2}})^{2}$

$= 3a + 6a^{\frac{1}{2}}b^{\frac{1}{2}} + 3b - 4a + 4b + a - 4a^{\frac{1}{2}}b^{\frac{1}{2}} + 4b$

$= 2a^{\frac{1}{2}}b^{\frac{1}{2}} + 11b.$

22. $\{(a^{m})^{m-\frac{1}{m}}\}^{\frac{1}{m+1}}$

$= (a^{m^{2}-1})^{\frac{1}{m+1}}$

$= a^{m-1}.$

23. $\left(\frac{x^{p+q}}{x^{q}}\right)^{p} \div \left(\frac{x^{q}}{x^{q-p}}\right)^{p-q}$

$= (x^{p})^{p} \div (x^{p})^{p-q}$

$= x^{pq}.$

24. $[\{(a^{-m})^{-n}\}^{p}]^{q} \div [\{(a^{m})^{n}\}^{-p}]^{-q}$
$= a^{mnpq} \div a^{mnpq}$
$= 1.$

25. $\dfrac{x^{2p(q-1)} - y^{2q(p-1)}}{x^{p(q-1)} + y^{q(p-1)}}.$

By factoring the numerator,

$$= \frac{(x^{p(q-1)} + y^{q(p-1)})(x^{p(q-1)} - y^{q(p-1)})}{x^{p(q-1)} + y^{q(p-1)}}$$

$= x^{p(q-1)} - y^{q(p-1)}.$

EXERCISE C.

1. $3\sqrt{5} = \sqrt{5 \times (3)^2} = \sqrt{45}.$
$3\sqrt{21} = \sqrt{21 \times (3)^2} = \sqrt{189}.$
$5\sqrt{32} = \sqrt{32 \times (5)^2} = \sqrt{800}.$
$a^2b\sqrt{bc} = \sqrt{bc \times (a^2b)^2} = \sqrt{a^4b^3c}.$
$x\sqrt[3]{x^2y^2} = \sqrt[3]{x^2y^2(x)^3} = \sqrt[3]{x^5y^2}.$

2. $3y^2\sqrt[4]{x^3y} = \sqrt[4]{81x^3y^9}.$
$2x\sqrt[5]{xy} = \sqrt[5]{32x^6y}.$
$a^3\sqrt[4]{a^3b^2} = \sqrt[4]{a^{15}b^2}.$
$3c^2\sqrt[3]{abc} = \sqrt[3]{27abc^7}.$
$5abc\sqrt{abc^{-1}} = \sqrt{25a^3b^3c}.$

3. $\frac{2}{7}\sqrt{\frac{91}{8}} = \sqrt{\frac{4}{49} \times \frac{91}{8}} = \sqrt{\frac{13}{14}}.$
$16\sqrt{\frac{275}{288}} = \sqrt{256 \times \frac{275}{288}} = \sqrt{244\frac{4}{9}}.$

$$(x+y)\sqrt{\frac{xy}{x^2+2xy+y^2}} = \sqrt{x^2+2xy+y^2 \times \frac{xy}{x^2+2xy+y^2}} = \sqrt{xy}.$$

4. $\sqrt{x^2y^4z} = xy^2\sqrt{z}.$
$\sqrt{8a^3b} = \sqrt{4a^2 \times 2ab} = 2a\sqrt{2ab}.$
$\sqrt[3]{54a^4x^2y^3} = \sqrt[3]{27a^3y^3 \times 2ax^2} = 3ay\sqrt[3]{2ax^2}.$
$\sqrt{24} = \sqrt{4 \times 6} = 2\sqrt{6}.$
$\sqrt{125a^4d^3} = \sqrt{25a^4d^2 \times 5d} = 5a^2d\sqrt{5d}.$

5. $\sqrt[3]{1000a} = \sqrt[3]{10 \times 10 \times 10 \times a} = 10\sqrt[3]{a}.$
$\sqrt[3]{160x^4y^7} = \sqrt[3]{20xy \times 8x^3y^6} = 2xy^2\sqrt[6]{20xy}.$
$\sqrt[3]{108m^9n^{10}} = \sqrt[3]{27m^9n^9 \times 4n} = 3m^3n^3\sqrt[3]{4n}.$
$\sqrt[3]{1372a^{15}b^{16}} = \sqrt[3]{343a^{15}b^{15} \times 4b} = 7a^5b^5\sqrt[3]{4b}.$

6. $\sqrt[3]{a^4 - 3a^3b + 3a^2b^2 - ab^3} = \sqrt[3]{a(a^3 - 3a^2b + 3ab^2 - b^3)} = (a-b)\sqrt[3]{a}.$
$\sqrt{50a^2 - 100ab + 50b^2} = \sqrt{2 \times 25(a^2 - 2ab + b^2)} = 5(a-b)\sqrt{2}.$

7. $2\sqrt[4]{80\,a^5b^2c^6} = 2\sqrt[4]{16\,a^4c^4 \times 5\,ab^2c^2} = 4\,ac\sqrt[4]{5\,ab^2c^2}.$

$7\sqrt{396\,x} = 7\sqrt{36 \times 11\,x} = 42\sqrt{11\,x}.$

$9\sqrt[3]{81\,x^2y^3z} = 9\sqrt[3]{27\,y \times 3\,x^2z} = 27\,y\sqrt[3]{3\,x^2z}.$

$5\sqrt{726} = 5\sqrt{121 \times 6} = 55\sqrt{6}.$

8. $\sqrt{\tfrac{5}{9}} = \sqrt{5 \times \tfrac{1}{9}} = \tfrac{1}{3}\sqrt{5}.$

$\sqrt{1\tfrac{11}{16}} = \sqrt{\tfrac{27}{16}} = \sqrt{3 \times \tfrac{9}{16}} = \tfrac{3}{4}\sqrt{3}.$

$\sqrt{3\tfrac{1}{8}} = \sqrt{\tfrac{25}{8}} = \sqrt{\tfrac{25 \times 2}{16}} = \tfrac{5}{4}\sqrt{2}.$

$\tfrac{3}{5}\sqrt{90\tfrac{5}{8}} = \tfrac{3}{5}\sqrt{\tfrac{725}{8}} = \tfrac{3}{5}\sqrt{\frac{2 \times 5^2 \times 29}{2^4}} = \tfrac{3}{4}\sqrt{58}.$

$2\sqrt[3]{\tfrac{1}{2}} = \sqrt[3]{8 \times \tfrac{1}{2}} = \sqrt[3]{4}.$

9. $\sqrt[3]{\frac{2xy^2}{z}} = \sqrt[3]{\frac{2\,xy^2z^2}{z^3}} = \frac{1}{z}\sqrt[3]{2\,xy^2z^2}.$

$\sqrt[3]{\tfrac{4}{25}} = \sqrt[3]{\tfrac{20}{125}} = \tfrac{1}{5}\sqrt[3]{20}.$

$\frac{a}{b}\sqrt[4]{\frac{b}{2\,a^3}} = \frac{a}{b}\sqrt[4]{\frac{8\,ab}{16\,a^4}} = \frac{1}{2\,b}\sqrt[4]{8\,ab}.$

$\sqrt{\frac{3\,a^2bx}{4\,cy^3}} = \sqrt{\frac{3\,a^2bcxy}{4\,c^2y^4}} = \frac{a}{2\,cy^2}\sqrt{3\,bcxy}.$

10. $\frac{12}{\sqrt{5}} = \frac{12\sqrt{5}}{5} = 2\tfrac{2}{5}\sqrt{5}.$

$\frac{2}{\sqrt{1701}} = \sqrt{\frac{4}{3^5 \times 7}} = \sqrt{\frac{4 \times 21}{3^6 \times 7^2}} = \tfrac{2}{189}\sqrt{21}.$

$\left(\frac{x^3y^2}{z^2}\right)\left(\frac{z^5}{x^5y^5}\right)^{\frac{1}{2}} = \left(\frac{x^6y^4z^5}{x^5y^5z^4}\right)^{\frac{1}{2}} = \left(\frac{xz}{y}\right)^{\frac{1}{2}}.$

$\left(\frac{a^3b^2}{c^4}\right)\left(\frac{c^9b^3}{a}\right)^{\frac{1}{3}} = \left(\frac{a^9c^9b^9}{ac^{12}}\right)^{\frac{1}{3}} = \left(\frac{a^8b^9}{c^3}\right)^{\frac{1}{3}} = \frac{a^2b^3}{c}\sqrt[3]{a^2}.$

11. $(ax) \times (b^2x)^{\frac{1}{2}} = (a^2b^2x^3)^{\frac{1}{2}} = abx\sqrt{x}.$

$(2\,a^2b^4) \times (b^2x^3)^{\frac{1}{3}} = 2(a^6b^{14}x^3)^{\frac{1}{3}} = 2\,a^2b^4x\sqrt[3]{b^2}.$

$5(3\,a^3b^4y) \times (a^5b^{-4}y^3)^{\frac{1}{4}} = 15\,a^4b^3y\sqrt[4]{ay^3}.$

12. Show that $\sqrt{20}$, $\sqrt{45}$, $\sqrt{\frac{4}{5}}$ are similar surds.

$$\begin{aligned}\sqrt{20} &= \sqrt{4 \times 5} = 2\sqrt{5}.\\ \sqrt{45} &= \sqrt{5 \times 9} = 3\sqrt{5}.\\ \sqrt{\tfrac{4}{5}} &= \sqrt{\tfrac{20}{25}} = \sqrt{\tfrac{4}{25} \times 5} = \tfrac{2}{5}\sqrt{5}.\end{aligned}$$

Therefore, they are similar surds because they have the same surd factor.

13. Show that $2\sqrt[3]{a^3b^2}$, $\sqrt[3]{8b^5}$, $\frac{1}{2}\sqrt[3]{\frac{a^6}{b}}$ are similar surds.

$$\begin{aligned}2\sqrt[3]{a^3b^2} &= 2a\sqrt[3]{b^2}.\\ \sqrt[3]{8b^5} &= 2b\sqrt[3]{b^2}.\\ \tfrac{1}{2}\sqrt[3]{\frac{a^6}{b}} &= \tfrac{1}{2}\sqrt[3]{\frac{a^6b^2}{b^3}} = \frac{a^2}{2b}\sqrt[3]{b^2}.\end{aligned}$$

Since they all have the same surd factor, they are similar surds.

14. If $\sqrt{2} = 1.414213$, find the values of

$$\sqrt{50};\ \tfrac{5}{2}\sqrt{288};\ \frac{1}{\sqrt{2}};\ \frac{3}{\sqrt{450}}.$$

$$\begin{aligned}\sqrt{50} &= 5\sqrt{2}\\ &= 5 \times 1.414213\\ &= 7.071065.\end{aligned}$$

$$\begin{aligned}\tfrac{5}{2}\sqrt{288} &= \tfrac{5}{2}\sqrt{144 \times 2}\\ &= 30\sqrt{2}\\ &= 30 \times 1.414213\\ &= 42.426390.\end{aligned}$$

$$\begin{aligned}\frac{1}{\sqrt{2}} &= \sqrt{\tfrac{1}{2}}\\ &= \tfrac{1}{2}\sqrt{2}\\ &= \frac{1.414213}{2}\\ &= .707107.\end{aligned}$$

$$\begin{aligned}\frac{3}{\sqrt{450}} &= \sqrt{\tfrac{9}{450}}\\ &= \sqrt{\tfrac{1}{50}}\\ &= \sqrt{\tfrac{1}{100} \times 2}\\ &= \tfrac{1}{10}\sqrt{2}\\ &= \tfrac{1}{10} \times 1.414213\\ &= 0.1414213.\end{aligned}$$

EXERCISE CI.

1. **Which is the greater,**

$3\sqrt{7}$ or $2\sqrt{15}$?

$3\sqrt{7} = \sqrt{9 \times 7} = \sqrt{63}.$
$2\sqrt{15} = \sqrt{4 \times 15} = \sqrt{60}.$
Since 63 is > 60,
$\therefore 3\sqrt{7} > 2\sqrt{15}.$

2. **Arrange in order of magnitude**

$9\sqrt{3},\ 6\sqrt{7},\ 5\sqrt{10}.$

$9\sqrt{3} = \sqrt{243}.$
$6\sqrt{7} = \sqrt{252}.$
$5\sqrt{10} = \sqrt{250}.$
Since $\sqrt{252} > \sqrt{250} > \sqrt{243}$,
$\therefore 6\sqrt{7} > 5\sqrt{10} > 9\sqrt{3}.$

3. **Arrange in order of magnitude**

$4\sqrt[3]{4},\ 3\sqrt[3]{5},\ 5\sqrt[3]{3}.$

$4\sqrt[3]{4} = \sqrt[3]{256}.$
$3\sqrt[3]{5} = \sqrt[3]{135}.$
$5\sqrt[3]{3} = 3\sqrt[3]{375}.$
Since $\sqrt[3]{135} < \sqrt[3]{256} < \sqrt[3]{375}$,
$\therefore 3\sqrt[3]{5} < 4\sqrt[3]{256} < \sqrt[3]{375}.$

4. $3\sqrt{2} \times 4\sqrt{6} = 12\sqrt{12}$
$= 24\sqrt{3}.$
$\frac{2}{7}\sqrt{10} \times \frac{7}{10}\sqrt{15} = \frac{1}{5}\sqrt{150}$
$= \sqrt{6}.$

5. $5\sqrt{\frac{2}{7}} \times \frac{3}{7}\sqrt{162}.$

$5\sqrt{\frac{2}{7}} = \frac{5}{7}\sqrt{14};$
$\frac{3}{7}\sqrt{162} = \frac{27}{7}\sqrt{2}.$
$\frac{5}{7}\sqrt{14} \times \frac{27}{7}\sqrt{2} = \frac{135}{49}\sqrt{28}$
$= \frac{270}{49}\sqrt{7}.$
$\frac{1}{2}\sqrt[3]{4} \times 2\sqrt[3]{2} = \sqrt[3]{8} = 2.$

6. $2\sqrt{5} \div 3\sqrt{15} = \frac{2}{3}\sqrt{\frac{1}{3}}$
$= \frac{2}{9}\sqrt{3}.$
$\frac{3}{8}\sqrt{21} \div \frac{9}{16}\sqrt{\frac{7}{20}} = \frac{2}{3}\sqrt{60}$
$= 1\frac{1}{3}\sqrt{15}.$

7. $\frac{2}{5}\sqrt{3} \times \frac{4}{9}\sqrt{5} \div \frac{6}{7}\sqrt{2}$
$= \frac{8}{45}\sqrt{15} \div \frac{6}{7}\sqrt{2}$
$= \frac{28}{135}\sqrt{\frac{15}{2}}$
$= \frac{28}{135}\sqrt{\frac{30}{4}}$
$= \frac{14}{135}\sqrt{30}.$

8. $\dfrac{2\sqrt{10}}{3\sqrt{27}} \times \dfrac{7\sqrt{48}}{5\sqrt{14}} \div \dfrac{4\sqrt{15}}{15\sqrt{21}}$
$= (\frac{2}{3} \times \frac{7}{5} \times \frac{15}{4})\sqrt{\frac{10}{27} \times \frac{48}{14} \times \frac{21}{15}}$
$= \frac{7}{2}\sqrt{\frac{16}{9}} = \frac{28}{6} = 4\frac{2}{3}.$

9. $2\sqrt[3]{4} \times 5\sqrt[3]{32} \div \sqrt[3]{108}.$

$2\sqrt[3]{4} \times 5\sqrt[3]{32} = 10\sqrt[3]{128}.$
$10\sqrt[3]{128} \div \sqrt[3]{108} = 10\sqrt[3]{\frac{128}{108}}$
$= 10\sqrt[3]{\frac{32}{27}}$
$= 10\sqrt[3]{\frac{8}{27} \times 4}$
$= 6\frac{2}{3}\sqrt[3]{4}.$

EXERCISE CII.

1. $2\sqrt[3]{3} = 2(3)^{\frac{1}{3}} = 2(3)^{\frac{2}{6}} = \sqrt[6]{576}.$

$3\sqrt{2} = 3(2)^{\frac{1}{2}} = 3(2)^{\frac{3}{6}} = \sqrt[6]{5882}.$

$\frac{5}{2}\sqrt[4]{4} = \frac{5}{2}(2)^{\frac{1}{2}} = \frac{5}{2}(2)^{\frac{3}{6}} = \sqrt[6]{1953\frac{1}{8}}.$

$\therefore$ the order of magnitude is $3\sqrt{2},\ \frac{5}{2}\sqrt[4]{4},\ 2\sqrt[3]{3}.$

2. $\sqrt{\frac{3}{5}} = (\frac{3}{5})^{\frac{1}{2}} = (\frac{3}{5})^{\frac{3}{6}} = \sqrt[6]{\frac{27}{125}}.$

$\sqrt[3]{\frac{14}{15}} = (\frac{14}{15})^{\frac{1}{3}} = (\frac{14}{15})^{\frac{2}{6}} = \sqrt[6]{\frac{196}{225}}.$

$\sqrt[6]{\frac{27}{125}} = \sqrt[6]{\frac{243}{1125}}.$

$\sqrt[6]{\frac{196}{225}} = \sqrt[6]{\frac{980}{1125}}.$

$\therefore \sqrt[3]{\frac{14}{15}} > \sqrt{\frac{3}{5}}.$

3. $2\sqrt[3]{22} = \sqrt[3]{176} = \sqrt[6]{176^2} = \sqrt[6]{30976}.$

$3\sqrt[3]{7} = \sqrt[3]{189} = \sqrt[6]{189^2} = \sqrt[6]{35721}.$

$4\sqrt{2} = \sqrt{32} = \sqrt[6]{32^3} = \sqrt[6]{32768}.$

$\therefore$ the order of magnitude is $3\sqrt[3]{7},\ 4\sqrt{2},\ 2\sqrt[3]{22}.$

4. $3\sqrt{19} = \sqrt{171} = 171^{\frac{1}{2}} = 171^{\frac{3}{6}} = \sqrt[6]{171^3} = \sqrt[6]{5000211}.$

$5\sqrt[3]{2} = \sqrt[3]{250} = 250^{\frac{1}{3}} = 250^{\frac{2}{6}} = \sqrt[6]{250^2} = \sqrt[6]{62500}.$

$3\sqrt[3]{3} = \sqrt[3]{81} = 81^{\frac{1}{3}} = 81^{\frac{2}{6}} = \sqrt[6]{81^2} = \sqrt[6]{6561}.$

$\therefore$ the order of magnitude is $3\sqrt{19},\ 5\sqrt[3]{2},\ 3\sqrt[3]{3}.$

5. $2\sqrt{ax} \times \sqrt[3]{3a^2b} \times \sqrt{2bx};\quad \sqrt[4]{a^3xy^3} \times \sqrt[5]{a^2xy^2}.$

$2\sqrt{ax} = 2a^{\frac{1}{2}}x^{\frac{1}{2}}.$

$\sqrt[3]{3a^2b} = 3^{\frac{1}{3}}a^{\frac{2}{3}}b^{\frac{1}{3}}.$

$\sqrt{2bx} = 2^{\frac{1}{2}}b^{\frac{1}{2}}x^{\frac{1}{2}}.$

$\sqrt[6]{2^6 \times 3^2 \times 2^3} \times a^{\frac{7}{6}} \times b^{\frac{5}{6}} \times x = 2ax\sqrt[6]{72ab^5}.$

$\sqrt[4]{a^3xy^3} = (a^3xy^3)^{\frac{1}{4}} = (a^3xy^3)^{\frac{5}{20}} = \sqrt[20]{a^{15}x^5y^{15}}.$

$\sqrt[5]{a^2xy} = (a^2xy)^{\frac{1}{5}} = (a^2xy)^{\frac{4}{20}} = \sqrt[20]{a^8x^4y^4}.$

$\sqrt[20]{a^{15}x^5y^{15}} \times \sqrt[20]{a^8x^4y^4} = \sqrt[20]{a^{23} \times x^9 \times y^{19}} = a\sqrt[20]{a^3x^9y^{19}}.$

6. $3(4ab^2)^{\frac{1}{3}} \div (2a^3b)^{\frac{1}{2}}$.

$3(4ab^2)^{\frac{1}{3}} = 3(4ab^2)^{\frac{2}{6}} = 3\sqrt[6]{16a^2b^4}$.

$(2a^3b)^{\frac{1}{2}} = (2a^3b)^{\frac{3}{6}} = \sqrt[6]{8a^9b^3} = a\sqrt[6]{8a^3b^3}$.

$3\sqrt[6]{16a^2b^4} \div a\sqrt[6]{8a^3b^3} = \frac{3}{a}\sqrt[6]{2a^{-1}b} = \frac{3}{a^2}\sqrt[6]{2a^5b}$.

$(2a^3b^2)^{\frac{1}{4}} \times (a^5b^3)^{\frac{1}{3}} \div (a^3b^5)^{\frac{1}{2}}$.

$(2^{\frac{1}{4}}a^{\frac{3}{4}}b^{\frac{1}{2}}) \times (a^{\frac{5}{3}}b) = 2^{\frac{1}{4}}a^{\frac{29}{12}}b^{\frac{3}{2}}$.

$2^{\frac{1}{4}}a^{\frac{29}{12}}b^{\frac{3}{2}} \div a^{\frac{3}{2}}b^{\frac{5}{2}} = 2^{\frac{1}{4}}a^{\frac{11}{12}}b^{-1} = \frac{1}{b}\sqrt[12]{8a^{11}}$.

7. $(2ab)^{\frac{1}{2}} \times (3ab^2)^{\frac{1}{3}} \div (5ab^3)^{\frac{1}{6}}$

$= (2ab)^{\frac{3}{6}} \times (3ab^2)^{\frac{2}{6}} \div (5ab^3)^{\frac{1}{6}}$

$= \sqrt[6]{(2ab)^3} \times \sqrt[6]{(3ab^2)^2} \div \sqrt[6]{5ab^3}$

$= \sqrt[6]{2^3a^3b^3} \times \sqrt[6]{3^2a^2b^4} \div \sqrt[6]{5ab^3}$

$= \sqrt[6]{2^3 \times 3^2 \times a^5 \times b^7} \div \sqrt[6]{5ab^3}$

$= \sqrt[6]{\frac{2^3 \times 3^2a^5b^7}{5ab^3}}$

$= \sqrt[6]{\frac{2^3 \times 3^2 \times 5^5a^4b^4}{5^6}}$

$= \frac{1}{5}\sqrt{225000a^4b^4}$.

$4\sqrt{12} \div 2\sqrt{3}$

$= 2\sqrt{4} = 2 \times 2 = 4$.

8. $\left(\frac{ay}{x}\right)^{\frac{1}{2}} \times \left(\frac{bx}{y^2}\right)^{\frac{1}{3}} \div \left(\frac{y^2}{a^2b^2}\right)^{\frac{1}{4}}$

$= \frac{a^{\frac{1}{2}}y^{\frac{1}{2}}}{x^{\frac{1}{2}}} \times \frac{b^{\frac{1}{3}}x^{\frac{1}{3}}}{y^{\frac{2}{3}}} \times \frac{a^{\frac{1}{2}}b^{\frac{1}{2}}}{y^{\frac{1}{2}}}$

$= \frac{ab^{\frac{5}{6}}}{x^{\frac{1}{6}}y^{\frac{2}{3}}}$

$= \frac{ab^{\frac{5}{6}}x^{\frac{5}{6}}y^{\frac{1}{3}}}{xy}$

$= \frac{a}{xy}\sqrt[6]{b^5x^5y^2}$.

9. $(7\sqrt{2} - 5\sqrt{6} - 3\sqrt{8} + 4\sqrt{20}) \times 3\sqrt{2}$.

$$\begin{array}{l}
7\sqrt{2} - 5\sqrt{6} - 3\sqrt{8} + 4\sqrt{20} \\
3\sqrt{2} \\
\hline
42 - 30\sqrt{3} - 36 + 24\sqrt{10}
\end{array}$$

$= 6 - 30\sqrt{3} - 24\sqrt{10}$.

10. $\sqrt{(\frac{16}{25})^7} \times \sqrt{(\frac{25}{64})^6}$

$= (\frac{4}{5})^7 \times (\frac{5}{8})^6$

$= \left(\frac{2^2}{5}\right)^7 \times \left(\frac{5}{2^3}\right)^6$

$= \frac{1}{80}$.

$\sqrt[3]{(4ab^2)^x} \times \sqrt[3]{(2a^2b)^x}$

$= \sqrt[3]{(8a^3b^3)^x}$

$= (2ab)^x$.

11. $a^{\frac{2}{7}}b^{\frac{3}{7}} \times a^{\frac{19}{7}}b^{\frac{48}{7}}$

$= a^3b^7\sqrt[7]{b^2}$.

$\frac{a^{\frac{1}{2}}b^{-\frac{2}{3}}c^{\frac{3}{4}}d^{-\frac{5}{6}}}{a^{\frac{7}{8}}b^{-\frac{9}{10}}c^{-\frac{10}{11}}d^{\frac{11}{12}}}$

$= a^{-\frac{3}{8}}b^{\frac{7}{30}}c^{\frac{73}{44}}d^{-\frac{7}{4}}$.

EXERCISE CIII.

1.
$$\begin{array}{lll}\sqrt{27} & = \sqrt{9\times 3} & = 3\sqrt{3}\\ 2\sqrt{48} & = 2\sqrt{16\times 3} & = 8\sqrt{3}\\ 3\sqrt{108} & = 3\sqrt{36\times 3} & = 18\sqrt{3}\\ \hline \text{Sum} & & = 29\sqrt{3}\end{array}$$

$$\begin{array}{lll}3\sqrt{1000} & = 3\sqrt{100\times 10} & = 30\sqrt{10}\\ 4\sqrt{50} & = 4\sqrt{25\times 2} & = 20\sqrt{2}\\ 12\sqrt{128} & = 12\sqrt{144\times 2} & = 144\sqrt{2}\\ \hline \text{Sum} & = 164\sqrt{2}+30\sqrt{10} & \end{array}$$

2.
$$\begin{array}{lll}\sqrt[3]{128} & = \sqrt[3]{64\times 2} & = 4\sqrt[3]{2}\\ \sqrt[3]{686} & = \sqrt[3]{343\times 2} & = 7\sqrt[3]{2}\\ \sqrt[3]{16} & = \sqrt[3]{8\times 2} & = 2\sqrt[3]{2}\\ \hline \text{Sum} & & = 13\sqrt[3]{2}\end{array}$$

$$\begin{array}{lll}7\sqrt[3]{54} & = 7\sqrt[3]{27\times 2} & = 21\sqrt[3]{2}\\ 3\sqrt[3]{16} & = 3\sqrt[3]{8\times 2} & = 6\sqrt[3]{2}\\ \sqrt[3]{432} & = \sqrt[3]{216\times 2} & = 6\sqrt[3]{2}\\ \hline \text{Sum} & & = 33\sqrt[3]{2}\end{array}$$

3.
$$\begin{array}{lll}12\sqrt{72} & = 12(2^3\times 3^2)^{\frac{1}{2}} & = 72\sqrt{2}\\ 3\sqrt{128} & = 3(2^2\times 4^2\times 2)^{\frac{1}{2}} & = 24\sqrt{2}\\ \hline \text{Difference} & & = 48\sqrt{2}\end{array}$$

$$\begin{array}{lll}7\sqrt[3]{81} & = 7(3^4)^{\frac{1}{3}} & = 21\sqrt[3]{3}\\ 3\sqrt[3]{1029} & = 3(3\times 7^3)^{\frac{1}{3}} & = 21\sqrt[3]{3}\\ \hline \text{Difference} & & = 0\end{array}$$

4.
$$\begin{aligned}&2\sqrt{3}+3\sqrt{1\tfrac{1}{3}}-\sqrt{5\tfrac{1}{3}}\\ &=2\sqrt{3}+3\sqrt{\tfrac{4}{3}}-\sqrt{\tfrac{16}{3}}\\ &=2\sqrt{3}+\tfrac{6}{3}\sqrt{3}-\tfrac{4}{3}\sqrt{3}\\ &=\tfrac{8}{3}\sqrt{3}.\end{aligned}$$

$$\begin{aligned}&2\sqrt{\tfrac{5}{3}}+\sqrt{60}-\sqrt{15}-\sqrt{\tfrac{3}{5}}\\ &=\tfrac{2}{3}\sqrt{15}+2\sqrt{15}-\sqrt{15}\\ &\qquad\qquad\qquad -\tfrac{1}{5}\sqrt{15}\\ &=\tfrac{22}{15}\sqrt{15}.\end{aligned}$$

5.
$$\sqrt{\frac{a^4c}{b^3}}=\frac{a^2}{b^2}\sqrt{bc}.$$

$$\sqrt{\frac{a^2c^3}{bd^2}}=\frac{ac}{bd}\sqrt{bc}.$$

$$\sqrt{\frac{a^2cd^2}{bm^2}}=\frac{ad}{bm}\sqrt{bc}.$$

$$\therefore\sqrt{\frac{a^4c}{b^3}}-\sqrt{\frac{a^2c^3}{bd^2}}-\sqrt{\frac{a^2cd^2}{bm^2}}$$

$$=\left(\frac{a^2}{b^2}-\frac{ac}{bd}-\frac{ad}{bm}\right)\sqrt{bc}.$$

$$\begin{aligned}&3\sqrt{\tfrac{2}{5}}+2\sqrt{\tfrac{1}{10}}-4\sqrt{\tfrac{1}{40}}\\ &=\tfrac{3}{5}\sqrt{10}+\tfrac{1}{5}\sqrt{10}-\tfrac{1}{5}\sqrt{10}\\ &=\tfrac{3}{5}\sqrt{10}.\end{aligned}$$

6. $$\begin{aligned}&\sqrt{4a^3b}+\sqrt{25ab^3}-(a-5b)\sqrt{ab}\\&=2a\sqrt{ab}+5b\sqrt{ab}-(a-5b)\sqrt{ab}\\&=(a+10b)\sqrt{ab}.\end{aligned}$$

7. $$\begin{aligned}&c\sqrt[5]{a^6b^7c^3}-a\sqrt[5]{ab^7c^8}+b\sqrt[5]{a^6b^2c^8}\\&=abc\sqrt[5]{ab^2c^3}-abc\sqrt[5]{ab^2c^3}+abc\sqrt[5]{ab^2c^3}\\&=abc\sqrt[5]{ab^2c^3}.\end{aligned}$$

8. $$\begin{aligned}2\sqrt[3]{40}&=4\sqrt[3]{5}.\\3\sqrt[3]{108}&=3\sqrt[3]{3^3\times 2^2}=9\sqrt[3]{4}.\\\sqrt[3]{500}&=\sqrt[3]{5^3\times 2^2}=5\sqrt[3]{4}.\\-\sqrt[3]{320}&=-\sqrt[3]{2^6\times 5}=-4\sqrt[3]{5}.\\-2\sqrt{1372}&=-2\sqrt[3]{2^2\times 7^3}=-14\sqrt[3]{4}.\end{aligned}$$
And $4\sqrt[3]{5}+9\sqrt[3]{4}+5\sqrt[3]{4}-4\sqrt[3]{5}-14\sqrt[3]{4}=0$.

9. $$\begin{aligned}&(2\sqrt[6]{3a^4b})^3=[2(3a^4b)^{\frac{1}{6}}]^3\\&=2^3(3a^4b)^{\frac{1}{2}}=8a^2\sqrt{3b}.\end{aligned}$$

$$\begin{aligned}&(3\sqrt[6]{3})^2=[3(3)^{\frac{1}{6}}]^2\\&=3^2(3)^{\frac{1}{3}}=9\sqrt[3]{3}.\end{aligned}$$

10. $$\begin{aligned}&\left(\frac{a}{3}\sqrt{\frac{a}{3}}\right)^{\frac{1}{3}}=\left(\frac{a}{3}\right)^{\frac{1}{3}}\left(\frac{a}{3}\right)^{\frac{1}{6}}\\&=\left(\frac{a}{3}\right)^{\frac{1}{2}}=\left(\frac{3a}{9}\right)^{\frac{1}{2}}=\tfrac{1}{3}\sqrt{3a}.\\&(\sqrt{27})^{\frac{1}{2}}=(27^{\frac{1}{2}})^{\frac{1}{2}}=27^{\frac{1}{4}}=\sqrt[4]{27}.\end{aligned}$$

11. $$\begin{aligned}(\sqrt[3]{81})^{\frac{1}{4}}&=(\sqrt[3]{3^4})^{\frac{1}{4}}=\sqrt[3]{3}.\\(\sqrt[4]{512})^{\frac{1}{3}}&=(\sqrt[4]{2^9})^{\frac{1}{3}}=2^{\frac{3}{4}}=\sqrt[4]{8}.\\(\sqrt[3]{256})^{-\frac{1}{4}}&=256^{-\frac{1}{12}}=\left(\frac{1}{2^8}\right)^{\frac{1}{12}}=\left(\frac{2^4}{2^{12}}\right)^{\frac{1}{12}}=\tfrac{1}{2}\sqrt[3]{2}.\\\sqrt[12]{16}&=(2^4)^{\frac{1}{12}}=\sqrt[3]{2}.\\\sqrt[12]{27}&=(3^3)^{\frac{1}{12}}=\sqrt[4]{3}.\end{aligned}$$

12. $$\begin{aligned}\sqrt[10]{4}&=(2^2)^{\frac{1}{10}}=\sqrt[5]{2}.\\\sqrt[10]{36}&=(6^2)^{\frac{1}{10}}=\sqrt[5]{6}.\\\sqrt[10]{32}&=(2^5)^{\frac{1}{10}}=\sqrt{2}.\\\sqrt[10]{243}&=(3^5)^{\frac{1}{10}}=\sqrt{3}.\\\sqrt[9]{125}&=(5^3)^{\frac{1}{9}}=\sqrt[3]{5}.\\\sqrt[4]{49}&=(7^2)^{\frac{1}{4}}=\sqrt{7}.\end{aligned}$$

13. $$\begin{aligned}\sqrt[9]{8x^6}&=(2^3x^6)^{\frac{1}{9}}=\sqrt[3]{2x^2}.\\\sqrt[6]{9a^2b^4}&=(3^2a^2b^4)^{\frac{1}{6}}=\sqrt[3]{3ab^2}.\\\sqrt[8]{16a^{12}}&=\sqrt[8]{2^4a^{12}}=2^{\frac{1}{2}}a^{\frac{3}{2}}\\&=a\sqrt{2a}.\\\sqrt[5]{32a^{10}}&=(2^5a^{10})^{\frac{1}{5}}=2a^2.\end{aligned}$$

14. $(\sqrt[9]{8})^4 = (\sqrt[9]{2^3})^4 = 2^{\frac{4}{3}} = 2\sqrt[3]{2}.$

$(\sqrt[9]{27})^4 = (\sqrt[9]{3^3})^4 = 3^{\frac{4}{3}} = 3\sqrt[3]{3}.$

$(\sqrt[8]{64})^3 = (\sqrt[8]{2^6})^3 = 2^{\frac{9}{4}} = 4\sqrt[4]{2}.$

$(\sqrt[3]{4})^2 = (\sqrt[3]{2^2})^2 = 2^{\frac{4}{3}} = 2\sqrt[3]{2}.$

15. $(a\sqrt[3]{a})^{-3} = (a^{\frac{4}{3}})^{-3} = a^{-4}.$

$(x\sqrt[3]{x})^{-\frac{1}{2}} = (x^{\frac{4}{3}})^{-\frac{1}{2}} = x^{-\frac{2}{3}}.$

$(p^2\sqrt{p})^{\frac{1}{2}} = (\sqrt{p^5})^{\frac{1}{2}} = (p^{\frac{5}{2}})^{\frac{1}{2}} = p^{\frac{5}{4}}.$

$(a^{-3}\sqrt[4]{a^{-3}})^{\frac{1}{2}} = (\sqrt[4]{a^{-15}})^{-\frac{1}{2}} = (a^{-\frac{15}{4}})^{-\frac{1}{2}} = a^{\frac{15}{8}}.$

16. $(\sqrt{a}+\sqrt{b})^5 = (a^{\frac{1}{2}} + b^{\frac{1}{2}})^5$

$= a^{\frac{5}{2}} + 5a^2b^{\frac{1}{2}} + 10a^{\frac{3}{2}}b + 10ab^{\frac{3}{2}} + 5a^{\frac{1}{2}}b^2 + b^{\frac{5}{2}}$

$= a^2\sqrt{a} + 5a^2\sqrt{b} + 10ab\sqrt{a} + 10ab\sqrt{b} + 5b^2\sqrt{a} + b^2\sqrt{b}.$

$(\sqrt[3]{m^2} + \sqrt{x^3})^3 = (m^{\frac{2}{3}} + x^{\frac{3}{2}})^3$

$= (m^{\frac{2}{3}})^3 + 3(m^{\frac{2}{3}})^2x^{\frac{3}{2}} + 3m^{\frac{2}{3}}(x^{\frac{3}{2}})^2 + (x^{\frac{3}{2}})^3$

$= m^2 + 3mx\sqrt[6]{m^2x^3} + 3x^3\sqrt[3]{m^2} + x^4\sqrt{x}.$

$(\sqrt{a} - 2\sqrt{b})^5 = (a^{\frac{1}{2}} - 2b^{\frac{1}{2}})^5$

$= (a^{\frac{1}{2}})^5 - 5(a^{\frac{1}{2}})^4(2b^{\frac{1}{2}}) + 10(a^{\frac{1}{2}})^3(2b^{\frac{1}{2}})^2 - 10(a^{\frac{1}{2}})^2(2b^{\frac{1}{2}})^3$

$+ 5(a^{\frac{1}{2}})(2b^{\frac{1}{2}})^4 - (2b^{\frac{1}{2}})^5$

$= a^2\sqrt{a} - 10a^2\sqrt{b} + 40ab\sqrt{a} - 80ab\sqrt{b} + 80b^2\sqrt{a} - 32b^2\sqrt{b}.$

17. $(2a^2 - \frac{1}{2}\sqrt{a})^6$

$= (2a^2)^6 - 6(2a^2)^5(\frac{1}{2}\sqrt{a}) + 15(2a^2)^4(\frac{1}{2}\sqrt{a})^2 - 20(2a^2)^3(\frac{1}{2}\sqrt{a})^3$

$+ 15(2a^2)^2(\frac{1}{2}\sqrt{a})^4 - 6(2a^2)(\frac{1}{2}\sqrt{a})^5 + (\frac{1}{2}\sqrt{a})^6$

$= 64a^{12} - 96a^{10}\sqrt{a} + 60a^9 - 20a^7\sqrt{a} + 3\frac{3}{4}a^6 - \frac{3}{8}a^4\sqrt{a} + \frac{a^3}{64}.$

$(2\sqrt[5]{x^4} - \frac{1}{2}y^2)^4$

$= (2x^{\frac{4}{5}})^4 - 4(2x^{\frac{4}{5}})^3\left(\frac{y^2}{2}\right) + 6(2x^{\frac{4}{5}})^2\left(\frac{y^2}{2}\right)^2 - 4(2x^{\frac{4}{5}})\left(\frac{y^2}{2}\right)^3 + \left(\frac{y^2}{2}\right)^4$

$= 16x^3\sqrt[5]{x} - 16x^2y^2\sqrt[5]{x^2} + 6xy^4\sqrt[5]{x^3} - y^6\sqrt[5]{x^4} + \frac{y^8}{16}.$

$$\left(\frac{2x^2}{y}-\sqrt[3]{y^2}\right)^6=(2x^2y^{-1}-y^{\frac{2}{3}})^6$$

$$=(2x^2y^{-1})^6-6(2x^2y^{-1})^5(y^{\frac{2}{3}})+15(2x^2y^{-1})^4(y^{\frac{2}{3}})^2-20(2x^2y^{-1})^3(y^{\frac{2}{3}})^3$$

$$+15(2x^2y^{-1})^2(y^{\frac{2}{3}})^4-6(2x^2y^{-1})(y^{\frac{2}{3}})^5+(y^{\frac{2}{3}})^6$$

$$=64x^{12}y^{-6}-192x^{10}y^{-4}\sqrt[3]{y^{-1}}+240x^8y^{-2}\sqrt[3]{y^{-2}}-160x^6y^{-1}$$

$$+60x^4\sqrt[3]{y^2}-12x^2y^2\sqrt[3]{y}+y^4.$$

18. $$\left(\sqrt{ab}-\frac{c}{2\sqrt{b}}\right)^5$$

$$=(\sqrt{ab})^5-5(\sqrt{ab})^4\left(\frac{c}{2\sqrt{b}}\right)+10(\sqrt{ab})^3\left(\frac{c}{2\sqrt{b}}\right)^2$$

$$-10(\sqrt{ab})^2\left(\frac{c}{2\sqrt{b}}\right)^3+5(\sqrt{ab})\left(\frac{c}{2\sqrt{b}}\right)^4-\left(\frac{c}{2\sqrt{b}}\right)^5$$

$$=a^{\frac{5}{2}}b^{\frac{5}{2}}-\tfrac{5}{2}a^2b^{\frac{3}{2}}c+\tfrac{5}{2}a^{\frac{3}{2}}b^{\frac{1}{2}}c^2-\tfrac{5}{4}ab^{-\frac{1}{2}}c^3+\tfrac{5}{16}a^{\frac{1}{2}}b^{-\frac{3}{2}}c^4-\tfrac{1}{32}b^{-\frac{5}{2}}c^5.$$

$$\left(\frac{a^2}{2c}-\frac{\sqrt{c}}{3}\right)^5$$

$$=\left(\frac{a^2}{2c}\right)^5-5\left(\frac{a^2}{2c}\right)^4\left(\frac{\sqrt{c}}{3}\right)+10\left(\frac{a^2}{2c}\right)^3\left(\frac{\sqrt{c}}{3}\right)^2-10\left(\frac{a^2}{2c}\right)^2\left(\frac{\sqrt{c}}{3}\right)^3$$

$$+5\left(\frac{a^2}{2c}\right)\left(\frac{\sqrt{c}}{3}\right)^4-\left(\frac{\sqrt{c}}{3}\right)^5$$

$$=\frac{a^{10}c^{-5}}{32}-\tfrac{5}{48}a^8c^{-\frac{7}{2}}+\tfrac{5}{36}a^6c^{-2}-\tfrac{5}{54}a^4c^{-\frac{1}{2}}+\tfrac{5}{162}a^2c-\frac{c^{\frac{5}{2}}}{243}.$$

$$\left(a^2b-\frac{\sqrt{b}}{2a}\right)^4=\left(a^2b-\frac{b^{\frac{1}{2}}}{2a}\right)^4$$

$$=(a^2b)^4-4(a^2b)^3\left(\frac{b^{\frac{1}{2}}}{2a}\right)+6(a^2b)^2\left(\frac{b^{\frac{1}{2}}}{2a}\right)^2-4(a^2b)\left(\frac{b^{\frac{1}{2}}}{2a}\right)^3+\left(\frac{b^{\frac{1}{2}}}{2a}\right)^4$$

$$=a^8b^4-2a^5b^{\frac{7}{2}}+\tfrac{3}{2}a^2b^3-\frac{a^{-1}b^{\frac{5}{2}}}{2}+\frac{a^{-4}b^2}{16}.$$

19. $$\left(\frac{a}{b}\sqrt{\frac{c}{d}}-\sqrt{\frac{d^2}{c^2}}\right)^3$$

$$=\left(\frac{a}{b}\sqrt{\frac{c}{d}}\right)^3-3\left(\frac{a}{b}\sqrt{\frac{c}{d}}\right)^2\left(\sqrt{\frac{d^2}{c^2}}\right)+3\left(\frac{a}{b}\sqrt{\frac{c}{d}}\right)\left(\sqrt{\frac{d^2}{c^2}}\right)^2-\left(\sqrt{\frac{d^2}{c^2}}\right)^3$$

$$=\frac{a^3c}{b^3d}\sqrt{\frac{c}{d}}-3\,\frac{a^2}{b^2}+\frac{3ad^2}{bc^2}\sqrt{\frac{c}{d}}-\frac{d^3}{c^3}$$

$$=a^3b^{-3}c^{\frac{3}{2}}d^{-\frac{3}{2}}-3a^2b^{-2}+3ab^{-1}c^{-\frac{3}{2}}d^{\frac{3}{2}}-c^{-3}d^3.$$

$$(n^{\frac{n}{2}}-a^{-\frac{n}{2}})^4$$

$$=(a^{\frac{n}{2}})^4-4(a^{\frac{n}{2}})^3(a^{-\frac{n}{2}})+6(a^{\frac{n}{2}})^2(a^{-\frac{n}{2}})^2-4(a^{\frac{n}{2}})(a^{-\frac{n}{2}})^3+(a^{-\frac{n}{2}})^4$$

$$=a^{2n}-4a^n+6-4a^{-n}+a^{-2n}.$$

$$\left(\frac{2a}{b^2}-\tfrac{1}{3}b\sqrt{a}\right)^4$$

$$=\left(\frac{2a}{b^2}\right)^4-4\left(\frac{2a}{b^2}\right)^3\left(\tfrac{1}{3}b\sqrt{a}\right)+6\left(\frac{2a}{b^2}\right)^2\left(\tfrac{1}{3}b\sqrt{a}\right)^2$$

$$-4\left(\frac{2a}{b^2}\right)\left(\tfrac{1}{3}b\sqrt{a}\right)^3+\left(\tfrac{1}{3}b\sqrt{a}\right)^4$$

$$=\frac{16a^4}{b^8}-\frac{32a^{\frac{7}{2}}}{3b^5}+\frac{8a^3}{3b^2}-\frac{8a^{\frac{5}{2}}}{27}+\frac{a^2b^4}{81}$$

or $$16a^4b^{-8}-\tfrac{32}{3}a^{\frac{7}{2}}b^{-5}+\tfrac{8}{3}a^3b^{-2}-\tfrac{8}{27}a^{\frac{5}{2}}b+\frac{a^2b^4}{81}.$$

20. $$\left(\sqrt{\frac{a}{bc}}-\frac{\sqrt{c}}{3ab}\right)^3$$

$$=\left(\frac{a^{\frac{1}{2}}}{(bc)^{\frac{1}{2}}}\right)^3-3\left(\frac{a^{\frac{1}{2}}}{(bc)^{\frac{1}{2}}}\right)^2\left(\frac{c^{\frac{1}{2}}}{3ab}\right)+3\left(\frac{a^{\frac{1}{2}}}{(bc)^{\frac{1}{2}}}\right)\left(\frac{c^{\frac{1}{2}}}{3ab}\right)-\left(\frac{c^{\frac{1}{2}}}{3ab}\right)^3$$

$$=\frac{a^{\frac{3}{2}}}{(bc)^{\frac{3}{2}}}-3\left(\frac{a}{bc}\times\frac{c^{\frac{1}{2}}}{3ab}\right)+3\left(\frac{a^{\frac{1}{2}}}{b^{\frac{1}{2}}c^{\frac{1}{2}}}\right)\left(\frac{c}{9a^2b^2}\right)-\frac{c^{\frac{3}{2}}}{27a^3b^3}$$

$$=\frac{a^{\frac{3}{2}}}{(bc)^{\frac{3}{2}}}-\frac{3ac^{\frac{1}{2}}}{3ab^2c}+\frac{3a^{\frac{1}{2}}c}{9a^2b^{\frac{5}{2}}c^{\frac{1}{2}}}-\frac{c^{\frac{3}{2}}}{27a^3b^3}$$

$$=\frac{a^{\frac{3}{2}}}{b^{\frac{3}{2}}c^{\frac{3}{2}}}-\frac{1}{b^2c^{\frac{1}{2}}}+\frac{c^{\frac{1}{2}}}{3a^{\frac{3}{2}}b^{\frac{5}{2}}}-\frac{c^{\frac{3}{2}}}{27a^3b^3}.$$

$$\left(\frac{\sqrt{a}}{2\sqrt[3]{b^2}}-3\sqrt{b}\right)^3$$

$$=\left(\frac{\sqrt{a}}{2\sqrt[3]{b^2}}\right)^3-3\left(\frac{\sqrt{a}}{2\sqrt[3]{b^2}}\right)^2(3\sqrt{b})+3\left(\frac{\sqrt{a}}{2\sqrt[3]{b^2}}\right)(3\sqrt{b})^2-(3\sqrt{b})^3$$

$$=\frac{a^{\frac{3}{2}}}{8b^2}-\frac{9a}{4b^{\frac{5}{6}}}+\frac{27a^{\frac{1}{2}}b^{\frac{1}{3}}}{2}-27b^{\frac{3}{2}}.$$

$$\left(\frac{a\sqrt{a}}{\sqrt{b^5}}-\frac{\sqrt[4]{b}}{2a}\right)^3$$

$$=\left(\frac{a^{\frac{3}{2}}}{b^{\frac{5}{8}}}-\frac{b^{\frac{1}{4}}}{2a}\right)^3$$

$$=\left(\frac{a^{\frac{3}{2}}}{b^{\frac{5}{8}}}\right)^3-3\left(\frac{a^{\frac{3}{2}}}{b^{\frac{5}{8}}}\right)^2\left(\frac{b^{\frac{1}{4}}}{2a}\right)+3\left(\frac{a^{\frac{3}{2}}}{b^{\frac{5}{8}}}\right)\left(\frac{b^{\frac{1}{4}}}{2a}\right)^2-\left(\frac{b^{\frac{1}{4}}}{2a}\right)^3$$

$$=\frac{a^{\frac{9}{2}}}{b^{\frac{5}{2}}}-\frac{3a^2}{2b^{\frac{17}{12}}}+\frac{3}{4a^{\frac{1}{2}}b^{\frac{1}{8}}}-\frac{b^{\frac{3}{4}}}{8a^3}.$$

21.

$$\begin{array}{r|l}
 & x^{4m}+6x^{3m}y^n+11x^{2m}y^{2n}+6x^my^{3n}+y^{4n}\ \big|\ \underline{x^{2m}+3x^my^n+y^{2n}} \\
 & x^{4m} \\
2x^{2m}3x^my^n & 6x^{3m}y^n+11x^{2m}y^{2n} \\
 & \underline{6x^{3m}y^n+\ \ 9x^{2m}y^{2n}} \\
2x^{2m}+6x^my^n+y^{2n} & 2x^{2m}y^{2n}+6x^my^{3n}+y^{4n} \\
 & \underline{2x^{2m}y^{2n}+6x^my^{3n}+y^{4n}}
\end{array}$$

22.

$$\begin{array}{r|l}
 & \qquad\qquad\qquad\qquad\qquad\qquad\ \big|\ \underline{1+2x^{-\frac{1}{3}}-3x^{-\frac{2}{3}}+4x^{-1}} \\
 & 1+4x^{-\frac{1}{3}}-2x^{-\frac{2}{3}}-\ \ 4x^{-1}+25x^{-\frac{4}{3}}-24x^{-\frac{5}{3}}+16x^{-2} \\
 & 1 \\
2+2x^{-\frac{1}{3}} & 4x^{-\frac{1}{3}}-2x^{-\frac{2}{3}} \\
 & \underline{4x^{-\frac{1}{3}}+4x^{-\frac{2}{3}}} \\
2+4x^{-\frac{1}{3}}-3x^{-\frac{2}{3}} & -6x^{-\frac{2}{3}}-\ \ 4x^{-1}+25x^{-\frac{4}{3}} \\
 & \underline{-6x^{-\frac{2}{3}}-12x^{-1}+\ \ 9x^{-\frac{4}{3}}} \\
2+4x^{-\frac{1}{3}}-6x^{-\frac{2}{3}}+4x^{-1} & 8x^{-1}+16x^{-\frac{4}{3}}-24x^{-\frac{5}{3}}+16x^{-2} \\
 & \underline{8x^{-1}+16x^{-\frac{4}{3}}-24x^{-\frac{5}{3}}+16x^{-2}}
\end{array}$$

EXERCISE CIV.

1.

(1) $$\frac{3}{\sqrt{7}+\sqrt{5}}$$

$$=\frac{3(\sqrt{7}-\sqrt{5})}{(\sqrt{7}+\sqrt{5})(\sqrt{7}-\sqrt{5})}$$

$$=\frac{3\sqrt{7}-3\sqrt{5}}{2}$$

$$=\tfrac{3}{2}(\sqrt{7}-\sqrt{5}).$$

(2) $$\frac{7}{2\sqrt{5}-\sqrt{6}}$$

$$=\frac{7}{2\sqrt{5}-\sqrt{6}}\times\frac{2\sqrt{5}+\sqrt{6}}{2\sqrt{5}+\sqrt{6}}$$

$$=\frac{7(2\sqrt{5}+\sqrt{6})}{14}$$

$$=\tfrac{1}{2}(2\sqrt{5}+\sqrt{6}).$$

(3) $$\frac{4-\sqrt{2}}{1+\sqrt{2}}$$

$$=\frac{(4-\sqrt{2})(1-\sqrt{2})}{(1+\sqrt{2})(1-\sqrt{2})}$$

$$=\frac{4-5\sqrt{2}+2}{-1}$$

$$=5\sqrt{2}-6.$$

(4) $$\frac{6}{5-2\sqrt{6}}$$

$$=\frac{6}{5-2\sqrt{6}}\times\frac{5+2\sqrt{6}}{5+2\sqrt{6}}$$

$$=\frac{30+12\sqrt{6}}{1}$$

$$=30+12\sqrt{6}.$$

2.

(1) $$\frac{a}{\sqrt{b}-\sqrt{c}}$$

$$=\frac{a(\sqrt{b}+\sqrt{c})}{(\sqrt{b}+\sqrt{c})(\sqrt{b}-\sqrt{c})}$$

$$=\frac{a(\sqrt{b}+\sqrt{c})}{b-c}.$$

(2) $$\frac{a+b}{a-\sqrt{b}}$$

$$=\frac{a+b}{a-\sqrt{b}}\times\frac{a+\sqrt{b}}{a+\sqrt{b}}$$

$$=\frac{(a+b)(a+\sqrt{b})}{a^2-b}.$$

(3) $$\frac{2x-\sqrt{xy}}{\sqrt{xy}-2y}\times\frac{\sqrt{xy}+2y}{\sqrt{xy}+2y}$$

$$=\frac{2(x-y)\sqrt{xy}+3xy}{xy-4y^2}.$$

3.

(1) $$\frac{2}{\sqrt{3}}=\frac{2(\sqrt{3})}{(\sqrt{3})(\sqrt{3})}$$

$$=\frac{2\sqrt{3}}{3}=\frac{3.463}{3}$$

$$=1.154\ldots..$$

(2) $$\frac{1}{\sqrt{5}-\sqrt{2}}$$

$$=\frac{1(\sqrt{5}+\sqrt{2})}{(\sqrt{5}-\sqrt{2})(\sqrt{5}+\sqrt{2})}$$

$$=\frac{\sqrt{5}+\sqrt{2}}{3}$$

$$=\frac{3.649\ldots..}{3}$$

$$=1.216\ldots..$$

(3) $$\frac{7\sqrt{5}}{\sqrt{7}+\sqrt{3}}$$
$$=\frac{7\sqrt{5}(\sqrt{7}-\sqrt{3})}{(\sqrt{7}+\sqrt{3})(\sqrt{7}-\sqrt{3})}$$
$$=\frac{7(\sqrt{35}-\sqrt{15})}{4}$$
$$=\frac{7(5.9160.....-3.8729.....)}{4}$$
$$=3.576.....$$

(4) $$\frac{7+2\sqrt{10}}{7-2\sqrt{10}}$$
$$=\frac{(7+2\sqrt{10})(7+2\sqrt{10})}{(7-2\sqrt{10})(7+2\sqrt{10})}$$
$$=\frac{49+28\sqrt{10}+40}{49-40}$$
$$=\frac{89+28\sqrt{10}}{9}$$
$$=\frac{89+28\times 3.162.....}{9}$$
$$=19.726.....$$

EXERCISE CV.

1. $4+\sqrt{-3}=4+3^{\frac{1}{2}}\sqrt{-1}.$
$4-\sqrt{-3}=4-3^{\frac{1}{2}}\sqrt{-1}.$
$(4+3^{\frac{1}{2}}\sqrt{-1})(4-3^{\frac{1}{2}}\sqrt{-1})=16-3(-1)=19.$
$\sqrt{3}-2\sqrt{-2}=\sqrt{3}-2\times 2^{\frac{1}{2}}\sqrt{-1}.$
$\sqrt{3}+2\sqrt{-2}=\sqrt{3}+2\times 2^{\frac{1}{2}}\sqrt{-1}.$
$(\sqrt{3}-2\times 2^{\frac{1}{2}}\sqrt{-1})(\sqrt{3}+2\times 2^{\frac{1}{2}}\sqrt{-1})=3-8(-1)=11.$

2. $\sqrt{54}\times\sqrt{-2}=3\sqrt{6}\times\sqrt{-2}=3\sqrt{-12}=6\sqrt{-3}.$
$a\sqrt{-b}\times x\sqrt{-y}=(ab^{\frac{1}{2}}\sqrt{-1})\times(xy^{\frac{1}{2}}\sqrt{-1})=ab^{\frac{1}{2}}xy^{\frac{1}{2}}(-1)$
$=-ax\sqrt{by}.$

3. $\sqrt{-a}+\sqrt{-b}=a^{\frac{1}{2}}\sqrt{-1}+b^{\frac{1}{2}}\sqrt{-1}.$
$\sqrt{-a}-\sqrt{-b}=a^{\frac{1}{2}}\sqrt{-1}-b^{\frac{1}{2}}\sqrt{-1}.$
$(a^{\frac{1}{2}}\sqrt{-1}+b^{\frac{1}{2}}\sqrt{-1})(a^{\frac{1}{2}}\sqrt{-1}-b^{\frac{1}{2}}\sqrt{-1})=a(-1)-b(-1)=b-a.$
$a\sqrt{-a^2b^4}=a^2b^2\sqrt{-1}.$
$\sqrt{-a^4b^5}=a^2b^{\frac{5}{2}}\sqrt{-1}.$
$a^2b^2\sqrt{-1}\times a^2b^{\frac{5}{2}}\sqrt{-1}=a^4b^{\frac{9}{2}}(-1)=-a^4b^4\sqrt{b}.$

4. $(\sqrt{-10})(\sqrt{-2})=(10^{\frac{1}{2}}\sqrt{-1})(2^{\frac{1}{2}}\sqrt{-1})=20^{\frac{1}{2}}(-1)=-2\sqrt{5}.$
$(2\sqrt{3}-6\sqrt{-5})(4\sqrt{3}-\sqrt{-5})$
$=(2\times 3^{\frac{1}{2}}-6\times 5^{\frac{1}{2}}\sqrt{-1})(4\times 3^{\frac{1}{2}}-5^{\frac{1}{2}}\sqrt{-1})$
$=24-(24\times 3^{\frac{1}{2}}\times 5^{\frac{1}{2}}\sqrt{-1})-[2\times 3^{\frac{1}{2}}\times 5^{\frac{1}{2}}\sqrt{-1}+30(-1)]$
$=-6-26(3^{\frac{1}{2}}\times 5^{\frac{1}{2}}\sqrt{-1})=-6-26\sqrt{-15}=-2(3+13\sqrt{-15}).$

5. $x\sqrt{-1} \div y\sqrt{-1} = \dfrac{x\sqrt{-1}}{y\sqrt{-1}} = \dfrac{x}{y}.$

$$1 \div \sqrt{-1} = \frac{1}{\sqrt{-1}} = \frac{\sqrt{-1}}{-1} = -\sqrt{-1}.$$

$$a \div a^{\frac{1}{2}}\sqrt{-1} = \frac{a^{\frac{1}{2}}}{\sqrt{-1}} = \frac{a^{\frac{1}{2}}\sqrt{-1}}{-1} = -\sqrt{-a}.$$

6. $\sqrt{-12} \div \sqrt{-3} = \sqrt{4} = 2.$

$$\sqrt{15} \div \sqrt{-5} = 15^{\frac{1}{2}} \div (5^{\frac{1}{2}}\sqrt{-1}) = \frac{3^{\frac{1}{2}}\sqrt{-1}}{-1} = -\sqrt{-3}.$$

$$\sqrt{-5} \div \sqrt{-20} = \sqrt{\tfrac{1}{4}} = \tfrac{1}{2}.$$

EXERCISE CVI.

1.

Let $\sqrt{x} + \sqrt{y} = \sqrt{14 + 6\sqrt{5}}.$

Then $\sqrt{x} - \sqrt{y} = \sqrt{14 - 6\sqrt{5}}.$

By multiplying,

$$x - y = \sqrt{196 - 180}.$$

$$\therefore x - y = 4.$$

But $x + y = 14.$

$$\therefore x = 9,$$

and $y = 5.$

$$\therefore \sqrt{x} + \sqrt{y} = 3 + \sqrt{5}.$$

$$\therefore \sqrt{14 + 6\sqrt{5}} = 3 + \sqrt{5}.$$

2.

Let $\sqrt{x} + \sqrt{y} = \sqrt{17 + 4\sqrt{15}}.$

Then $\sqrt{x} - \sqrt{y} = \sqrt{17 - 4\sqrt{15}}.$

By multiplying,

$$x - y = \sqrt{289 - 240}.$$

$$\therefore x - y = 7.$$

But $x + y = 17.$

$$\therefore x = 12,$$

and $y = 5.$

$$\therefore \sqrt{x} + \sqrt{y} = \sqrt{12} + \sqrt{5}$$
$$= 2\sqrt{3} + \sqrt{5}.$$

3.

Let $\sqrt{x} + \sqrt{y} = \sqrt{10 + 2\sqrt{21}}.$

Then $\sqrt{x} - \sqrt{y} = \sqrt{10 - 2\sqrt{21}}.$

By multiplying,

$$x - y = \sqrt{100 - 84}.$$

$$\therefore x - y = 4.$$

But $x + y = 10.$

$$\therefore x = 7,$$

and $y = 3.$

$$\therefore \sqrt{x} + \sqrt{y} = \sqrt{7} + \sqrt{3}.$$

4.

Let $\sqrt{x} + \sqrt{y} = \sqrt{16 + 2\sqrt{55}}.$

Then $\sqrt{x} - \sqrt{y} = \sqrt{16 - 2\sqrt{55}}.$

By multiplying,

$$x - y = \sqrt{256 - 220}.$$

$$\therefore x - y = 6.$$

But $x + y = 16.$

$$\therefore x = 11,$$

and $y = 5.$

$$\therefore \sqrt{x} + \sqrt{y} = \sqrt{11} + \sqrt{5}.$$

5.

Let $\sqrt{x}-\sqrt{y}=\sqrt{9-2\sqrt{14}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{9+2\sqrt{14}}.$

By multiplying,

$$x-y=\sqrt{25}.$$
$$\therefore x-y=5.$$

But $x+y=9.$

$$\therefore x=7,$$
and $y=2.$
$$\therefore \sqrt{x}-\sqrt{y}=\sqrt{7}-\sqrt{2}.$$

6.

Let $\sqrt{x}-\sqrt{y}=\sqrt{20-8\sqrt{6}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{20+8\sqrt{6}}.$

By multiplying,

$$x-y=\sqrt{400-384}.$$
$$\therefore x-y=4.$$

But $x+y=20.$

$$\therefore x=12,$$
and $y=8.$
$$\therefore \sqrt{x}-\sqrt{y}=\sqrt{12}-\sqrt{8}$$
$$=2(\sqrt{3}-\sqrt{2}).$$

7.

Let $\sqrt{x}-\sqrt{y}=\sqrt{9-6\sqrt{2}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{9+6\sqrt{2}}.$

By multiplying,

$$x-y=\sqrt{81-72}.$$
$$\therefore x-y=3.$$

But $x+y=9.$

$$\therefore x=6,$$
and $y=3.$
$$\therefore \sqrt{x}-\sqrt{y}=\sqrt{6}-\sqrt{3}.$$

8.

Let $\sqrt{x}-\sqrt{y}=\sqrt{94-42\sqrt{5}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{94+42\sqrt{5}}.$

By multiplying,

$$x-y=\sqrt{8836-8820}.$$
$$\therefore x-y=4.$$

But $x+y=94.$

$$\therefore x=49,$$
and $y=45.$
$$\therefore \sqrt{x}-\sqrt{y}=7-3\sqrt{5}.$$

9.

Let $\sqrt{x}-\sqrt{y}=\sqrt{13-2\sqrt{30}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{13+2\sqrt{30}}.$

By multiplying,

$$x-y=\sqrt{169-120}.$$
$$\therefore x-y=7.$$

But $x+y=13.$

$$\therefore x=10,$$
and $y=3.$
$$\therefore \sqrt{x}-\sqrt{y}=\sqrt{10}-\sqrt{3}.$$

10.

Let $\sqrt{x}-\sqrt{y}=\sqrt{11-6\sqrt{2}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{11+6\sqrt{2}}.$

By multiplying,

$$x-y=\sqrt{121-72}.$$
$$\therefore x-y=7.$$

But $x+y=11.$

$$\therefore x=9,$$
and $y=2.$
$$\therefore \sqrt{x}-\sqrt{y}=3-\sqrt{2}.$$

11.

Let $\sqrt{x}-\sqrt{y}=\sqrt{14-4\sqrt{6}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{14+4\sqrt{6}}.$

By multiplying,

$$x-y=\sqrt{196-96}.$$

$$\therefore x-y=10.$$

But $x+y=14.$

$$\therefore x=12,$$

and $y=2.$

$$\therefore \sqrt{x}-\sqrt{y}=2\sqrt{3}-\sqrt{2}.$$

12.

Let $\sqrt{x}-\sqrt{y}=\sqrt{38-12\sqrt{10}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{38+12\sqrt{10}}.$

By multiplying,

$$x-y=\sqrt{1444-1440}.$$

$$\therefore x-y=2.$$

But $x+y=38.$

$$\therefore x=20,$$

and $y=18.$

$$\therefore \sqrt{x}-\sqrt{y}=2\sqrt{5}-3\sqrt{2}.$$

13.

Let $\sqrt{x}-\sqrt{y}=\sqrt{103-12\sqrt{11}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{103+12\sqrt{11}}.$

By multiplying,

$$x-y=\sqrt{10609-1584}.$$

$$\therefore x-y=95.$$

But $x+y=103.$

$$\therefore x=99,$$

and $y=4.$

$$\therefore \sqrt{x}-\sqrt{y}=3\sqrt{11}-2.$$

14.

Let $\sqrt{x}-\sqrt{y}=\sqrt{57-12\sqrt{15}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{57+12\sqrt{15}}.$

By multiplying,

$$x-y=\sqrt{3249-2160}.$$

$$\therefore x-y=33.$$

But $x+y=57.$

$$\therefore x=45,$$

and $y=12.$

$$\therefore \sqrt{x}-\sqrt{y}=3\sqrt{5}-2\sqrt{3}.$$

15.

Let $\sqrt{x}-\sqrt{y}=\sqrt{\tfrac{7}{2}-\sqrt{10}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{\tfrac{7}{2}+\sqrt{10}}.$

By multiplying,

$$x-y=\sqrt{\tfrac{49}{4}-10}.$$

$$\therefore x-y=\tfrac{3}{2}.$$

But $x+y=\tfrac{7}{2}.$

$$\therefore x=\tfrac{5}{2},$$

and $y=1.$

$$\therefore \sqrt{x}-\sqrt{y}=\tfrac{1}{2}\sqrt{10}-1.$$

16.

Let $\sqrt{x}+\sqrt{y}=\sqrt{2a+2\sqrt{a^2-b^2}}.$

Then $\sqrt{x}-\sqrt{y}=\sqrt{2a-2\sqrt{a^2-b^2}}.$

By multiplying,

$$x-y=\sqrt{4a^2-4a^2+4b^2}.$$

$$\therefore x-y=2b.$$

But $x+y=2a.$

$$\therefore x=a+b,$$

and $y=a-b.$

$$\therefore \sqrt{x}+\sqrt{y}=\sqrt{a+b}+\sqrt{a-b}.$$

17.

Let $\sqrt{x}-\sqrt{y}=\sqrt{a^2-2b\sqrt{a^2-b^2}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{a^2+2b\sqrt{a^2-b^2}}.$

By multiplying,

$x-y=\sqrt{a^4-4a^2b^2+4b^4}.$

$\therefore x-y=a^2-2b^2.$

But $x+y=a^2.$

$\therefore x=a^2-b^2,$

and $y=b^2.$

$\therefore \sqrt{x}-\sqrt{y}=\sqrt{a^2-b^2}-b.$

18.

Let $\sqrt{x}-\sqrt{y}=\sqrt{87-12\sqrt{42}}.$

Then $x-y=\sqrt{7569-6048}.$

$\therefore x-y=39.$

But $x+y=87.$

$\therefore x=63,$

and $y=24.$

$\therefore \sqrt{x}-\sqrt{y}=\sqrt{63}-\sqrt{24}$

$=3\sqrt{7}-2\sqrt{6}.$

19.

Let $\sqrt{x}-\sqrt{y}=\sqrt{(a+b)^2-4(a-b)\sqrt{ab}}.$

Then $\sqrt{x}+\sqrt{y}=\sqrt{(a+b)^2+4(a-b)\sqrt{ab}}.$

$\therefore x-y=\sqrt{a^4-12a^3b+38a^2b^2-12ab^3+b^4}$

$=a^2-6ab+b^2.$

But $x+y=a^2+2ab+b^2.$

$\therefore x=(a-b)^2,$

and $y=4ab.$

$\therefore \sqrt{x}-\sqrt{y}=a-b-2\sqrt{ab}.$

EXERCISE CVII.

1. $\sqrt{x-5}=2.$

Squaring, $x-5=4,$

$x=9.$

2. $2\sqrt{3x+4}-x=4,$

$2\sqrt{3x+4}=x+4.$

Squaring,

$12x+16=x^2+8x+16,$

$x^2-4x=0,$

$x(x-4)=0.$

$\therefore x=4$ or $0.$

3. $3-\sqrt{x^2-1}=2x,$

$3-2x=\sqrt{x^2-1}.$

Squaring,

$9-12x+4x^2=x^2-1,$

$3x^2-12x=-10,$

$9x^2-36x=-30,$

$9x^2-(\ )+36=6,$

$3x-6=\pm\sqrt{6},$

$3x=6\pm\sqrt{6}.$

$\therefore x=2\pm\frac{1}{3}\sqrt{6}.$

4. $\sqrt{3x-2}=2(x-4).$

Squaring,

$3x-2=4x^2-32x+64,$

$4x^2-35x=-66,$

$64x^2-(\ )+(35)^2=169,$

$8x-35=\pm 13.$

$\therefore x=6$ or $2\frac{3}{4}.$

5. $4x-12\sqrt{x}=16.$

Divide by 4,

$x-3\sqrt{x}=4,$

$3\sqrt{x}=x-4.$

Squaring, $9x=x^2-8x+16,$

$x^2-17x=-16,$

$4x^2-68x+289=225,$

$2x-17=\pm 15.$

$\therefore x=16$ or $1.$

6.

$$\sqrt{x+4}+\sqrt{2x-1}=6.$$

Squaring,

$$x+4+2\sqrt{2x^2+7x-4}+2x-1=36,$$

$$2\sqrt{2x^2+7x-4}=33-3x.$$

Squaring,

$$8x^2+28x-16=1689-198x+9x^2,$$

$$x^2-226x=-1105,$$

$$x^2-(\ )+(113)^2=(113)^2-1105,$$

$$x-113=\pm 108.$$

$$\therefore x=221 \text{ or } 5.$$

7.

$$\sqrt{13x-1}-\sqrt{2x-1}=5.$$

Squaring,

$$13x-1-2\sqrt{26x^2-15x+1}+2x-1=25,$$

$$15x-27=2\sqrt{26x^2-15x+1}.$$

Squaring, $$225x^2+810x+729=104x^2-60x+4,$$

$$121x^2-750x=-725,$$

$$58564x^2-(\ )+(750)^2=211600,$$

$$242x-750=\pm 460,$$

$$242x=1210 \text{ or } 290.$$

$$\therefore x=5 \text{ or } 1\tfrac{24}{121}.$$

8.

$$\sqrt{4+x}+\sqrt{x}=3.$$

Squaring, $$4+x+2\sqrt{4x+x^2}+x=9,$$

$$2\sqrt{4x+x^2}=5-2x.$$

Squaring, $$16x+4x^2=25-20x+4x^2,$$

$$36x=25.$$

$$\therefore x=\tfrac{25}{36}.$$

9.

$$\sqrt{25+x}+\sqrt{25-x}=8.$$

Squaring, $$25+x+2\sqrt{625-x^2}+25-x=64,$$

$$2\sqrt{625-x^2}=14,$$

$$2500-4x^2=196,$$

$$4x^2=2304,$$

$$2x=\pm 48.$$

$$\therefore x=\pm 24.$$

10.

$$x^2=21+\sqrt{x^2-9}.$$

$$x^2-21=\sqrt{x^2-9},$$

$$x^4-42x^2+441=x^2-9,$$

$$x^4-43x^2=-450,$$

$$4x^4-172x^2=-1800,$$

$$4x^4-(\ )+(43)^2=49,$$

$$2x^2-43=\pm 7,$$

$$x^2=25 \text{ or } 18.$$

$$\therefore x=\pm 5 \text{ or } \pm 3\sqrt{2}.$$

11.

$$\begin{aligned}
2x-\sqrt[3]{8x^3+26}+2&=0.\\
\sqrt[3]{8x^3+26}&=2x+2,\\
8x^3+26&=8x^3+24x^2+24x+8,\\
24x^2+24x&=18,\\
4x^2+4x&=3,\\
4x^2+(\ )+1&=4,\\
2x+1&=\pm 2.\\
\therefore x&=\tfrac{1}{2}\text{ or }-\tfrac{3}{2}.
\end{aligned}$$

12.

$$\begin{aligned}
\sqrt{x+1}+\sqrt{x+16}&=\sqrt{x+25}.\\
x+1+2\sqrt{x^2+17x+16}+x+16&=x+25,\\
2\sqrt{x^2+17x+16}&=8-x,\\
4x^2+68x+64&=64-16x+x^2,\\
3x^2+84x&=0,\\
x^2+28x&=0,\\
x(x+28)&=0.\\
\therefore x&=0\text{ or }-28.
\end{aligned}$$

13.

$$\begin{aligned}
\sqrt{2x+1}-\sqrt{x+4}&=\tfrac{1}{3}\sqrt{x-3}.\\
2x+1-2\sqrt{2x^2+9x+4}+x+4&=\frac{x-3}{9},\\
27x+45-18\sqrt{2x^2+9x+4}&=x-3,\\
18\sqrt{2x^2+9x+4}&=26x+48,\\
9\sqrt{2x^2+9x+4}&=13x+24,\\
162x^2+729x+324&=169x^2+624x+576,\\
-7x^2+105x&=252,\\
x^2-15x&=-36,\\
4x^2-(\ )+225&=81,\\
2x-15&=\pm 9.\\
\therefore x&=12\text{ or }3.
\end{aligned}$$

14.

$$\begin{aligned}
\sqrt{x+3}+\sqrt{x+8}&=5\sqrt{x}.\\
x+3+2\sqrt{x^2+11x+24}+x+8&=25x,\\
2\sqrt{x^2+11x+24}&=23x-11,\\
4x^2+44x+96&=529x^2-506x+121,\\
525x^2-550x&=-25,\\
21x^2-22x&=-1,\\
1764x^2-(\ )+484&=400,\\
42x-22&=\pm 20.\\
\therefore x&=1\text{ or }\tfrac{1}{21}.
\end{aligned}$$

15.

$$\sqrt{3+x}+\sqrt{x}=\frac{6}{\sqrt{3+x}}.$$

Clear of fractions, $3+x+\sqrt{3x+x^2}=6,$

$$\sqrt{3x+x^2}=3-x,$$

$$3x+x^2=9-6x+x^2,$$

$$9x=9.$$

$$\therefore x=1.$$

16.

$$\sqrt{x^2-1}+6=\frac{16}{\sqrt{x^2-1}}.$$

$$x^2-1+6\sqrt{x^2-1}=16,$$

$$6\sqrt{x^2-1}=17-x^2,$$

$$36x^2-36=289-34x^2+x^4,$$

$$x^4-70x^2=-325,$$

$$x^4-(\ )+(35)^2=900,$$

$$x^2-35=\pm 30,$$

$$x^2=65 \text{ or } 5.$$

$$\therefore x=\pm\sqrt{65} \text{ or } \pm\sqrt{5}.$$

17.

$$\frac{1}{\sqrt{x+1}}+\frac{1}{\sqrt{x-1}}=\frac{1}{\sqrt{x^2-1}}.$$

$$\sqrt{x-1}+\sqrt{x+1}=1,$$

$$\sqrt{x-1}=1-\sqrt{x+1},$$

$$x-1=1-2\sqrt{x+1}+x+1,$$

$$2\sqrt{x+1}=3,$$

$$4x+4=9.$$

$$\therefore x=1\tfrac{1}{4}.$$

18.

$$\frac{\sqrt{x+2a}-\sqrt{x-2a}}{\sqrt{x-2a}+\sqrt{x+2a}}=\frac{x}{2a}.$$

$$2a\sqrt{x+2a}-2a\sqrt{x-2a}=x\sqrt{x-2a}+x\sqrt{x+2a},$$

$$(2a-x)\sqrt{x+2a}=(2a+x)\sqrt{x-2a},$$

$$(4a^2-4ax+x^2)(x+2a)=(4a^2+4ax+x^2)(x-2a),$$

$$x^3-2ax^2-4a^2x+8a^3=x^3+2ax^2-4a^2x-8a^3,$$

$$4ax^2=16a^3.$$

$$\therefore x=\pm 2a.$$

19.

$$\begin{aligned}
\frac{3x+\sqrt{4x-x^2}}{3x-\sqrt{4x-x^2}} &= 2.\\
3x+\sqrt{4x-x^2} &= 6x-2\sqrt{4x-x^2},\\
3\sqrt{4x-x^2} &= 3x,\\
\sqrt{4x-x^2} &= x,\\
4x-x^2 &= x^2,\\
2x^2-4x &= 0,\\
2x(x-2) &= 0.\\
\therefore x &= 0 \text{ or } 2.
\end{aligned}$$

20.

$$\begin{aligned}
\frac{\sqrt{7x^2+4}+2\sqrt{3x-1}}{\sqrt{7x^2+4}-2\sqrt{3x-1}} &= 7.\\
\sqrt{7x^2+4}+2\sqrt{3x-1} &= 7\sqrt{7x^2+4}-14\sqrt{3x-1},\\
16\sqrt{3x-1} &= 6\sqrt{7x^2+4},\\
8\sqrt{3x-1} &= 3\sqrt{7x^2+4},\\
192x-64 &= 63x^2+36,\\
63x^2-192x &= 100,\\
4(63x)^2-(\ )+(192)^2 &= 11664,\\
126x-192 &= \pm 108.\\
\therefore x &= 2\tfrac{8}{21} \text{ or } \tfrac{2}{3}.
\end{aligned}$$

21.

$$\begin{aligned}
\sqrt{(x-a)^2+2ab+b^2} &= x-a+b.\\
x^2-2ax+a^2+2ab+b^2 &= x^2+a^2+b^2-2ax-2ab+2bx,\\
2bx &= 4ab,\\
2x &= 4a.\\
\therefore x &= 2a.
\end{aligned}$$

22.

$$\begin{aligned}
\sqrt{(x+a)^2+2ab+b^2} &= b-a-x.\\
x^2+2ax+a^2+2ab+b^2 &= b^2+a^2+x^2-2ab+2ax-2bx,\\
2bx &= -4ab.\\
\therefore x &= -2a.
\end{aligned}$$

23.

$$\sqrt{\frac{x}{4}+3}+\sqrt{\frac{x}{4}-3}=\sqrt{\frac{2x}{3}}.$$

$$\sqrt{3x+36}+\sqrt{3x-36}=\sqrt{8x},$$

$$3x+36+2\sqrt{9x^2-1296}+3x-36=8x,$$

$$2\sqrt{9x^2-1296}=2x,$$

$$\sqrt{9x^2-1296}=x,$$

$$9x^2-1296=x^2,$$

$$x^2=162.$$

$$\therefore x=\pm 9\sqrt{2}.$$

24.

$$4x^{\frac{1}{2}}-3(x^{\frac{1}{2}}+1)(x^{\frac{1}{2}}-2)=x^{\frac{1}{2}}(10-3x^{\frac{1}{2}}).$$

$$4x^{\frac{1}{2}}-3x+3x^{\frac{1}{2}}+6=10x^{\frac{1}{2}}-3x,$$

$$3x^{\frac{1}{2}}=6,$$

$$9x=36.$$

$$\therefore x=4.$$

25.

$$(x^{\frac{2}{3}}-2)(x^{\frac{4}{3}}-4)=x^{\frac{2}{3}}(x^{\frac{2}{3}}-1)^2-12.$$

$$x^{\frac{6}{3}}-2x^{3}-4x^{\frac{2}{3}}+8=x^{\frac{6}{3}}-2x^{\frac{4}{3}}+x^{\frac{2}{3}}-12,$$

$$5x^{\frac{2}{3}}=20,$$

$$x^{\frac{2}{3}}=4.$$

Raise to third power, $x^2=64.$

$$\therefore x=\pm 8.$$

26. $x^3-4x^{\frac{3}{2}}=96.$

$$x^3-4x^{\frac{3}{2}}+4=100,$$

$$x^{\frac{3}{2}}-2=\pm 10,$$

$$x^{\frac{3}{2}}=12 \text{ or } -8,$$

$$x^{\frac{1}{2}}=\sqrt[3]{12} \text{ or } -2.$$

$$\therefore x=(\sqrt[3]{144}) \text{ or } 4$$

$$=2\sqrt[3]{18} \text{ or } 4.$$

27. $x+x^{-1}=2.9.$

$$x+\frac{1}{x}=2.9,$$

$$x^2+1=2.9x,$$

$$10x^2-29x=-10,$$

$$400x^2-(\ )+(29)^2=441,$$

$$20x-29=\pm 21.$$

$$\therefore x=\tfrac{2}{5} \text{ or } 2\tfrac{1}{2}.$$

28.

$$x^{\frac{1}{2}} + 2a^2x^{-\frac{1}{2}} = 3a.$$

Multiply by $x^{\frac{1}{2}}$, $\quad x + 2a^2 = 3ax^{\frac{1}{2}},$

$$x - 3ax^{\frac{1}{2}} = -2a^2,$$
$$4x - (\ ) + 9a^2 = a^2,$$
$$\sqrt{4x} - 3a = \pm a,$$
$$\sqrt{4x} = 3a \pm a,$$
$$4x = 16a^2 \text{ or } 4a^2.$$
$$\therefore x = 4a^2 \text{ or } a^2.$$

29.

$$81\sqrt[3]{x} + \frac{81}{\sqrt[3]{x}} = 52x.$$
$$81x^{\frac{2}{3}} + 81 = 52x^{\frac{4}{3}}.$$

Transpose, $\quad 52x^{\frac{4}{3}} - 81x^{\frac{2}{3}} = 81,$

$$(104)^2x^{\frac{4}{3}} - (\ ) + (81)^2 = 23409,$$
$$104x^{\frac{2}{3}} - 81 = \pm 153,$$
$$104x^{\frac{2}{3}} = 234 \text{ or } -72,$$
$$x^{\frac{2}{3}} = \tfrac{9}{4} \text{ or } -\tfrac{9}{13},$$
$$x^2 = \tfrac{729}{64} \text{ or } -\tfrac{729}{2197}.$$
$$\therefore x = \pm\tfrac{27}{8} \text{ or } \pm\tfrac{27}{169}\sqrt{-13}.$$

Exercise CVIII.

1.

$$x^2 - 3x - 6\sqrt{x^2 - 3x - 3} + 2 = 0.$$

Add -3 to both sides,

$$(x^2 - 3x - 3) - 6(x^2 - 3x - 3)^{\frac{1}{2}} = -5,$$
$$(x^2 - 3x - 3) - (\ ) + 9 = 4,$$
$$(x^2 - 3x - 3)^{\frac{1}{2}} - 3 = \pm 2,$$
$$(x^2 - 3x - 3)^{\frac{1}{2}} = 5 \text{ or } 1,$$
$$x^2 - 3x - 3 = 25 \text{ or } 1,$$
$$x^2 - 3x = 28 \text{ or } 4,$$
$$4x^2 - (\ ) + 9 = 121 \text{ or } 25,$$
$$2x - 3 = \pm 11 \text{ or } \pm 5,$$
$$2x = 14, -8, 8, -2.$$
$$\therefore x = 7, -4, 4, -1.$$

2.

$$x^2+3x-\frac{3}{x}+\frac{1}{x^2}=\frac{7}{36}.$$

$$\left(x^2+\frac{1}{x^2}\right)+\left(3x-\frac{3}{x}\right)=\frac{7}{36}.$$

Subtract 2 from $\left(x^2+\frac{1}{x^2}\right)$, and from $\frac{7}{36}$.

Since $\left(x^2-2+\frac{1}{x^2}\right)=\left(x-\frac{1}{x}\right)^2$,

$$\left(x-\frac{1}{x}\right)^2+3\left(x-\frac{1}{x}\right)=-\frac{65}{36},$$

$$4\left(x-\frac{1}{x}\right)^2+(\ )+9=\frac{16}{9},$$

$$2\left(x-\frac{1}{x}\right)+3=\pm\frac{4}{3},$$

$$2x-\frac{2}{x}=-\frac{5}{3}\text{ or }-\frac{13}{3},$$

$$6x^2-6=-5x\text{ or }-13x,$$

$$6x^2+5x=6,$$

$$144x^2+(\ )+25=169,$$

$$12x+5=\pm 13.$$

$$\therefore x=\tfrac{2}{3}\text{ or }-1\tfrac{1}{2}.$$

From $6x^2-6=-13x$,

$$6x^2+13x=6,$$

$$144x^2+(\ )+169=313,$$

$$12x+13=\pm\sqrt{313}.$$

$$\therefore x=\tfrac{1}{12}(-13\pm\sqrt{313}).$$

3.

$$(2x^2-3x)^2-2(2x^2-3x)=15.$$

$$(2x^2-3x)^2-(\ )+1=16,$$

$$(2x^2-3x)-1=\pm 4,$$

$$2x^2-3x=5\text{ or }-3,$$

$$16x^2-(\ )+9=49\text{ or }-15,$$

$$4x-3=\pm 7\text{ or }\pm\sqrt{-15},$$

$$4x=10,\ -4,\ 3\pm\sqrt{-15}.$$

$$\therefore x=2\tfrac{1}{2},\ -1,\ \tfrac{1}{4}(3\pm\sqrt{-15}).$$

4.

$$\begin{aligned}
(ax-b)^2+4a(ax-b)&=\frac{9a^2}{4}.\\
4(ax-b)^2+16a(ax-b)&=9a^2,\\
4(ax-b)^2+(\ )+16a^2&=25a^2,\\
2(ax-b)+4a&=\pm 5a,\\
2(ax-b)&=a \text{ or } -9a,\\
2ax&=a+2b \text{ or } 2b-9a.\\
\therefore x&=\frac{a+2b}{2a} \text{ or } \frac{2b-9a}{2a}.
\end{aligned}$$

5.

$$\begin{aligned}
3(2x^2-x)-(2x^2-x)^{\frac{1}{2}}&=2.\\
36(2x^2-x)-(\ )+1&=25,\\
6(2x^2-x)^{\frac{1}{2}}-1&=\pm 5,\\
6(2x^2-x)^{\frac{1}{2}}&=6 \text{ or } -4,\\
(2x^2-x)^{\frac{1}{2}}&=1 \text{ or } -\tfrac{2}{3},\\
2x^2-x&=1 \text{ or } \tfrac{4}{9},\\
16x^2-8x&=8 \text{ or } \tfrac{32}{9},\\
16x^2-(\ )+1&=9 \text{ or } \tfrac{41}{9},\\
4x-1&=\pm 3 \text{ or } \pm\tfrac{1}{3}\sqrt{41}.\\
\therefore x&=1,\ -\tfrac{1}{2},\ \tfrac{1}{4}(1\pm\tfrac{1}{3}\sqrt{41}).
\end{aligned}$$

6.

$$15x-3x^2+4(x^2-5x+5)^{\frac{1}{2}}=16.$$

Change signs and add 15 to both sides,

$$\begin{aligned}
(3x^2-15x+15)-4(x^2-5x+5)^{\frac{1}{2}}&=-1,\\
3(x^2-5x+5)-4(x^2-5x+5)^{\frac{1}{2}}&=-1,\\
36(x^2-5x+5)-(\ )+16&=4,\\
6(x^2-5x+5)^{\frac{1}{2}}&=6 \text{ or } 2,\\
(x^2-5x+5)^{\frac{1}{2}}&=1 \text{ or } \tfrac{1}{3},\\
x^2-5x+5&=1 \text{ or } \tfrac{1}{9},\\
x^2-5x&=-4 \text{ or } -4\tfrac{8}{9},\\
4x^2-(\ )+25&=9 \text{ or } \tfrac{49}{9},\\
2x-5&=\pm 3 \text{ or } \pm\tfrac{7}{3}.\\
\therefore x&=4,\ 1,\ 3\tfrac{2}{3},\ 1\tfrac{1}{3}.
\end{aligned}$$

7.

$$x^2 + x^{-2} + x + x^{-1} = 4.$$

$$\left(x^2 + \frac{1}{x^2}\right) + \left(x + \frac{1}{x}\right) = 4,$$

$$\left(x + \frac{1}{x}\right)^2 + \left(x + \frac{1}{x}\right) = 6,$$

$$4\left(x + \frac{1}{x}\right)^2 + 4\left(x + \frac{1}{x}\right) = 24,$$

$$4\left(x + \frac{1}{x}\right)^2 + (\ ) + 1 = 25.$$

Extract the root, $2\left(x + \frac{1}{x}\right) = 4 \text{ or } -6,$

$$x + \frac{1}{x} = 2 \text{ or } -3,$$

$$x^2 + 1 = 2x \text{ or } -3x.$$

For first value, $x^2 + 1 = 2x,$

$$x^2 - 2x = -1,$$

$$x^2 - 2x + 1 = 0,$$

$$x - 1 = 0.$$

$$\therefore x = 1.$$

For second value, $x^2 + 1 = -3x,$

$$x^2 + 3x = -1,$$

$$4x^2 + (\ ) + 9 = 5,$$

$$2x + 3 = \pm\sqrt{5}.$$

$$\therefore x = \tfrac{1}{2}(-3 \pm \sqrt{5}).$$

8.

$$x^2 + \sqrt{x^2 - 7} = 19.$$

Subtract 7 from each side,

$$(x^2 - 7) + (x^2 - 7)^{\frac{1}{2}} = 12,$$

$$4(x^2 - 7) + (\ ) + 1 = 49,$$

$$2(x^2 - 7)^{\frac{1}{2}} + 1 = \pm 7,$$

$$2(x^2 - 7)^{\frac{1}{2}} = 6 \text{ or } -8,$$

$$(x^2 - 7)^{\frac{1}{2}} = 3 \text{ or } -4,$$

$$x^2 - 7 = 9 \text{ or } 16,$$

$$x^2 = 16 \text{ or } 23.$$

$$\therefore x = \pm 4 \text{ or } \pm\sqrt{23}.$$

9.

$$x^2 + x + \tfrac{1}{6}(x^2 + x)^{\frac{1}{2}} = \tfrac{7}{6}.$$

$$6(x^2 + x) + (x^2 + x)^{\frac{1}{2}} = 7,$$

$$144(x^2 + x) + (\ \ ) + 1 = 169,$$

$$12(x^2 + x)^{\frac{1}{2}} + 1 = \pm 13,$$

$$(x^2 + x)^{\frac{1}{2}} = 1 \text{ or } -\tfrac{7}{6},$$

$$(x^2 + x) = 1 \text{ or } \tfrac{49}{36},$$

$$4x^2 + 4x + 1 = 5 \text{ or } \tfrac{232}{36},$$

$$2x + 1 = \pm\sqrt{5} \text{ or } \pm\tfrac{1}{3}\sqrt{58}.$$

$$\therefore x = \tfrac{1}{2}(-1 \pm \sqrt{5}) \text{ or } \tfrac{1}{2}(-1 \pm \tfrac{1}{3}\sqrt{58}).$$

10.

$$(x + 1)^{\frac{1}{2}} + (x - 1)^{\frac{1}{2}} = 5.$$

Squaring, $x + 1 + 2(x^2 - 1)^{\frac{1}{2}} + x - 1 = 25,$

$$2(x^2 - 1)^{\frac{1}{2}} = 25 - 2x,$$

$$4x^2 - 4 = 625 - 100x + 4x^2,$$

$$100x = 629.$$

$$\therefore x = 6\tfrac{29}{100}.$$

11.

$$x - 1 = 2 + 2x^{\frac{1}{2}}.$$

$$x - 1 = 2 + \frac{2}{x^{\frac{1}{2}}},$$

$$x - \frac{2}{x^{\frac{1}{2}}} = 3,$$

$$x^{\frac{3}{2}} - 2 = 3x^{\frac{1}{2}},$$

$$x^{\frac{3}{2}} - 3x^{\frac{1}{2}} = 2.$$

Squaring, $x^3 - 6x^2 + 9x = 4,$

$$x^3 - 6x^2 + 9x - 4 = 0,$$

$$(x - 1)(x^2 - 5x + 4) = 0.$$

$$\therefore (x - 1) \text{ or } (x^2 - 5x + 4) = 0.$$

If $(x - 1) = 0,$

$$x = 1.$$

If $x^2 - 5x + 4 = 0,$

$$x^2 - 5x = -4,$$

$$4x^2 - 20x = -16,$$

$$4x^2 - 20x + 25 = 9,$$

$$2x - 5 = \pm 3,$$

$$2x = 8 \text{ or } 2.$$

$$\therefore x = 4 \text{ or } 1.$$

12.

$$\sqrt{3x+5}-\sqrt{3x-5}=4.$$

$$\sqrt{3x+5}=\sqrt{3x-5}+4,$$

$$(3x+5)=(3x-5)+8\sqrt{3x-5}+16,$$

$$6=8\sqrt{3x-5},$$

$$36=192x-320,$$

$$-192x=-356.$$

$$\therefore\ x=1\tfrac{41}{48}.$$

13.

$$(x^4+1)-x(x^2+1)=-2x^2.$$

Transpose, $x^4+2x^2+1-x(x^2+1)=0,$

$$(x^2+1)^2-x(x^2+1)=0.$$

Multiply by 4, and complete the square,

$$(x^2+1)^2-(\ )+x^2=x^2.$$

Extract the root, $2(x^2+1)-x=\pm x,$

$$2x^2+2=2x \text{ or } 0.$$

For first value, $2x^2-2x=-2.$

Multiply by 2, and complete the square,

$$4x^2-(\ )+1=-3.$$

Extract the root, $2x-1=\pm\sqrt{-3}.$

$$\therefore\ x=\tfrac{1}{2}(1\pm\sqrt{3}).$$

For second value, $2x^2=-2,$

$$x^2=-1.$$

$$\therefore\ x=\pm\sqrt{-1}.$$

14.

$$2x^2-2\sqrt{2x^2-5x}=5(x+3).$$

$$2x^2-5x-2\sqrt{2x^2-5x}=15,$$

$$(2x^2-5x)-2(2x^2-5x)^{\frac{1}{2}}+1=16,$$

$$(2x^2-5x)^{\frac{1}{2}}-1=\pm 4,$$

$$(2x^2-5x)^{\frac{1}{2}}=5 \text{ or } -3,$$

$$2x^2-5x=25 \text{ or } 9,$$

$$16x^2-(\ )+25=225 \text{ or } 97,$$

$$4x-5=\pm 15 \text{ or } \pm\sqrt{97},$$

$$4x=20,\ -10,\ (5+\sqrt{97}),\ (5-\sqrt{97}).$$

$$\therefore\ x=5,\ -2\tfrac{1}{2},\ \tfrac{1}{4}(5+\sqrt{97}),\ \tfrac{1}{4}(5-\sqrt{97}).$$

15.

$$x+2-4x\sqrt{x+2}=12x^2.$$

Complete the square,

$$\begin{aligned}(x+2)-4x\sqrt{x+2}+4x^2&=16x^2,\\ \sqrt{x+2}-2x&=\pm 4x,\\ \sqrt{x+2}&=6x \text{ or } -2x,\\ x+2&=36x^2 \text{ or } 4x^2,\\ 36x^2-x&=2,\\ 5184x^2-144x&=288,\\ 5184x^2-(\ )+1&=289,\\ 72x-1&=\pm 17,\\ 72x&=18 \text{ or } -16.\\ \therefore x&=\tfrac{1}{4} \text{ or } -\tfrac{2}{9}.\end{aligned}$$

Also,

$$\begin{aligned}x+2&=4x^2,\\ 4x^2-x&=2,\\ 64x^2-16x&=32,\\ 64x^2-(\ )+1&=33,\\ 8x-1&=\pm\sqrt{33}.\\ \therefore x&=\tfrac{1}{8}(1\pm\sqrt{33}).\end{aligned}$$

16.

$$\sqrt{2x+a}+\sqrt{2x-a}=b.$$

$$\begin{aligned}2x+a+2\sqrt{4x^2-a^2}+2x-a&=b^2,\\ 2\sqrt{4x^2-a^2}&=b^2-4x,\\ 16x^2-4a^2&=b^4-8b^2x+16x^2,\\ 8b^2x&=4a^2+b^4.\\ \therefore x&=\frac{4a^2+b^4}{8b^2}.\end{aligned}$$

17.

$$\sqrt{9x^2+21x+1}-\sqrt{9x^2+6x+1}=3x.$$

$$9x^2+21x+1-2\sqrt{81x^4+243x^3+144x^2+27x+1}+9x^2+6x+1=9x^2,$$

$$\begin{aligned}2\sqrt{81x^4+243x^3+144x^2+27x+1}&=9x^2+27x+2,\\ 324x^4+972x^3+576x^2+108x+4&=81x^4+729x^2+4+486x^3\\ &\quad+36x^2+108x,\\ 243x^4+486x^3-189x^2&=0,\\ 27x^2(9x^2+18x-7)&=0.\\ \therefore x&=0.\end{aligned}$$

Or,

$$\begin{aligned}9x^2+18x&=7,\\ 9x^2+(\ )+9&=16,\\ 3x+3&=\pm 4,\\ 3x&=1 \text{ or } -7.\\ \therefore x&=\tfrac{1}{3} \text{ or } -2\tfrac{1}{3}.\end{aligned}$$

18.

$$x^{\frac{4}{3}} - 4x^{\frac{2}{3}} + x^{-\frac{4}{3}} + 4x^{-\frac{2}{3}} = -\tfrac{7}{4}.$$

$$\left(x^{\frac{4}{3}} + \frac{1}{x^{\frac{4}{3}}}\right) - \left(4x^{\frac{2}{3}} - \frac{4}{x^{\frac{2}{3}}}\right) = -\tfrac{7}{4}.$$

Since $$x^{\frac{4}{3}} - 2 + \frac{1}{x^{\frac{4}{3}}} = \left(x^{\frac{2}{3}} - \frac{1}{x^{\frac{2}{3}}}\right)^2,$$

$$\left(x^{\frac{2}{3}} - \frac{1}{x^{\frac{2}{3}}}\right)^2 - 4\left(x^{\frac{2}{3}} - \frac{1}{x^{\frac{2}{3}}}\right) = -\tfrac{15}{4},$$

$$\left(x^{\frac{2}{3}} - \frac{1}{x^{\frac{2}{3}}}\right)^2 - \left(\quad\right) + 4 = \tfrac{1}{4},$$

$$\left(x^{\frac{2}{3}} - \frac{1}{x^{\frac{2}{3}}}\right) - 2 = \pm\tfrac{1}{2},$$

$$\left(x^{\frac{2}{3}} - \frac{1}{x^{\frac{2}{3}}}\right) = 1\tfrac{1}{2} \text{ or } 2\tfrac{1}{2},$$

$$2x^{\frac{4}{3}} - 2 = 3x^{\frac{2}{3}} \text{ or } 5x^{\frac{2}{3}},$$

$$2x^{\frac{4}{3}} - 3x^{\frac{2}{3}} = 2,$$

$$16x^{\frac{4}{3}} - (\ ) + 9 = 25,$$

$$4x^{\frac{2}{3}} - 3 = \pm 5,$$

$$4x^{\frac{2}{3}} = 8 \text{ or } -2,$$

$$x^{\frac{2}{3}} = 2 \text{ or } -\tfrac{1}{2},$$

$$x^2 = 8 \text{ or } -\tfrac{1}{8}.$$

$$\therefore x = \pm 2\sqrt{2} \text{ or } \pm\tfrac{1}{4}\sqrt{-2}.$$

Also, $$2x^{\frac{4}{3}} - 2 = 5x^{\frac{2}{3}}$$

$$2x^{\frac{4}{3}} - 5x^{\frac{2}{3}} = 2,$$

$$16x^{\frac{4}{3}} - (\ ) + 25 = 41,$$

$$4x^{\frac{2}{3}} - 5 = \pm\sqrt{41},$$

$$x^{\frac{2}{3}} = \tfrac{1}{4}(5 \pm \sqrt{41}).$$

$$\therefore x = [\tfrac{1}{4}(5 \pm \sqrt{41})]^{\frac{3}{2}}.$$

19.

$$(2x + 3y)^2 - 2(2x + 3y) = 8 \qquad (1)$$

$$x^2 - y^2 = 21 \qquad (2)$$

Add 1 to both sides of (1),

$$(2x + 3y)^2 - 2(2x + 3y) + 1 = 9.$$

Extract the root, $(2x + 3y) - 1 = \pm 3,$

$$2x + 3y = 4 \text{ or } -2 \qquad (3)$$

$$\therefore x = \frac{4 - 3y}{2} \text{ or } -\frac{2 + 3y}{2},$$

$$x^2 = \frac{16 - 24 + 9y^2}{4} \text{ or } \frac{4 + 12y + 9y^2}{4}.$$

Substitute value of x^2 in (2),

$$\frac{16 - 24y + 9y^2}{4} - y^2 = 21,$$

$$5y^2 - 24y = 68,$$

$$100y^2 - (\ ) + 576 = 1936,$$

$$10y - 24 = \pm 44,$$

$$10y = 68 \text{ or } -20.$$

$$\therefore y = 6\tfrac{4}{5} \text{ or } -2.$$

Substitute second value of x^2 in (2),

$$\frac{4 + 12y + 9y^2}{4} - y^2 = 21,$$

$$5y^2 + 12y = 80,$$

$$100y^2 + (\ ) + 144 = 1744,$$

$$10y + 12 = \pm 4\sqrt{109},$$

$$10y = -12 \pm 4\sqrt{109}.$$

$$\therefore y = -1\tfrac{1}{5} \pm \tfrac{2}{5}\sqrt{109}$$

$$= \tfrac{2}{5}(-3 \pm \sqrt{109}).$$

Substitute first values of y in (3), $x = -8\tfrac{1}{5},\ 5,\ 2 + \tfrac{1}{5}(-3 \pm \sqrt{109}).$

20.

$$
\begin{aligned}
x+y+\sqrt{x+y}&=a,\\
x-y+\sqrt{x-y}&=b.\\
4(x+y)+(\ )+1&=4a+1,\\
4(x-y)+(\ )+1&=4b+1,\\
2(x+y)^{\frac{1}{2}}+1&=\pm\sqrt{4a+1},\\
2(x-y)^{\frac{1}{2}}+1&=\pm\sqrt{4b+1},\\
2(x+y)^{\frac{1}{2}}&=-1\pm\sqrt{4a+1},\\
2(x-y)^{\frac{1}{2}}&=-1\pm\sqrt{4b+1},\\
4(x+y)&=4a+1\pm2\sqrt{4a+1}+1,\\
4(x-y)&=4b+1\pm2\sqrt{4b+1}+1,\\
8x&=4a+4b+4\pm2\sqrt{4a+1}\pm2\sqrt{4b+1}.\\
\therefore x&=\tfrac{1}{2}(a+b+1)\pm\tfrac{1}{4}(\sqrt{4a+1}\pm\sqrt{4b+1}).\\
8y&=4a-4b\pm2\sqrt{4a+1}\mp2\sqrt{4b+1}.\\
\therefore y&=\tfrac{1}{2}(a-b)\pm\tfrac{1}{4}(\sqrt{4a+1}\mp\sqrt{4b+1}).
\end{aligned}
$$

21.

$x^4-x^2y^2+y^4=13$ (1)

$x^2-xy+y^2=3$ (2)

Square (2), $x^4+3x^2y^2+y^4-2x^3y-2xy^3=9$ (3)

Subtract (3) from (1), $2x^3y+2xy^3-4x^2y^2=4.$

Divide by $2xy$, $x^2-2xy+y^2=\frac{2}{xy}.$ (4)

Subtract (4) from (2), $xy=3-\frac{2}{xy}.$

$$
\begin{aligned}
\therefore x^2y^2-3xy&=-2,\\
4x^2y^2-(\ )+9&=1,\\
2xy-3&=\pm1,
\end{aligned}
$$

$xy=2 \text{ or } 1$ (5)

Subtract (5) from (2), $x^2-2xy+y^2=1 \text{ or } 2,$

$x-y=\pm1 \text{ or } \pm\sqrt{2}$ (6)

Multiply (5) by 3, and add to (2),

$x^2+2xy+y^2=9 \text{ or } 6,$

$x+y=\pm3 \text{ or } \pm\sqrt{6}$ (7)

Add (6) and (7), $2x=\pm4,\ \pm2, \text{ or } \pm\sqrt{2}\pm\sqrt{6}.$

$\therefore x=\pm2,\ \pm1, \text{ or } \frac{1}{2}(\pm\sqrt{2}\pm\sqrt{6}).$

Subtract (6) from (7), $2y=\pm2,\ \pm4, \text{ or } \mp\sqrt{2}\pm\sqrt{6}.$

$\therefore y=\pm1,\ \pm2, \text{ or } \frac{1}{2}(\mp\sqrt{2}\pm\sqrt{6}).$

22.

$$x^2 + y^2 + x + y = 48 \qquad (1)$$

$$2xy = 24 \qquad (2)$$

Add (1) and (2), $x^2 + 2xy + y^2 + x + y = 72,$

$$(x + y)^2 + (x + y) = 72.$$

Complete the square, $4(x + y)^2 + (\ ) + 1 = 289.$

Extract the root, $2(x + y) + 1 = \pm 17,$

$$x + y = 8 \text{ or } -9 \qquad (3)$$

From (2), $x = \dfrac{12}{y}.$

Substitute value of x in (3), $\dfrac{12}{y} + y = 8 \text{ or } -9,$

$$12 + y^2 = 8y \text{ or } -9y,$$

$$y^2 - 8y = -12,$$

$$y^2 - (\ ) + 16 = 4,$$

$$y - 4 = \pm 2.$$

$$\therefore y = 6 \text{ or } 2.$$

Also, $12 + y^2 = -9y,$

$$y^2 + 9y = -12.$$

Complete the square, $4y^2 + (\ ) + 81 = 33,$

$$2y + 9 = \pm\sqrt{33},$$

$$2y = -9 \pm \sqrt{33}.$$

$$\therefore y = \tfrac{1}{2}(-9 \pm \sqrt{33}).$$

Substitute values of y in (3), $x = 2,\ 6,\ \tfrac{1}{2}(-9 \mp \sqrt{33}).$

23.

$$x^2 + xy + y^2 = a^2 \qquad (1)$$

$$x + \sqrt{xy} + y = b \qquad (2)$$

Divide (1) by 2, $x - \sqrt{xy} + y = \dfrac{a^2}{b} \qquad (3)$

Subtract (3) from (2), $2\sqrt{xy} = \dfrac{b^2 - a^2}{b}.$

Divide by 2, $\sqrt{xy} = \dfrac{b^2 - a^2}{2b}.$

Squaring, $xy = \dfrac{b^4 - 2a^2b^2 + a^4}{4b^2} \qquad (4)$

Add (1) and (4), $x^2 + 2xy + y^2 = \dfrac{a^4 + 2a^2b^2 + b^4}{4b^2}$.

Extract the root, $$x + y = \pm\frac{a^2 + b^2}{2b} \qquad (5)$$

From (4), $$-3xy = -\frac{3(b^4 - 2a^2b^2 + a^4)}{4b^2} \qquad (6)$$

Add (1) and (6), $x^2 - 2xy + y^2 = \dfrac{10a^2b^2 - 3a^4 - 3b^4}{4b^2}$.

Extract the root, $$x - y = \pm\frac{1}{2b}\sqrt{10a^2b^2 - 3a^4 - 3b^4} \qquad (7)$$

(5) is $$x + y = \pm\frac{a^2 + b^2}{2b}.$$

Add, $$2x = \pm\frac{a^2 + b^2}{2b} \pm \frac{1}{2b}\sqrt{10a^2b^2 - 3a^4 - 3b^4}.$$

Subtract (7) from (4), $$2y = \pm\frac{a^2 + b^2}{2b} \mp \frac{1}{2b}\sqrt{10a^2b^2 - 3a^4 - 3b^4}.$$

$$\therefore x = \frac{1}{4b}\left[\pm(a^2 + b^2) \pm \sqrt{10a^2b^2 - 3a^4 - 3b^4}\right].$$

$$\therefore y = \frac{1}{4b}\left[\pm(a^2 + b^2) \mp \sqrt{10a^2b^2 - 3a^4 - 3b^4}\right].$$

24.

$$(x - y)^2 - 3(x - y) = 10 \qquad (1)$$
$$x^2y^2 - 3xy = 54 \qquad (2)$$

Complete the square of (1), $4(x - y)^2 - (\ ) + 9 = 49$,
$$2(x - y) + 3 = \pm 7.$$
$$\therefore x - y = 5 \text{ or } -2 \qquad (3)$$

Complete the square of (2), $4x^2y^2 - (\ ) + 9 = 225$,
$$2xy - 3 = \pm 15.$$
$$\therefore xy = 9 \text{ or } -6 \qquad (4)$$

Square (3), $x^2 - 2xy + y^2 = 25 \text{ or } 4.$
Multiply (4) by 4, $4xy = 36 \text{ or } -24.$
Add, $x^2 + 2xy + y^2 = 1, 40, 61, -20.$

$$\therefore x + y = \pm 1,\ \pm 2\sqrt{10},\ \pm\sqrt{61},\ \pm 2\sqrt{-5} \qquad (5)$$

From (3) and (5), $x = 3,\ 2,\ \frac{1}{2}(5 \pm 2\sqrt{10}),\ \frac{1}{2}(5 \pm \sqrt{61}),\ \frac{1}{2}(5 \pm 2\sqrt{-5}),$
$-\frac{1}{2},\ -\frac{3}{2},\ -1 \pm \sqrt{10},\ \frac{1}{2}(-2 \pm \sqrt{61}),\ -1 \pm \sqrt{-5}.$

$y = -2,\ -3,\ \frac{1}{2}(-5 \pm 2\sqrt{10}),\ \frac{1}{2}(-5 \pm \sqrt{61}),$
$\frac{1}{2}(-5 \pm 2\sqrt{-5}),\ \frac{3}{2},\ \frac{1}{2},\ 1 \pm \sqrt{10},\ 1 \pm \sqrt{61},\ 1 \pm \sqrt{-5}.$

25.

$$\sqrt{x}-\sqrt{y}=x^{\frac{1}{2}}(x^{\frac{1}{2}}+y^{\frac{1}{2}}) \qquad (1)$$

$$(x+y)^2=2(x-y)^2 \qquad (2)$$

From (1), $$\sqrt{x}-\sqrt{y}=x+x^{\frac{1}{2}}y^{\frac{1}{2}} \qquad (3)$$

Square (3), $$x-2\sqrt{xy}+y=x^2+2x\sqrt{xy}+xy,$$

$$x-x^2-xy+y=2x\sqrt{xy}+2\sqrt{xy} \qquad (4)$$

From (2), $$x^2+2xy+y^2=2x^2-4xy+2y^2,$$

$$x^2+y^2=6xy \qquad (5)$$

Subtract $2xy$ from both sides of (5),

$$x^2-2xy+y^2=4xy.$$

Extract the root, $$x-y=\pm 2\sqrt{xy}.$$

Substitute $x-y$ for $2\sqrt{xy}$ in (4),

$$x-x^2-xy+y=x^2-xy+x-y,$$

$$\text{or } x^2-y=0.$$

$$\therefore y=x^2.$$

Substitute x^2 for y in (5), $$x^2+x^4=6x^3 \qquad (6)$$

$$x^2=0 \text{ or } 1+x^2=6x.$$

If $$x=0,\ y=0.$$

From $$1+x^2=6x,$$

$$x^2-6x=1,$$

$$x^2-6x+9=8,$$

$$x-3=\pm\sqrt{8},$$

$$x=(3\pm 2\sqrt{2}).$$

Since $$y=x^2,$$

$$y=(3\pm 2\sqrt{2})^2.$$

26.

$$\left(\frac{3x}{x+y}\right)^{\frac{1}{2}}+\left(\frac{x+y}{3x}\right)^{\frac{1}{2}}=2 \qquad (1)$$

$$xy-(x+y)=54 \qquad (2)$$

Square (1), $$\frac{3x}{x+y}+2+\frac{x+y}{3x}=4.$$

Simplify, $$9x^2+x^2+2xy+y^2=6x^2+6xy,$$

$$4x^2-4xy+y^2=0.$$

Extract the root, $$2x-y=0 \qquad (3)$$

$$\therefore y=2x.$$

Substitute value of y in (2), $$2x^2-3x=54,$$

$$16x^2-(\ )+9=441,$$

$$4x-3=\pm 21,$$

$$4x=24 \text{ or } -18.$$

$$\therefore x=6 \text{ or } -4\tfrac{1}{2}.$$

$$\therefore y=12 \text{ or } -9.$$

27.

$$x + y + \sqrt{xy} = 28 \qquad (1)$$

$$x^2 + y^2 + xy = 336 \qquad (2)$$

Divide (2) by (1), $x - \sqrt{xy} + y = 12$ (3)

Subtract (3) from (1), $2\sqrt{xy} = 16,$

$$\sqrt{xy} = 8,$$

$$xy = 64 \qquad (4)$$

Add (4) and (2), $x^2 + 2xy + y^2 = 400.$

Extract the root, $x + y = \pm 20$ (5)

Multiply (4) by 3, and subtract from (2),

$$x^2 - 2xy + y^2 = 144.$$

Extract the root, $x - y = \pm 12$ (6)

Add (5) and (6), $2x = \pm 32 \text{ or } \pm 8.$

$$\therefore x = \pm 16 \text{ or } \pm 4.$$

Subtract (6) from (5), $2y = \pm 8 \text{ or } \pm 32.$

$$\therefore y = \pm 4 \text{ or } \pm 16.$$

28.

$$\frac{x^2}{a} - 3ax = \sqrt{4x^3 + 9ax^2} + \frac{27a^2}{4}.$$

$$4x^2 - 12a^2x = 4ax\sqrt{4x + 9a} + 27a^3,$$

$$12a^2x + 27a^3 - 4ax\sqrt{4x + 9a} = 4x^2,$$

$$3a^2(4x + 9a) - 4ax\sqrt{4x + 9a} = 4x^2,$$

$$36a^2(4x+9a) - 48ax\sqrt{4x+9a} + 16x^2 = 64x^2.$$

Extract the root, $6a(4x + 9a)^{\frac{1}{2}} - 4x = \pm 8x.$

Divide by 2, $6a(4x + 9a)^{\frac{1}{2}} = 12x \text{ or } -4x.$

Square, $3a(4x + 9a)^{\frac{1}{2}} = 6x \text{ or } -2x$

Transpose, $36a^2x + 81a^3 = 36x^2 \text{ or } 4x$

$$36x^2 - 36a^2x = 81a^3,$$

$$\text{and } 4x^2 - 36a^2x = 81a^3.$$

$$36x^2 - 36a^2x + 9a^4 = 9a^4 + 81a^3,$$

$$6x - 3a^2 = \pm 3a\sqrt{a^2 + 9a},$$

$$6x = 3a^2 \pm 3a\sqrt{a^2 + 9a}.$$

$$\therefore x = \frac{a}{2}(a \pm \sqrt{a^2 + 9a}).$$

From $4x^2 - 36a^2x = 81a^3,$

$$4x^2 - (\ ) + 81a^4 = 81a^2(a^2 + a),$$

$$2x - 9a^2 = \pm 9a(a^2 + a).$$

$$\therefore x = \frac{9a}{2}(a \pm \sqrt{a^2 + a}).$$

29.

$$
\begin{aligned}
(x+1+x^{-1})(x-1+x^{-1}) &= 5\tfrac{1}{4}.\\
\left(x+1+\frac{1}{x}\right)\left(x-1+\frac{1}{x}\right) &= 5\tfrac{1}{4},\\
\left(\frac{x^2+x+1}{x}\right)\left(\frac{x^2-x+1}{x}\right) &= 5\tfrac{1}{4},\\
\frac{x^4+x^2+1}{x^2} &= \tfrac{21}{4},\\
4x^4+4x^2+4 &= 21x^2,\\
4x^4-17x^2 &= -4,\\
64x^4-(\ \ )+289 &= 225.\\
\text{Extract the root,}\quad 8x^2-17 &= \pm 15,\\
8x^2 &= 32 \text{ or } 2,\\
x^2 &= 4 \text{ or } \tfrac{1}{4}.\\
\therefore x &= \pm 2 \text{ or } \pm\tfrac{1}{2}.
\end{aligned}
$$

30.

$$
\begin{aligned}
2(x^{\frac{1}{2}}-1)^{-1}-2(x^{\frac{1}{2}}-4)^{-1} &= 3(x^{\frac{1}{2}}-2)^{-1}.\\
\frac{2}{x^{\frac{1}{2}}-1}-\frac{2}{x^{\frac{1}{2}}-4} &= \frac{3}{x^{\frac{1}{2}}-2}.\\
2x-12x^{\frac{1}{2}}+16-2x+6x^{\frac{1}{2}}-4 &= 3x-15x^{\frac{1}{2}}+12,\\
-3x+9x^{\frac{1}{2}} &= 0,\\
3x^{\frac{1}{2}}(x^{\frac{1}{2}}+3) &= 0,\\
x^{\frac{1}{2}} &= -3 \text{ or } 0.\\
\therefore x &= 9 \text{ or } 0.
\end{aligned}
$$

Exercise CIX.

1.
$$
\begin{aligned}
\log 6 &= \log(3\times 2)\\
&= \log 3+\log 2.\\
\log 3 &= 0.4771\\
\log 2 &= \underline{0.3010}\\
\therefore \log 6 &= 0.7781
\end{aligned}
$$

2.
$$
\begin{aligned}
\log 15 &= \log(3\times 5)\\
&= \log 3+\log 5.\\
\log 3 &= 0.4771\\
\log 5 &= \underline{0.6990}\\
\therefore \log 15 &= 1.1761
\end{aligned}
$$

3.
$$
\begin{aligned}
\log 21 &= \log(7\times 3)\\
&= \log 7+\log 3.\\
\log 7 &= 0.8451\\
\log 3 &= \underline{0.4771}\\
\therefore \log 21 &= 1.3222
\end{aligned}
$$

4.
$$
\begin{aligned}
\log 14 &= \log(7\times 2)\\
&= \log 7+\log 2.\\
\log 7 &= 0.8451\\
\log 2 &= \underline{0.3010}\\
\therefore \log 14 &= 1.1461
\end{aligned}
$$

5.
$$\begin{aligned}\log 35 &= \log(7 \times 5)\\ &= \log 7 + \log 5.\\ \log 7 &= 0.8451\\ \log 5 &= \underline{0.6990}\\ \therefore \log 35 &= 1.5441\end{aligned}$$

6.
$$\begin{aligned}\log 9 &= \log(3 \times 3)\\ &= \log 3 + \log 3.\\ \log 3 &= 0.4771\\ \log 3 &= \underline{0.4771}\\ \therefore \log 9 &= 0.9542\end{aligned}$$

7.
$$\begin{aligned}\log 8 &= \log(2 \times 2 \times 2)\\ &= \log 2 + \log 2 + \log 2.\\ \log 2 &= 0.3010\\ \log 2 &= 0.3010\\ \log 2 &= \underline{0.3010}\\ \therefore \log 8 &= 0.9030\end{aligned}$$

8.
$$\begin{aligned}\log 49 &= \log(7 \times 7)\\ &= \log 7 + \log 7.\\ \log 7 &= 0.8451\\ \log 7 &= \underline{0.8451}\\ \therefore \log 49 &= 1.6902\end{aligned}$$

9.
$$\begin{aligned}\log 25 &= \log(5 \times 5)\\ &= \log 5 + \log 5.\\ \log 5 &= 0.6990\\ \log 5 &= \underline{0.6990}\\ \therefore \log 25 &= 1.3980\end{aligned}$$

10.
$$\begin{aligned}\log 30 &= \log(2 \times 3 \times 5)\\ &= \log 2 + \log 3 + \log 5.\\ \log 2 &= 0.3010\\ \log 3 &= 0.4771\\ \log 5 &= \underline{0.6990}\\ \therefore \log 30 &= 1.4771\end{aligned}$$

11.
$$\begin{aligned}\log 42 &= \log(7 \times 2 \times 3)\\ &= \log 7 + \log 2 + \log 3.\\ \log 7 &= 0.8451\\ \log 3 &= 0.4771\\ \log 2 &= \underline{0.3010}\\ \therefore \log 42 &= 1.6232\end{aligned}$$

12.
$$\begin{aligned}\log 420 &= \log(2^2 \times 3 \times 5 \times 7)\\ &= \log 2^2 + \log 3\\ &\qquad + \log 5 + \log 7.\\ \log 2^2 &= 0.6020\\ \log 3 &= 0.4771\\ \log 5 &= 0.6990\\ \log 7 &= \underline{0.8451}\\ \therefore \log 420 &= 2.6232\end{aligned}$$

13.
$$\begin{aligned}\log 12 &= \log(2 \times 2 \times 3)\\ &= \log 2 + \log 2 + \log 3.\\ \log 2 &= 0.3010\\ \log 2 &= 0.3010\\ \log 3 &= \underline{0.4771}\\ \therefore \log 12 &= 1.0791\end{aligned}$$

14.
$$\begin{aligned}\log 60 &= \log(2 \times 3 \times 2 \times 5)\\ &= \log 2^2 + \log 3 + \log 5.\\ \log 2 &= 0.3010\\ \log 2 &= 0.3010\\ \log 3 &= 0.4771\\ \log 5 &= \underline{0.6990}\\ \therefore \log 60 &= 1.7781\end{aligned}$$

15.
$$\begin{aligned}\log 75 &= \log(5 \times 5 \times 3)\\ &= \log 5 + \log 5 + \log 3.\\ \log 5 &= 0.6990\\ \log 5 &= 0.6990\\ \log 3 &= \underline{0.4771}\\ \therefore \log 75 &= 1.8751\end{aligned}$$

16.
$$\begin{aligned}\log 7.5 &= \log(3 \times 2 \times 5 \times .1)\\ &= \log 3 + \log 2\\ &\qquad + \log 5 + \log .1.\\ \log 3 &= 0.4771\\ \log 2 &= 0.3010\\ \log 5 &= 0.6990\\ \log .1 &= \underline{9.0000 - 10}\\ \therefore \log 7.5 &= 0.8751\end{aligned}$$

17. $$\begin{aligned}\log .021 &= \log(7\times 3\times .001)\\ &= \log 7+\log 3\\ &\qquad + \log .001.\end{aligned}$$

$$\begin{aligned}\log\ 7 &= 0.8451\\ \log\ 3 &= 0.4771\\ \log .001 &= \underline{7.0000-10}\\ \therefore \log .021 &= 8.3222-10\end{aligned}$$

18. $$\begin{aligned}\log .35 &= \log(7\times 5\times .01)\\ &= \log 7+\log 5+\log .01.\end{aligned}$$

$$\begin{aligned}\log\ 7 &= 0.8451\\ \log\ 5 &= 0.6990\\ \log .01 &= \underline{8.0000-10}\\ \therefore \log .35 &= 9.5441-10\end{aligned}$$

19. $$\begin{aligned}\log .0035 &= \log(7\times 5\times .0001)\\ &= \log 7+\log 5\\ &\qquad + \log .0001.\end{aligned}$$

$$\begin{aligned}\log\ 7 &= 0.8451\\ \log\ 5 &= 0.6990\\ \log .0001 &= \underline{6.0000-10}\\ \therefore \log .0035 &= 7.5441-10\end{aligned}$$

20. $$\begin{aligned}\log .004 &= \log(2\times 2\times .001)\\ &= \log 2+\log 2\\ &\qquad + \log .001.\end{aligned}$$

$$\begin{aligned}\log\ 2 &= 0.3010\\ \log\ 2 &= 0.3010\\ \log .001 &= \underline{7.0000-10}\\ \therefore \log .004 &= 7.6020-10\end{aligned}$$

21. $$\begin{aligned}\log .05 &= \log(5\times .01)\\ &= \log 5+\log .01.\end{aligned}$$

$$\begin{aligned}\log\ 5 &= 0.6990\\ \log .01 &= \underline{8.0000-10}\\ \therefore \log .05 &= 8.6990-10\end{aligned}$$

22. $$\begin{aligned}\log 12.5 &= \log(5^3\times .1)\\ &= \log 5+\log 5+\log 5\\ &\qquad + \log .1.\end{aligned}$$

$$\begin{aligned}\log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log .1 &= \underline{9.0000-10}\\ \therefore \log 12.5 &= 1.0970\end{aligned}$$

23. $$\begin{aligned}\log 1.25 &= \log(5^3\times .01)\\ &= \log 5+\log 5+\log 5\\ &\qquad + \log .01.\end{aligned}$$

$$\begin{aligned}\log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log .01 &= \underline{8.0000-10}\\ \therefore \log 1.25 &= 0.0970\end{aligned}$$

24. $$\begin{aligned}\log 37.5 &= \log(5^3\times 3\times .1)\\ &= \log 5+\log 5+\log 5\\ &\qquad + \log 3+\log .1.\end{aligned}$$

$$\begin{aligned}\log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log\ 3 &= 0.4771\\ \log .1 &= \underline{9.0000-10}\\ \therefore \log 37.5 &= 1.5741\end{aligned}$$

25. $$\begin{aligned}\log 2.1 &= \log(3\times 7\times .1)\\ &= \log 3+\log 7+\log .1.\end{aligned}$$

$$\begin{aligned}\log\ 3 &= 0.4771\\ \log\ 7 &= 0.8451\\ \log .1 &= \underline{9.0000-10}\\ \therefore \log 2.1 &= 0.3222\end{aligned}$$

26. $$\begin{aligned}\log 16 &= \log(2^4)\\ &= \log 2+\log 2\\ &\qquad + \log 2+\log 2.\end{aligned}$$

$$\begin{aligned}\log\ 2 &= 0.3010\\ \log\ 2 &= 0.3010\\ \log\ 2 &= 0.3010\\ \log\ 2 &= \underline{0.3010}\\ \therefore \log 16 &= 1.2040\end{aligned}$$

27.
$$\begin{aligned}\log .056 &= \log(2 \times 2 \times 2 \times 7 \times .001)\\ &= \log 2 + \log 2 + \log 2 + \log 7 + \log .001.\end{aligned}$$
$$\begin{aligned}\log\ 2 &= 0.3010\\ \log\ 2 &= 0.3010\\ \log\ 2 &= 0.3010\\ \log\ 7 &= 0.8451\\ \log .001 &= \underline{7.0000 - 10}\\ \therefore \log .056 &= 8.7481 - 10\end{aligned}$$

28.
$$\begin{aligned}\log .63 &= \log(3 \times 3 \times 7 \times .01)\\ &= \log 3 + \log 3\\ &\quad + \log 7 + \log .01.\end{aligned}$$
$$\begin{aligned}\log\ 3 &= 0.4771\\ \log\ 3 &= 0.4771\\ \log\ 7 &= 0.8451\\ \log .01 &= \underline{8.0000 - 10}\\ \therefore \log .63 &= 9.7993 - 10\end{aligned}$$

29.
$$\begin{aligned}\log 1.75 &= \log(5 \times 5 \times 7 \times .01)\\ &= \log 5 + \log 5\\ &\quad + \log 7 + \log .01.\end{aligned}$$
$$\begin{aligned}\log\ 5 &= 0.6990\\ \log\ 5 &= 0.6990\\ \log\ 7 &= 0.8451\\ \log\ .01 &= \underline{8.0000 - 10}\\ \therefore \log 1.75 &= 0.2431\end{aligned}$$

30.
$$\begin{aligned}\log 105 &= \log(5 \times 3 \times 7)\\ &= \log 5 + \log 3 + \log 7.\end{aligned}$$
$$\begin{aligned}\log\ 5 &= 0.6990\\ \log\ 3 &= 0.4771\\ \log\ 7 &= \underline{0.8451}\\ \therefore \log 105 &= 2.0212\end{aligned}$$

31.
$$\begin{aligned}\log .0105 &= \log(3 \times 7 \times 5\\ &\qquad \times .0001)\\ &= \log 3 + \log 7\\ &\quad + \log 5 + \log .0001.\end{aligned}$$
$$\begin{aligned}\log\ 3 &= 0.4771\\ \log\ 7 &= 0.8451\\ \log\ 5 &= 0.6990\\ \log .0001 &= \underline{6.0000 - 10}\\ \therefore \log .0105 &= 8.0212 - 10\end{aligned}$$

32.
$$\begin{aligned}\log 1.05 &= \log(7 \times 3 \times 5 \times .01)\\ &= \log 7 + \log 3 + \log 5 + \log .01.\end{aligned}$$
$$\begin{aligned}\log\ 7 &= 0.8451\\ \log\ 3 &= 0.4771\\ \log\ 5 &= 0.6990\\ \log\ .01 &= \underline{8.0000 - 10}\\ \therefore \log 1.05 &= 0.0212\end{aligned}$$

EXERCISE CX.

1.
$$\begin{aligned}\log 2^3 &= 3 \times \log 2\\ &= 3 \times 0.3010\\ &= 0.9030.\end{aligned}$$

2.
$$\begin{aligned}\log 5^2 &= 2 \times \log 5\\ &= 2 \times 0.6990\\ &= 1.3980.\end{aligned}$$

3.
$$\begin{aligned}\log 7^4 &= 4 \times \log 7\\ &= 4 \times 0.8451\\ &= 3.3804.\end{aligned}$$

4.
$$\begin{aligned}\log 3^8 &= 8 \times \log 3\\ &= 8 \times 0.4771\\ &= 3.8168.\end{aligned}$$

5. $\log 7^3 = 3 \times \log 7$
$= 3 \times 0.8451$
$= 2.5353.$

6. $\log 5^5 = 5 \times \log 5.$
$= 5 \times 0.6990$
$= 3.4950.$

7. $\log 2^{\frac{1}{3}} = \frac{1}{3}$ of $\log 2$
$= \frac{1}{3}$ of 0.3010
$= 0.1003.$

8. $\log 5^{\frac{1}{2}} = \frac{1}{2}$ of $\log 5$
$= \frac{1}{2}$ of 0.6990
$= 0.3495.$

9. $\log 3^{\frac{1}{8}} = \frac{1}{8}$ of $\log 3$
$= \frac{1}{8}$ of 0.4771
$= 0.0596.$

10. $\log 7^{\frac{1}{5}} = \frac{1}{5}$ of $\log 7$
$= \frac{1}{5}$ of 0.8451
$= 0.1690.$

11. $\log 5^{\frac{1}{5}} = \frac{1}{5}$ of $\log 5$
$= \frac{1}{5}$ of 0.6990
$= 0.1398.$

12. $\log 7^{\frac{1}{11}} = \frac{1}{11}$ of $\log 7$
$= \frac{1}{11}$ of 0.8451
$= 0.0768.$

13. $\log 2^{\frac{3}{4}} = \frac{3}{4}$ of $\log 2$
$= \frac{3}{4}$ of 0.3010
$= 0.2258.$

14. $\log 5^{\frac{2}{3}} = \frac{2}{3}$ of $\log 5$
$= \frac{2}{3}$ of 0.6990
$= 0.4660.$

15. $\log 3^{\frac{3}{7}} = \frac{3}{7}$ of $\log 3$
$= \frac{3}{7}$ of 0.4771
$= 0.2045.$

16. $\log 7^{\frac{2}{7}} = \frac{2}{7}$ of $\log 7$
$= \frac{2}{7}$ of 0.8451
$= 0.2415.$

17. $\log 5^{\frac{5}{3}} = \frac{5}{3}$ of $\log 5$
$= \frac{5}{3}$ of 0.6990
$= 1.1650.$

18. $\log 3^{\frac{9}{11}} = \frac{9}{11}$ of $\log 3$
$= \frac{9}{11}$ of 0.4771
$= 0.3904.$

19. $\log 7^{\frac{7}{2}} = \frac{7}{2}$ of $\log 7$
$= \frac{7}{2}$ of 0.8451
$= 2.9579.$

20. $\log 3^{\frac{4}{3}} = \frac{4}{3}$ of $\log 3$
$= \frac{4}{3}$ of 0.4771
$= 0.6361.$

21. $\log 5^{\frac{7}{2}} = \frac{7}{2}$ of $\log 5$
$= \frac{7}{2}$ of 0.6990
$= 2.4465.$

22. $\log 2^{\frac{11}{7}} = \frac{11}{7}$ of $\log 2$
$= \frac{11}{7}$ of 0.3010
$= 0.4730.$

23. $\log 5^{\frac{3}{4}} = \frac{3}{4}$ of $\log 5$
$= \frac{3}{4}$ of 0.6990
$= 0.5243.$

24. $\log 7^{\frac{11}{7}} = \frac{11}{7}$ of $\log 7$
$= \frac{11}{7}$ of 0.8451
$= 1.1328.$

25. $\log 21^{\frac{7}{8}} = \frac{7}{8}$ of $\log (7 \times 3).$
$\log 7 = 0.8451$
$\log 3 = 0.4771$
$\log 21 = 1.3222$
$\frac{7}{8}$ of $1.3222 = 1.1569.$

EXERCISE CXI.

1. $\log \frac{2}{5} = \log 2 + \operatorname{colog} 5.$
$\log 2 = 0.3010$
$\operatorname{colog} 5 = \underline{9.3010 - 10}$
$\therefore \log \frac{2}{5} = 9.6020 - 10$

2. $\log \frac{2}{7} = \log 2 + \operatorname{colog} 7.$
$\log 2 = 0.3010$
$\operatorname{colog} 7 = \underline{9.1549 - 10}$
$\therefore \log \frac{2}{7} = 9.4559 - 10$

3. $\log \frac{3}{5} = \log 3 + \operatorname{colog} 5.$
$\log 3 = 0.4771$
$\operatorname{colog} 5 = \underline{9.3010 - 10}$
$\therefore \log \frac{3}{5} = 9.7781 - 10$

4. $\log \frac{3}{7} = \log 3 + \operatorname{colog} 7.$
$\log 3 = 0.4771$
$\operatorname{colog} 7 = \underline{9.1549 - 10}$
$\therefore \log \frac{3}{7} = 9.6320 - 10$

5. $\log \frac{5}{7} = \log 5 + \operatorname{colog} 7.$
$\log 5 = 0.6990$
$\operatorname{colog} 7 = \underline{9.1549 - 10}$
$\therefore \log \frac{5}{7} = 9.8539 - 10$

6. $\log \frac{7}{5} = \log 7 + \operatorname{colog} 5.$
$\log 7 = 0.8451$
$\operatorname{colog} 5 = \underline{9.3010 - 10}$
$\therefore \log \frac{7}{5} = 0.1461$

7. $\log \frac{5}{3} = \log 5 + \operatorname{colog} 3.$
$\log 5 = 0.6990$
$\operatorname{colog} 3 = \underline{9.5229 - 10}$
$\therefore \log \frac{5}{3} = 0.2219$

8. $\log \frac{5}{2} = \log 5 + \operatorname{colog} 2.$
$\log 5 = 0.6990$
$\operatorname{colog} 2 = \underline{9.6990 - 10}$
$\therefore \log \frac{5}{2} = 0.3980$

9. $\log \frac{7}{3} = \log 7 + \operatorname{colog} 3.$
$\log 7 = 0.8451$
$\operatorname{colog} 3 = \underline{9.5229 - 10}$
$\therefore \log \frac{7}{3} = 0.3680$

10. $\log \frac{7}{2} = \log 7 + \operatorname{colog} 2.$
$\log 7 = 0.8451$
$\operatorname{colog} 2 = \underline{9.6990 - 10}$
$\therefore \log \frac{7}{2} = 0.5441$

11. $\log \frac{3}{2} = \log 3 + \operatorname{colog} 2.$
$\log 3 = 0.4771$
$\operatorname{colog} 2 = \underline{9.6990 - 10}$
$\therefore \log \frac{3}{2} = 0.1761$

12. $\log \frac{.7}{.5} = \log 7 + \operatorname{colog} 5.$
$\log\ 7 = 0.8451$
$\operatorname{colog}\ 5 = \underline{9.3010 - 10}$
$\therefore \log \frac{.7}{.5} = 1.1461$

13. $\log \frac{.05}{3} = \log .05 + \operatorname{colog} 3.$
$\log .05 = 8.6990 - 10$
$\operatorname{colog}\ 3 = \underline{9.5229 - 10}$
$\therefore \log \frac{.05}{3} = 8.2219 - 10$

14. $\log\frac{.005}{2} = \log .005 + \text{colog}\, 2.$

$$\begin{array}{r@{\;=\;}l} \log .005 & 7.6990 - 10 \\ \text{colog}\ \ 2 & 9.6990 - 10 \\ \therefore \log\frac{.005}{2} & \overline{7.3980 - 10} \end{array}$$

15. $\log\frac{.07}{5} = \log .07 + \text{colog}\, 5.$

$$\begin{array}{r@{\;=\;}l} \log\ .07 & 8.8451 - 10 \\ \text{colog}\ \ 5 & 9.3010 - 10 \\ \therefore \log\frac{.07}{5} & \overline{8.1461 - 10} \end{array}$$

16. $\log\frac{5}{.07} = \log 5 + \text{colog}\, .07.$

$$\begin{array}{r@{\;=\;}l} \log\ \ 5 & 0.6990 \\ \text{colog}\ .07 & 1.1549 \\ \therefore \log\frac{5}{.07} & \overline{1.8539} \end{array}$$

17. $\log\frac{3}{.007} = \log 3 + \text{colog}\, .007.$

$$\begin{array}{r@{\;=\;}l} \log\ \ 3 & 0.4771 \\ \text{colog}\ .007 & 2.1549 \\ \therefore \log\frac{3}{.007} & \overline{2.6320} \end{array}$$

18. $\log\frac{.003}{7} = \log .003 + \text{colog}\, 7.$

$$\begin{array}{r@{\;=\;}l} \log .003 & 7.4771 - 10 \\ \text{colog}\ \ 7 & 9.1549 - 10 \\ \therefore \log\frac{.003}{7} & \overline{6.6320 - 10} \end{array}$$

19. $\log\frac{.05}{.003} = \log .05 + \text{colog}\, .003.$

$$\begin{array}{r@{\;=\;}l} \log\ .05 & 8.6990 - 10 \\ \text{colog}\ .003 & 2.5229 \\ \therefore \log\frac{.05}{.003} & \overline{1.2219} \end{array}$$

20. $\log\frac{.007}{.02} = \log .007 + \text{colog}\, .02.$

$$\begin{array}{r@{\;=\;}l} \log\ .007 & 7.8451 - 10 \\ \text{colog}\ \ .02 & 1.6990 \\ \therefore \log\frac{.007}{.02} & \overline{9.5441 - 10} \end{array}$$

21. $\log\frac{.02}{.007} = \log .02 + \text{colog}\, .007.$

$$\begin{array}{r@{\;=\;}l} \log\ \ .02 & 8.3010 - 10 \\ \text{colog}\ .007 & 2.1549 \\ \therefore \log\frac{.02}{.007} & \overline{0.4559} \end{array}$$

22. $\log\frac{.005}{.07} = \log .005 + \text{colog}\, .07.$

$$\begin{array}{r@{\;=\;}l} \log\ .005 & 7.6990 - 10 \\ \text{colog}\ \ .07 & 1.1549 \\ \therefore \log\frac{.005}{.07} & \overline{8.8539 - 10} \end{array}$$

23. $\log\frac{.03}{7} = \log .03 + \text{colog}\, 7.$

$$\begin{array}{r@{\;=\;}l} \log\ \ .03 & 8.4771 - 10 \\ \text{colog}\ \ \ 7 & 9.1549 - 10 \\ \therefore \log\frac{.03}{7} & \overline{7.6320 - 10} \end{array}$$

24. $\log\frac{.0007}{.2} = \log .0007 + \text{colog}\, .2.$

$$\begin{array}{r@{\;=\;}l} \log .0007 & 6.8451 - 10 \\ \text{colog}\ \ \ .2 & 0.6990 \\ \therefore \log\frac{.0007}{.2} & \overline{7.5441 - 10} \end{array}$$

25. $\log\frac{.02^2}{3^3} = \log .02^2 + \text{colog}\, 3^3.$

$$\begin{array}{r@{\;=\;}l} \log\ \ .02^2 & 6.6020 - 10 \\ \text{colog}\ \ \ 3^3 & 8.5687 - 10 \\ \therefore \log\frac{.02^2}{3^3} & \overline{5.1707 - 10} \end{array}$$

26. $\log\frac{3^3}{.02^2} = \log 3^3 + \text{colog}\,.02^2.$

$$\begin{aligned} \log\ 3^3 &= 1.4313 \\ \text{colog}\,.02^2 &= 3.3980 \\ \therefore \log\frac{3^3}{.02^2} &= \overline{4.8293} \end{aligned}$$

27. $\log\frac{7^3}{.02^2} = \log 7^3 + \text{colog}\,.02^2.$

$$\begin{aligned} \log\ 7^3 &= 2.5353 \\ \text{colog}\,.02^2 &= 3.3980 \\ \therefore \log\frac{7^3}{.02^2} &= \overline{5.9333} \end{aligned}$$

28. $\log\frac{.07^3}{.003^3} = \log .07^3 + \text{colog}\,.003^3.$

$$\begin{aligned} \log\ .07^3 &= 6.5353 - 10 \\ \text{colog}\,.003^3 &= 7.5687 \\ \therefore \log\frac{.07^3}{.003^3} &= \overline{4.1040} \end{aligned}$$

29. $\log\frac{.005^2}{7^3} = \log .005^2 + \text{colog}\,7^3.$

$$\begin{aligned} \log .005^2 &= 5.3980 - 10 \\ \text{colog}\ 7^3 &= 7.4647 - 10 \\ \therefore \log\frac{.005^2}{7^3} &= \overline{2.8627 - 10} \end{aligned}$$

30. $\log\frac{7^3}{.005^2} = \log 7^3 + \text{colog}\,.005^2.$

$$\begin{aligned} \log\ 7^3 &= 2.5353 \\ \text{colog}\,.005^2 &= 4.6020 \\ \therefore \log\frac{7^3}{.005^2} &= \overline{7.1373} \end{aligned}$$

EXERCISE CXII.

1.

$\log\ 60 = 1.7782.$

2.

$\log\ 101 = 2.0043.$

3.

$\log\ 999 = 2.9996.$

4.

$$\begin{aligned} \log 9901 &= 3.9956 + \tfrac{1}{10} \text{ of } .0005 \\ &= 3.9957. \end{aligned}$$

5.

$$\begin{aligned} \log 5406 &= 3.7324 + \tfrac{6}{10} \text{ of } .0008 \\ &= 3.7329. \end{aligned}$$

6.

$\log\ 3780 = 3.5775.$

7.

$$\begin{aligned} \log 54327 &= 4.7348 + \tfrac{27}{100} \text{ of } .0008 \\ &= 4.7350. \end{aligned}$$

8.

$$\begin{aligned} \log 90801 &= 4.9581 + \tfrac{1}{100} \text{ of } .0005 \\ &= 4.9581. \end{aligned}$$

9.

$$\begin{aligned} \log 10001 &= 4.0000 + \tfrac{1}{100} \text{ of } .0043 \\ &= 4.0000. \end{aligned}$$

10.

$$\begin{aligned} \log 10010 &= 4.0000 + \tfrac{10}{100} \text{ of } .0043 \\ &= 4.0004. \end{aligned}$$

11.

$$\log\ 70633 = 4.8488 + \tfrac{33}{100}\text{ of }.0006 = 4.8490.$$

12.

$$\log\ 12028 = 4.0792 + \tfrac{28}{100}\text{ of }.0036 = 4.0802.$$

13.

$$\log 0.00987 = 7.9943 - 10.$$

14.

$$\log 0.87701 = 9.9430 - 10.$$

15.

$$\log\ 1.0001 = 0.0000 + \tfrac{1}{100}\text{ of }.0043 = 0.0000.$$

16.

$$\log\ 877.08 = 2.9430 + \tfrac{8}{100}\text{ of }.0005 = 2.9430.$$

17.

$$\log\ 73.896 = 1.8681 + \tfrac{96}{100}\text{ of }.0005 = 1.8686.$$

18.

$$\log\ 7.0699 = 0.8488 + \tfrac{99}{100}\text{ of }.0006 = 0.8494.$$

19.

$$\log\ 0.0897 = 8.9528 - 10.$$

20.

$$\log\ 99.778 = 1.9987 + \tfrac{78}{100}\text{ of }.0004 = 1.9990.$$

21.

Antilogarithm of 4.2488.

Number corresponding to .2488 is $1770 + \frac{1}{3}$ of $10 = 1773$.

∴ number required is 17730.

22.

Antilogarithm of 3.6330.

Number corresponding to .6330 is $4290 + \frac{5}{10}$ of $10 = 4295$.

∴ number required is 4295.

23.

Antilogarithm of 2.5310.

Number corresponding to .5310 is $3390 + \frac{8}{13}$ of $10 = 3396$.

∴ number required is 339.6.

24.

Antilogarithm of 1.9484.

Number corresponding to .9484 is 8880.

∴ number required is 88.8.

25.

Antilogarithm of 4.7317.

Number corresponding to .7317 is $5390 + \frac{1}{8}$ of $10 = 5391$.

∴ number required is 53910.

26.

Antilogarithm of 1.9730.

Number corresponding to .9730 is $9390 + \frac{3}{4}$ of $10 = 9398$.

∴ number required is 93.98.

27.

Antilogarithm of $9.8800 - 10$.

Number corresponding to .8800 is $7580 + \frac{3}{5}$ of $10 = 7586$.

∴ number required is 0.7586.

28.

Antilogarithm of 0.2787.

Number corresponding to 2787 is $1890 + \frac{22}{23}$ of $10 = 1900$.

∴ number required is 1.9.

29.

Antilogarithm of $9.0410 - 10$.

Number corresponding to .0410 is $1090 + \frac{36}{40}$ of $10 = .1099$.

$\therefore$ number required is 0.1099.

30.

Antilogarithm of $9.8420 - 10$.

Number corresponding to .8420 is 6950.

$\therefore$ number required is 0.6950.

31.

Antilogarithm of $7.0216 - 10$.

Number corresponding to .0216 is $1050 + \frac{4}{41}$ of $10 = 1051$.

$\therefore$ number required is 0.001051.

32.

Antilogarithm of $8.6580 - 10$.

Number corresponding to .6580 is 4550.

$\therefore$ number required is 0.0455.

33.

948.76×0.043875.

$$\begin{array}{rl} \log 948.76 = & 2.9772 \\ \log 0.043875 = & \underline{8.6423 - 10} \\ & 1.6195 \\ & = \log 41.64. \end{array}$$

34.

3.4097×0.0087634.

$$\begin{array}{rl} \log 3.4097 = & 0.5328 \\ \log 0.0087634 = & \underline{7.9427 - 10} \\ & 8.4755 - 10 \\ & = \log 0.02989. \end{array}$$

35.

830.75×0.0003769.

$$\begin{array}{rl} \log 830.75 = & 2.9195 \\ \log 0.0003769 = & \underline{6.5162 - 10} \\ & 9.4957 - 10 \\ & = \log 0.3131. \end{array}$$

36.

8.4395×0.98274.

$$\begin{array}{rl} \log 8.4395 = & 0.9263 \\ \log 0.98274 = & \underline{9.9925 - 10} \\ & 0.9188 \\ & = \log 8.294. \end{array}$$

37.

$7564 \times (-0.003764)$.

$$\begin{array}{rl} \log 7564 = & 3.8787 \\ \log(-0.003764) = & \underline{7.5756^n - 10} \\ & 1.4543^n \\ & = \log - 28.47. \end{array}$$

38.

$3.7648 \times (-0.083497)$.

$$\begin{array}{rl} \log 3.7648 = & .5757 \\ \log(-0.083497) = & \underline{8.9217^n - 10} \\ & 9.4974^n - 10 \\ & = \log - 0.3144. \end{array}$$

39.

$-5.840359 \times (-0.00178)$.

$$\begin{array}{rl} \log(-5.840359) = & 0.7664^n \\ \log(-0.00178) = & \underline{7.2504^n - 10} \\ & 8.0168 - 10 \\ & = \log 0.0140. \end{array}$$

40.

-8945.07×73.846.

$$\begin{array}{rl} \log(-8945.07) = & 3.9515^n \\ \log 73.846 = & \underline{1.8683} \\ & 5.8198^n \\ & = \log - 660600. \end{array}$$

41.

$$\frac{70654}{54013} = \log 70654 + \operatorname{colog} 54013.$$

$$\begin{array}{rl}
\log\ \ 70654 & = 4.8491\\
\operatorname{colog} 54013 & = \underline{5.2675 - 10}\\
 & \ 0.1166\\
 & = \log 1.308.
\end{array}$$

42.

$$\frac{58706}{93078} = \log 58706 + \operatorname{colog} 93078.$$

$$\begin{array}{rl}
\log\ \ 58706 & = 4.7686\\
\operatorname{colog} 93078 & = \underline{5.0312 - 10}\\
 & \ 9.7998 - 10\\
 & = \log 0.6307.
\end{array}$$

43.

$$\frac{8.32165}{0.07891} = \log 8.32165 + \operatorname{colog} 0.07891.$$

$$\begin{array}{rl}
\log\ \ 8.32165 & = 0.9202\\
\operatorname{colog} 0.07891 & = \underline{1.1028}\\
 & \ 2.0230\\
 & = \log 105.4.
\end{array}$$

44.

$$\frac{65039}{90761} = \log 65039 + \operatorname{colog} 90761.$$

$$\begin{array}{rl}
\log\ \ 65039 & = 4.8132\\
\operatorname{colog}\ \ 90761 & = \underline{5.0421 - 10}\\
 & \ 9.8553 - 10\\
 & = \log 0.7167.
\end{array}$$

45.

$$\frac{7.652}{-0.06875} = \log 7.652 + \operatorname{colog}(-0.06875).$$

$$\begin{array}{rl}
\log\ \ 7.652 & = \ \ 0.8838\\
\operatorname{colog}(-0.06875) & = \underline{11.1627^{n} - 10}\\
 & \ \ 2.0465^{n}\\
 & = \log -111.3.
\end{array}$$

46.

$$\frac{0.07654}{83.947 \times 0.8395} = \log 0.07654 + \operatorname{colog} 83.947 + \operatorname{colog} 0.8395.$$

$$\begin{array}{rl}
\log\ \ 0.07654 & = 8.8839 - 10\\
\operatorname{colog}\ \ 83.947 & = 8.0760 - 10\\
\operatorname{colog}\ \ 0.8395 & = \underline{0.0759}\\
 & \ 7.0358 - 10\\
 & = \log 0.001086.
\end{array}$$

47.

$$\frac{7564 \times 0.07643}{8093 \times 0.09817}.$$

$$\begin{array}{rl}
\log\ \ 7564 & = 3.8787\\
\log\ \ 0.07643 & = 6.8832 - 10\\
\operatorname{colog}\ \ 8093 & = 6.0919 - 10\\
\operatorname{colog} 0.09817 & = \underline{1.0080}\\
 & \ 9.8618 - 10\\
 & = \log 0.7277.
\end{array}$$

48.

$$\frac{89 \times 753 \times 0.0097}{36709 \times 0.08497}.$$

$$\begin{array}{rl}
\log\ \ 89 & = 1.9494\\
\log\ \ 753 & = 2.8768\\
\log\ \ 0.0097 & = 7.4352 - 10\\
\operatorname{colog}\ \ 36709 & = 5.4352 - 10\\
\operatorname{colog} 0.08497 & = \underline{1.0708}\\
 & \ 9.3190 - 10\\
 & = \log 0.2084.
\end{array}$$

49.

$$\frac{413\times 8.17\times 3182}{915\times 728\times 2.315}.$$

$$\begin{array}{lrl}
\log & 413 = & 2.6160\\
\log & 8.17 = & 0.9122\\
\log & 3182 = & 3.5027\\
\text{colog} & 915 = & 7.0386-10\\
\text{colog} & 728 = & 7.1379-10\\
\text{colog} & 2.315 = & 9.6354-10\\
\cline{3-3}
 & & 0.8428\\
 & & =\log 6.963.
\end{array}$$

50.

$$\frac{212\times(-6.12)\times(-2008)}{365\times(-531)\times 2.576}.$$

$$\begin{array}{lrl}
\log & 212 = & 2.3263\\
\log & (-6.12) = & 0.7868^{n}\\
\log & (-2008) = & 3.3028^{n}\\
\text{colog} & 365 = & 7.4377\ \ -10\\
\text{colog} & (-531) = & 7.2749^{n}-10\\
\text{colog} & 2.576 = & 9.5891\ \ -10\\
\cline{3-3}
 & & 0.7176^{n}\\
 & & =\log -5.219.
\end{array}$$

51.

$$\begin{array}{rl}
\log 6.05 = & 0.7818\\
 & 3\\
\cline{2-2}
\log 6.05^{3} = & 2.3454\\
 & =\log 221.5.
\end{array}$$

52.

$$\begin{array}{rl}
\log 1.051 = & 0.0216\\
 & 7\\
\cline{2-2}
\log 1.051^{7} = & 0.1512\\
 & =\log 1.416.
\end{array}$$

53.

$$\begin{array}{rl}
\log 1.1768 = & 0.0707\\
 & 5\\
\cline{2-2}
\log 1.1768^{5} = & 0.3535\\
 & =\log 2.257.
\end{array}$$

54.

$$\begin{array}{rl}
\log 1.3178 = & 0.1188\\
 & 10\\
\cline{2-2}
\log 1.3178^{10} = & 1.1880\\
 & =\log 15.81.
\end{array}$$

55.

$$\begin{array}{rl}
\log 0.78765 = & 9.8963-10\\
 & 6\\
\cline{2-2}
\log 0.78765^{6} = & 9.3778-10\\
 & =\log 0.2387.
\end{array}$$

56.

$$\begin{array}{rl}
\log 0.691 = & 9.8395-10\\
 & 9\\
\cline{2-2}
\log 0.691^{9} = & 8.5555-10\\
 & =\log 0.03593.
\end{array}$$

57.

$$\begin{aligned}
\log\left(\tfrac{73}{61}\right)^{11} &= 11(\log 73+\text{colog }61)\\
&= 11(1.8633+8.2147-10)\\
&= 0.8580\\
&= \log 7.212.
\end{aligned}$$

58.

$$\begin{aligned}
\log\left(\tfrac{14}{51}\right)^{7} &= 7(\log 14+\text{colog }51)\\
&= 7(1.1461+8.2924-10)\\
&= 6.0695-10\\
&= \log 0.0001174.
\end{aligned}$$

59.

$$\begin{aligned}
\left(10\tfrac{2}{3}\right)^{4} &= \left(\tfrac{32}{3}\right)^{4}.\\
\log\left(\tfrac{32}{3}\right)^{4} &= 4(\log 32+\text{colog }3)\\
&= 4(1.5051+9.5229-10)\\
&= 4.1120\\
&= \log 12940.
\end{aligned}$$

60.

$$\begin{aligned}
\left(1\tfrac{7}{9}\right)^{8} &= \left(\tfrac{16}{9}\right)^{8}.\\
\log\left(\tfrac{16}{9}\right)^{8} &= 8(\log 16+\text{colog }9)\\
&= 8(1.2041+9.0458-10)\\
&= 1.9992\\
&= \log 99.82
\end{aligned}$$

61.
$$\begin{aligned}\log\left(\tfrac{951}{823}\right)^6 &= 6(\log 951 + \text{colog } 823)\\ &= 6(2.9782 + 7.0846 - 10)\\ &= 0.3768\\ &= \log 2.381.\end{aligned}$$

62.
$$\begin{aligned}\left(7\tfrac{6}{11}\right)^{0.38} &= \left(\tfrac{83}{11}\right)^{0.38}.\\ \log\left(\tfrac{83}{11}\right)^{0.38} &= 0.38(\log 83 + \text{colog } 11)\\ &= 0.38(1.9191 + 8.9586 - 10)\\ &= 0.3335\\ &= \log 2.155.\end{aligned}$$

63.
$$\begin{aligned}\left(3\tfrac{27}{31}\right)^{4.17} &= \left(\tfrac{120}{31}\right)^{4.17}.\\ \log\left(\tfrac{120}{31}\right)^{4.17} &= 4.17(\log 120 + \text{colog } 31)\\ &= 4.17(2.0792 + 8.5086 - 10)\\ &= 2.4511\\ &= \log 282.6.\end{aligned}$$

64.
$$\begin{aligned}\left(1\tfrac{2}{11}\right)^{3.2} &= \left(\tfrac{13}{11}\right)^{3.2}.\\ \log\left(\tfrac{13}{11}\right)^{3.2} &= 3.2(\log 13 + \text{colog } 11)\\ &= 3.2(1.1139 + 8.9586 - 10)\\ &= 0.2320\\ &= \log 1.706.\end{aligned}$$

65.
$$\begin{aligned}\left(8\tfrac{3}{4}\right)^{2.3} &= \left(\tfrac{35}{4}\right)^{2.3}.\\ \log\left(\tfrac{35}{4}\right)^{2.3} &= 2.3(\log 35 + \text{colog } 4)\\ &= 2.3(1.5441 + 9.3979 - 10)\\ &= 2.1666\\ &= \log 146.8.\end{aligned}$$

66.
$$\begin{aligned}\left(5\tfrac{31}{37}\right)^{0.375} &= \left(\tfrac{216}{37}\right)^{0.375}.\\ \log\left(\tfrac{216}{37}\right)^{0.375} &= 0.375(\log 216 + \text{colog } 37)\\ &= 0.375(2.3345 + 8.4318 - 10)\\ &= 0.2874\\ &= \log 1.938.\end{aligned}$$

67. $\log 7 = 0.8451.$

$$\begin{array}{rl} & 3\overline{)0.8451} \\ \log 7^{\frac{1}{3}} = & 0.2817 \\ = & \log 1.913. \end{array}$$

68. $\log 11 = 1.0414.$

$$\begin{array}{rl} & 5\overline{)1.0414} \\ \log 11^{\frac{1}{5}} = & 0.2083 \\ = & \log 1.616. \end{array}$$

69. $\log 783 = 2.8938.$

$$\begin{array}{rl} & 3\overline{)2.8938} \\ \log 783^{\frac{1}{3}} = & 0.9646 \\ = & \log 9.218. \end{array}$$

70. $\log 8379 = 3.9232.$

$$\begin{array}{rl} & 10\overline{)3.9232} \\ \log 8379^{\frac{1}{10}} = & 0.3923 \\ = & \log 2.468 \end{array}$$

71. $\log 906.80 = 2.9575.$

$$\begin{array}{rl} & 4\overline{)2.9575} \\ \log 906.80^{\frac{1}{4}} = & 0.7394 \\ = & \log 5.487. \end{array}$$

72. $\log 8.1904 = 0.9133.$

$$\begin{array}{rl} & 5\overline{)0.9133} \\ \log 8.1904^{\frac{1}{5}} = & 0.1826 \\ = & \log 1.523. \end{array}$$

73. $\log 0.17643 = 9.2466 - 10$

$$\begin{array}{rr} & 5 \\ \hline & 46.2330 - 50 \\ & 10. \quad - 10 \\ & 6\overline{)56.2330 - 60} \\ \log 0.17643^{\frac{5}{6}} = & 9.3722 - 10 \\ = & \log 0.2356. \end{array}$$

74. $\log 2.5637 = 0.4088$

$$\begin{array}{rr} & 3 \\ & 11\overline{)1.2264} \\ \log 2.5637^{\frac{3}{11}} = & 0.1115 \\ = & \log 1.293. \end{array}$$

75. $\log \left(\frac{431}{788}\right)^{\frac{1}{2}} = \frac{1}{2}(\log 431 + \operatorname{colog} 788).$

$$\begin{array}{rr} \log\ 431 = & 2.6345 \\ \operatorname{colog} 788 = & 7.1035 - 10 \\ \hline & 9.7380 - 10 \\ & 10. \quad - 10 \\ & 2\overline{)19.7380 - 20} \\ & 9.8690 - 10 = \log 0.7397. \end{array}$$

76. $\log \left(\frac{71}{43406}\right)^{\frac{4}{7}} = \frac{4}{7}(\log 71 + \operatorname{colog} 43406).$

$$\begin{array}{rr} \log\ 71 = & 1.8513 \\ \operatorname{colog} 43406 = & 5.3624 - 10 \\ \hline & 7.2137 - 10 \\ & 4 \\ \hline & 28.8548 - 40 \\ & 30. \quad - 30 \\ & 7\overline{)58.8548 - 70} \\ & 8.4078 - 10 = \log 0.02558. \end{array}$$

77. $(9\tfrac{21}{43})^{\frac{1}{5}} = (\tfrac{408}{43})^{\frac{1}{5}}$.

$$\begin{array}{rrl}
\log(\tfrac{408}{43})^{\frac{1}{5}} & = & \tfrac{1}{5}(\log 408 + \text{colog } 43). \\
\log \quad 408 & = & 2.6107 \\
\text{colog} \quad 43 & = & \underline{8.3065 - 10} \\
 & & 5\overline{)0.9772} \\
 & & 0.1954 = \log 1.568.
\end{array}$$

78. $(11\tfrac{21}{71})^{\frac{4}{5}} = (\tfrac{802}{71})^{\frac{4}{5}}$.

$$\begin{array}{rrl}
\log(\tfrac{802}{71})^{\frac{4}{5}} & = & \tfrac{4}{5}(\log 802 + \text{colog } 71). \\
\log \quad 802 & = & 2.9042 \\
\text{colog} \quad 71 & = & \underline{8.1487 - 10} \\
 & & 1.0529 \\
\tfrac{4}{5}(1.0529) & = & 0.8423 = \log 6.955.
\end{array}$$

79. $\sqrt[5]{\dfrac{0.0075433^2 \times 78.343 \times 8172.4^{\frac{1}{3}} \times 0.00052}{64285.^{\frac{1}{3}} \times 154.27^4 \times 0.001 \times 586.79^{\frac{1}{2}}}}$.

$$\begin{array}{lrl}
\log & 0.0075433^2 & = 5.7552 - 10 \\
\log & 78.343 & = 1.8940 \\
\log & 8172.4^{\frac{1}{3}} & = 1.3041 \\
\log & 0.00052 & = 6.7160 - 10 \\
\text{colog} & 64285^{\frac{1}{3}} & = 8.3973 - 10 \\
\text{colog} & 15427^4 & = 1.2468 - 10 \\
\text{colog} & 0.001 & = 3.0000 \\
\text{colog} & 586.79^{\frac{1}{2}} & = \underline{8.6158 - 10} \\
 & & \, 5\overline{)36.9292 - 50} \\
 & & \, 7.3858 - 10 = \log 0.002431.
\end{array}$$

80. $\sqrt[5]{\dfrac{15.832^3 \times 5793.6^{\frac{1}{3}} \times 0.78426}{0.000327^{\frac{1}{3}} \times 768.94^2 \times 3015.3 \times 0.007^{\frac{1}{2}}}}$.

$$\begin{array}{lrl}
\log & 15.832^3 & = 3.5988 \\
\log & 5793.6^{\frac{1}{3}} & = 1.2543 \\
\log & 0.78426 & = 9.8445 - 10 \\
\text{colog} & 0.000327^{\frac{1}{3}} & = 1.1618 \\
\text{colog} & 768.94^2 & = 4.2282 - 10 \\
\text{colog} & 3015.3 & = 6.5207 - 10 \\
\text{colog} & 0.007^{\frac{1}{2}} & = \underline{1.0774 \qquad\quad} \\
 & & \, 27.7357 - 30 \\
 & & \, \underline{20. \qquad - 20} \\
 & & \, 5\overline{)47.7357 - 50} \\
 & & \, 9.5471 - 10 = \log 0.3525.
\end{array}$$

81. $\sqrt[5]{\dfrac{7.1895 \times 4764.2^2 \times 0.00326^5}{0.00048953 \times 457^3 \times 5764.4^2}}.$

$$\begin{array}{lrl}
\log & 7.1895 & = 0.8566 \\
\log & 4764.2^2 & = 7.3558 \\
\log & 0.00326^5 & = 7.5660-20 \\
\text{colog} & 0.00048953 & = 3.3102 \\
\text{colog} & 457^3 & = 2.0203-10 \\
\text{colog} & 5764.4^2 & = \underline{2.4786-10} \\
 & & \,23.5875-40 \\
 & & \,\underline{10. \qquad -10} \\
 & & 5\overline{)33.5875-50} \\
 & & \,6.7175-10 = \log 0.0005218.
\end{array}$$

82. $\sqrt[5]{\dfrac{3.1416 \times 4771.21 \times 2.7183^{\frac{1}{2}}}{30.103^4 \times 0.4343^{\frac{1}{2}} \times 69.897^4}}.$

$$\begin{array}{lrl}
\log & 3.1416 & = 0.4971 \\
\log & 4771.21 & = 3.6786 \\
\log & 2.7183^{\frac{1}{2}} & = 0.2172 \\
\text{colog} & 30.103^4 & = 4.0856-10 \\
\text{colog} & 0.4343^{\frac{1}{2}} & = 0.1811 \\
\text{colog} & 69.897^4 & = \underline{2.6220-10} \\
 & & \,11.2816-20 \\
 & & \,\underline{30. \qquad -30} \\
 & & 5\overline{)41.2816-50} \\
 & & \,8.2563-10 = \log 0.01804.
\end{array}$$

83. $\sqrt[7]{\dfrac{0.03271^2 \times 53.429 \times 0.77542^3}{32.769 \times 0.000371^4}}.$

$$\begin{array}{lrl}
\log & 0.03271^2 & = 7.0292-10 \\
\log & 53.429 & = 1.7278 \\
\log & 0.77542^3 & = 9.6688-10 \\
\text{colog} & 32.769 & = 8.4845-10 \\
\text{colog} & 0.000371^4 & = \underline{13.7224} \\
 & & 7\overline{)10.6327} \\
 & & \,1.5190 = \log 33.04.
\end{array}$$

84. $\sqrt[3]{\dfrac{732.056^2 \times 0.0003572^4 \times 89793}{42.2798^3 \times 3.4574 \times 0.0026518^5}}.$

$$\begin{array}{lrl}
\log & 732.056^2 & = 5.7290 \\
\log & 0.0003572^4 & = 6.2116-20 \\
\log & 89793 & = 4.9533 \\
\text{colog} & 42.2798^3 & = 5.1217-10 \\
\text{colog} & 3.4574 & = 9.4612-10 \\
\text{colog} & 0.0026518^5 & = \underline{12.8825} \\
 & & 3\overline{)4.3593} \\
 & & \,1.4531 = \log 28.39.
\end{array}$$

85. $\sqrt[3]{\dfrac{7932 \times 0.00657 \times 0.80464}{0.03274 \times 0.6428}}.$

$$\begin{array}{lr@{\;=\;}l}
\log & 7932 & 3.8994 \\
\log & 0.00657 & 7.8176 - 10 \\
\log & 0.80464 & 9.9056 - 10 \\
\text{colog} & 0.03274 & 1.4849 - 10 \\
\text{colog} & 0.6428 & \underline{0.1919} \\
 & & 3\overline{)3.2994} \\
 & & 1.0998 = \log 12.58.
\end{array}$$

86. $\sqrt[3]{\dfrac{7.1206 \times \sqrt{0.13274} \times 0.057389}{\sqrt{0.43468} \times 17.385 \times \sqrt{0.0096372}}}.$

$$\begin{array}{lr@{\;=\;}l}
\log & 7.1206 & 0.8525 \\
\log & \sqrt{0.13274} & 9.5615 - 10 \\
\log & 0.057389 & 8.7588 - 10 \\
\text{colog} & \sqrt{0.43468} & 0.1809 \\
\text{colog} & 17.385 & 8.7599 - 10 \\
\text{colog} & \sqrt{0.0096372} & \underline{1.0080} \\
 & & 3\overline{)29.1216 - 30} \\
 & & 9.7072 - 10 = \log 0.5096.
\end{array}$$

87. $\left\{\dfrac{3.075526^2 \times 5771.2^{\frac{1}{2}} \times 0.0036984^{\frac{1}{5}} \times 7.74}{72258 \times 327.93^3 \times 86.97^5}\right\}^{\frac{3}{5}}$

$$\begin{array}{lr@{\;=\;}l}
\log & 3.075526^2 & 0.9758 \\
\log & 5771.2^{\frac{1}{2}} & 1.8806 \\
\log & 0.0036984^{\frac{1}{5}} & 9.5136 - 10 \\
\log & 7.74 & 0.8887 \\
\text{colog} & 72258 & 5.1412 - 10 \\
\text{colog} & 327.93^3 & 2.4526 - 10 \\
\text{colog} & 86.97^5 & \underline{0.3030 - 10} \\
 & & 1.1555 - 20 \\
 & & \underline{3} \\
 & & 3.4665 - 60 \\
 & & 40 - 40 \\
 & & 5\overline{)43.4665 - 100} \\
 & & 8.6933 - 20 \\
 & & = \log 0.000000000004936.
\end{array}$$

EXERCISE CXIII.

1. Write down the ratio compounded of 3 : 5 and 8 : 7. Which of these ratios is increased and which is diminished by the composition?

$$\tfrac{3}{5} \times \tfrac{8}{7} = \tfrac{24}{35}.$$

As $\tfrac{3}{5} = \tfrac{21}{35},$

and $\tfrac{8}{7} = \tfrac{40}{35}.$

3 : 5 is increased.

8 : 7 is decreased.

2. Compound the duplicate ratio of 4 : 15 with the triplicate of 5 : 2.

$$\left(\tfrac{4}{15}\right)^2 = \tfrac{16}{225},$$

$$\left(\tfrac{5}{2}\right)^3 = \tfrac{125}{8},$$

$$\tfrac{16}{225} \times \tfrac{125}{8} = \tfrac{2 \times 5}{9} = \tfrac{10}{9}.$$

3. Show that a duplicate ratio is greater or less than its simple ratio according as it is a ratio of greater or less inequality.

$$a^2 : b^2 \text{ is} > \text{or} < a : b.$$

As $\dfrac{a^2}{b^2}$ is $>$ or $<\dfrac{a}{b}.$

As $\dfrac{a}{b} \times \dfrac{a}{b}$ is $>$ or $<\dfrac{a}{b}.$

As $\dfrac{a}{b}$ is $>$ or $< 1.$

4. Arrange in order of magnitude the ratios 3 : 4; 23 : 25; 10 : 11; and 15 : 16.

$$3 : 4 = \tfrac{3300}{4400},$$

$$23 : 25 = \tfrac{4048}{4400},$$

$$10 : 11 = \tfrac{4000}{4400},$$

$$15 : 16 = \tfrac{4125}{4400}.$$

∴ the order of magnitude is 15 : 16, 23 : 25, 10 : 11, 3 : 4.

5. Arrange in order of magnitude

$a + b : a - b$ and $a^2 + b^2 : a^2 - b^2$, if $a > b$.

$a + b : a - b$ is $>$ or $<$ $a^2 + b^2 : a^2 - b^2$.

As $\dfrac{a+b}{a-b}$ is $>$ or $<$ $\dfrac{a^2+b^2}{a^2-b^2}$.

As $\dfrac{a^2+2ab+b^2}{a^2-b^2}$ is $>$ or $<$ $\dfrac{a^2+b^2}{a^2-b^2}$.

As $a^2 + 2ab + b^2$ is $>$ or $<$ $a^2 + b^2$.

But $a^2 + 2ab + b^2$ is $> a^2 + b^2$.

$\therefore a + b : a - b$ is $> a^2 + b^2 : a^2 - b^2$.

6. Ratio compounded of

$$3 : 5;\ 10 : 21;\ 14 : 15,$$
$$= \tfrac{3}{5} \times \tfrac{10}{21} \times \tfrac{14}{15}$$
$$= \tfrac{4}{15}$$
$$= 4 : 15.$$

7. Ratio compounded of

$$7 : 9;\ 102 : 105;\ 15 : 17,$$
$$= \tfrac{7}{9} \times \tfrac{102}{105} \times \tfrac{15}{17}$$
$$= \tfrac{2}{3}$$
$$= 2 : 3.$$

8. Ratio compounded of

$$\frac{a^2 + ax + x^2}{a^3 - a^2x + ax^2 - x^3} \times \frac{a^2 - ax + x^2}{a + x}$$
$$= \frac{a^4 + a^2x^2 + x^4}{a^4 - x^4}$$
$$= (a^4 + a^2x^2 + x^4) : (a^4 - x^4).$$

9. Ratio compounded of

$$\frac{x^2 - 9x + 20}{x^2 - 6x} \text{ and } \frac{x^2 - 13x + 42}{x^2 - 5x}$$
$$= \frac{(x-5)(x-4)}{x(x-6)} \times \frac{(x-6)(x-7)}{x(x-5)}$$
$$= (x^2 - 11x + 28) : x^2.$$

10. Ratio compounded of

$$a+b:a-b;\ a^2+b^2:(a+b)^2;\ (a^2-b^2)^2:a^4-b^4,$$

$$=\frac{a+b}{a-b}\times\frac{a^2+b^2}{(a+b)^2}\times\frac{(a^2-b^2)^2}{a^4-b^4}$$

$$=\frac{a+b}{a-b}\times\frac{a^2+b^2}{(a+b)(a+b)}\times\frac{(a-b)(a+b)(a-b)(a+b)}{(a^2+b^2)(a+b)(a-b)}$$

$$=1:1.$$

11. Two numbers are in the ratio 2 : 3, and if 9 be added to each, they are in the ratio 3 : 4. Find the numbers.

Let $2x$ and $3x=$ the numbers.

Then $2x+9:3x+9::3:4,$

$8x+36:9x+27.$

$\therefore\ x=9.$

Hence, $2x=18,$

and $3x=27.$

12. Show that the ratio $a:b$ is the duplicate of the ratio $a+c:b+c$, if $c^2=ab$.

$$\frac{a}{b}=\left(\frac{a+c}{b+c}\right)^2.$$

This becomes, when $c^2=ab$,

$$\frac{a}{b}=\left(\frac{a+\sqrt{ab}}{b+\sqrt{ab}}\right)^2.$$

$$\frac{a}{b}=\frac{a^2+2a\sqrt{ab}+ab}{b^2+2b\sqrt{ab}+ab}$$

$$=\frac{a(a+2\sqrt{ab}+b)}{b(b+2\sqrt{ab}+a)}$$

$$=\frac{a}{b}.$$

13. Find two numbers in the ratio 3 : 4, of which the sum is to the sum of their squares in the ratio of 7 : 50.

Let $3x=$ first number,

and $4x=$ second number.

Then $3x+4x$ or $7x=$ sum.

$9x^2+16x^2$ or $25x^2=$ sum of squares.

$\therefore\ 7x:25x^2::7:50,$ or $x:x^2::1:2,$ or $1:x::1:2.$

$\therefore\ x=2.$

The required numbers are 6 and 8.

14. If five gold coins and four silver ones be worth as much as three gold coins and twelve silver ones, find the ratio of the value of a gold coin to that of a silver one.

Let $x =$ value of 1 gold coin,
and $y =$ value of 1 silver coin.
Then $5x + 4y = 3x + 12y$,
$2x = 8y$.
$\therefore x = 4y$.
That is, $x : y :: 4 : 1$.

15. If eight gold and nine silver coins be worth as much as six gold and nineteen silver coins, find the ratio of the value of a silver coin to that of a gold one.

Let $x =$ value of gold coin,
and $y =$ value of silver coin.
Then $8x + 9y = 6x + 19y$,
or $2x = 10y$.
$\therefore x = 5y$.
That is, $x : y :: 5 : 1$.

16. There are two roads from A to B, one of them 14 miles longer than the other; and two roads from B to C, one of them 8 miles longer than the other. The distance from A to B is to the distance from B to C, by the shorter roads, as 1 to 2; by the longer roads, as 2 to 3. Find the distances.

Let $x =$ shorter road from A to B,
and $x + 14 =$ longer road from A to B.
Then $y =$ shorter road from B to C,
and $y + 8 =$ longer road from B to C.
That is, $x : y :: 1 : 2$,
$x + 14 : y + 8 :: 2 : 3$.
$\therefore 2x = y$ (1)
And $3x + 42 = 2y + 16$,
or $3x - 2y = -26$.
Substitute $2x$ for y, $x = 26$,
$x + 14 = 40$,
$y = 52$,
$y + 8 = 60$.

17. What must be added to each of the terms of the ratio $m:n$, that it may become equal to the ratio $p:q$?

Let $x =$ number to be added.

$$\therefore \frac{m+x}{n+x}=\frac{p}{q}.$$

$$mq+qx=pn+px,$$

$$x(q-p)=pn-mq.$$

$$\therefore x=\frac{pn-mq}{q-p}.$$

18. A rectangular field contains 5270 acres, and its length is to its breadth in the ratio of 31 : 17. Find its dimensions.

Let $31x =$ number of rods in length,

and $17x =$ number of rods in width.

Then $31x \times 17x =$ number of square rods in area.

But $160 \times 5270 =$ number of square rods in area.

$$\therefore 31x\times 17x=160\times 5270.$$

$$527x^2=160\times 5270,$$

$$x^2=1600,$$

$$x=40,$$

$$31x=1240 \text{ rods},$$

$$17x=680 \text{ rods}.$$

Exercise CXIV.

1. If $a:b::c:d$,

$$\frac{a}{b}=\frac{c}{d}$$

Multiply by $\frac{m}{n}$,

$$\frac{ma}{nb}=\frac{mc}{nd}.$$

That is,

$$ma:nb::mc:nd.$$

2. $3a+b:b::3c+d:d.$

If $a:b::c:d$, $\frac{a}{b}=\frac{c}{d}$.

Multiply by 3, $\frac{3a}{b}=\frac{3c}{d}$.

Add 1 to each side,

$$\frac{3a}{b}+1=\frac{3c}{d}+1,$$

$$\text{or } \frac{3a+b}{b}=\frac{3c+d}{d}.$$

$$\therefore 3a+b:b::3c+d:d.$$

3. If $a:b::c:d$,

then $$\frac{a}{b}=\frac{c}{d}.$$

Add 2 to each side,

$$\frac{a}{b}+2=\frac{c}{d}+2.$$

$$\frac{a+2b}{b}=\frac{c+2d}{d}.$$

$$\therefore a+2b:b::c+2d:d.$$

4. Since $a:b::c:d$,

$$\frac{a}{b}=\frac{c}{d}.$$

Cubing, $$\frac{a^3}{b^3}=\frac{c^3}{d^3}.$$

$$\therefore a^3:b^3::c^3:d^3.$$

5. $a:a+b::c:c+d.$

If $a:b::c:d$, $\frac{a}{b}=\frac{c}{d}.$

By inversion, $\frac{b}{a}=\frac{d}{c}.$

By composition,

$$\frac{b+a}{a}=\frac{d+c}{c}.$$

By inversion, $\frac{a}{a+b}=\frac{c}{d+c}.$

$$\therefore a:a+b::c:c+d.$$

6. $a:a-b::c:c-d.$

If $a:b::c:d$, $\frac{a}{b}=\frac{c}{d}.$

By inversion, $\frac{b}{a}=\frac{d}{c}.$

By division, $\frac{a-b}{a}=\frac{c-d}{c}.$

By inversion, $\frac{a}{a-b}=\frac{c}{c-d}.$

$$\therefore a:a-b::c:c-d.$$

7. If $a:b::c:d$, $$\frac{a}{b}=\frac{c}{d}.$$

Multiply by $\frac{m}{n}$, $$\frac{ma}{nb}=\frac{mc}{nd}.$$

By composition and division,

$$\frac{ma+nb}{ma-nb}=\frac{mc+nd}{mc-nd}.$$

$$\therefore ma+nb:ma-nb::mc+nd:mc-nd.$$

8. If $a:b::c:d$, $$\frac{a}{b}=\frac{c}{d}.$$

$$\frac{a}{b}+\frac{3}{2}=\frac{c}{d}+\frac{3}{2},$$

$$\frac{2a+3b}{2b}=\frac{2c+3d}{2d},$$

$$\text{or } \frac{2a+3b}{b}=\frac{2c+3d}{d} \qquad (1)$$

Also, $$\frac{a}{b}-\frac{4}{3}=\frac{c}{d}-\frac{4}{3},$$

$$\frac{3a-4b}{3b}=\frac{3c-4d}{3d},$$

$$\text{or } \frac{3a-4b}{b}=\frac{3c-4d}{d} \qquad (2)$$

Dividing (1) by (2), $\frac{2a+3b}{3a-4b}=\frac{2c+3d}{3c-4d}.$

$$\therefore 2a+3b:3a-4b::2c+3d:3c-4d.$$

9. If $a:b::c:d$, $\frac{a}{b}=\frac{c}{d}.$

By squaring, $\frac{a^2}{b^2}=\frac{c^2}{d^2}.$

$$\therefore \frac{ma^2}{mb^2}=\frac{nc^2}{nd^2}.$$

Let $\frac{ma^2}{mb^2}=r.$

Then $\frac{nc^2}{nd^2}=r.$

Hence, $ma^2=mb^2r$, and $nc^2=nd^2r$,

$$ma^2+nc^2=(mb^2+nd^2)r,$$

$$\text{and } \frac{ma^2+nc^2}{mb^2+nd^2}=r=\frac{a^2}{b^2}.$$

$$\therefore ma^2+nc^2:mb^2+nd^2::a^2:b^2.$$

10. If $a:b::c:d$, by alternation, $a:c::b:d$.

$$\frac{a}{c}=\frac{b}{d}.$$

$$\therefore \frac{a^2}{c^2}=\frac{b^2}{d^2}.$$

Also, $\frac{a}{c}\times\frac{a}{c}=\frac{b}{d}\times\frac{a}{c}.$

$$\therefore \frac{a^2}{c^2}=\frac{ab}{cd}=\frac{b^2}{d^2}.$$

$$\therefore \frac{ma^2}{mc^2}=\frac{nab}{ncd}=\frac{pb^2}{pd^2}.$$

$$\therefore \frac{ma^2+nab+pb^2}{mc^2+ncd+pd^2}=\frac{pb^2}{pd^2}=\frac{b^2}{d^2}.$$

$$\therefore ma^2+nab+pb^2:mc^2+ncd+pd^2::b^2:d^2.$$

11. If $a : b :: b : c$,
by composition, $a + b : a :: b + c : d$;
by alternation, $a + b : b + c :: a : b$.

12. If $a : b :: b : c$, $\frac{a}{b} = \frac{b}{c}$.

Multiply by $\frac{a}{b}$, $\frac{a^2}{b^2} = \frac{ab}{bc}$,

or $a^2 : b^2 :: ab : bc$.

By alternation, $a^2 : ab :: b^2 : bc$.
By composition, $a^2 + ab : ab :: b^2 + bc : bc$.
By alternation, $a^2 + ab : b^2 + bc :: ab : bc$.
Cancelling b in the terms of last ratio,

$$a^2 + ab : b^2 + bc :: a : c.$$

13. If $a : b :: b : c$, $b^2 = ac$.
Multiply by $(a - c)$, $ab^2 - b^2c = a^2c - ac^2$.
Add $2abc$ to both sides,

$$ab^2 + 2abc - b^2c = a^2c + 2abc - ac^2.$$

Transpose $-b^2c$ and $-ac^2$,

$$ab^2 + 2abc + ac^2 = a^2c + 2abc + b^2c,$$
$$\text{or } a(b^2 + 2bc + c^2) = c(a^2 + 2ab + b^2),$$
$$\text{or } a(b + c)^2 = c(a + b)^2.$$

Divide by $c(b + c)^2$, $\frac{a}{c} = \frac{(a + b)^2}{(b + c)^2}$,

or $a : c :: (a + b)^2 : (b + c)^2$.

14. When a, b, and c are proportionals, and a the greatest, show that $a + c > 2b$.

$$a : b :: b : c.$$

Since $\frac{a}{b} = \frac{b}{c}$ and $a > b$,

$$\therefore b > c.$$

Also, since by division $\frac{a - b}{b} = \frac{b - c}{c}$ and $b > c$,

$$\therefore a - b > b - c.$$

By adding, $b + c = b + c$,

$$a + c > 2b.$$

15. If $\frac{x-y}{l}=\frac{y-z}{m}=\frac{z-x}{n}$, and x, y, z be unequal, then $l+m+n=0$.

Let $\frac{x-y}{l}=r,\quad \frac{y-z}{m}=r,\quad \frac{z-x}{n}=r.$

Then
$$x-y=lr,$$
$$y-z=mr,$$
$$z-x=nr.$$
$$x-y+y-z+z-x=(l+m+n)\,r,$$
$$\text{or }\ 0=(l+m+n)\,r.$$
$$\therefore l+m+n=0.$$

16. Find x when $x+5:2x-3::5x+1:3x-3.$

Equate the product of the means and the product of the extremes,
$$10x^2-13x-3=3x^2+12x-15,$$
$$7x^2-25x=-12,$$
$$196x^2-(\ )+625=289,$$
$$14x-25=\pm 17,$$
$$14x=42 \text{ or } 8.$$
$$\therefore x=3 \text{ or } \tfrac{4}{7}.$$

17. Find x when $x+a:2x-b::3x+b:4x-a.$
$$\frac{x+a}{2x-b}=\frac{3x+b}{4x-a}.$$
Clear of fractions, $4x^2+3ax+a^2=6x^2-bx-b^2,$
$$2x^2-x(3a+b)=(b^2-a^2),$$
$$16x^2-(\ )+(3a+b)^2=a^2+6ab+9b^2,$$
$$4x-(3a+b)=\pm(a+3b),$$
$$4x=4a+4b \text{ or } 2a-2b.$$
$$\therefore x=a+b \text{ or } \frac{a-b}{2}.$$

18. Find x when
$$\sqrt{x}+\sqrt{b}:\sqrt{x}-\sqrt{b}::a:b.$$
$$b\sqrt{x}+b\sqrt{b}=a\sqrt{x}-a\sqrt{b},$$
$$(a-b)\sqrt{x}=(a+b)\sqrt{b},$$
$$\sqrt{x}=\frac{(a+b)\sqrt{b}}{a-b}.$$
$$\therefore x=\frac{(a^2+2ab+b^2)b}{a^2-2ab+b^2}$$

19. Find x and y when $x:27::y:9$, and $x:27::2:x-y$.

$$x:27::y:9.$$
$$\therefore x=3y \qquad (1)$$
$$x:27::2:x-y.$$
$$\therefore x^2-xy=54.$$

Substitute $3y$ for x, $9y^2-3y^2=54$,

$$6y^2=54,$$
$$y^2=9.$$
$$\therefore y=\pm 3.$$

Substitute values of y in (1), $x=\pm 9$.

20. Find x and y when $x+y+1:x+y+2::6:7$, and when $y+2x:y-2x::12x+6y-3:6y-12x-1$.

$$x+y+1:x+y+2::6:7.$$

By division, $x+y+1:1::6:1.$

$$\therefore x+y+1=6,$$
$$\text{or } x+y=5 \qquad (1)$$
$$y+2x:y-2x::12x+6y-3:6y-12x-1.$$

By composition and division,

$$2y:4x::12y-4:24x-2,$$
$$\text{or } y:2x::6y-2:12x-1.$$
$$\therefore 12xy-y=12xy-4x.$$
$$\therefore 4x=y \qquad (2)$$

From (1) and (2), $x=1$,

and $y=4$.

21. Find x when

$$x^2-4x+2:x^2-2x-1::x^2-4x:x^2-2x-2.$$

By alternation,

$$x^2-4x+2:x^2-4x::x^2-2x-1:x^2-2x-2.$$

By division, $2:x^2-4x::1:x^2-2x-2.$

$$\therefore 2x^2-4x-4=x^2-4x.$$
$$\therefore x^2=4.$$
$$\therefore x=\pm 2.$$

22. A railway passenger observes that a train passes him, moving in the opposite direction, in 2 seconds; but moving in the same direction with him, it passes him in 30 seconds. Compare the rates of the two trains.

Let $x =$ rate of the faster train,

and $y =$ rate of the slower train.

Then $x + y : x - y :: 30 : 2.$

By composition and division,

$$2x : 2y :: 32 : 28.$$

$$\therefore x : y :: 8 : 7.$$

23. **A and B trade with different sums. A gains $200 and B loses $50, and now A's stock : B's :: 2 : ½. But, if A had gained $100 and B lost $85, their stocks would have been as 15 : 3¼. Find the original stock of each.**

Let $x =$ original stock of A,

and $y =$ original stock of B.

Then $x + 200 : y - 50 :: 2 : \frac{1}{2}.$

Simplify, $x + 200 = 4y - 200,$

$$x - 4y = -400 \quad (1)$$

Also, $x + 100 : y - 85 :: 15 : 3\frac{1}{4}.$

Simplify, $13x + 1300 = 60y - 5100,$

$$13x - 60y = -6400 \quad (2)$$

Multiply (1) by 15, $15x - 60y = -6000$ (3)

Subtract (2) from (3), $2x = 400.$

$$\therefore x = 200.$$

$$200 - 4y = -400.$$

$$\therefore y = 150.$$

24. **A quantity of milk is increased by watering in the ratio 4 : 5, and then 3 gallons are sold; the remainder is mixed with 3 quarts of water, and is increased in the ratio 6 : 7. How many gallons of milk were there at first?**

Let $x =$ number of quarts of milk at first,

and $y =$ number of quarts of water put in at first.

Then $x + y =$ number of quarts of mixture after watering.

$$\therefore x : x + y :: 4 : 5,$$

or

$$\frac{x}{x+y} = \frac{4}{5},$$

$$5x = 4x + 4y,$$

$$x - 4y = 0.$$

$x + y - 12 =$ number of quarts in remainder before watering.

$x + y - 9 =$ number of quarts in remainder after watering.

$$\therefore \frac{x+y-12}{x+y-9} = \frac{6}{7}$$

$$7x + 7y - 84 = 6x + 6y - 54.$$

$$x - 4y = 0 \quad (1)$$

$$x + y = 30 \quad (2)$$

$$5y = 30$$

$$\therefore y = 6.$$

Substitute value of y in (1),

$$x - 24 = 0.$$

$$\therefore x = 24 \text{ quarts or 6 gallons.}$$

25. In a mile race between a bicycle and a tricycle their rates were as 5 : 4. The tricycle had half a minute start, but was beaten by 176 yards. Find the rates of each.

Let $x =$ number of yards bicycle goes per minute,

and $y =$ number of yards tricycle goes per minute.

$$x : y :: 5 : 4,$$

$$4x = 5y.$$

$$\therefore x = \frac{5y}{4}.$$

$\frac{1584}{y} - \frac{1}{2} =$ number of minutes tricycle was going after bicycle started,

$\frac{1760}{x} =$ number of minutes bicycle was going.

$$\frac{1584}{y} - \frac{1}{2} = \frac{1760}{x},$$

$$1584x - \frac{xy}{2} = 1760y,$$

$$3168x - xy = 3520y.$$

Substitute $\frac{5y}{4}$ for x, $\quad 5y^2 = 1760y.$

$$\therefore y = 352,$$

$$\text{and } x = 440.$$

26. **The time which an express-train takes to travel 180 miles is to that taken by an ordinary train as 9 : 14. The ordinary train loses as much time from stopping as it would take to travel 30 miles; the express-train loses only half as much time as the other by stopping, and travels 15 miles an hour faster. What are their respective rates?**

Let $y =$ number of miles ordinary train goes per hour,

and $y + 15 =$ number of miles express-train goes per hour.

Then $\frac{180+30}{y} =$ number of hours required for ordinary train.

Also, $\frac{180}{y+15} + \frac{15}{y} =$ number of hours required for express-train.

$$\therefore \frac{180+30}{y} : \frac{180}{y+15} + \frac{15}{y} :: 14 : 9.$$

$$\frac{1890}{y} = \frac{2520}{y+15} + \frac{210}{y},$$

$$\frac{1680}{y} = \frac{2520}{y+15},$$

$$1680y + 25200 = 2520y,$$

$$840y = 25200.$$

$$\therefore y = 30,$$

and $y + 15 = 45$.

27. **A line is divided into two parts in the ratio 2 : 3, and into two parts in the ratio 3 : 4; the distance between the points of section is 2. Find the length of the line.**

Let $x =$ one part,

and $y =$ the other part.

$$\therefore x : y :: 2 : 3.$$

$$3x = 2y,$$

$$3x - 2y = 0 \qquad (1)$$

Also, $x + 2 : y - 2 :: 3 : 4,$

$$4x - 3y = -14 \qquad (2)$$

Multiply (1) by 3, $9x - 6y = 0$

Multiply (2) by 2, $8x - 6y = -28$

Subtract, $x = 28$

Substitute value of x in (1), $2y = 84,$

$$y = 42.$$

$$\therefore x + y = 70.$$

28. A railway consists of two sections; the annual expenditure on one is increased this year 5%, and on the other 4%, producing on the whole an increase of $4\frac{3}{10}\%$. Compare the amount expended on the two sections last year, and also this year.

Let $x + y$ = amount expended last year.

x = amount expended on first section last year,

and y = amount expended on second section last year.

Then $\frac{1043x + 1043y}{1000}$ = amount expended on whole this year.

But $x + \frac{5x}{100}$ = amount expended on one part this year.

and $y + \frac{4y}{100}$ = amount expended on other part this year.

Then $$\frac{105x}{100} + \frac{104y}{100} = \frac{1043x + 1043y}{1000}.$$

Simplify, $$7x = 3y.$$

$$\therefore \frac{x}{y} = \frac{3}{7},$$

and $$\frac{105x}{104y} = \frac{315}{728} = 3\tfrac{3}{20} : 7\tfrac{7}{25}.$$

29. When a, b, c, d are proportional and unequal, show that no number x can be found such that $a + x$, $b + x$, $c + x$, $d + x$ shall be proportionals.

If $a : b :: c : d$, $$ad = bc;$$

and if $$a + x : b + x :: c + x : d + x,$$

$$ad + dx + ax + x^2 = bc + cx + bx + x^2.$$

Transpose, and cancel x^2,

$$ax - bx - cx + dx = bc - ad.$$

But $$ad = bc.$$

$$\therefore x(a - b - c + d) = 0.$$

$$\therefore x = 0.$$

EXERCISE CXV.

1. If $A \propto B$, and $A = 4$ when $B = 5$, find A when $B = 12$.

Here $$A = mB,$$
$$\text{or } m = \frac{A}{B}.$$
$$\therefore m = \tfrac{4}{5}.$$

And if $\tfrac{4}{5}$ and 12 be substituted for m and B,
$$A = \tfrac{4}{5} \times 12.$$
$$\therefore A = 9\tfrac{3}{5}.$$

2. If $A \propto B$, and when $B = \tfrac{1}{2}$, $A = \tfrac{1}{3}$, find A when $B = \tfrac{1}{3}$.

Here $$A = mB.$$
$$m = \frac{A}{B}.$$
$$\therefore m = \tfrac{2}{3}.$$

Substitute $\tfrac{2}{3}$ for m and $\tfrac{1}{3}$ for B,
$$A = \tfrac{2}{3} \times \tfrac{1}{3}.$$
$$\therefore A = \tfrac{2}{9}.$$

3. If A vary jointly as B and C, and 3, 4, 5 be simultaneous values of A, B, C, find A when $B = C = 10$.

Here $$A = mBC.$$
$$m = \frac{A}{BC}.$$

Substitute 3 for A, 4 and 5 for B and C,
$$m = \tfrac{3}{20}.$$

Then $$A = \tfrac{3}{20} \times 10 \times 10.$$
$$\therefore A = 15.$$

4. If $A \propto \frac{1}{B}$, and when $A = 10$, $B = 2$, find the value of B when $A = 4$.

Here $$A = \frac{m}{B},$$
$$m = AB.$$
$$\therefore m = 20.$$

Substitute values of m and A,
$$4 = \frac{20}{B},$$
$$4B = 20.$$
$$\therefore B = 5.$$

5. If $A \propto \frac{B}{C}$, and when $A = 6$, $B = 4$, and $C = 3$, find the value of A when $B = 5$ and $C = 7$.

Here
$$A = \frac{mB}{C},$$
$$mB = AC,$$
$$4m = 18.$$
$$\therefore m = 4\tfrac{1}{2}.$$

Substitute value of B, C, and m,
$$A = \frac{4\frac{1}{2} \times 5}{7}.$$
$$\therefore A = 3\tfrac{3}{14}.$$

6. If the square of X vary as the cube of Y, and $X = 8$ when $Y = 4$, find the equation between X and Y.

Here
$$X^2 = mY^3,$$
$$m = \frac{X^2}{Y^3}.$$
$$\therefore m = \tfrac{9}{64}.$$

Substitute value of m,
$$X^2 = \tfrac{9}{64}Y^3,$$
$$64X^2 = 9Y^3.$$

7. If the square of X vary inversely as the cube of Y, and $X = 2$ when $Y = 3$, find the equation between X and Y.

Here
$$X^2 = \frac{m}{Y^3},$$
$$m = X^2Y^3.$$
$$\therefore m = 108.$$

Substitute value of m,
$$X^2 = \frac{108}{Y^3}.$$

8. If Z vary as X directly and Y inversely, and if when $Z = 2$, $X = 3$, and $Y = 4$, find the value of Z when $X = 15$ and $Y = 8$.

$$Z \propto \frac{X}{Y}.$$

Here
$$Z = \frac{mX}{Y},$$
$$m = \frac{ZY}{X}.$$
$$\therefore m = \tfrac{8}{3} = 2\tfrac{2}{3}.$$

Substitute values of m, X, and Y,
$$Z = \frac{2\frac{2}{3} \times 15}{8}.$$
$$\therefore Z = 5.$$

9. If $A \propto B + c$ where c is constant, and if $A = 2$ when $B = 1$, and if $A = 5$ when $B = 2$, find A when $B = 3$.

As $A = mB + c.$

Substitute first values of A and B,

$$2 = m + c \qquad (1)$$

Substitute second values of A and B,

$$5 = 2m + c \qquad (2)$$

Subtract (1) from (2), $m = 3.$

Whence, from (1), $c = -1.$

But $A = mB + c.$

Substitute for m, B, and c their values 3, 3, and -1,

$$A = 8.$$

10. The velocity acquired by a stone falling from rest varies as the time of falling; and the distance fallen varies as the square of the time. If it be found that in 3 seconds a stone has fallen 145 feet, and acquired a velocity of $96\frac{2}{3}$ feet per second, find the velocity and distance at the end of 5 seconds.

Let $v =$ velocity,

$T =$ time,

$d =$ distance.

Then $v \propto T,$

and $d \propto T^2.$

Let $v = mT.$

Substitute $96\frac{2}{3}$ for v and 3 for T,

$$96\tfrac{2}{3} = 3m.$$

$$\therefore m = \tfrac{290}{9}.$$

When $T = 5$, $v = \frac{290}{9} \times 5 = 161\frac{1}{9}.$

Let $d = mT^2.$

$$\therefore 145 = 3^2 m.$$

$$m = \tfrac{145}{9}.$$

When $T = 5$, $d = \frac{145}{9} \times 5^2 = 402\frac{2}{9}.$

11. If a heavier weight draw up a lighter one by means of a string passing over a fixed wheel, the space described in a given time will vary directly as the difference between the weights, and inversely as their sum. If 9 ounces draw 7 ounces through 8 feet in 2 seconds, how high will 12 ounces draw 9 ounces in the same time?

Let $x =$ heavy weight,

$y =$ light weight,

$z =$ space.

$$z \propto \frac{x-y}{x+y}.$$

$$z = \frac{(x-y)m}{x+y},$$

$$m = \frac{z(x+y)}{x-y}.$$

Substitute values, $$m = \frac{(7+9)8}{9-7}.$$

$$\therefore m = 64.$$

$$64 = \frac{(12+9)z}{12-9},$$

$$64 = \frac{21z}{3},$$

$$7z = 64.$$

$$\therefore z = 9\tfrac{1}{7}.$$

12. The space will vary also as the square of the time. Find the space in Example 11, if the time in the latter case be 3 seconds.

Let $x =$ space,

$y =$ time.

$$x \propto y^2.$$

Let $$x = my^2.$$

$$m = \frac{x}{y^2}.$$

Substitute values, $$m = \tfrac{8}{4} = 2.$$

$$\therefore 2 = \frac{x}{y^2},$$

$$2 = \frac{x}{9}.$$

$$\therefore x = 18 \text{ ft.}$$

13. Equal volumes of iron and copper are found to weigh 77 and 89 ounces respectively. Find the weight of $10\frac{1}{2}$ feet of round copper rod when 9 inches of iron rod of the same diameter weigh $31\frac{9}{10}$ ounces.

Let $x =$ required weight.

9 inches $= \frac{3}{4}$ of a foot.

If $\frac{3}{4}$ of a foot weigh 31.9 ounces, $\frac{1}{4}$ of a foot would weigh $10.03\frac{1}{3}$ ounces, and $10\frac{1}{2}$ feet would weigh 446.60 ounces.

And, as equal volumes of iron and copper weigh 77 and 89 ounces respectively,

$$77 : 89 :: 446\tfrac{3}{5} : x.$$

$$\therefore x = 516\tfrac{1}{5} \text{ ounces.}$$

14. The square of the time of a planet's revolution varies as the cube of its distance from the sun. The distances of the Earth and Mercury from the sun being 91 and 35 millions of miles, find in days the time of Mercury's revolution.

Let $x =$ time of Mercury's revolution.

$$91^3 : 35^3 :: 1^2 : x^2,$$

$$13^3 : 5^3 :: 1 : x^2.$$

Whence, $x^2 = .056895.$

$$\therefore x = .238, \text{ time in years,}$$

$$= 87.1, \text{ time in days.}$$

15. A spherical iron shell 1 foot in diameter weighs $\frac{91}{216}$ of what it would weigh if solid. Find the thickness of the metal, it being known that the volume of a sphere varies as the cube of its diameter.

Let $D =$ diameter of shell,

$d =$ diameter of sphere required to fill the shell,

and 1 represent the weight of iron sphere having diameter $= D$.

Then $1 - \frac{91}{216}$ will represent the weight of iron sphere having diameter $= d$.

Now the weights vary as the cubes of their diameters,

$$\therefore D^3 : d^3 :: 1 : 1 - \tfrac{91}{216}.$$

That is, $D^3 : d^3 :: 1 : \frac{125}{216}$;

or, by extracting the cube root of each term,

$$D : d :: 1 : \tfrac{5}{6},$$

$$\text{or } d = \tfrac{5}{6} D.$$

Since the thickness of the shell $= \frac{1}{2}(D - d)$,

the thickness of the shell $= \frac{1}{2}(1 - \frac{5}{6}) = \frac{1}{12}$.

Hence, the thickness of the shell is $\frac{1}{12}$ of a foot, $= 1$ inch.

16. The volume of a sphere varies as the cube of its diameter. Compare the volume of a sphere 6 inches in diameter with the sum of the volumes of three spheres whose diameters are 3, 4, 5 inches respectively.

Let $x =$ volume of first sphere,
and $y =$ sum of volume of other three.
Then $x : y :: (6)^3 : (3)^3 + (4)^3 + (5)^3$,
$x : y :: 216 : 216.$
Therefore, the ratio is a ratio of equality.

17. Two circular gold plates, each an inch thick, the diameters of which are 6 inches and 8 inches respectively, are melted and formed into a singular circular plate 1 inch thick. Find its diameter, having given that the area of a circle varies as the square of its diameter.

Let $a_1 =$ area of gold plate 6 inches in diameter,
$a_2 =$ area of gold plate 8 inches in diameter,
$a_3 =$ area of gold plate formed from the other two plates,
and $x =$ diameter required.
Then $a_1 + a_2 : a_3 :: 6^2 + 8^2 : x^2.$
Since the first ratio is a ratio of equality, the second is also.
Therefore, $x^2 = 6^2 + 8^2 = 100.$
$\therefore x = 10.$

18. The volume of a pyramid varies jointly as the area of its base and its altitude. A pyramid, the base of which is 9 feet square, and the height of which is 10 feet, is found to contain 10 cubic yards. What must be the height of a pyramid upon a base 3 feet square, in order that it may contain 2 cubic yards?

Let $v =$ volume,
$b =$ area of base,
and $a =$ altitude.
Then $v \propto ba,$
$v = mba$ (1)
$m = \frac{v}{ba}.$
When $v = 10$ cubic yards $= 270$ cubic feet,
$b = 9 \times 9 = 81$ square feet,
and $a = 10$ feet.
Then $m = \frac{v}{ba} = \frac{270}{810} = \frac{1}{3}.$
From (1), $a = \frac{v}{mb}.$
When $m = \frac{1}{3},$
$v = 2$ cubic yards $= 54$ cubic feet,
$b = 3 \times 3 = 9$ square feet.
Then $a = \frac{v}{mb} = \frac{54}{3} = 18.$

PAGE 304.

1.

The series is $a,\ a+d,\ a+2d, \ldots\ldots$

∴ nth term is $a+(n-1)d$.

Let l denote last or nth term.

Then $l=a+(n-1)d$.

2.

$$l=a+(n-1)d,$$
$$l=a+nd-d,$$
$$nd=l-a+d,$$
$$n=\frac{l-a+d}{d},$$
$$s=\frac{n}{2}(a+l),$$
$$2s=n(a+l),$$
$$n=\frac{2s}{a+l},$$
$$\frac{2s}{a+l}=\frac{l-a+d}{d}.$$

Simplify, $2sd=l^2-a^2+ad+ld,$

$$l^2+dl=2sd+a^2-ad.$$

Complete the square,

$$4l^2+(\ )+d^2=8sd+4a^2-4ad+d^2.$$

Extract the root, $2l+d=\pm\sqrt{8sd+4a^2-4ad+d^2},$

$$l=-\tfrac{1}{2}d\pm\sqrt{2ds+a^2-ad+\frac{d^2}{4}}.$$
$$l=-\tfrac{1}{2}d\pm\sqrt{2ds+(a-\tfrac{1}{2}d)^2}.$$

3. $s=\frac{n}{2}(a+l),$

$$2s=na+nl.$$

Transpose,

$$2s-na=nl.$$
$$\therefore l=\frac{2s-na}{n}.$$
$$\therefore l=\frac{2s}{n}-a.$$

4. $l=a+(n-1)d \quad (1)$

$$s=\frac{n}{2}(a+l) \qquad (2)$$
$$2s=na+nl.$$
$$\therefore a=\frac{2s}{n}-l.$$

Substitute value of a in (1),

$$l=\frac{s}{n}+\frac{(n-1)d}{2}.$$

5.

$$l = a + (n-1)d \qquad (1)$$

$$s = \frac{n}{2}(a + l) \qquad (2)$$

Substitute in (2) $a + (n-1)d$ for l,

$$s = \frac{n}{2}[2a + (n-1)d].$$

6.

$$l = a + (n-1)d \qquad (1)$$

$$s = \frac{n}{2}(a + l) \qquad (2)$$

From (1), $l = a + nd - d.$

From (2), $2s = na + nl.$

$$\therefore n = \frac{l - a + d}{d},$$

$$\text{and } n = \frac{2s}{a + l}.$$

$$\therefore \frac{l - a + d}{d} = \frac{2s}{a + l}.$$

$$l^2 - a^2 + ad + dl = 2sd.$$

$$\therefore s = \frac{l^2 - a^2 + ad + dl}{2d},$$

$$\text{or } s = \frac{l^2 - a^2}{2d} + \frac{l + a}{2}.$$

7.

$$\begin{array}{rll} & s = & a + (a+d) + (a+2d) + \cdots\cdots + (l-d) + l \\ \text{or} & s = & l + (l-d) + (l-2d) + \cdots\cdots + (a+d) + a \\ \hline \therefore & 2s = & (a+l) + (a+l) + (a+l) + \cdots\cdots + (a+l) + (a+l) \end{array}$$

$$2s = n(a + l).$$

$$\therefore s = \frac{n(a + l)}{2}.$$

8.

$$l = a + (n-1)d \qquad (1)$$

$$s = \tfrac{1}{2}n(a+l) \qquad (2)$$

From (1), $a = l - (n-1)d.$

From (2), $a = \frac{2s - ln}{n}.$

Then $\frac{2s - ln}{n} = l - (n-1)d,$

$$2s = 2ln - (n-1)dn.$$

$$\therefore s = \tfrac{1}{2}n[2l - (n-1)d].$$

9.

$$l = a + (n-1)d.$$

Transposing, $a = l - (n-1)d.$

10.

$$l = a + (n-1)d,$$

$$s = \tfrac{1}{2}n(a+l).$$

From (2), $2s = na + nl.$

$$\therefore l = \frac{2s - na}{n}.$$

$$\therefore a + (n-1)d = \frac{2s - na}{n}.$$

$$na + dn^2 - dn = 2s - na,$$

$$2na = 2s - dn^2 + dn.$$

$$\therefore a = \frac{s}{n} - \frac{(n-1)d}{2}.$$

11.

$$l = a + (n-1)d,$$

$$dn = l - a + d,$$

$$n = \frac{l - a + d}{d},$$

$$s = \tfrac{1}{2}n(a+l),$$

$$2s = na + nl,$$

$$n = \frac{2s}{a+l}.$$

$$\therefore \frac{l - a + d}{d} = \frac{2s}{a+l}.$$

$$\therefore l^2 - a^2 + ad + ld = 2ds.$$

$$a^2 - ad = l^2 + ld - 2ds,$$

$$a^2 - (\ ) + (\tfrac{1}{2}d)^2 = l^2 + ld - 2ds + (\tfrac{1}{2}d)^2,$$

$$a - \tfrac{1}{2}d = \pm\sqrt{l^2 + ld - 2ds + (\tfrac{1}{2}d)^2}.$$

$$\therefore a = \tfrac{1}{2}d \pm \sqrt{(l + \tfrac{1}{2}d)^2 - 2ds}.$$

12.

$$s = \tfrac{1}{2}n(a + l).$$

Multiply by $\frac{2}{n}$,

$$\frac{2s}{n} = a + l.$$

$$\therefore a = \frac{2s}{n} - l.$$

13.

$$a = l - (n - 1)d,$$

$$d(n - 1) = l - a.$$

$$\therefore d = \frac{l - a}{n - 1}.$$

14.

$$l = a + (n - 1)d$$

$$s = \tfrac{1}{2}n(a + l),$$

$$2s = an + nl.$$

$$\therefore l = \frac{2s - an}{n}.$$

$$\therefore a + nd - d = \frac{2s - an}{n}.$$

$$an + n^2d - nd = 2s - an,$$

$$n^2d - nd = 2s - 2an,$$

$$d(n^2 - n) = 2(s - an).$$

$$\therefore d = \frac{2(s - an)}{n(n - 1)}.$$

15.

$$l = a + (n - 1)d.$$

$$\therefore n = \frac{l - a}{d} + 1.$$

$$s = \tfrac{1}{2}n(a + l).$$

$$\therefore n = \frac{2s}{a + l}.$$

$$\therefore \frac{l - a}{d} + 1 = \frac{2s}{a + l}.$$

$$\therefore l^2 - a^2 + ad + dl = 2ds.$$

$$\therefore 2ds - ad - dl = l^2 - a^2.$$

$$\therefore d(2s - l - a) = l^2 - a^2.$$

$$\therefore d = \frac{l^2 - a^2}{2s - l - a}.$$

16.

$$l = a + (n - 1)d.$$

$$\therefore a = l - (n - 1)d.$$

$$s = \tfrac{1}{2}n(a + l).$$

$$\therefore a = \frac{2s - ln}{n}.$$

$$\therefore l - (n - 1)d = \frac{2s - ln}{n}.$$

$$ln - dn^2 + dn = 2s - ln,$$

$$-dn^2 + dn = 2s - 2ln,$$

$$d(n - 1)n = 2(ln - s).$$

$$\therefore d = \frac{2(ln - s)}{n(n - 1)}.$$

17.

$$l = a + (n - 1)d,$$

$$l = a + dn - d,$$

$$dn = l - a + d.$$

$$\therefore n = \frac{l - a}{d} + 1.$$

18.

$$l = a + (n-1)d \qquad (1)$$

$$s = \tfrac{1}{2}n(a+l) \qquad (2)$$

From (2), $$l = \frac{2s}{n} - a.$$

$$\therefore a + (n-1)d = \frac{2s}{n} - a.$$

$$an + d^2n - dn = 2s - an,$$

$$dn^2 + n(2a-d) = 2s.$$

Complete the square,

$$4d^2n^2 + (\ ) + (2a-d)^2 = (2a-d)^2 + 8ds.$$

Extract the root,

$$2dn + (2a-d) = \pm\sqrt{(2a-d)^2 + 8ds},$$

$$2dn = d - 2a \pm \sqrt{(2a-d)^2 + 8ds}.$$

$$\therefore n = \frac{d - 2a \pm \sqrt{(2a-d)^2 + 8ds}}{2d}$$

19.

$$s = \tfrac{1}{2}n(a+l),$$

$$2s = an + ln.$$

$$\therefore n = \frac{2s}{l+a}.$$

20.

$$l = a + (n-1)d \qquad (1)$$

$$s = \tfrac{1}{2}n(a+l) \qquad (2)$$

From (1), $$a = l - (n-1)d.$$

From (2) $$a = \frac{2s - ln}{n}.$$

$$\therefore l - (n-1)d = \frac{2s - ln}{n}.$$

$$\therefore ln - dn^2 + dn = 2s - ln,$$

$$dn^2 - (2l+d)n = -2s,$$

$$4d^2n^2 - (\ ) + (2l+d)^2 = (2l+d)^2 - 8ds,$$

$$2dn - (2l+d) = \sqrt{(2l+d)^2 - 8ds}.$$

$$\therefore n = \frac{2l + d \pm \sqrt{(2l+d)^2 - 8ds}}{2d}.$$

EXERCISE CXVI.

1. Find the thirteenth term of $5, 9, 13.....$
ninth term of $-3, -1, 1.....$
tenth term of $-2, -5, -8.....$
eighth term of $a, a+3b, a+6b.....$
fifteenth term of $1, \frac{6}{7}, \frac{5}{7}.....$
thirteenth term of $-48, -44, -40.....$

(1) $l = a + (n-1)d,$
$l = 5 + (13-1)4.$
$\therefore l = 53.$

(2) $l = a + (n-1)d,$
$l = -3 + (9-1)2.$
$\therefore l = 13.$

(3) $l = a + (n-1)d,$
$l = -2 + (10-1)(-3).$
$\therefore l = -29.$

(4) $l = a + (n-1)d,$
$l = a + (8-1)(3b).$
$\therefore l = a + 21b.$

(5) $l = a + (n-1)d,$
$l = 1 + (15-1)(-\frac{1}{7}).$
$\therefore l = -1.$

(6) $l = a + (n-1)d,$
$l = -48 + (13-1)(4).$
$\therefore l = 0.$

2. The first term of an arithmetical series is 3, the thirteenth term is 55. Find the common difference.

$$d = \frac{l-a}{n-1},$$
$$d = \frac{55-3}{13-1}.$$
$$\therefore d = \frac{52}{12} = 4\tfrac{1}{3}.$$

3. Find the arithmetical mean between:
(*a*) 3 and 12; (*b*) -5 and 17; (*c*) a^2+ab-b^2 and a^2-ab+b^2.

(*a*) $A - a = b - A.$
$\therefore A = \frac{a+b}{2}.$
$A - 3 = 12 - A,$
$2A = 15.$
$\therefore A = 7\tfrac{1}{2}.$

(*b*) $A + 5 = 17 - A,$
$2A = 12.$
$\therefore A = 6.$

(*c*) $A - (a^2 + ab - b^2)$
$= (a^2 - ab + b^2) - A,$
$2A = 2a^2.$
$\therefore A = a^2.$

4. Insert three arithmetical means between 1 and 19, and four means between -4 and 17.

$$(1)\ \frac{l-a}{m+1}=d,$$

$$\frac{19-1}{3+1}=4\tfrac{1}{2}.$$

$$\therefore \text{ series is } 1,\ 5\tfrac{1}{2},\ 10,\ 14\tfrac{1}{2},\ 19.$$

$$(2)\ \frac{17+4}{4+1}=4\tfrac{1}{5}.$$

$$\therefore \text{ series is } -4,\ \tfrac{1}{5},\ 4\tfrac{2}{5},\ 8\tfrac{3}{5},\ 12\tfrac{4}{5},\ 17.$$

5. The first term of a series is 2, and the common difference $\frac{1}{3}$. What term will be 10?

$$l=a+(n-1)d.$$

$$\therefore 10=2+\tfrac{1}{3}(n-1).$$

$$8=\frac{n-1}{3}.$$

$$\therefore n=25.$$

6. The seventh term of a series, whose common difference is 3, is 11. Find the first term.

$$a=l-(n-1)d,$$

$$a=11-(7-1)3.$$

$$\therefore a=-7.$$

7. Find the sum of

$5+8+11+\cdots\cdots$ to ten terms.

$-4-1+2+\cdots\cdots$ to seven terms.

$a+4a+7a+\cdots\cdots$ to n terms.

$\frac{2}{3}+\frac{7}{15}+\frac{4}{15}+\cdots\cdots$ to twenty-one terms.

$1+2\frac{2}{3}+4\frac{1}{3}+\cdots\cdots$ to twenty terms.

(1) $s=\frac{1}{2}n[2a+(n-1)d]$,
$s=5(10+27)$,
$s=5\times 37$,
$s=185$.

(2) $s=\frac{1}{2}n[2a+(n-1)d]$,
$s=\frac{7}{2}(-8+18)$,
$s=\frac{7}{2}\times 10$,
$s=35$.

(3) $s=\frac{1}{2}n[2a+(n-1)d]$,
$s=\frac{1}{2}n[2a+(n-1)3a]$,
$s=\frac{1}{2}n(3an-a)$,
$s=\frac{1}{2}an(3n-1)$.

(4) $s=\frac{1}{2}n[2a+(n-1)d]$,
$s=\frac{21}{2}(\frac{4}{3}-4)$,
$s=\frac{21}{2}\times(-\frac{8}{3})$,
$s=-28$.

(5) $s = \tfrac{1}{2}n[2a + (n-1)d]$,

$s = 10(2 + 31\tfrac{2}{3})$,

$s = 10 \times 33\tfrac{2}{3}$,

$s = 336\tfrac{2}{3}$.

8. The sum of six numbers of an arithmetical series is 27, and the first term is 1. Determine the series.

$$l = \frac{2s}{n} - a.$$

Then $l = \tfrac{54}{6} - 1$.

$\therefore l = 8$.

$l = a + (n-1)d$.

Substitute, $8 = 1 + (5)d$,

$d = 1\tfrac{2}{5}$.

Hence, the series is 1, $2\tfrac{2}{5}$, $3\tfrac{4}{5}$, $5\tfrac{1}{5}$, $6\tfrac{3}{5}$, 8.

9. How many terms of the series $-5-2+1+\cdots\cdots$ must be taken so that their sum may be 63.

$l = a + (n-1)d$.

Substitute, $l = -5 + (n-1)3$.

$\therefore l = 3n - 8$

Substitute values in $s = \tfrac{1}{2}n(a + l)$.

$63 = \tfrac{1}{2}n(-5 + 3n - 8)$,

$126 = 3n^2 - 13n$,

$3n^2 - 13n = 126$.

Multiply by 12, $36n^2 - 156n = 1512$.

Complete the square,

$36n^2 - (\ ) + 169 = 1681$.

Extract the root, $6n - 13 = \pm 41$,

$6n = 54$.

$\therefore n = 9$.

10. **The first term is 12, and the sum of ten terms is 10. Find the last term.**

$$\begin{aligned} s &= \tfrac{1}{2}n(a+l), \\ l &= a+(n-1)d. \\ \therefore s &= \tfrac{1}{2}n[2a+(n-1)d]. \\ 10 &= 5(24+9d), \\ 10 &= 120+45d, \\ 45d &= -110, \\ d &= -2\tfrac{4}{9}. \end{aligned}$$

Since

$$\begin{aligned} l &= a+(n-1)d, \\ l &= 12+(9)(-2\tfrac{4}{9}), \\ l &= 12-22, \\ l &= -10. \end{aligned}$$

11. **The arithmetical mean between two numbers is 10, and the mean between the double of the first and the triple of the second is 27. Find the numbers.**

Let $x =$ one number,

$y =$ the other number.

$x,\ 10,\ y =$ the series,

$2x,\ 27,\ 3y =$ the series.

Hence,

$$10-x = y-10 \qquad (1)$$

$$27-2x = 3y-27 \qquad (2)$$

From (1), $$x+y=20 \qquad (3)$$

From (2), $$2x+3y=54 \qquad (4)$$

Multiply (3) by 2, $2x+2y=40$

(4) is $\underline{2x+3y=54}$

$\therefore y=14$

Multiply (3) by 3, $3x+3y=60$

(4) is $\underline{2x+3y=54}$

$\therefore x=6$

12. **Find the middle term of eleven terms whose sum is 66.**

Let $\frac{a+l}{2} =$ middle term.

$$s = \tfrac{1}{2}n(a+l).$$

Substitute values of s and n,

$$66 = \tfrac{11}{2}(a+l).$$

$$\therefore a+l = 12.$$

Hence, the middle term is 6.

13. The first term of an arithmetical series is 2, the common difference is 7, and the last term 79. Find the number of terms.

Let $l = a + (n-1)d.$

Substitute values, $79 = 2 + (n-1)7,$

$$79 = 2 + 7n - 7,$$

$$7n = 84.$$

$$\therefore n = 12.$$

14. The sum of fifteen terms of an arithmetical series is 600, and the common difference is 5. Find the first term.

$$l = a + (n-1)d,$$

$$s = \tfrac{1}{2}n(a+l),$$

$$2s = na + nl,$$

$$nl = 2s - na,$$

$$l = \frac{2s - na}{n}.$$

$$\therefore a + (n-1)d = \frac{2s - na}{n}.$$

$$na + dn^2 - dn = 2s - na,$$

$$2na = 2s - dn^2 + dn.$$

$$\therefore a = \frac{s}{n} - \frac{(n-1)d}{2}.$$

$$\therefore a = \frac{600}{15} - \frac{(15-1)d}{2}$$

$$= 40 - 35 = 5.$$

15. Insert ten arithmetical means between -7 and 114.

$$l = a + (n-1)d,$$

$$l - a = (n-1)d,$$

$$\frac{l-a}{n-1} = d.$$

$$\therefore 114 = -7 + (12-1)d,$$

$$121 = 11d.$$

$$\therefore d = 11.$$

Hence, the means are 4, 15, 26, ...

16. The sum of three numbers in arithmetical progression is 15, and the sum of their squares is 83. Find the numbers.

Let $x - y,\ x,\ x + y =$ the numbers.

Then $(x-y) + x + (x+y) = 15,$

$$3x = 15.$$

$$\therefore x = 5.$$

$$(x-y)^2 + x^2 + (x+y)^2 = 83,$$

$$3x^2 + 2y^2 = 83.$$

Substitute 5 for x, $2y^2 = 8,$

$$y^2 = 4.$$

$$\therefore y = \pm 2.$$

$$x - y = 3 \text{ or } 7,$$

$$x = 5,$$

$$x + y = 7 \text{ or } 3.$$

17. Arithmetical means are inserted between 5 and 23, so that the sum of the first two is to the sum of the last two as 2 is to 5. How many means are inserted?

Let $x =$ number of means.

Then $x + 2 =$ number of terms.

$$l = a + (n-1)d,$$

$$23 = 5 + (x + 2 - 1)d,$$

$$23 - 5 = dx + d.$$

$$dx + d = 18.$$

If d equal common difference,

$5 + d$ and $5 + 2d =$ first and second means.

$23 - d$ and $23 - 2d =$ last two means.

Then $5 + d + 5 + 2d : 23 - d + 23 - 2d :: 2 : 5.$

$$50 + 15d = 92 - 6d,$$

$$21d = 42.$$

$$\therefore d = 2.$$

Substitute value of d in $dx + d = 18,$

$$2x = 18 - 2.$$

$$\therefore x = 8.$$

18. Find three numbers of an arithmetical series whose sum shall be 21, and the sum of the first and second shall be $\frac{3}{4}$ of the sum of the second and third.

Let $x-y=$ first number,

$x=$ second number,

and $x+y=$ third number.

Then $x-y+x+x+y=21,$

$3x=21.$

$\therefore x=7.$

$x-y+x=\frac{3}{4}(x+x+y),$

$8x-4y=6x+3y,$

$7y=14.$

$\therefore y=2.$

Hence, the numbers are 5, 7, and 9.

19. Find three numbers whose common difference is 1, such that the product of the second and third exceeds that of the first and second by $\frac{1}{2}$.

Let $x-1=$ first number,

$x=$ second number,

and $x+1=$ third number.

Then $x^2-x+\frac{1}{2}=x^2+x.$

$\therefore x=\frac{1}{4}.$

Hence, the numbers are $-\frac{3}{4}$, $\frac{1}{4}$, $1\frac{1}{4}$.

20. How many terms of the series 1, 4, 7, ... must be taken, in order that the sum of the first half may bear to the sum of the second half the ratio 10 : 31?

Let $2x=$ whole number of terms.

Then $x=$ half the number of terms.

From the formulas, $l=a+(n-1)d,$

and $s=\frac{1}{2}n(a+l).$

For the first half of the terms,

$l=3x-2,$

$s=\frac{1}{2}x(3x-1).$

For the second half of the terms,

$a=3x-2+3=3x+1.$

$\therefore l=3x+1+(x-1)3=6x-2,$

and $s=\frac{1}{2}x(9x-1).$

But $\frac{1}{2}x(3x-1):\frac{1}{2}x(9x-1)::10:31,$

or $3x-1:9x-1::10:31.$

$\therefore 93x-31=90x-10,$

$3x=21,$

$x=7.$

Hence, the whole number of terms is 14.

21. **A travels uniformly 20 miles a day; B starts three days later, and travels 8 miles the first day, 12 the second, and so on, in arithmetical progression. In how many days will B overtake A?**

Let $x =$ number of days B travels.

Since A travels 20 miles a day,

$20x + 60 =$ number of miles A travels.

$$l = a + (n - 1)d,$$
$$l = 8 + (x - 1)4,$$
$$l = 4x + 4.$$

Hence, B travels $(4x + 4)$ miles the last day.

$$s = \tfrac{1}{2}n(a + l)$$
$$= \tfrac{1}{2}x(8 + 4x + 4).$$
$$\therefore 20x + 60 = \tfrac{1}{2}x(8 + 4x + 4),$$
$$40x + 120 = 4x^2 + 12x.$$

Multiply by 4, $16x^2 - 112x = 480.$

Complete the square, $16x^2 - (\ ) + 196 = 676.$

Extract the root, $4x - 14 = \pm 26,$

$$4x = 40.$$
$$\therefore x = 10.$$

22. **A number consists of three digits which are in arithmetical progression; and this number divided by the sum of its digits is equal to 26; but if 198 be added to it, the digits in the units' and hundreds' places will be interchanged. Required the number.**

Let $x - y =$ digit in hundreds' place,

$x =$ digit in tens' place,

and $x + y =$ digit in units' place.

Then $100(x-y) + 10x + (x+y) + 198 = 100(x+y) + 10x + (x-y)$ (1)

$$\frac{100(x-y) + 10x + (x+y)}{3x} = 26 \quad (2)$$

From (1), $-198y = -198.$

$$\therefore y = 1.$$

Substitute value of y in (2),

$$\frac{(100x - 100) + 10x + (x + 1)}{3x} = 26,$$
$$33x = 99.$$
$$\therefore x = 3.$$
$$x - y = 2,$$
$$x = 3,$$
$$x + y = 4.$$

Hence, the number is 234.

23. The sum of the squares of the extremes of four numbers in arithmetical progression is 200, and the sum of the squares of the means is 136. What are the numbers?

Let $x-3y,\ x-y,\ x+y,\ x+3y =$ the numbers.

Then
$$
\begin{array}{rl}
2x^2 + 18y^2 = 200 & (1)\\
\underline{2x^2 + \ \ 2y^2 = 136} & (2)\\
16y^2 = \ \ 64 & \\
y^2 = 4. & \\
\therefore y = \pm 2. &
\end{array}
$$

Substitute value of y in (2), $x^2 = 64$.

$$\therefore x = \pm 8.$$

Hence, the numbers are 2, 6, 10, 14.

24. Show that, if any even number of terms of the series 1, 3, 5, ... be taken, the sum of the first half is to the sum of the second half in the ratio 1 : 3.

Let $2n =$ whole number of terms.

Then, for n terms, $l = a + (n-1)d = 2n - 1,$

$$s = \tfrac{1}{2}n(a + l) = n^2.$$

For the next n terms, $a = 2n + 1.$

$$\therefore l = (2n+1) + (n-1)^2 = 4n - 1,$$

$$s = \tfrac{1}{2}n(2n + 1 + 4n - 1) = 3n^2.$$

But $n^2 : 3n^2 :: 1 : 3.$

25. A and B set out at the same time to meet each other from two places 343 miles apart. Their daily journeys are in arithmetical progression, A's increase being 2 miles each day, and B's decrease being 5 miles each day. On the day at the end of which they met, each travelled exactly 20 miles. Find the duration of the journey.

Let $n =$ number of days they travelled.

$$
\begin{aligned}
s &= \tfrac{1}{2}n(a + l) = \tfrac{1}{2}n[2a + (n-1)d]\\
&= \tfrac{1}{2}n[40 + (n-1)(n-2)]\\
&= \tfrac{1}{2}n(40 - 2n + 2)\\
&= 21n - n^2 \text{ (distance A travelled).}
\end{aligned}
$$

$$
\begin{aligned}
s &= \tfrac{1}{2}n(a+l) = \tfrac{1}{2}n[2a+(n-1)d] \\
&= \tfrac{1}{2}n[40+(n-1)5] \\
&= \tfrac{1}{2}n(40+5n-5) \\
&= \frac{35n+5n^2}{2} \text{ (distance B travelled).}
\end{aligned}
$$

$$
\begin{aligned}
\therefore 21n-n^2+\frac{35n+5n^2}{2} &= 343, \\
42n-2n^2+35n+5n^2 &= 686, \\
3n^2+77n &= 686, \\
36n^2+(\;)+(77)^2 &= 14161, \\
6n+77 &= \pm 119, \\
6n &= 42 \text{ or } -196. \\
\therefore n &= 7.
\end{aligned}
$$

26. Suppose that a body falls through a space of $16\frac{1}{12}$ feet in the first second of its fall, and in each succeeding second $32\frac{1}{6}$ more than in the next preceding one. How far will a body fall in 20 seconds?

$$s = \tfrac{1}{2}n(a+l) \qquad (1)$$

$$l = a+(n-1)d \qquad (2)$$

Substitute value of l in (1), $s = \tfrac{1}{2}n[2a+(n-1)d]$ (3)

Substitute values in (3), $s = \frac{20}{2}[32\frac{1}{6}+(20-1)32\frac{1}{6}]$.

$$s = 10(643\tfrac{1}{3}),$$

$$s = 6433\tfrac{1}{3}.$$

27. The sum of five numbers in arithmetical progression is 45, and the product of the first and fifth is $\frac{5}{8}$ of the product of the second and fourth. Find the numbers.

Let $x-2y,\ x-y,\ x,\ x+y,\ x+2y =$ the numbers.

Then, as $45 =$ the sum,

$$
\begin{aligned}
5x &= 45. \\
\therefore x &= 9. \\
(x-2y)(x+2y) &= \tfrac{5}{8}(x-y)(x+y), \\
x^2-4y^2 &= \tfrac{5}{8}(x^2-y^2), \\
8x^2-32y^2 &= 5x^2-5y^2, \\
3x^2 &= 27y^2, \\
x^2 &= 9y^2. \\
\therefore x &= \pm 3y.
\end{aligned}
$$

But $x = 9$.

$$\therefore y = \pm 3.$$

Hence, the numbers are 3, 6, 9, 12, 15.

28. If a full car descending an incline draw up an empty one at the rate of 1½ feet the first second, 4½ feet the next second, 7½ feet the third, and so on, how long will it take to descend an incline 150 feet in length? What part of the distance will the car have descended in the first half of the time?

$$s = \tfrac{1}{2}n(a + l),$$
$$l = a + (n - 1)d.$$
$$s = \tfrac{1}{2}n[2a + (n - 1)d],$$
$$2s = 2an + n^2d - nd.$$

Here $s = 150,\ a = 1\tfrac{1}{2},\ d = 3.$

$$\therefore 300 = 3n + 3n^2 - 3n,$$
$$3n^2 = 300.$$
$$\therefore n = 10 \text{ (seconds)}.$$
$$s = \tfrac{1}{2}n[2a + (n - 1)d],$$
$$s = \tfrac{5}{2}(3 + 12),$$
$$s = 37\tfrac{1}{2} \text{ (feet)}.$$

But $37\tfrac{1}{2} = \tfrac{1}{4}$ of 150.

Hence, the car descends one-fourth the distance in the first half of the time.

PAGE 310.

1. 1st term $= a,$

2d term $= ar,$

3d term $= ar^2,$

. . . .

nth term $= ar^{n-1}.$

$\therefore l = ar^{n-1}.$

2. $s = \dfrac{rl - a}{r - 1},$

$$rs - s = rl - a,$$
$$rl = a + (r - 1)s.$$
$$\therefore l = \frac{a + (r - 1)s}{r}.$$

3. $l = ar^{n-1}$ (1)

$\therefore rl = ar^n$ (2)

From (1), $r^{n-1} = \dfrac{l}{a}.$

$$\therefore r = \sqrt[n-1]{\frac{l}{a}}.$$

Also, $s = \dfrac{a(r^n - 1)}{r - 1},$

$$sr - s = ar^n - a,$$
$$sr - ar^n = s - a.$$

Substitute rl for ar^n,

$$sr - rl = s - a,$$
$$r(s - l) = s - a.$$
$$\therefore r = \frac{s - a}{s - l}.$$
$$\therefore \sqrt[n-1]{\frac{l}{a}} = \frac{s - a}{s - l}.$$
$$\frac{l}{a} = \left(\frac{s - a}{s - l}\right)^{n-1},$$
$$l(s - l)^{n-1} - a(s - a)^{n-1} = 0.$$

4.

$$l = ar^{n-1}.$$

$$\therefore a = \frac{l}{r^{n-1}},$$

$$s = \frac{a(r^n - 1)}{r - 1},$$

$$s(r-1) = a(r^n - 1),$$

$$a = \frac{s(r-1)}{r^n - 1}.$$

$$\therefore \frac{l}{r^{-n1}} = \frac{s(r-1)}{r^n - 1},$$

$$l(r^n - 1) = sr^{n-1}(r-1),$$

$$l = \frac{sr^{n-1}(r-1)}{r^n - 1}.$$

5.

$$s = a + ar + ar^2 + ar^3 + \cdots\cdots + ar^{n-1}$$

Multiply by r, $rs = \quad ar + ar^2 + ar^3 + \cdots\cdots + ar^{n-1} + ar^n$

Subtract, $rs - s = ar^n - a$

$$s(r-1) = a(r^n - 1).$$

$$s = \frac{a(r^n - 1)}{r - 1}.$$

6.

$$s = a + ar + ar^2 + ar^3 + \cdots\cdots + ar^{n-1}$$

Multiply by r, $rs = \quad ar + ar^2 + ar^3 + \cdots\cdots + ar^{n-1} + ar^n$

Subtract, $rs - s = ar^n - a$

$$(r-1)s = a(r^n - 1),$$

$$s = \frac{ar^n - a}{r - 1}.$$

Since $l = ar^{n-1},$

$$rl = ar^n.$$

Substitute rl for ar^n, $s = \dfrac{rl - a}{r - 1}.$

7.
$$l = ar^{n-1},$$
$$r^{n-1} = \frac{l}{a},$$
$$r = \left(\frac{l}{a}\right)^{\frac{1}{n-1}},$$
$$s = \frac{a(r^n - 1)}{r - 1},$$
$$rs - s = a(r^n - 1).$$

Substitute value of r,
$$s\left(\frac{l}{a}\right)^{\frac{1}{n-1}} - s = a\left(\frac{l}{a}\right)^{\frac{n}{n-1}} - a,$$
$$s\left\{\left(\frac{l}{a}\right)^{\frac{1}{n-1}} - 1\right\} = a\left(\frac{l}{a}\right)^{\frac{n}{n-1}} - a,$$
$$s = \frac{a\left(\frac{l}{a}\right)^{\frac{n}{n-1}} - a}{\left(\frac{l}{a}\right)^{\frac{1}{n-1}} - 1}$$
$$= \frac{\sqrt[n-1]{l^n} - \sqrt[n-1]{a^n}}{\sqrt[n-1]{l} - \sqrt[n-1]{a}}$$

8.
$$l = ar^{n-1} \qquad (1)$$
$$s = \frac{a(r^n - 1)}{r - 1} \qquad (2)$$

From (1), $a = \dfrac{l}{r^{n-1}}.$

From (2), $a = \dfrac{s(r-1)}{r^n - 1}.$

$$\therefore \frac{s(r-1)}{r^n - 1} = \frac{l}{r^{n-1}},$$
$$s(r^n - r^{n-1}) = lr^n - l,$$
$$s = \frac{lr^n - l}{r^n - r^{n-1}}.$$

9.
$$l = ar^{n-1},$$
$$ar^{n-1} = l.$$
$$\therefore a = \frac{l}{r^{n-1}}.$$

10.
$$s = \frac{ar^n - a}{r - 1},$$
$$(r - 1)s = (r^n - 1)a.$$
$$\therefore a = \frac{(r - 1)s}{r^n - 1}.$$

11.
$$s = \frac{rl - a}{r - 1},$$
$$(r - 1)s = rl - a,$$
$$a = rl - (r - 1)s.$$

12.
$$l = ar^{n-1} \qquad (1)$$
$$s = \frac{rl - a}{r - 1} \qquad (2)$$

From (1), $r = \left(\dfrac{l}{a}\right)^{\frac{1}{n-1}}.$

From (2), $r = \dfrac{s - a}{s - l}.$

$$\therefore \left(\frac{l}{a}\right)^{\frac{1}{n-1}} = \frac{s - a}{s - l}.$$
$$\therefore \frac{l}{a} = \frac{(s - a)^{n-1}}{(s - l)^{n-1}}.$$
$$\therefore a(s - a)^{n-1} - l(s - l)^{n-1} = 0.$$

13.
$$l = ar^{n-1},$$
$$r^{n-1} = \frac{l}{a}.$$
$$\therefore r = \sqrt[n-1]{\frac{l}{a}}.$$

14.

$$s=\frac{a(r^n-1)}{r-1},$$

$$rs-s=ar^n-a,$$

$$rs-ar^n=s-a,$$

$$ar^n=rs-(s-a).$$

$$\therefore r^n=\frac{s}{a}r-\frac{s-a}{a}.$$

$$\therefore r^n-\frac{s}{a}r+\frac{s-a}{a}=0.$$

15.

$$s=\frac{rl-a}{r-1}.$$

$$rs-s=rl-a,$$

$$rs-rl=s-a,$$

$$r(s-l)=s-a.$$

$$\therefore r=\frac{s-a}{s-l}.$$

16.

$$l=ar^{n-1}.$$

$$s=\frac{a(r_n-1)}{r-1}.$$

Then

$$a=\frac{l}{r^{n-1}},$$

$$a=\frac{s(r-1)}{r^n-1}.$$

$$\therefore \frac{l}{r^{n-1}}=\frac{s(r-1)}{r^n-1}.$$

$$lr^n-l=sr^n-sr^{n-1},$$

$$sr^n-sr^{n-1}-lr^n+l=0,$$

$$r^n(s-l)-sr^{n-1}+l=0,$$

$$r^n-\frac{s}{s-l}r^{n-1}+\frac{l}{s-l}=0.$$

17.

$$l=ar^{n-1}.$$

$$\therefore r^{n-1}=\frac{l}{a}.$$

$$\therefore (n-1)\log r=\log l-\log a.$$

$$\therefore n-1=\frac{\log l-\log a}{\log r}.$$

$$\therefore n=\frac{\log l-\log a}{\log r}+1.$$

18.

$$s=\frac{a(r^n-1)}{r-1}.$$

$$s(r-1)=ar^n-a,$$

$$ar^n=a+s(r-1).$$

$$\log a+n\log r=\log[a+s(r-1)],$$

$$n\log r=\log[a+s(r-1)]-\log a.$$

$$\therefore n=\frac{\log[a+(r-1)s]-\log a}{\log r}.$$

19.

$$r = \sqrt[n-1]{\frac{l}{a}},$$

$$s = \frac{rl - a}{r - 1},$$

$$sr - s = rl - a,$$

$$r = \frac{s - a}{s - l}.$$

$$\therefore \sqrt[n-1]{\frac{l}{a}} = \frac{s - a}{s - l}.$$

$$\therefore \frac{l}{a} = \left(\frac{s - a}{s - l}\right)^{n-1}.$$

$$\therefore \log l - \log a = (n - 1)\{\log(s - a) - \log(s - l)\}.$$

$$\therefore n - 1 = \frac{\log l - \log a}{\log(s - a) - \log(s - l)}.$$

$$\therefore n = \frac{\log l - \log a}{\log(s - a) - \log(s - l)} + 1.$$

20.

$$l = ar^{n-1}.$$

$$\therefore a = \frac{l}{r^{n-1}}.$$

$$s = \frac{rl - a}{r - 1}.$$

$$\therefore a = rl - (r - 1)s.$$

$$\therefore \frac{l}{r^{n-1}} = rl - (r - 1)s.$$

$$\log l - (n - 1)\log r = \log\{rl - (r - 1)s\},$$

$$(n - 1)\log r = \log l - \log[rl - (r - 1)s].$$

$$\therefore n = \frac{\log l - \log[rl - (r - 1)s]}{\log r} + 1.$$

Exercise CXVII.

1. Find the seventh term of 2, 6, 18.....
sixth term of 3, 6, 12.....
ninth term of 6, 3, $1\frac{1}{2}$.....
eighth term of 1, -2, 4.....
twelfth term of x^3, x^4, x^5.....
fifth term of $4a, -6ma^2, 9m^2a^3$.....

$$l = ar^{n-1}.$$

By substitution,

seventh term of $2, 6, 18 \cdots\cdots = 2 \times 3^6 = 1458;$

sixth term of $3, 6, 12 \cdots\cdots = 3 \times 2^5 = 96;$

ninth term of $6, 3, 1\frac{1}{2} \cdots\cdots = 6(\frac{1}{2})^8 = \frac{3}{128};$

eighth term of $1, -2, 4 \cdots\cdots = -2^7 = -128;$

twelfth term of $x^3, x^4, x^5 \cdots\cdots = x^3 \times x^{11} = x^{14};$

fifth term of $4a, -6ma^2, 9m^2a^2 \cdots\cdots$

$$= 4a \times \left(-\frac{3am}{2}\right)^{5-1} = 20\tfrac{1}{4}\, a^5m^4.$$

2. Find the geometrical mean between $18x^3y$ and $30xy^3z$.

Let $a = 18x^3y,$

and $b = 30xy^3z.$

If a and b denote two numbers, and G their geometrical means, then

$$\frac{G}{a} = \frac{b}{g}.$$

$$\therefore\ G = \sqrt{ab}.$$

$$\therefore\ G = \sqrt{18x^3y \times 30xy^3z}$$

$$= \sqrt{540x^4y^4z}$$

$$= 6x^2y^2\sqrt{15z}.$$

3. Find the ratio when the first and third terms are 5 and 80 respectively.

$$l = ar^{n-1},$$

$$r = \sqrt[n-1]{\frac{l}{a}}$$

$$= \sqrt[3-1]{\tfrac{80}{5}}$$

$$= \sqrt{16}$$

$$= 4.$$

4. Insert two geometrical means between 8 and 125, and three between 14 and 224.

Let $m =$ number of means.

Then
$$m + 2 = n,$$
$$l = ar^{n-1} \qquad (1)$$
$$l = ar^{m+1} \qquad (2)$$
$$\therefore r^{m+1} = \frac{l}{a} \qquad (3)$$
$$r^3 = \tfrac{125}{8}.$$
$$\therefore r = \tfrac{5}{2} = 2\tfrac{1}{2}.$$

Hence, the series is 8, 20, 50, 125.

From (3),
$$r^{m+1} = \frac{l}{a},$$
$$r^4 = \tfrac{224}{14} = 16.$$
$$\therefore r = 2.$$

Hence, the series is 14, 28, 56, 112, 224.

5. If $a = 2$ and $r = 3$, which term will be equal to 162?

$$l = ar^{n-1},$$
$$r^{\ -1} = \frac{l}{a},$$
$$(n - 1)\log r = \log l - \log a.$$
$$\therefore n - 1 = \frac{\log l - \log a}{\log r},$$
$$n = \frac{\log l - \log a}{\log r} + 1 \qquad (1)$$

Substitute values of a, r, and l in (1),
$$n = \frac{2.2095 - 0.3010}{0.4771} + 1$$
$$= 4 + 1$$
$$= 5.$$

6. The fifth term of a geometrical series is 48, and the ratio 2. Find the first and seventh terms.

$$l = ar^{n-1}.$$
$$\therefore a = \frac{l}{r^{n-1}}$$
$$= \frac{48}{2^4} = 3.$$
$$l = ar^{n-1}$$
$$= 3 \times 2^6 = 192.$$

7. Find the sum of

$3+6+12+\cdots\cdots$ to eight terms.
$1-3+9-\cdots\cdots$ to seven terms.
$8+4+2+\cdots\cdots$ to ten terms.
$.1+.5+2.5+\cdots\cdots$ to seven terms.
$m-\frac{m}{4}+\frac{m}{16}-\cdots\cdots$ to five terms.

$$s=\frac{a(r^n-1)}{r-1}.$$

Substitute values:

$$\left.\begin{array}{l}a=3\\ n=8\\ r=2\end{array}\right\}s=\frac{3(2^8-1)}{2-1}=255;$$

$$\left.\begin{array}{l}a=1\\ n=7\\ r=-3\end{array}\right\}s=\frac{1(-3^7-1)}{-3-1}=547;$$

$$\left.\begin{array}{l}a=8\\ n=10\\ r=\frac{1}{2}\end{array}\right\}s=\frac{8[(\frac{1}{2})^{10}-1]}{\frac{1}{2}-1}=15\tfrac{63}{64};$$

$$\left.\begin{array}{l}a=1\\ n=7\\ r=5\end{array}\right\}s=\frac{1(5^7-1)}{5-1}=1953.1;$$

$$\left.\begin{array}{l}a=m\\ n=5\\ r=-\frac{1}{4}\end{array}\right\}s=\frac{m[(-\frac{1}{4})^5-1]}{-\frac{1}{4}-1}=\frac{205m}{256}.$$

8. The population of a city increases in four years from 10,000 to 14,641. What is the rate of increase?

$$l=ar^{n-1},$$

$$r^{n-1}=\frac{l}{a},$$

$$r=\sqrt[n-1]{\frac{l}{a}}$$

$$=\sqrt[4]{\tfrac{14641}{10000}}$$

$$=\tfrac{11}{10}.$$

$$\tfrac{11}{10}-\tfrac{10}{10}=\tfrac{1}{10}.$$

$\frac{1}{10}=10\%$ increase.

9. The sum of four numbers in geometrical progression is 200, and the first term is 5. Find the ratio.

$$l = ar^{n-1},$$

$$l = 5r^3,$$

$$\left.\begin{array}{l} s = 200 \\ n = 4 \\ a = 5 \end{array}\right\} r = \frac{s-a}{s-l},$$

$$r = \frac{200-5}{200-5r^3},$$

$$200r - 5r^4 = 200 - 5,$$

$$40r - r^4 = 40 - 1,$$

$$r^4 - 40r = -39,$$

$$r^4 - 40r + 39 = 0,$$

$$(r-3)(r^3 + 3r^2 + 9r - 13) = 0.$$

$$\therefore r - 3 = 0.$$

$$\therefore r = 3.$$

10. Find the sum of eight terms of a series whose last term is 1 and fifth term $\frac{1}{8}$.

$$l = ar^{n-1}.$$

$$\therefore r^{n-1} = \frac{l}{a}.$$

Then $$r^3 = 1 \div \tfrac{1}{8}.$$

$$\therefore r = 2.$$

From equations $$l = ar^{n-1},$$

and $$s = \frac{a(r^n - 1)}{r-1},$$

$$\frac{l}{r^n - 1} = \frac{s(r-1)}{r^n - 1},$$

$$lr^n - l = s(r^n - r^{n-1}).$$

$$\therefore s = \frac{lr^n - l}{r^n - r^{n-1}}.$$

Substitute given values, $$s = \frac{1\,(2)^8 - 1}{(2)^8 - (2)^7},$$

$$s = \tfrac{255}{128}.$$

$$\therefore s = 1\tfrac{127}{128}.$$

11. In an odd number of terms, show that the product of the first and last will be equal to the square of the middle term.

Let $x =$ first term,
and $y =$ ratio.
Then $xy =$ second term,
$xy^2 =$ third term.
$x(xy^2) =$ product of first and last terms,
$x^2y^2 =$ square of middle term.
But $x(xy^2) = x^2y^2$.

Therefore, the product of the first and last terms is equal to the square of the middle term.

12. The product of four terms of a geometrical series is 4, and the fourth term is 4. Determine the series.

Let $x =$ first term,
and $y =$ ratio.
Then $x, xy, xy^2, xy^3 =$ the series.
Hence, $x^4y^6 = 4$ (1)
Also, $xy^3 = 4$ (2)
Divide (1) by (2), $x^3y^3 = 1$.
$\therefore xy = 1$ (3)
Divide (2) by (3), $y^2 = 4$.
$\therefore y = \pm 2$.
From (2), $x = \frac{1}{2}$.
Hence, the series is $\frac{1}{2}$, 1, 2, 4.

13. If from a line one-third be cut off, then one-third of the remainder, and so on, what fraction of the whole will remain when this has been done five times?

$l = ar^{n-1}$.
Substitute values, $l = 1\left(\frac{2}{3}\right)^5$.
$\therefore l = \frac{32}{243}$.

14. Of three numbers in geometrical progression, the sum of the first and second exceeds the third by 3, and the sum of the first and third exceeds the second by 21. What are the numbers?

Let $x =$ first of series,
and $r =$ ratio.
Then $rx =$ second term of series,
and $r^2x =$ third term of series.

$$x + rx - r^2x = 3 \qquad (1)$$
$$x + r^2x - rx = 21 \qquad (2)$$

Add, $2x = 24.$
$\therefore x = 12.$

Substitute values of x in (1),
$$12 + 12r - 12r^2 = 3,$$
$$12r - 12r^2 = -9,$$
$$4r^2 - 4r = 3.$$

Complete the square, $4r^2 - (\ ) + 1 = 4.$
Extract the root, $2r - 1 = \pm 2.$
$2r = 3.$
$\therefore r = \frac{3}{2}.$

Hence, the numbers are 12, 18, 27.

15. Find two numbers whose sum is $3\frac{1}{4}$ and geometrical mean $1\frac{1}{2}$.

Let $x =$ one number,
and $y =$ the other.
Then
$$x + y = 3\tfrac{1}{4} \qquad (1)$$
$$\sqrt{xy} = 1\tfrac{1}{2} \qquad (2)$$

Square (2), $xy = \frac{9}{4}.$
$$\therefore x = \frac{9}{4y}.$$

Substitute value of x in (1), $\frac{9}{4y} + y = \frac{13}{4},$
$$9 + 4y^2 = 13y,$$
$$4y^2 - 13y = -9,$$
$$4y^2 - (\ ) + (\tfrac{13}{4})^2 = \tfrac{25}{16}.$$

Extract the root, $2y - \frac{13}{4} = \pm \frac{5}{4},$
$2y = \frac{18}{4}$ or 2.
$\therefore y = \frac{9}{4}$ or 1.

Substitute values of y in (1), $x = 1$ or $2\frac{1}{4}.$

Hence, the numbers are 1 and $2\frac{1}{4}$.

16. **A glass of wine is taken from a decanter that holds ten glasses, and a glass of water poured in. When this has been done five times, what part of the contents is wine?**

Since there are ten glasses of wine at first, when one glass of water is substituted for one of wine, there will be $\frac{9}{10}$ as much wine in the decanter as before.

Since this is done 5 times,

$$\begin{aligned} \therefore l &= (1)\left(\tfrac{9}{10}\right)^5 \\ &= (1)\left(\tfrac{59049}{100000}\right) \\ &= 0.59049. \end{aligned}$$

17. **A vessel contains 16 gallons of brandy and 2 of water. If $1\frac{1}{2}$ gallons be drawn off each day, and the same amount of brandy be poured in, how much brandy will there be in the vessel at the end of four days?**

$\frac{16}{18}$ or $\frac{8}{9}$ = part of brandy in vessel,

$\frac{8}{9}$ of $\frac{3}{2} = \frac{4}{3}$ = number of gallons drawn off each time,

$\frac{3}{2} - \frac{4}{3} = \frac{1}{6}$ = part of a gallon added each time,

$16\frac{1}{6}$ = amount after each increase.

$$\therefore \frac{16\frac{1}{6}}{16} \text{ or } \frac{97}{96} = \text{ratio.}$$

$$\begin{aligned} a &= 16, \\ r &= \tfrac{97}{96}, \\ n &= 5, \\ l &= ar^{n-1} \\ &= (16)\left(\tfrac{97}{96}\right)^4 \\ &= 16.68. \end{aligned}$$

18. **Find three numbers in geometrical progression whose sum is 13 and the sum of their squares 91.**

Let $x,\ xy,\ xy^2 =$ the numbers.

$$x + xy + xy^2 = 13 \qquad (1)$$

$$x^2 + x^2y^2 + x^2y^4 = 91 \qquad (2)$$

Divide (2) by (1), $x - xy + xy^2 = 7$

(1) is $x + xy + xy^2 = 13$

Subtract, $-2xy = -6$

$$\therefore xy = 3.$$

$$\therefore x = \frac{3}{y}.$$

Substitute value of x in (1),

$$\frac{3}{y} + 3 + 3y = 13,$$
$$3 + 3y + 3y^2 = 13y,$$
$$3y^2 - 10y = -3,$$
$$36y^2 - (\ ) + 100 = 64,$$
$$6y - 10 = \pm 8.$$
$$\therefore y = 3,$$
$$\text{and } x = 1.$$

Hence, the numbers are 1, 3, 9.

19. **The difference between two numbers is 48, and the arithmetical mean exceeds the geometrical by 18. Find the numbers.**

Let x = larger number,

and y = smaller number.

$$x - y = 48 \qquad (1)$$
$$\frac{x+y}{2} = \text{arithmetical mean},$$
$$\sqrt{xy} = \text{geometrical mean},$$
$$\frac{x+y}{2} = \sqrt{xy} + 18,$$
$$x + y = 2\sqrt{xy} + 36,$$
$$x - 2\sqrt{xy} + y = 36,$$
$$\sqrt{x} - \sqrt{y} = \pm 6 \qquad (2)$$

Divide (1) by (2), $\sqrt{x} + \sqrt{y} = \pm 8$ (3)

From (2) and (3), $2\sqrt{x} = 14,$

$$2\sqrt{y} = 2.$$
$$\therefore x = 49,$$
$$\text{and } y = 1.$$

20. **There are four numbers in geometrical progression, the second of which is less than the fourth by 24, and the sum of the extremes is to the sum of the means as 7 to 3. Find the numbers.**

Let x = first number,

and y = ratio.

Then x, xy, xy^2, xy^3 = numbers.

$$xy^3 - xy = 24 \qquad (1)$$
$$x + xy^3 : xy + xy^2 :: 7 : 3 \qquad (2)$$

$$3(x + xy^3) = 7(xy + xy^2),$$

$$3(1 + y^3) = 7y(1 + y).$$

Divide by $1+y$, $3(1-y+y^2) = 7y,$

$$3y^2 - 10y = -3,$$

$$36y^2 - (\ ) + 100 = 64,$$

$$6y - 10 = \pm 8,$$

$$6y = 18.$$

$$\therefore y = 3.$$

Substitute in (1), $27x - 3x = 24,$

$$24x = 24.$$

$$\therefore x = 1.$$

Hence, the numbers are 1, 3, 9, 27.

21. A number consists of three digits in geometrical progression. The sum of the digits is 13; and if 792 be added to the number, the digits in the units' and hundreds' places will be interchanged. Find the number.

Let $x =$ first digit,

$rx =$ second digit,

and $r^2x =$ third digit.

$$x + rx + r^2x = 13 \qquad (1)$$

$$100x + 10rx + r^2x + 792 = 100r^2x + 10rx + x,$$

$$-99r^2x + 99x = -792.$$

$$r^2x - x = 8 \qquad (2)$$

$$x + rx + r^2x = 13$$

Subtract, $2x + rx = 5$

$$\therefore x = \frac{5}{2+r}.$$

Substitute value of x in (2),

$$\frac{5r^2}{2+r} - \frac{5}{2+r} = 8,$$

$$5r^2 - 5 = 16 + 8r,$$

$$5r^2 - 8r = 21,$$

$$100r^2 - (\ ) + 64 = 484,$$

$$10r - 8 = \pm 22,$$

$$10r = 30.$$

$$\therefore r = 3.$$

From (1), $x + 3x + 9x = 13.$

$$\therefore x = 1.$$

Hence, the number is 139.

22. Find the limits of the sums of the following infinite series:

$4+2+1+\cdots\cdots$
$\frac{1}{2}+\frac{1}{3}+\frac{2}{9}+\cdots\cdots$
$\frac{1}{4}-\frac{1}{16}+\frac{1}{64}-\cdots\cdots$
$1-\frac{2}{5}+\frac{4}{25}-\cdots\cdots$
$\frac{1}{5}+\frac{1}{15}+\frac{1}{45}+\cdots\cdots$
$2-1\frac{1}{3}+\frac{8}{9}-\cdots\cdots$
$.1+.01+.001+\cdots\cdots$
$.868686\ldots\ldots$
$.54444\ldots\ldots$
$.83636\ldots\ldots$

(1) $$\frac{a}{1-r}=\text{Formula.}$$
$$a=4,$$
$$r=\tfrac{1}{2}.$$
$$\therefore \frac{a}{1-r}=\frac{4}{1-\frac{1}{2}}=8.$$

(2) $$a=\tfrac{1}{2},$$
$$r=\tfrac{2}{3}.$$
$$\therefore \frac{a}{1-r}=\frac{\frac{1}{2}}{1-\frac{2}{3}}=1\tfrac{1}{2}.$$

(3) $$a=\tfrac{1}{4},$$
$$r=-\tfrac{1}{4}.$$
$$\therefore \frac{a}{1-r}=\frac{\frac{1}{4}}{1-(-\frac{1}{4})}$$
$$=\frac{\frac{1}{4}}{1+\frac{1}{4}}=\tfrac{1}{5}.$$

(4) $$a=1,$$
$$r=-\tfrac{2}{5}.$$
$$\therefore \frac{a}{1-r}=\frac{1}{1-(-\frac{2}{5})}$$
$$=\frac{1}{1+\frac{2}{5}}=\tfrac{5}{7}.$$

(5) $$a=\tfrac{1}{5},$$
$$r=\tfrac{1}{3}.$$
$$\therefore \frac{a}{1-r}=\frac{\frac{1}{5}}{1-\frac{1}{3}}$$
$$=\frac{\frac{1}{5}}{\frac{2}{3}}=\tfrac{8}{10}.$$

(6) $$a=2,$$
$$r=-\tfrac{3}{2}.$$
$$\therefore \frac{a}{1-r}=\frac{2}{1+\frac{2}{3}}$$
$$=\frac{2}{\frac{5}{3}}=\tfrac{6}{5}.$$

(7) $$a=.1,$$
$$r=.1.$$
$$\therefore \frac{a}{1-r}=\frac{.1}{1-.1}=\tfrac{1}{9}.$$

(8) $$a=.86,$$
$$r=.01.$$
$$\therefore \frac{a}{1-r}=\frac{.86}{1-.01}=\tfrac{86}{99}.$$

(9) $$a=\tfrac{4}{100},$$
$$r=\tfrac{1}{10}.$$
$$\therefore \frac{a}{1-r}=\frac{\frac{4}{100}}{\frac{9}{10}}=\tfrac{4}{90},$$
$$\tfrac{4}{90}+\tfrac{5}{10}=\tfrac{49}{90}.$$

(10) $$a=\tfrac{36}{1000},$$
$$r=\tfrac{1}{100}.$$
$$\therefore \frac{a}{1-r}=\frac{\frac{36}{1000}}{\frac{99}{100}}=\tfrac{2}{55},$$
$$\tfrac{2}{55}+\tfrac{8}{10}=\tfrac{46}{55}.$$

EXERCISE CXVIII.

1. Insert four harmonical means between 2 and 12.

$$d = \frac{l-a}{m+1}.$$

$$\therefore d = \frac{\frac{1}{2} - \frac{1}{12}}{5} = \frac{1}{12}.$$

$$\tfrac{2}{12}, \tfrac{3}{12}, \tfrac{4}{12}, \tfrac{5}{12} = \text{arithmetical means},$$

$$\therefore 6, 4, 3, 2\tfrac{2}{5} = \text{harmonical means}.$$

2. Find two numbers whose difference is 8, and the harmonical mean between them $1\frac{4}{5}$.

Let $x =$ one number.

Then $x + 8 =$ the other number.

$$H = \frac{2ab}{a+b}.$$

$$\therefore \frac{9}{5} = \frac{2x^2 + 16x}{2x + 8}.$$

$$18x + 72 = 10x^2 + 80x,$$

$$10x^2 + 62x = 72,$$

$$100x^2 + (\ ) + (31)^2 = 1681,$$

$$10x + 31 = \pm 41,$$

$$x = 1 \text{ or } -7\tfrac{1}{5},$$

$$x + 8 = 9 \text{ or } \tfrac{4}{5}.$$

Hence, the numbers are 1 and 9.

3. Find the seventh term of the harmonical series 3, $3\frac{3}{7}$, 4, ...

$$l = a + (n-1)d.$$

Here $a = \frac{1}{3},\ n = 7,\ d = \frac{7}{24} - \frac{7}{21} = -\frac{1}{24}.$

$$\therefore l = \tfrac{1}{3} - \tfrac{1}{4}.$$

$$\therefore l = \tfrac{1}{12}.$$

Hence, the seventh term is 12.

4. Continue to two terms each way the harmonical series two consecutive terms of which are 15, 16.

Harmonical series, 15, 16.

Arithmetical series, $\frac{1}{15}$, $\frac{1}{16}$.

$$d = \frac{1}{16} - \frac{1}{15} = -\frac{1}{240}.$$

Subtract d from first term, $\frac{1}{15} + \frac{1}{240} = \frac{17}{240}$.

Subtract d from $\frac{17}{240}$, $\frac{17}{240} + \frac{1}{240} = \frac{18}{240}$.

Add d to last term, $\frac{1}{16} - \frac{1}{240} = \frac{14}{240}$.

Add d to $\frac{14}{240}$, $\frac{14}{240} - \frac{1}{240} = \frac{13}{240}$.

Hence, arithmetical series is $\frac{18}{240}$, $\frac{17}{240}$ ····· $\frac{14}{240}$, $\frac{13}{240}$.

Hence, harmonical series is $13\frac{1}{3}$, $14\frac{2}{17}$ ····· $17\frac{1}{7}$, $18\frac{6}{13}$.

5. The first two terms of a harmonical series are 5 and 6. Which term will equal 30?

$$l = a + (n-1)d,$$

$$n = \frac{l-a}{d} + 1,$$

$$n = \frac{\frac{1}{5} - \frac{1}{30}}{\frac{1}{30}} + 1,$$

$$n = \frac{5}{30} \times \frac{30}{1} + 1,$$

$$n = 6.$$

6. The fifth and ninth terms of a harmonical series are 8 and 12. Find the first four terms.

$$\frac{l-a}{m+1} = d,$$

$$\frac{\frac{1}{12} - \frac{1}{8}}{4} = d,$$

$$-\frac{1}{96} = d,$$

$$\frac{1}{8} + \frac{1}{96} = \frac{13}{96} = \frac{1}{7\frac{5}{13}},$$

$$\frac{13}{96} + \frac{1}{96} = \frac{14}{96} = \frac{1}{6\frac{6}{7}},$$

$$\frac{14}{96} + \frac{1}{96} = \frac{15}{96} = \frac{1}{6\frac{2}{5}},$$

$$\frac{15}{96} + \frac{1}{96} = \frac{16}{96} = \frac{1}{6}.$$

Hence, the first four terms are 6, $6\frac{2}{5}$, $6\frac{6}{7}$, $7\frac{5}{13}$.

7. The difference between the arithmetical and harmonical means between two numbers is $1\frac{4}{5}$, and one of the numbers is four times the other. Find the numbers.

Let x and $y =$ the numbers.

Then $\frac{x+y}{2}, \frac{2xy}{x+y} =$ the arithmetical and harmonical means.

Hence, $$x = 4y \qquad (1)$$

and $$\frac{x+y}{2} - \frac{2xy}{x+y} = \frac{9}{5} \qquad (2)$$

Substitute $4y$ for x in (2),

$$\frac{5y}{2} - \frac{8y^2}{5y} = \frac{9}{5}.$$

$$\therefore y = 2,$$

and $x = 8$.

8. Find the arithmetical, geometrical, and harmonical means between two numbers a and b; and show that the geometrical mean is a mean proportional between the arithmetical and harmonical means. Also, arrange these means in order of magnitude.

Arithmetical, $$A - a = b - A.$$

$$\therefore A = \frac{a+b}{2}.$$

Geometrical, $$\frac{G}{a} = \frac{b}{G}.$$

$$\therefore G = \sqrt{ab}.$$

Harmonical, $$\frac{1}{H} - \frac{1}{a} = \frac{1}{b} - \frac{1}{H}.$$

$$\therefore \frac{2}{H} = \frac{1}{a} + \frac{1}{b} = \frac{a+b}{ab}.$$

$$\therefore H = \frac{2ab}{a+b}.$$

Thn $$\frac{a+b}{2} \; \sqrt{ab} : : \sqrt{ab} : \frac{2ab}{a+b}.$$

The order of magnitude is $\frac{a+b}{2}, \; \sqrt{ab}, \; \frac{2ab}{a+b}.$

9. The arithmetical mean between two numbers exceeds the geometrical by 13, and the geometrical exceeds the harmonical by 12. What are the numbers?

Let a and b = the numbers.

Then $\frac{a+b}{2}$, $\sqrt{ab}$, $\frac{2ab}{a+b}$ = the arithmetical, geometrical, and harmonical means.

Hence
$$\frac{a+b}{2} - \sqrt{ab} = 13 \qquad (1)$$
$$\sqrt{ab} - \frac{2ab}{a+b} = 12 \qquad (2)$$

Add (1) and (2), $\frac{a+b}{2} - \frac{2ab}{a+b} = 25 \qquad (3)$

Transpose in (1), $\frac{a+b}{2} - 13 = \sqrt{ab}$,
$$a + b - 26 = 2\ \overline{ab} \qquad (4)$$

Square (4), $a^2 + 2ab + b^2 - 52a - 52b + 676 = 4ab$

Simplify (3), $a^2 + 2ab + b^2 - 50a - 50b = 4ab$

Subtract, $2a + 2b = 676$
$$a + b = 338 \qquad (5)$$

Substitute value of $a + b$ in (1),
$$169 - \sqrt{ab} = 13,$$
$$156 = \sqrt{ab}.$$

From (5), $a = 338 - b$.
$$\therefore\ 156 = \sqrt{(338 - b)b}.$$
$$\therefore\ 156^2 = 338b - b^2.$$
$$b^2 - 338b = -24336,$$
$$b^2 - (\ ) + (169)^2 = 4225,$$
$$b - 169 = \pm 65.$$
$$\therefore\ b = 234 \text{ or } 104,$$
$$\text{and } a = 104 \text{ or } 234.$$

10. The sum of three terms of a harmonical series is 11, and the sum of their squares is 49. Find the numbers.

Let x and y = first and last terms.

Then $\frac{2xy}{x+y}$ = middle term.

Hence,
$$x+y+\frac{2xy}{x+y}=11 \qquad (1)$$

and
$$x^2+y^2+\frac{4x^2y^2}{(x+y)^2}=49 \qquad (2)$$

Square (1),
$$x^2+2xy+y^2+\frac{4x^2y^2}{(x+y)^2}+4xy=121 \qquad (3)$$

Subtract (2) from (3),
$$6xy=72$$
$$xy=12 \qquad (4)$$

Substitute 12 for xy in (1), and clear of fractions,
$$(x+y)^2-11(x+y)=-24,$$
$$4(x+y)^2-(\ )+121=25,$$
$$2(x+y)-11=\pm 5.$$
$$\therefore x+y=8 \qquad (5)$$

Square (5),
$$x^2+2xy+y^2=64$$

From (4),
$$4xy \quad =48$$
$$x^2-2xy+y^2=16$$
$$x-y=\pm 4 \qquad (6)$$

From (5) and (6),
$$x=6,$$
and $y=2$.

Hence, the numbers are 6, 3, 2.

11. When a, b, c are in harmonical progression, show that $a:c::a-b:b-c$.

If a, b, c are a harmonical series,
$$\frac{1}{b}-\frac{1}{a}=\frac{1}{c}-\frac{1}{b}.$$

Multiply by abc,
$$ac-bc=ab-ac,$$
$$\text{or } c(a-b)=a(b-c),$$
$$\text{or } a:c::a-b:b-c.$$

EXERCISE CXIX.

1. How many different permutations can be made of the letters in the word *Ecclesiastical*, taken all together?

$$\frac{\lfloor\underline{14}}{\lfloor\underline{3}\,\lfloor\underline{2}\,\lfloor\underline{2}\,\lfloor\underline{2}\,\lfloor\underline{2}\,\lfloor\underline{2}}$$

$$=\frac{14\times 13\times 12\times 11\times 10\times 9\times 8\times 7\times 6\times 5\times 4\times 3\times 2\times 1}{6\times 2\times 2\times 2\times 2\times 2}$$

$= 454{,}053{,}600.$

2. Of all the numbers that can be formed with four of the digits 5, 6, 7, 8, 9, how many will begin with 56?

The first two places (beginning with 56) can be filled in only 1 way.

The next to the last can be filled in only 3 ways.

The last can be filled in only 2 ways.

Hence, whole number of ways $= 3\times 2\times 1 = 6$ ways.

3. If the number of permutations of n things, taken 4 together, be equal to 12 times the permutations of n things, taken 2 together, find n.

The number of permutations of n things, taken 4 together, is $n(n-1)(n-2)(n-3)$; and the number of permutations, taken 2 together, is $n(n-1)$.

But the number of permutations, taken 4 together, equals 12 times the number of permutations, taken 2 together.

$$\therefore\ n(n-1)(n-2)(n-3) = 12n(n-1).$$

Divide by $n(n-1)$, and expand,

$$\begin{aligned} n^2-5n+6&=12,\\ 4n^2-(\ )+25&=49,\\ 2n-5&=\pm 7,\\ 2n&=12 \text{ or } -2.\\ \therefore\ n&=6 \text{ or } -1. \end{aligned}$$

4. With 3 consonants and 2 vowels, how many words of 3 letters can be formed beginning and ending with a consonant, and having a vowel for the middle letter?

The first place can be filled in 3 ways.
The second place can be filled in 2 ways.
The third place can be filled in 2 ways.
Hence, whole number of words $= 3 \times 2 \times 2 = 12$ words.

5. Out of 20 men, in how many different ways can 4 be chosen to be on guard? In how many of these would one particular man be taken, and from how many would he be left out?

The number of ways in which we can select 4 men out of 20 is $20 \times 19 \times 18 \times 17 = 116{,}280$ ways.

The 4 men on guard may be arranged in $\lfloor\underline{4} = 24$ ways.

Hence, number of selections is $\frac{116280}{24} = 4845$.

Since in 20 men there are 5 groups of 4 each, one man would appear in every fifth group.

Hence, one man would be taken in $\frac{4845}{5} = 969$ ways.

$4845 - 969 = 3876$ ways from which he is left out.

6. Of 12 books of the same size, a shelf will hold 5. How many different arrangements on the shelf may be made?

The first place can be filled in 12 ways.
The second place can be filled in 11 ways.
The third place can be filled in 10 ways.
The fourth place can be filled in 9 ways.
The fifth place can be filled in 8 ways.
Hence, whole number of ways $= 12 \times 11 \times 10 \times 9 \times 8$
$= 95{,}040$ ways.

7. Of 8 men forming a boat's crew, one is selected as stroke. How many arrangements of the rest are possible? When the 4 who row on each side are decided on, how many arrangements are still possible?

When one man is chosen for stroke, the number of arrangements of the seven men left is

$$\lfloor\underline{7} = 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 5040.$$

The number of arrangements of the 3 men on the side with the stroke is $\lfloor\underline{3}$; on the other side is $\lfloor\underline{4}$. Hence, the whole number is

$$\lfloor\underline{3} \times \lfloor\underline{4} = 3 \times 2 \times 4 \times 3 \times 2 = 144.$$

8. How many signals may be made with 6 flags of different colors, which can be hoisted either singly, or any number at a time?

The number of ways, when all are taken, would be

$$\begin{array}{lll}
 & 6\times5\times4\times3\times2\times1 & = 720\\
\text{When five,} & 6\times5\times4\times3\times2 & = 720\\
\qquad\text{four,} & 6\times5\times4\times3 & = 360\\
\qquad\text{three,} & 6\times5\times4 & = 120\\
\qquad\text{two,} & 6\times5 & = 30\\
\qquad\text{one,} & 6 & = \underline{6}\\
\text{Hence, in all} & & \ 1956
\end{array}$$

9. How many signals may be made with 8 flags of different colors, which can be hoisted either singly, or any number at a time one above another?

The number of signals, when all are used, would be

$$\begin{array}{lll}
 & 8\times7\times6\times5\times4\times3\times2\times1 & = 40{,}320\\
\text{When seven,} & 8\times7\times6\times5\times4\times3\times2 & = 40{,}320\\
\qquad\text{six,} & 8\times7\times6\times5\times4\times3 & = 20{,}160\\
\qquad\text{five,} & 8\times7\times6\times5\times4 & = 6{,}720\\
\qquad\text{four,} & 8\times7\times6\times5 & = 1{,}680\\
\qquad\text{three,} & 8\times7\times6 & = 336\\
\qquad\text{two,} & 8\times7 & = 56\\
\qquad\text{one,} & 8 & = \underline{8}\\
 & & \ 109{,}600
\end{array}$$

Hence, 109,600 = number of signals made in all.

10. How many different signals can be made with 10 flags, of which 3 are white, 2 red, and the rest blue, always hoisted all together and one above another?

$$\begin{array}{lcl}
\text{Since} & 3 & \text{are white,}\\
 & 2 & \qquad\text{red,}\\
\text{and} & \underline{5} & \qquad\text{blue,}\\
\text{there are} & 10 & \text{in all.}
\end{array}$$

Hence, whole number of signals is $\dfrac{\underline{|10}}{\underline{|3}\,\underline{|2}\,\underline{|5}} = 2520.$

11. How many signals can be made with 7 flags, of which 2 are red, 1 white, 3 blue, and 1 yellow, always displayed all together and one above another?

$$\frac{\underline{|7}}{\underline{|2}\,\underline{|1}\,\underline{|3}\,\underline{|1}}$$

$$= \frac{7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1}{2 \times 3 \times 2} = 420.$$

12. In how many different ways may the 8 men serving a field-gun be arranged, so that the same man may always lay the gun?

$$8 - 1 = 7.$$

$$\underline{|7} = 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 5040 \text{ ways.}$$

13. Find the number of signals which can be made with 4 lights of different colors when displayed any number at a time, arranged above one another, side by side, or diagonally.

$$\begin{array}{lll} \text{Number of ways, when four are taken, is} & & \\ & 4 \times 3 \times 2 \times 1 & = 24 \\ \text{When three,} & 4 \times 3 \times 2 & = 24 \\ \qquad\text{two,} & 4 \times 3 & = \underline{12} \\ & & \quad 60 \end{array}$$

These 60 arrangements can be made in four ways: either side by side, diagonally in two ways, or one above the other.

$$\therefore\ 60 \times 4 = 240.$$

And when one light is taken it can be displayed in one way only.

Hence, 4 different signals can be made with the 4 lights of different colors, 1 at a time.

Therefore the whole number of ways is 240 + 4 = 244.

14. From 10 soldiers and 8 sailors, how many different parties of 3 soldiers and 3 sailors can be formed?

$$\frac{10 \times 9 \times 8}{1 \times 2 \times 3} = 120, \text{ number of selections of 3 out of 10.}$$

$$\text{and } \frac{8 \times 7 \times 6}{1 \times 2 \times 3} = 56, \text{ number of selections of 3 out of 8.}$$

$$\therefore\ 120 \times 56 = 6720, \text{ number of parties that can be formed.}$$

15. How many signals can be made with 3 blue and 2 white flags, which can be displayed either singly, or any number at a time one above another?

The number of ways in which all can be arranged is

$$\frac{\underline{|5}}{\underline{|3}\,\underline{|2}} = 10 \text{ ways.}$$

They can be arranged singly in 2 ways,
2 and 2 in 4 ways,
3 and 3 in 7 ways,
4 and 4 in $\frac{\underline{|4}}{\underline{|2}\,\underline{|3}} + \frac{\underline{|4}}{\underline{|3}\,\underline{|1}} = 10$ ways.

Hence, whole number of ways is 33.

16. In how many ways can a party of 6 take their places at a round table?

If places are not relative, $\underline{|6} = 720 =$ number of ways.
If relative, $\underline{|5} = 120 =$ number of ways.

17. Out of 12 Democrats and 16 Republicans, how many different committees can be formed, each consisting of 3 Democrats and 4 Republicans?

The Democrats can be selected in

$$\frac{12 \times 11 \times 10}{1 \times 2 \times 3} = 220 \text{ ways.}$$

The Republicans in $\frac{16 \times 15 \times 14 \times 13}{1 \times 2 \times 3 \times 4} = 1820$ ways.

Hence, the whole committee can be appointed in

$$220 \times 1820 = 400{,}400 \text{ ways.}$$

18. From 12 soldiers and 8 sailors, how many different parties of 3 soldiers and 2 sailors can be formed?

The soldiers can be arranged in

$$\frac{12 \times 11 \times 10}{1 \times 2 \times 3} = 220 \text{ ways.}$$

The sailors can be appointed in $\frac{8 \times 7}{1 \times 2} = 28$ ways.

Hence, whole number of ways is

$$220 \times 28 = 6160 \text{ ways.}$$

19. **Find the number of combinations of 100 things, 97 together.**

The number is the same as the number of selections of 3 things from 100 things.

Hence, the number of ways in which they can be selected is

$$\frac{100 \times 99 \times 98}{\lfloor 3} = 161{,}700.$$

20. **With 20 consonants and 5 vowels, how many different words can be formed consisting of 3 different consonants and 2 different vowels, any arrangement of letters being considered a word?**

Three consonants can be selected in

$$\frac{20 \times 19 \times 18}{1 \times 2 \times 3} = 1140 \text{ ways,}$$

and two vowels in $\frac{5 \times 4}{1 \times 2} = 10$ ways.

When they have been selected they can be arranged in

$$\lfloor 5 = 120 \text{ different orders.}$$

$$\therefore 1140 \times 10 \times 120 = 1{,}368{,}000.$$

21. **Of 30 things, how many must be taken together in order that, having that number for selection, there may be the greatest possible variety of choice?**

Here n is even, and $r = \frac{n}{2} = \frac{30}{2} = 15.$

22. **There are m things of one kind and n of another; how many different sets can be made containing r of the first and s of the second?**

Let $x =$ number of ways r elements can be selected from m elements,

and $y =$ number of ways s elements can be selected from n elements.

$$\therefore x = \frac{\text{number of arrangements}}{\lfloor r}$$

$$= \frac{m(m-1)(m-2) \cdots\cdots [m-(r-1)]}{r}.$$

Multiply both terms of the fraction by $\underline{|m-r}$,

$$x=\frac{\underline{|m}}{\underline{|r}\,\underline{|m-r}} \qquad (1)$$

$$\therefore y=\frac{\text{number of arrangements}}{s}$$

$$=\frac{n(n-1)(n-2)\cdots\cdots[n-(s-1)]}{s}.$$

Multiply both terms by $\underline{|n-s}$,

$$y=\frac{\underline{|n}}{\underline{|s}\,\underline{|n-s}} \qquad (2)$$

Multiply (1) by (2), $$xy=\frac{\underline{|m}\times\underline{|n}}{(\underline{|r}\,\underline{|m-r})\,(\underline{|s}\,\underline{|n-s})}.$$

23. In how many ways may 10 persons be seated at a round table, so that in no two of the arrangements may every one have the same neighbors?

Two can be selected to fill first two places in

$$\frac{10\times 9}{\underline{|2}}=45 \text{ ways.}$$

For each way of filling these two places there are 8 ways of filling the third place; and, after the first three places have been filled, there are 7 ways of filling the fourth place; and so on.

$$\therefore 45\times 8\times 7\times 6\times 5\times 4\times 3\times 2\times 1=1{,}814{,}400 \text{ ways.}$$

24. The number of combinations of n things, taken r together, is 3 times the number taken $r-1$ together, and half the number taken $r+1$ together. Find n and r.

From VIII., $$\frac{\underline{|n}}{\underline{|r}\,\underline{|n-r}}=\frac{3\,\underline{|n}}{\underline{|r-1}\,\underline{|n-r+1}} \qquad (1)$$

and $$\frac{2\,\underline{|n}}{\underline{|r}\,\underline{|n-r}}=\frac{\underline{|n}}{\underline{|r+1}\,\underline{|n-r-1}} \qquad (2)$$

$$(1)=\frac{1}{r}\times\frac{\underline{|n}}{\underline{|r-1}\,\underline{|n-r}}=\frac{3}{n-r+1}\times\frac{\underline{|n}}{\underline{|r-1}\,\underline{|n-r}}.$$

Divide by $\dfrac{\underline{|n}}{\underline{|r-1}\,\underline{|n-r}}$, $\dfrac{1}{r}=\dfrac{3}{n-r+1}$,

$$n-r+1=3r,$$

$$n=4r-1.$$

$$(2) = \frac{2}{n-r} \times \frac{|\underline{n}}{|\underline{r}\ |\underline{n-r+1}} = \frac{1}{r+1} \times \frac{|\underline{n}}{|\underline{r}\ |\underline{n-r-1}}.$$

Divide by $\frac{|\underline{n}}{|\underline{r}\ |\underline{n-r+1}}$, $\frac{2}{n-r} = \frac{1}{r+1}$,

$$2r + 2 = n - r,$$
$$n = 3r + 2,$$
$$3r + 2 = 4r - 1.$$
$$\therefore r = 3,$$
$$\text{and } n = 11.$$

25. In how many ways may 12 things be divided into 3 sets of 4?

Here the sets are indifferent, and the answer is

$$\frac{|\underline{12}}{|\underline{3}\ |\underline{4}\ |\underline{4}\ |\underline{4}} = 5775.$$

26. How many words of 6 letters may be formed of 3 vowels and 3 consonants, the vowels always having the even places?

The vowels may be arranged in $|\underline{3}$, and the consonants in $|\underline{3}$, ways.

$$|\underline{3} \times |\underline{3} = 6 \times 6 = 36 \text{ ways.}$$

27. From a company of 90 men, 20 are detached for mounting guard each day. How long will it be before the same 20 men are on guard together, supposing the men to be changed as much as possible; and how many times will each man have been on guard?

The 90 men can be arranged in $|\underline{90}$ ways.

The 20 detached in $|\underline{20}$ ways.

The 70 remaining in $|\underline{70}$ ways.

$$\therefore \frac{|\underline{90}}{|\underline{20}\ |\underline{70}} = \text{whole number of ways.}$$

One man will be on guard all the time, leaving 89 men who can be arranged in $|\underline{89}$ ways.

That one will be one of the 20 detached, leaving 19 who can be arranged in $|\underline{19}$ ways.

The remaining 70 can be arranged in $|\underline{70}$ ways.

$$\therefore \frac{|\underline{89}}{|\underline{19}\ |\underline{70}} = \text{whole number of times.}$$

28. **Supposing that a man can place himself in 3 distinct attitudes, how many signals can be made by 4 men placed side by side?**

The first can be placed in 3 attitudes.
The second can be placed in 3 attitudes.
The third can be placed in 3 attitudes.
The fourth can be placed in 3 attitudes.
Hence, all can be placed in 4^3 attitudes.
But as one is the attitude of rest, therefore, $4^3 - 1 = 63$ signals.

29. **How many different arrangements may be made of 11 cricketers, supposing the same 2 always to bowl?**

Putting aside the two bowlers, 9 are left, and they can be arranged in $\underline{|9}$ ways, and the bowlers in $\underline{|2}$ ways.

$$\therefore \underline{|2}\,\underline{|9} = 72{,}576 \text{ ways.}$$

30. **Five flags of different colors can be hoisted either singly, or any number at a time one above another. How many different signals can be made with them?**

When they are all displayed, they can be arranged in

$$\begin{array}{lll} & 5 \times 4 \times 3 \times 2 \times 1 & = 120 \\ \text{When four,} & 5 \times 4 \times 3 \times 2 & = 120 \\ \text{three,} & 5 \times 4 \times 3 & = 60 \\ \text{two,} & 5 \times 4 & = 20 \\ \text{one,} & 5 & = 5 \\ \hline \therefore \text{whole number of signals} & & = 325 \end{array}$$

31. **How many signals can be made with 5 lights of different colors, which can be displayed either singly, or any number at a time side by side, or one above another?**

When they are all displayed, they can be arranged in

$$\begin{array}{lll} & 5 \times 4 \times 3 \times 2 \times 1 & = 120 \\ \text{When four,} & 5 \times 4 \times 3 \times 2 & = 120 \\ \text{three,} & 5 \times 4 \times 3 & = 60 \\ \text{two,} & 5 \times 4 & = 20 \\ \hline \text{Whole number of arrangements} & & = 320 \end{array}$$

Since they can be displayed as many ways side by side as one above the other, multiply by 2,

$$320 \times 2 = 640.$$

Since 5 lights of different colors, displayed singly, give 5 different signals, the whole number of signals will be

$$640 + 5 = 645.$$

32. The number of permutations of n things, 3 at a time, is 6 times the number of combinations, 4 at a time. Find n.

$$n(n-1)(n-2)=6\left(\frac{n(n-1)(n-2)(n-3)}{\underline{|4}}\right),$$

Divide by $n(n-1)(n-2)$, $1=\frac{6n-18}{\underline{|4}}$,

$$24=6n-18,$$
$$6n=42.$$
$$\therefore n=7.$$

33. At a game of cards, 3 being dealt to each person, any one can have 425 times as many hands as there are cards in the pack. How many cards are there?

Let $n =$ number of cards in the pack.

Then $\frac{n(n-1)(n-2)}{3\times 2\times 1}=425n,$

or $\frac{n^3-3n^2+2n}{6}=425n.$

$$n^3-3n^2+2n=2550n.$$

Divide by n, $n^2-3n+2=2550,$

$$n^2-3n=2548.$$

Complete the square,

$$4n^2-(\ )+9=10{,}201.$$

Extract the root, $2n-3=\pm 101,$

$$2n=104 \text{ or } -98.$$
$$\therefore n=52 \text{ or } -49.$$

Hence, the number of cards is 52.

Exercise CXX.

1. $(1+2x)^5$

$=(1)^5+5(1)^4(2x)+10(1)^3(2x)^2+10(1)^2(2x)^3+5(1)(2x)^4+(2x)^5$

$=1+10x+40x^2+80x^3+80x^4+32x^5.$

2. $(x-3)^8$

$=x^8-8(x)^7(3)+28(x)^6(3)^2-56(x)^5(3)^3+70(x)^4(3)^4$

$-56(x)^3(3)^5+28(x)^2(3)^6-8(x)(3)^7+(3)^8$

$=x^8-24x^7+252x^6-1512x^5+5670x^4$

$-13608x^3+20412x^2-17496x+6561.$

3. $(2x-3y)^4$

$$= (2x)^4 - 4(2x)^3(3y) + 6(2x)^2(3y)^2 - 4(2x)(3y)^3 + (3y)^4$$
$$= 16x^4 - 96x^3y + 216x^2y^2 - 216xy^3 + 81y^4.$$

4. $(2-x)^3$

$$= (2)^3 - 3(2)^2(x) + 3(2)(x)^2 - (x)^3$$
$$= 8 - 12x + 6x^2 - x^3.$$

5. $\left(1-\frac{3y}{4}\right)^5$

$$= (1)^5 - 5(1)^4\left(\frac{3y}{4}\right) + 10(1)^3\left(\frac{3y}{4}\right)^2 - 10(1)^2\left(\frac{3y}{4}\right)^3 + 5(1)\left(\frac{3y}{4}\right)^4 - \left(\frac{3y}{4}\right)^5$$
$$= 1 - \frac{15y}{4} + \frac{45y^2}{8} - \frac{135y^3}{32} + \frac{405y^4}{256} - \frac{243y^5}{1024}.$$

6. $\left(1-\frac{x}{3}\right)^9$

$$= 1 - 9\left(\frac{x}{3}\right) + 36\left(\frac{x}{3}\right)^2 - 84\left(\frac{x}{3}\right)^3 + 126\left(\frac{x}{3}\right)^4 - 126\left(\frac{x}{3}\right)^5 + 84\left(\frac{x}{3}\right)^6 - 36\left(\frac{x}{3}\right)^7 + 9\left(\frac{x}{3}\right)^8 - 1\left(\frac{x}{3}\right)^9$$
$$= 1 - 3x + 4x^2 - \frac{28x^3}{9} + \frac{14x^4}{9} - \frac{14x^5}{27} + \frac{28x^6}{243} - \frac{4x^7}{243} + \frac{x^8}{729} - \frac{x^9}{19683}.$$

7. The fourth term of $(2x-5y)^{12}$.

Substitute in formula values of n and r,

$$\frac{n(n-1)\ldots\ldots(n-r+2)}{1\times 2\ldots\ldots(r-1)}a^{n-r+1}x^{r-1}$$
$$= \frac{12\times 11\times 10}{1\times 2\times 3}(2x)^9(5y)^3$$
$$= -14080000x^9y^3.$$

8. The seventh term of $\left(\frac{x}{2}+\frac{y}{3}\right)^{10}$

$$= \frac{10\times 9\times 8\times 7}{1\times 2\times 3\times 4}\left(\frac{x}{2}\right)^4\left(\frac{y}{3}\right)^6$$
$$= \frac{35x^4y^6}{1944}.$$

9. The twelfth term of $(a^2 - ax)^{15}$

$$= \frac{15 \times 14 \times 13 \times 12}{1 \times 2 \times 3 \times 4}(a^2)^4(ax)^{11}$$
$$= -1365\, a^{19}x^{11}.$$

10. The eighth term of $(5\,x^2y - 2\,xy^2)^9$

$$= -\frac{9 \times 8 \,.....\, 3}{2 \,.....\, 7}(5\,x^2y)^2(2\,xy^2)^7$$
$$= -36(25\,x^4y^2)(128\,x^7y^{14})$$
$$= -115200\,x^{11}y^{16}.$$

11. The middle term of $\left(\frac{x}{y} + \frac{y}{x}\right)^8$

$$= \frac{8 \times 7 \times 6 \times 5}{1 \times 2 \times 3 \times 4}\left(\frac{x}{y}\right)^4\left(\frac{y}{x}\right)^4$$
$$= 70.$$

12. The middle term of $\left(\frac{x}{y} - \frac{y}{x}\right)^{10}$

$$= \frac{10 \times 9 \times 8 \times 7 \times 6}{1 \times 2 \times 3 \times 4 \times 5}\left(\frac{x}{y}\right)^5\left(\frac{y}{x}\right)^5$$
$$= -252.$$

13. The two middle terms of $\left(\frac{x}{y} - \frac{y}{x}\right)^7.$

The two middle terms are the fourth and fifth.

The fourth term $= \frac{7 \times 6 \times 5 \times 4}{1 \times 2 \times 3 \times 4}\left(\frac{x}{y}\right)^4\left(\frac{y}{x}\right)^3$

$$= -\frac{35\,x}{y}.$$

The fifth term $= \frac{7 \times 6 \times 5}{1 \times 2 \times 3}\left(\frac{x}{y}\right)^3\left(\frac{y}{x}\right)^4$

$$= \frac{35\,y}{x}.$$

14. The *rth* term of $(2\,a + x)^n$

$$= \frac{n(n-1) \,.....\, (n-r+2)}{1 \times 2 \,.....\, (r-1)}(2\,a)^{n-r+1}x^{r-1}.$$

15. The *rth* term from the end of $(2a+x)^n$

$$=\frac{n(n-1)\ldots\ldots(n-r+2)}{1\times 2\ldots\ldots(r-1)}(2a)^{r-1}x^{n-r+1}$$

16. The $(r+4)th$ term of $(a+x)^n$

$$=\frac{n(n-1)\ldots\ldots(n-r-2)}{1\times 2\ldots\ldots(r+3)}a^{n-r-3}x^{r+3}.$$

17. The middle term of $(a+x)^{2n}$

$$=\frac{2n(2n-1)\ldots\ldots(2n-(n+1)+2)}{1\times 2\ldots\ldots(n+1-1)}a^{2n-n-1+1}x^n$$

$$=\frac{2n(2n-1)\ldots\ldots(n+1)}{1\times 2\ldots\ldots n}a^nx^n.$$

Multiply both terms by $\underline{|n}$,

$$(n+1)th \text{ term} = \frac{\underline{|2n}}{(\underline{|n})^2}a^nx^n.$$

18. Expand $(2a+x)^{12}$, and find the sum of the terms if $a=1$, $x=-2$.

$$(2a)^{12}+12(2a)^{11}x+66(2a)^{10}x^2+220(2a)^9x^3+495(2a)^8x^4$$
$$+792(2a)^7x^5+924(2a)^6x^6+792(2a)^5x^7+495(2a)^4x^8$$
$$+220(2a)^3x^9+66(2a)^2x^{10}+12(2a)x^{11}+x^{12}.$$

Substitute 1 for a and -2 for x,

$$(2-2)^{12}=0.$$

EXERCISE CXXI.

1. $(1+x)^{\frac{1}{2}}$ to four terms

$$=1+\tfrac{1}{2}x+\frac{\frac{1}{2}(\frac{1}{2}-1)}{2}x^2+\frac{\frac{1}{2}(\frac{1}{2}-1)(\frac{1}{2}-2)}{3}x^3$$

$$=1+\frac{x}{2}-\frac{x^2}{8}+\frac{x^3}{16}-\ldots\ldots$$

2. $(1+x)^{\frac{2}{3}}$ to four terms

$$=1-\tfrac{2}{3}x+\frac{\frac{2}{3}(\frac{2}{3}-1)}{2}x^2-\frac{\frac{2}{3}(\frac{2}{3}-1)(\frac{2}{3}-2)}{1\times 2\times 3}x^3$$

$$=1+\tfrac{2}{3}x-\tfrac{1}{9}x^2+\tfrac{4}{81}x^3\ldots\ldots$$

3. $(a+x)^{\frac{3}{4}}$ to four terms

$$= a^{\frac{3}{4}} + \tfrac{3}{4}a^{\frac{3}{4}-1}x + \frac{\frac{3}{4}(\frac{3}{4}-1)}{2}a^{\frac{3}{4}-2}x^2 + \frac{\frac{3}{4}(\frac{3}{4}-1)(\frac{3}{4}-2)}{\underline{|3}}a^{\frac{3}{4}-3}x^3$$

$$= a^{\frac{3}{4}} + \frac{3x}{4a^{\frac{1}{4}}} - \frac{3x^2}{32a^{\frac{5}{4}}} + \frac{15x^3}{128a^{\frac{9}{4}}}$$

$$= a^{\frac{3}{4}}\left(1 + \frac{3x}{4a} - \frac{3x^2}{3a^2} + \frac{15x^3}{128a^3}\right).$$

4. $(1-x)^{-4}$ to four terms.

By substituting 1 for a and $-x$ for x in the formula $(a+x)^n$

$$= a^n + na^{n-1}x + \frac{n(n-1)}{2}a^{n-2}x^2 + \frac{n(n-1)(n-2)(n-3)}{\underline{|3}}ax^3$$

$$= 1 + 4x + 10x^2 + 20x^3.$$

5. $(a^2-x^2)^{\frac{5}{2}}$ to four terms

$$= (a^2)^{\frac{5}{2}} - \tfrac{5}{2}(a^2)^{\frac{5}{2}-1} + \frac{\frac{5}{2}(\frac{5}{2}-1)}{\underline{|2}}(a^2)^{\frac{5}{2}-2}x^2 - \frac{\frac{5}{2}(\frac{5}{2}-1)(\frac{5}{2}-2)}{\underline{|3}}(a^2)^{\frac{5}{2}-3}x^3$$

$$= a^5 - \frac{5a^3x^2}{2} + \frac{15ax^4}{8} - \frac{5x^6}{16a} + \cdots\cdots$$

6. $(x^2+xy)^{-\frac{3}{2}}$ to four terms

$$= (x^2)^{-\frac{3}{2}} - \tfrac{3}{2}(x^2)^{-\frac{3}{2}-1}(xy) + \frac{-\frac{3}{2}(-\frac{3}{2}-1)}{2}(x^2)^{-\frac{3}{2}-2}(xy)^2$$
$$+ \frac{-\frac{3}{2}(-\frac{3}{2}-1)(-\frac{3}{2}-2)}{\underline{|3}}x^{2-\frac{3}{2}-3}(xy)^3\cdots\cdots$$

$$= x^{-3} - \tfrac{3}{2}x^{-4}y + \frac{15x^{-5}y^2}{8} - \frac{35x^{-6}y^3}{16} + \cdots\cdots$$

7. $(2x-3y)^{-\frac{1}{4}}$ to four terms

$$= (2x)^{-\frac{1}{4}} - (-\tfrac{1}{4})(2x)^{-\frac{5}{4}}(3y) + \frac{(-\frac{1}{4})(-\frac{5}{4})}{2}(2x)^{-\frac{9}{4}}(3y)^2$$
$$- \frac{(-\frac{1}{4})(-\frac{5}{4})(-\frac{9}{4})}{2\times 3}(2x)^{-\frac{13}{4}}(3y)^3$$

$$= 2x^{-\frac{1}{4}}\{1 + \tfrac{3}{8}x^{-1}y + \tfrac{45}{128}x^{-2}y^2 + \tfrac{405}{1024}x^3y^3 + \cdots\cdots\}$$

8. $\sqrt[5]{1-5x}$ to four terms

$$= (1-5x)^{\frac{1}{5}}$$

$$= 1 - \tfrac{1}{5}(5x) + \frac{\frac{1}{5}(\frac{1}{5}-1)}{1\times 2}(5x)^2 - \frac{\frac{1}{5}(\frac{1}{5}-1)(\frac{1}{5}-2)}{1\times 2\times 3}(5x)^3$$

$$= 1 - x - 2x^2 - 6x^3 - \cdots\cdots$$

9. $\dfrac{1}{\sqrt{(4a^2-8ax)^3}}$ to four terms

$$= (4a^2-3ax)^{-\frac{3}{2}}$$

$$= (4a^2)^{-\frac{3}{2}} - (-\tfrac{3}{2})(4a^2)^{-\frac{5}{2}}(3ax) + \frac{(-\frac{3}{2})(-\frac{5}{2})(4a^2)^{-\frac{7}{2}}(3ax)^2}{1\times 2}$$

$$- \frac{(-\frac{3}{2})(-\frac{5}{2})(-\frac{7}{2})}{1\times 2\times 3}(4a^2)^{-\frac{9}{2}}(3ax)^3$$

$$= \tfrac{1}{8}a^{-3} + \tfrac{9}{64}a^{-4}x + \tfrac{135}{1024}a^{-5}x^2 + \tfrac{945}{8192}a^{-6}x^3$$

$$= \frac{1}{8a^3}\left\{1 + \frac{9x}{8a} + \frac{135x^2}{128a^2} + \frac{945x^3}{1024a^3} + \cdots\cdots\right\}.$$

10. $\sqrt[6]{\dfrac{1}{(1-3y)^5}}$ to four terms

$$= (1-3y)^{-\frac{5}{6}}$$

$$= 1 - (-\tfrac{5}{6})(3y) + \frac{(-\frac{5}{6})(-\frac{11}{6})}{1\times 2}(3y)^2 - \frac{(-\frac{5}{6})(-\frac{11}{6})(-\frac{17}{6})}{1\times 2\times 3}(3y)^3$$

$$= 1 + \frac{5y}{2} + \frac{55y^2}{8} + \frac{935y^3}{48} + \cdots\cdots$$

11. $(1+x+x^2)^{\frac{2}{3}}$ to four terms

$$= [1+(x+x^2)]^{\frac{2}{3}}$$

$$= 1 + \tfrac{2}{3}(x+x^2) + \frac{\frac{2}{3}(\frac{2}{3}-1)}{2}(x+x^2)^2 + \frac{\frac{2}{3}(\frac{2}{3}-1)(\frac{2}{3}-2)}{\lfloor\underline{3}}(x+x^2)$$

$$= 1 + \tfrac{2}{3}x + \tfrac{5}{9}x^2 - \tfrac{14}{81}x^3 + \cdots\cdots$$

12. $(1-x+x^2)^{\frac{3}{2}}$ to four terms

$$= [1-(x-x^2)]^{\frac{3}{2}}$$

$$= 1 - \tfrac{3}{2}(x-x^2) + \frac{\frac{3}{2}(\frac{3}{2}-1)}{1\times 2}(x-x^2)^2 - \frac{\frac{3}{2}(\frac{3}{2}-1)(\frac{3}{2}-2)}{1\times 2\times 3}(x-x^2)^3$$

$$= 1 - \tfrac{3}{2}x + \tfrac{3}{2}x^2 + (\tfrac{3}{8}x^2 - \tfrac{6}{8}x^3) - (-\tfrac{1}{16}x^3)$$

$$= 1 - \tfrac{3}{2}x + \tfrac{15}{8}x^2 - \tfrac{11}{16}x^3 + \cdots\cdots$$

13. The *rth* term of $(a+x)^{\frac{1}{2}}$

$$=\frac{\frac{1}{2}(\frac{1}{2}-1)\ldots\ldots(\frac{1}{2}-r+2)}{1\times 2\ldots\ldots(r-1)}a^{\frac{1}{2}-r+1}x^{r-1}$$

$$=\frac{\left(\frac{1}{2}\right)\left(-\frac{1}{2}\right)\left(-\frac{3}{2}\right)\left(-\frac{5}{2}\right)\ldots\ldots\left(\frac{5-2r}{2}\right)}{\underline{|r-1}}a^{\frac{3-2r}{2}}x^{r-1}$$

$$=(-1)^r\frac{\left(\frac{1}{2}\right)\left(\frac{1}{2}\right)\left(\frac{3}{2}\right)\left(\frac{5}{2}\right)\ldots\ldots\left(\frac{2r-5}{2}\right)}{\underline{|r-1}}a^{\frac{3-2r}{2}}x^{r-1}.$$

Multiply both terms by 2^{r-1}

$$=(-1)^r\frac{1\times 3\times 5\ldots\ldots(2r-5)}{\underline{|r-1}\times 2^{r-1}}a^{\frac{3-2r}{2}}x^{r-1}$$

14. The *rth* term of $(a-x)^{-3}$

$$=\frac{(-3)(-4)\ldots\ldots(-r-1)}{1\times 2\times 3\ldots\ldots r-1}a^{-r-2}x^{r-1}$$

$$=\frac{3\times 4\ldots\ldots(r-1)(r)(r+1)}{1\times 2\times 3\times 4\ldots\ldots(r-1)}a^{-r-2}x^{r-}$$

$$=\frac{r(r+1)}{1\times 2}a^{-r-2}x^{r-1}.$$

15. $\sqrt{65}$ to five decimal places

$$=\{64(1+\tfrac{1}{64})\}^{\frac{1}{2}}$$
$$=8(1+\tfrac{1}{64})^{\frac{1}{2}}$$
$$=8\{1+(\tfrac{1}{2})(\tfrac{1}{64})+\frac{\frac{1}{2}(\frac{1}{2}-2)}{1\times 2}(\tfrac{1}{64})^2\}$$
$$=8(1+\tfrac{1}{128}-\tfrac{1}{32768})$$
$$=8(1+.00781-.00003)$$
$$=8.06224\ldots\ldots$$

16. $\sqrt[3]{1\frac{1}{30}}$ to five decimal places

$$=\sqrt[3]{\tfrac{31}{30}}$$
$$=\{1(1+\tfrac{1}{30})^{\frac{1}{3}}\}$$
$$=1+\tfrac{1}{3}\times\tfrac{1}{30}+\frac{\frac{1}{3}(\frac{1}{3}-1)}{1\times 2}(\tfrac{1}{30})^2$$
$$=1+.01111-.00012$$
$$=1.01099.$$

17. $\sqrt[7]{129}$ to six decimal places

$$=\{128(1+\tfrac{1}{128})\}^{\frac{1}{7}}$$
$$=\{2^7(1+\tfrac{1}{128})\}^{\frac{1}{7}}$$
$$\therefore \sqrt[7]{129}=2(1+\tfrac{1}{128})^{\frac{1}{7}}$$
$$=2\{1+\tfrac{1}{7}\times\tfrac{1}{128}+\frac{\frac{1}{7}(\frac{1}{7}-1)}{2}(\tfrac{1}{128})^2\}+\cdots\cdots$$
$$=2(1+.001116-.000004)$$
$$=2.002224.$$

18. $(1-2x+3x^2)^{-\frac{2}{5}}$ to four terms

$$=\{1-(2x-3x^2)\}^{-\frac{2}{5}}$$
$$=1-(-\tfrac{2}{5})(2x-3x^2)+\frac{(-\frac{2}{5})(-\frac{7}{5})}{1\times 2}(2x-3x^2)^2$$
$$-\frac{(-\frac{2}{5})(-\frac{7}{5})(-\frac{12}{5})}{1\times 2\times 3}(2x-3x^2)^3$$
$$=1+\left(\frac{4x}{5}-\frac{6x^2}{5}\right)+\left(\frac{28x^2}{25}-\frac{84x^3}{25}+\frac{63x^4}{25}\right)+\left(\frac{224x^3}{125}-\cdots\cdots\right)$$
$$=1+\frac{4x}{5}-\frac{2x^2}{25}-\frac{196x^3}{125}-\cdots\cdots$$

19. $\dfrac{(1+2x)^2}{(1+3x)^3}$ to coefficient of x^4

$$=(1+2x)^2(1+3x)^{-3}$$
$$=(1+4x+4x^2)(1-9x+54x^2-270x^3+1215x^4).$$

The terms containing x^4 will be

$$1215x^4-4x(270x^3)+4x^2(54x^2)$$
$$=351x^4.$$

20. $(1+x)^{\frac{1}{2}}$ expanded

$$1+\tfrac{1}{2}x+\frac{\frac{1}{2}(\frac{1}{2}-1)}{2}x^2+\frac{\frac{1}{2}(\frac{1}{2}-1)(\frac{1}{2}-2)}{\underline{|3}}x^3$$
$$+\frac{\frac{1}{2}(\frac{1}{2}-1)(\frac{1}{2}-2)(\frac{1}{2}-3)}{\underline{|4}}x^4\cdots\cdots$$
$$=1+\tfrac{1}{2}x-\frac{1}{2\times 2^2}x^2+\frac{1\times 3}{2\times 3\times 2^3}x^3-\frac{1\times 3\times 5}{2\times 3\times 4\times 2^4}x^4\cdots\cdots$$

When $x=1$, this becomes $(1+1)^{\frac{1}{2}}$

$$=1+\frac{1}{2}-\frac{1}{2\times 2^2}+\frac{1\times 3}{2\times 3\times 2^2}-\frac{1\times 3\times 5}{2\times 3\times 4\times 2^4}+\cdots\cdots$$